1625 N. French Dr., Hobbs, NM 88240 District II 1301 W. Grand Avenue, Artesia, NM 88210 District III 1000 Rio Brazos Road, Aztec, NM 87410 District IV 1220 S. St. Francis Dr., Santa Fe, NM 87505

Printed Name/Title

## State of New Mexico Energy Minerals and Natural Resources

Form C-144

Oil Conservation Division 1220 South Francis Dr Santa ReiNM 87505

For drilling and production facilities, submit to appropriate NMOCD District Office. For downstream facilities, submit to Santa Fe office

## Pit or Below-Grade Tank Registration or Closure Is pit or below-grade tank covered by a "general plan"? Yes No [

Type of action: Registration of a pit or below-grade tank [ Closure of a pit or below-grade tank [ ] Operator: Burlington Resources Telephone: (505) 326-9840 e-mail address: <u>LHasely@br-inc.com</u> Address: 3401 East 30th Street, Farmington, New Mexico, 87402 Facility or well name: Sheets No. 4 API #: 30045242970000 U/L or Qtr/Qtr <u>O</u> Sec <u>28</u> T <u>31N</u> R <u>9W</u> NAD: 1927 X 1983 ☐ County: San Juan Latitude 36.86492 -107.78203 Longitude Surface Owner: Federal ☑ State ☐ Private ☐ Indian ☐ Below-grade tank Type: Drilling Production Disposal Volume: 40 bbl Type of fluid: Produced Water and Incidental Oil Workover ☐ Emergency ☐ Construction material: Fiberglass Lined Unlined U Double-walled, with leak detection? Yes If not, explain why not. Liner type: Synthetic Thickness \_\_\_\_\_mil Clay Pit Volume Less than 50 feet (20 points) Depth to ground water (vertical distance from bottom of pit to seasonal 50 feet or more, but less than 100 feet (10 points) high water elevation of ground water.) 100 feet or more ( 0 points) 0 Yes (20 points) Wellhead protection area: (Less than 200 feet from a private domestic Nο ( 0 points) 0 water source, or less than 1000 feet from all other water sources.) Less than 200 feet (20 points) Distance to surface water: (horizontal distance to all wetlands, playas, 200 feet or more, but less than 1000 feet (10 points) irrigation canals, ditches, and perennial and ephemeral watercourses.) 1000 feet or more ( 0 points) n Ranking Score (Total Points) If this is a pit closure: (1) Attach a diagram of the facility showing the pit's relationship to other equipment and tanks. (2) Indicate disposal location: (check the onsite box if your are burying in place) onsite 🔲 offsite 🔲 If offsite, name of facility \_\_\_\_. (3) Attach a general description of remedial action taken including remediation start date and end date. (4) Groundwater encountered: No 🛛 Yes 🔲 If yes, show depth below ground surface ft. and attach sample results. (5) Attach soil sample results and a diagram of sample locations and excavations. Additional Comments: The soils tested clean and no soil remediation was required. I hereby certify that the information above is true and complete to the best of my knowledge and belief. I further certify that the above-described pit or below-grade tank has been/will be constructed or closed according to NMOCD guidelines ☒, a general permit ☐, or an (attached) alternative OCD-approved plan ☐. 7/28/05 Mr. Ed Hasely, Environmental Advisor Signature Your certification and NMOCD approval of this application/closure does not relieve the operator of liability should the contents of the pit or tank contaminate ground water or otherwise endanger public health or the environment. Nor does it relieve the operator of its responsibility for compliance with any other federal, state, or local laws and/or regulations. Approval: OIL & GAS INSPECTOR, DIST. AUG - 4 2005

CLIENT: Birlington Resources	ENVIRON 5	MENTAL SCIENTISTS 796 U.S. HIGHWAY MINGTON, NEW ME PHONE: (505) 632	& ENGINEERS 64-3014 XICO 87401			NO:	
FIELD REPOR	RT: CLOS	URE V	ERIFIC	CATION	PAGE No:		
LOCATION: NAME: Shud QUAD/UNIT: O SEC: QTR/FODTAGE: 1100' FS	29 TWP: 31N RN	G: 9W PM:	NMPM CNT		DATE STARTED: DATE FINISHED ENVIRONMENTAL SPECIALIST:	1/8/05	
EXCAVATION APPROX FT. x FT. DEEP. CUBIC YARDAGE:  DISPOSAL FACILITY: N)A							
DEPTH TO GROUNDWATER: C NEAREST WATER SOURCE: O NEAREST SURFACE WATER: O  NMOCD RANKING SCORE: O NMOCD TPH CLOSURE STD: 5000 PPM  CHECK DNE:  PIT ABANDONED  STEEL TANK INSTALLED							
Light colored contamination seen at 3' below removed BGT. There is a landfarm already on-site. No soil removed from site.  FIELD 418.1 CALCULATIONS  TIME SAMPLE I.D. LAB No: WEIGHT (9) ML. FREON DILUTION READING CALC. ppm							
SCALE	1131 3' belo				1 0-13		
PIT PERIM	ndforn.	OVM RESULT AMPLE FIELD FIELD PIO Ballow 97	S SEADSPACE (ppm)	PIT	PROFIL	.E	
Bot Sympeter  Tank  Sympeter  M	M.ter 5  1	LAB SAMPL PLE ANALYSIS	E.S.		E' ,		
	Meter			x= Sampl	le Point		
TRAVEL NOTES: CALLOUT	:		NSITE:				

Ç



## EPA METHOD 418.1 TOTAL PETROLEUM HYDROCARBONS

Client:

**Burlington Resources** 

Project #:

92115-021-103

Sample No.:

- 1

Date Reported:

7/8/2005

Sample ID:

Discreet, 3' Below BG Tank

Date Sampled:

7/8/2005

Sample Matrix:

Soil

Date Analyzed:

7/8/2005

Preservative:

Cool

Analysis Needed:

TPH-418.1

Condition:

Cool and Intact

		Det.
	Concentration	Limit
Parameter	(mg/kg)	(mg/kg)

**Total Petroleum Hydrocarbons** 

902

5.0

ND = Parameter not detected at the stated detection limit.

References:

Method 418.1, Petroleum Hydrocarbons, Total Recoverable, Chemical Analysis of Water

and Waste, USEPA Storet No. 4551, 1978.

Comments:

Sheets No. 4

Analyst

Review