Energy, Minerals and Natural Resources Department District Office State Lease - 6 copies Form C-105 Fee Lease - 5 copies Revised 1-1-89 DISTRICT I OIL CONSERVATION DIVISIO P.O. Box 1980, Hobbs, NM 88240 ELL API NO. DISTRICT II P. O. Box 2089 30-045-32932 P.O. Drawer DD, Artesia, NM 88210 Santa Fe, New Mexico 87504-2088 Indicate Type of Lease STATE [TFÈE 🛛 DISTRICT III 6. State Oil & Gas Lease No. 1000 Rio Brazos Rd., Aztec, NM 87410 WELL COMPLETION OR RECOMPLETION REPORT AN 1a. TYPE OF WELL: Lease Name or Unit Agreement Na GAS WELL X DRY 🗀 **OTHER** OIL WELL b. TYPE OF COMPLETION: PLUG NEW WORK DIFF DEEDEN DEGVD **FULLER** WELL OVER OTHER Well No. 2 Name of Operator **BURLINGTON RESOURCES OIL & GAS COMPANY** 14538 #28 9. Pool name or Wildcat 3. Address of Operator **Basin Fruitland Coal - 71629** PO BOX 4289, Farmington, NM 87499 4. Well Location West 700' 1020' Feet From The North Unit Letter D Line and Feet From The Line Township Range 11W NMPM San Juan County Section 12. Date Compl. (Ready to Prod.) 13. Elevations (DF&RKB, RT, GR, etc.) 10. Date Spudded 11. Date T.D. Reached 14. Elev. Casinghead 9/2/05 KB-5799' GL - 5787' 8/2/05 8/9/05 17. If Multiple Compl. How Cable Tools Rotary Tools 16. Plug Back T.D. 18. Intervals 15. Total Depth Many Zones? Drilled By 2380' 2374' 19. Producing Interval(s), of this completion - Top, Bottom, Name 20. Was Directional Survey Made Basin Fruitland Coal - 1914' - 2156' No 21. Type Electric and Other Logs Run 22. Was Well Cored DCL CASING RECORD (Report all strings set in well) 23. CASING SIZE WEIGHT LB/FT. DEPTH SET HOLE SIZE CEMENTING RECORD AMOUNT PULLED 20#, J-55 134' 8-3/4" 34 sx (54 cf) 1 bbl 6-1/4" 2375 4-1/2" 10.5#, J-55 266 sx (515 cf) 37 bbls LINER RECORD **TUBING RECORD** 24. DEPTH SET IPACKER SET TOP BOTTOM SACKS CEMENT SCREEN SIZE SIZE 2-3/8" 2155' 4.7#, J-55 Perforation record (interval, size, and number) 27. ACID, SHOT, FRACTURE, CEMENT, SQUEEZE, ETC. DEPTH INTERVAL AMOUNT AND KIND MATERIAL USED FC - .32" holes @ 2spf 2130'-2150' = 40 holes Acidized w/10 bbls 15% HCL 1914' - 2156' 1 sfp - 2153'-2156', 2064'; 2055'-2060', 2018'-2021', 2013-2015', 1944'-1949'; 1936'-1940', 1931-1933' Frac'd w/550 bbls X-Link 25# Linear gel 1920'-1922'; 1914'-1917, 1928' = 39 holes. Total 79 holes. w/100,000# 20/40 Brady sand PRODUCTION 28. Production Method (Flowing, gas lift, pumping - Size and type pump) Well Status (Prod. or Shut-in) Date First Production SI flowing Date of Test Oil - Bbl. Gas - MCF Gas - Oil Ratio Hours Tested Choke Size Prod'n for Water - Bbl. Test Period 9/1/05 11 mcf Flow Tubing Press. Casing Pressure Caiculated 24-Oil - Bbl Gas - MCF Water - Bbl Oil Gravity - API - (Corr.) Hour Rate SI - 89# SI - 208# 0 268 mcfd Λ 29. Disposition of Gas (Sold, used for fuel, vented, etc.) Test Witnessed By To be sold 30. List Attachments This is a single producing FC well. 31. I hereby certify that the information shown on both sides of this form is true and complete to the best of my knowledge and belief Signature Sr. Regulatory Specialist 9/9/05 Title

State of New Mexico

Submit to Appropriate

INSTRUCTIONS

This form is to be filed with the appropriate District Office of the Division not later than 20 days after the completion of any newly-drilled or deepened well. It shall be accompanied by one copy of all electrical and radio-activity logs run on the well and a summary of all special tests conducted, including drill stem tests. All depths reported shall be measured depths. In the case of directionally drilled wells, true vertical depths shall also be reported. For multiple completions, Items 25 through 29 shall be reported for each zone. The form is to be filed in quintuplicate except on state land, where six copies are required. See Rule 1105.

INDICATE FORMATION TOPS IN CONFORMANCE WITH GEOGRAPHICAL SECTION OF STATE.

Southeastern New Mexico				Northwestern New Mexico				
T. Anhy T. Salt B. Salt T. Yates T. 7 Rivers T. Queen T. Grayburg T. San Andres T. Glorieta T. Paddock T. Blinebry T. Tubb T. Drinkard T. Abo T. Wolfcamp T. Penn T. Cisco (Bough C)			T. Canyon T. Strawn T. Atoka T. Miss T. Devonian T. Silurian T. Montoya T. Simpson T. McKee T. Ellenburger T. Gr. Wash T. Delaware Sand T. Bone Springs T.	T. Ojo Alamo T. Kirtland-Fruitland T. Pictured Cliffs T. Cliff House T. Menefee T. Point Lookout T. Mancos T. Gallup Base Greenhorn T. Dakota T. Morrison T. Todilto T. Entrada T. Wingate T. Chinle T. Permian T. Penn "A"			T. Penn. "B" T. Penn. "C" T. Penn. "D" T. Leadville T. Madison T. Elbert T. McCracken T. Ignacio Otzte T. Granite T. T. T. T. T. T.	
OIL OR GAS SANDS OR ZONES								
No. 1, from to No. 2, from to IMPORTANT					No. 4, from to			
Include data on rate of water inflow and elevation to which water rose in hole. No. 1, from to feet No. 2, from to feet No. 3, from to feet LITHOLOGY RECORD (Attach additional sheet if necessary)							·	
From	То	Thickness in Feet	Lithology	From	То	Thickness in Feet	Lithology	
752' 856' 1912'	856' 1912' 2161'	104' 1056' 249'	White, cr-gr ss. Gry sh interbedded w/tight, gry, fine-gr ss Dk gry-gry carb sh, coal, grn silts, light-med gry, tight, fine gr ss					