<u>District I</u> 1625 N. Frei				
1625 N. Frei		State of New		Form C-1
District II	ich Dr., Hobbs, NM 88240	Energý Minerals and N Departme		July 21, 20 For temporary pits, closed-loop sytems, and below-grade
	nd Ave., Artesia, NM 88210	Oil Conservation		tanks, submit to the appropriate NMOCD District Office.
District III 1000 Rio Br	azos Rd., Aztec, NM 87410	1220 South St. F		For permanent pits and exceptions submit to the Santa Fe
District IV	205 Ru., Aziec, NM 87410	Santa Fe, NM	87505	Environmental Bureau office and provide a copy to the
	rancis Dr., Santa Fe, NM 87505			appropriate NMOCD District Office.
	Dron	Pit, Closed-Loop System osed Alternative Method I		
~18 ⁴				
10,	Type of action:			nk, or proposed alternative method
			. –	ank, or proposed alternative method
		Modification to an existing per		ted or non-permitted pit, closed-loop system,
		below-grade tank, or proposed		ed of holi-perinted pit, closed loop system,
Instruc	tions: Please submit one a	pplication (Form C-144) per indivi	dual pit, closed-loop	p system, below-grade tank or alternative request
				sult in pollution of surface water, ground water or the
[]	environment. Nor does approval re	leve the operator of its responsibility to comply	with any other applicable i	governmental authority's rules, regulations or ordinances.
Operator:	Burlington Resources O	il & Gas Company, LP		OGRID#: <u>14538</u>
Address:	PO Box 4289, Farmingto	on, NM 87499		
Facility or	well name: San Juan 30	-6 Unit 443		
API Num	ber:3	0-039-24317	OCD Permit Number	r:
U/L or Qt				6W County: <u>Rio Arriba</u>
	Proposed Design: Latitud		Longitude:	107.41183 °W NAD: X 1927 198:
Surface O	wner: Federal	X State X Private T	ribal Trust or Indian	
	Subsection F or G of 19.15.1	7 11 NMAC		
1 1 1 1 1 1 1	Bubbeetion 1 of G of 19:15.1			RCVD DEC 31 '1
Tempore	ry: Drilling Wo	kover		NOAR DEPOT
Tempora		kover		OIL CONS. DIV
	anent Emergency	_	LLDPE	
Perm	anent Emergency	Cavitation P&A	LLDPE	OIL CONS. DIV
Perm	anent Emergency Unlined L g-Reinforced	Cavitation P&A	LLDPE	OIL CONS. DIV
Perm Linec Liner Se	anent Emergency Unlined L g-Reinforced	Cavitation P&A iner type: Thickness mil		
Perm Linec Liner Se	anent Emergency L Unlined L g-Reinforced ams: Welded F osed-loop System: Subsec	Cavitation P&A iner type: Thickness mil actory Other tion H of 19.15.17.11 NMAC		HDPE PVC Other DIST. 3
Perm Linec Liner Se	anent Emergency L Unlined L g-Reinforced ams: Welded F osed-loop System: Subsec	Cavitation P&A iner type: Thickness mil actory Other tion H of 19.15.17.11 NMAC Drilling a new well Workover o	Volume:	
Perm Linec Strin Liner Se	anent Emergency L Unlined L g-Reinforced ams: Welded F <u>osed-loop System:</u> Subsec Operation: XP&A	Cavitation P&A iner type: Thickness mil actory Other tion H of 19.15.17.11 NMAC Drilling a new well Workover o notice of int	Volume:	HDPE PVC Other DIST. 3
Perm Linec Strin Liner Se	anent Emergency d Unlined L g-Reinforced ams: Welded F <u>osed-loop System</u> : Subsec Operation: XP&A [ying Pad X Above Grou	Cavitation P&A iner type: Thickness mil actory Other tion H of 19.15.17.11 NMAC Drilling a new well Workover o	Volume: r Drilling (Applies to a tent) Other	HDPE PVC Other DIST. 3
Perm Linec String Liner Se	anent Emergency d Unlined L g-Reinforced ams: Welded F <u>osed-loop System:</u> Subsec Operation: XP&A [ying Pad X Above Grou ed Unlined Line	Cavitation P&A iner type: Thickness mil actory Other tion H of 19.15.17.11 NMAC Drilling a new well Workover o notice of int and Steel Tanks Haul-off Bins	Volume: r Drilling (Applies to a tent)	DIL CONS. DIV HDPE PVC Other DIST. 3 bbl Dimensions L x W x D activities which require prior approval of a permit or
Perm Linec String Liner Se 3 X <u>C</u> Type of Dr Lir	anent Emergency d Unlined L g-Reinforced ams: Welded F <u>osed-loop System:</u> Subsec Operation: XP&A [ying Pad X Above Grou ed Unlined Line	Cavitation P&A iner type: Thickness mil actory Other tion H of 19.15.17.11 NMAC Drilling a new well Workover o notice of int und Steel Tanks Haul-off Bins er type: Thickness mil	Volume: r Drilling (Applies to a tent)	DIL CONS. DIV HDPE PVC Other DIST. 3 bbl Dimensions L x W x D activities which require prior approval of a permit or
Perm Linec Strin Liner Se	anent Emergency d Unlined L g-Reinforced ams: Welded F <u>osed-loop System:</u> Subsec Operation: XP&A [ying Pad X Above Grou ed Unlined Line	Cavitation P&A iner type: Thickness mil actory Other tion H of 19.15.17.11 NMAC Drilling a new well Workover o notice of int und Steel Tanks Haul-off Bins er type: Thickness mil actory Other	Volume: r Drilling (Applies to a tent)	DIL CONS. DIV HDPE PVC Other DIST. 3 bbl Dimensions L x W x D activities which require prior approval of a permit or
Perm Linec String Liner Se	anent Emergency d Unlined L g-Reinforced ams: Welded F <u>osed-loop System:</u> Subsect Operation: XP&A [ying Pad X Above Grou ed Unlined Line ams: Welded F <u>ow-grade tank:</u> Subsection	Cavitation P&A iner type: Thickness mil actory Other tion H of 19.15.17.11 NMAC Drilling a new well Workover o notice of int und Steel Tanks Haul-off Bins er type: Thickness mil actory Other	Volume: r Drilling (Applies to a tent)	DIL CONS. DIV HDPE PVC Other DIST. 3 bbl Dimensions L x W x D activities which require prior approval of a permit or
Perm Linec String Liner Se 3 X <u>C</u> Type of Dr Lir Liner Se 4 <u>Bel</u> Volume: Tank Co	anent Emergency i Unlined L g-Reinforced ams: Welded F <u>osed-loop System:</u> Subsec Operation: X P&A [ying Pad X Above Grou- red Unlined Line ams: Welded F <u>ow-grade tank:</u> Subsection	Cavitation P&A iner type: Thickness mil actory Other tion H of 19.15.17.11 NMAC Drilling a new well Workover of notice of int and Steel Tanks Haul-off Bins er type: Thicknessmil actory Other I of 19.15.17.11 NMAC bl Type of fluid:	Volume: r Drilling (Applies to a zent) Other LLDPE H	HDPE PVC Other OIL CONS. DIV bbl Dimensions L
Perm Linec String Liner Se X C Type of Dr Liner Se 4 X Bel Volume: Tank Co	anent Emergency d Unlined L g-Reinforced ams: Welded F <u>osed-loop System:</u> Subsec Operation: X P&A [ying Pad X Above Grow ed Unlined Line ams: Welded F <u>ow-grade tank:</u> Subsection nstruction material: idary containment with leak d	Cavitation P&A iner type: Thickness mil actory Other tion H of 19.15.17.11 NMAC Drilling a new well Workover of notice of int und Steel Tanks Haul-off Bins er type: Thickness mil actory Other H of 19.15.17.11 NMAC bl Type of fluid: etection Visible sidewalls, line	Volume: r Drilling (Applies to a ent) Other LLDPE H r, 6-inch lift and auto	HDPE PVC Other OIL CONS. DIV bbl Dimensions L
Perm Linec String Liner Se	anent Emergency d Unlined L g-Reinforced ams: Welded F <u>osed-loop System:</u> Subsec Operation: XP&A [ying Pad X Above Grou ed Unlined Line ams: Welded F <u>ow-grade tank:</u> Subsection nstruction material: ndary containment with leak devible sidewalls and liner [Cavitation P&A iner type: Thickness mil actory Other tion H of 19.15.17.11 NMAC Drilling a new well Workover o notice of int and Steel Tanks Haul-off Bins er type: Thickness mil actory Other Hof 19.15.17.11 NMAC bl Type of fluid: etection Visible sidewalls, line Visible sidewalls only O	Volume: r Drilling (Applies to a ent) Other LLDPE H er, 6-inch lift and autor ther	HDPE PVC Other OIL CONS. DIV bbl Dimensions L
Perm Linec String Liner See	anent Emergency d Unlined L g-Reinforced ams: Welded F <u>osed-loop System:</u> Subsec Operation: XP&A [ying Pad X Above Grou ed Unlined Line ams: Welded F <u>ow-grade tank:</u> Subsection nstruction material: ndary containment with leak devible sidewalls and liner [Cavitation P&A iner type: Thickness mil actory Other tion H of 19.15.17.11 NMAC Drilling a new well Workover of notice of int und Steel Tanks Haul-off Bins er type: Thickness mil actory Other H of 19.15.17.11 NMAC bl Type of fluid: etection Visible sidewalls, line	Volume: r Drilling (Applies to a ent) Other LLDPE H er, 6-inch lift and autor ther	HDPE PVC Other OIL CONS. DIV bbl Dimensions L
Perm Perm Linec String Liner Se	anent Emergency d Unlined L g-Reinforced ams: Welded F <u>osed-loop System:</u> Subsec Operation: XP&A [ying Pad X Above Grou ed Unlined Line ams: Welded F <u>ow-grade tank:</u> Subsection nstruction material: ndary containment with leak devible sidewalls and liner [Cavitation P&A iner type: Thickness mil actory Other tion H of 19.15.17.11 NMAC Drilling a new well Workover o notice of int and Steel Tanks Haul-off Bins er type: Thickness mil actory Other Hof 19.15.17.11 NMAC bl Type of fluid: etection Visible sidewalls, line Visible sidewalls only O	Volume: r Drilling (Applies to a ent) Other LLDPE H er, 6-inch lift and autor ther	HDPE PVC Other OIL CONS. DIV bbl Dimensions L
Perm Linec String Liner Se X C Type of Dr Liner Se 4 Volume: Tank Co Secon Liner Ty	anent Emergency d Unlined L g-Reinforced ams: Welded F <u>osed-loop System:</u> Subsec Operation: X P&A [ying Pad X Above Grou ed Unlined Line ams: Welded F <u>ow-grade tank:</u> Subsection nstruction material: ndary containment with leak de ible sidewalls and liner [pe: Thickness ernative Method:	Cavitation P&A iner type: Thickness mil actory Other tion H of 19.15.17.11 NMAC Drilling a new well Workover onotice of int and Steel Tanks Haul-off Bins er type: Thickness mil actory Other H of 19.15.17.11 NMAC bl Type of fluid: etection Visible sidewalls, line Visible sidewalls only O mil HDPE PVC	Volume:	HDPE PVC Other OIL CONS. DIV bbl Dimensions L

ĸ

6* Fencing: Subsection D of 19.15.17.11 NMAC (Applies to permanent pit, temporary pits, and below-grade tanks)					
Chain link, six feet in height, two strands of barbed wire at top <i>(Required if located within 1000 feet of a permanent residence, school, hospital, inst</i> Four foot height, four strands of barbed wire evenly spaced between one and four feet	itution or church)				
Alternate. Please specify	·				
7					
Netting: Subsection E of 19.15.17.11 NMAC (Applies to permanent pits and permanent open top tanks)					
Screen Netting Other					
Monthly inspections (If netting or screening is not physically feasible)					
8					
Signs: Subsection C of 19.15.17.11 NMAC					
12" X 24", 2" lettering, providing Operator's name, site location, and emergency telephone numbers X Signed in compliance with 19.15.3.103 NMAC					
9					
Administrative Approvals and Exceptions:					
Justifications and/or demonstrations of equivalency are required. Please refer to 19,15.17 NMAC for guidance.					
Please check a box if one or more of the following is requested, if not leave blank: Administrative approval(s): Requests must be submitted to the appropriate division district of the Santa Fe Environmental Bureau office for cons	ideration of approval.				
(Fencing/BGT Liner)					
Exception(s): Requests must be submitted to the Santa Fe Environmental Bureau office for consideration of approval.					
10					
Siting Criteria (regarding permitting): 19.15.17.10 NMAC Instructions: The applicant must demonstrate compliance for each siting criteria below in the application. Recommendations of acceptable					
source material are provided below. Requests regarding changes to certain siting criteria may require administrative approval from the					
appropriate district office or may be considered an exception which must be submitted to the Santa Fe Environmental Bureau Office for consideration of approval. Applicant must attach justification for request. Please refer to 19.15.17.10 NMAC for guidance. Siting criteria					
does not apply to drying pads or above grade-tanks associated with a closed-loop system.					
Ground water is less than 50 feet below the bottom of the temporary pit, permanent pit, or below-grade tank. - NM Office of the State Engineer - iWATERS database search; USGS; Data obtained from nearby wells	Yes No				
Within 300 feet of a continuously flowing watercourse, or 200 feet of any other watercourse, lakebed, sinkhole, or playa lake	Yes No				
 (measured from the ordinary high-water mark). Topographic map; Visual inspection (certification) of the proposed site 					
Within 300 feet from a permanent residence, school, hospital, institution, or church in existence at the time of initial					
application.					
(Applies to temporary, emergency, or cavitation pits and below-grade tanks)	NA				
- Visual inspection (certification) of the proposed site; Aerial photo; Satellite image					
Within 1000 feet from a permanent residence, school, hospital, institution, or church in existence at the time of initial application.					
 (Applied to permanent pits) Visual inspection (certification) of the proposed site; Aerial photo; Satellite image 					
Within 500 horizonal feet of a private, domestic fresh water well or spring that less than five households use for domestic or stock watering	Yes No				
purposes, or within 1000 horizontal feet of any other fresh water well or spring, in existence at the time of initial application.					
- NM Office of the State Engineer - iWATERS database search; Visual inspection (certification) of the proposed site.					
Within incorporated municipal boundaries or within a defined municipal fresh water well field covered under a municipal ordinance	Yes No				
adopted pursuant to NMSA 1978, Section 3-27-3, as amended - Written confirmation or verification from the municipality; Written approval obtained from the municipality					
Within 500 feet of a wetland.	Yes No				
- US Fish and Wildlife Wetland Identification map; Topographic map; Visual inspection (certification) of the proposed site					
 Within the area overlying a subsurface mine. Written confirmation or verification or map from the NM EMNRD - Mining and Mineral Division 	Yes No				
Within an unstable area.	Yes No				
- Engineering measures incorporated into the design; NM Bureau of Geology & Mineral Resources; USGS; NM Geological Society; Topographic map					
Within a 100-year floodplain - FEMA map	Yes No				

•

11 <u>Temporary Pits, Emergency Pits and Below-grade Tanks Permit Application Attachment Checklist:</u> Subsection B of 19.15.17.9 NMAC Instructions: Each of the following items must be attached to the application. Please indicate, by a check mark in the box, that the documents are attached.
Hydrogeologic Report (Below-grade Tanks) - based upon the requirements of Paragraph (4) of Subsection B of 19.15.17.9 NMAC
Hydrogeologic Data (Temporary and Emergency Pits) - based upon the requirements of Paragraph (2) of Subsection B of 19.15.17.9
Siting Criteria Compliance Demonstrations - based upon the appropriate requirements of 19.15.17.10 NMAC
Design Plan - based upon the appropriate requirements of 19.15.17.11 NMAC
Operating and Maintenance Plan - based upon the appropriate requirements of 19.15.17.12 NMAC
Closure Plan (Please complete Boxes 14 through 18, if applicable) - based upon the appropriate requirements of Subsection C of 19.15.17.9 NMAC and 19.15.17.13 NMAC
Previously Approved Design (attach copy of design) API or Permit
12 Closed-loop Systems Permit Application Attachment Checklist: Closed-loop Systems Permit Application Attachment Checklist: Subsection B of 19.15.17.9 NMAC Instructions: Each of the following items must be attached to the application. Please indicate, by a check mark in the box, that the documents are attached. Geologic and Hydrogeologic Data (only for on-site closure) - based upon the requirements of Paragraph (3) of Subsection B of 19.15.17.9
Siting Criteria Compliance Demonstrations (only for on-site closure) - based upon the appropriate requirements of 19.15.17.10 NMAC
Design Plan - based upon the appropriate requirements of 19.15.17.11 NMAC
Operating and Maintenance Plan - based upon the appropriate requirements of 19.15.17.12 NMAC
Closure Plan (Please complete Boxes 14 through 18, if applicable) - based upon the appropriate requirements of Subsection C of 19.15.17.9 NMAC and 19.15.17.13 NMAC
Previously Approved Design (attach copy of design) API
Previously Approved Operating and Maintenance Plan API
13 Permanent Pits Permit Application Checklist: Subsection B of 19.15.17.9 NMAC Instructions: Each of the following items must be attached to the application. Please indicate, by a check mark in the box, that the documents are attached. Hydrogeologic Report - based upon the requirements of Paragraph (I) of Subsection B of 19.15.17.9 NMAC Siting Criteria Compliance Demonstrations - based upon the appropriate requirements of 19.15.17.10 NMAC Climatological Factors Assessment Certified Engineering Design Plans - based upon the appropriate requirements of 19.15.17.11 NMAC Dike Protection and Structural Integrity Design: based upon the appropriate requirements of 19.15.17.11 NMAC Leak Detection Design - based upon the appropriate requirements of 19.15.17.11 NMAC Quality Control/Quality Assurance Construction and Installation Plan Operating and Maintenance Plan - based upon the appropriate requirements of 19.15.17.12 NMAC Musiance or Hazardous Odors, including H2S, Prevention Plan Biteld Waste Stream Characterization Monitoring and Inspection Plan Erosion Control Plan Closure Plan - based upon the appropriate requirements of 19.15.17.9 NMAC and 19.15.17.13 NMAC
14 Proposed Closure: 19.15.17.13 NMAC Instructions: Please complete the applicable boxes, Boxes 14 through 18, in regards to the proposed closure plan. Type: Drilling Workover Emergency Cavitation P&A Permanent Pit Below-grade Tank Closed-loop System Alternative
Proposed Closure Method: Waste Excavation and Removal
Waste Removal (Closed-loop systems only)
On-site Closure Method (only for temporary pits and closed-loop systems)
In-place Burial On-site Trench
Alternative Closure Method (Exceptions must be submitted to the Santa Fe Environmental Bureau for consideration)
15 Waste Excavation and Removal Closure Plan Checklist: (19.15.17.13 NMAC) Instructions: Each of the following items must be attached to the closure plan. Please indicate, by a check mark in the box, that the documents are attached. Protocols and Procedures - based upon the appropriate requirements of 19.15.17.13 NMAC
Confirmation Sampling Plan (if applicable) - based upon the appropriate requirements of Subsection F of 19.15.17.13 NMAC
Disposal Facility Name and Permit Number (for liquids, drilling fluids and drill cuttings)
Soil Backfill and Cover Design Specifications - based upon the appropriate requirements of Subsection H of 19.15.17.13 NMAC
Re-vegetation Plan - based upon the appropriate requirements of Subsection I of 19.15.17.13 NMAC
Site Reclamation Plan - based upon the appropriate requirements of Subsection G of 19.15.17.13 NMAC

•

•

16 <u>Waste Removal Closure For Closed-loop Systems That Utilize A</u> Instructions: Please identify the facility or facilities for the disposat facilities are required.	bove Ground Steel Tanks or Haul-off Bins Only: (19.15.17.13.D NMAC) of liquids, drilling fluids and drill cuttings. Use attachment if more than two	0
	Disposal Facility Permit #:	
Disposal Facility Name:		
Will any of the proposed closed-loop system operations and a Yes (If yes, please provide the information	ssociated activities occur on or in areas that will not be used for future	
Required for impacted areas which will not be used for future servi Soil Backfill and Cover Design Specification - based u Re-vegetation Plan - based upon the appropriate require Site Reclamation Plan - based upon the appropriate reduction	pon the appropriate requirements of Subsection H of 19.15.17.13 NM ements of Subsection I of 19.15.17.13 NMAC	AC
certain siting criteria may require administrative approval from the appr	19.15.17.10 NMAC in the closure plan. Recommendations of acceptable source material are provided opriate district office or may be considered an exception which must be submitted t s of equivalency are required. Please refer to 19.15.17.10 NMAC for guidance.	
Ground water is less than 50 feet below the bottom of the bur		Yes No
- NM Office of the State Engineer - iWATERS database search	n; USGS: Data obtained from nearby wells	N/A
Ground water is between 50 and 100 feet below the bottom o - NM Office of the State Engineer - iWATERS database search		Yes No
Ground water is more than 100 feet below the bottom of the b	uriad worth	Yes No
 NM Office of the State Engineer - iWATERS database search 		
Within 300 feet of a continuously flowing watercourse, or 200 feet of (measured from the ordinary high-water mark).	f any other significant watercourse or lakebed, sinkhole, or playa lake	Yes No
- Topographic map; Visual inspection (certification) of the prop	osed site	
Within 300 feet from a permanent residence, school, hospital, institu - Visual inspection (certification) of the proposed site; Aerial ph		Yes No
Within 500 horizontal feet of a private, domestic fresh water well or purposes, or within 1000 horizontal fee of any other fresh water wel - NM Office of the State Engineer - iWATERS database; Visual		Yes No
 Within incorporated municipal boundaries or within a defined munic pursuant to NMSA 1978, Section 3-27-3, as amended. Written confirmation or verification from the municipality; Within the municipality. 	ipal fresh water well field covered under a municipal ordinance adopted	Yes No
Within 500 feet of a wetland	then approval obtained from the multicipanty	Yes No
- US Fish and Wildlife Wetland Identification map; Topographi	c map; Visual inspection (certification) of the proposed site	
Within the area overlying a subsurface mine.		Yes No
 Written confirantion or verification or map from the NM EMN Within an unstable area. 	IRD-Mining and Mineral Division	TYes No
	u of Geology & Mineral Resources; USGS; NM Geological Society;	
Within a 100-year floodplain. - FEMA map		Yes No
18		
by a check mark in the box, that the documents are attached		sure plan. Please indicate,
	on the appropriate requirements of 19.15.17.10 NMAC priate requirements of Subsection F of 19.15.17.13 NMAC	
	ble) based upon the appropriate requirements of 19.15.17.13 NMAC	
	ce burial of a drying pad) - based upon the appropriate requirements of	f 19.15.17.11 NMAC
Protocols and Procedures - based upon the appropriate		
	on the appropriate requirements of Subsection F of 19.15.17.13 NMA	с ́
	priate requirements of Subsection F of 19.15.17.13 NMAC	
 Disposal Facility Name and Permit Number (for liquid Soil Cover Design - based upon the appropriate requir Re-vegetation Plan - based upon the appropriate requir 		cannot be achieved)

Site Reclamation Plan - based upon the appropriate requirements of Subsection G of 19.15.17.13 NMAC

I hereby certify that the information submitted with this application is true, accurate and complete to the best of my knowledge and belief.
Name (Print): Title:
Signatura Data
e-mail address; Telephone:
20 OCD Approval: Permit Application (including closure plan) Image: Control of the second seco
21 <u>Closure Report (required within 60 days of closure completion):</u> Subsection K of 19.15.17.13 NMAC Instructions: Operators are required to obtain an approved closure plan prior to implementing any closure activities and submitting the closure report. The closure report is required to be submitted to the division within 60 days of the completion of the closure activities. Please do not complete this section of the form until an approved closure plan has been obtained and the closure activities have been completed. Image: Im
22 Closure Method: Waste Excavation and Removal On-site Closure Method If different from approved plan, please explain.
23 <u>Closure Report Regarding Waste Removal Closure For Closed-loop Systems That Utilize Above Ground Steel Tanks or Haul-off Bins Only:</u> Instructions: Please identify the facility or facilities for where the liquids, drilling fluids and drill cuttings were disposed. Use attachment if more than two facilities were utilized. Disposal Facility Name: Envirotech / JFJ Landfarm % IEI Disposal Facility Permit Number: NM-01-0011 / NM-01-0010B
Disposal Facility Name: Envirotech / JFJ Landfarm % IEI Disposal Facility Permit Number: NM-01-0011 / NM-01-0010B Disposal Facility Name: Basin Disposal Facility Disposal Facility Permit Number: NM-01-005
Were the closed-loop system operations and associated activities performed on or in areas that will not be used for future service and operations?
Yes (If yes, please demonstrate compliane to the items below) XN0
Required for impacted areas which will not be used for future service and operations:
Site Reclamation (Photo Documentation) Soil Backfilling and Cover Installation
Re-vegetation Application Rates and Seeding Technique
24 Closure Report Attachment Checklist: Instructions: Each of the following items must be attached to the closure report. Please indicate, by a check mark in the box, that the documents are attached. Proof of Closure Notice (surface owner and division) Proof of Deed Notice (required for on-site closure) Plot Plan (for on-site closures and temporary pits) Confirmation Sampling Analytical Results (if applicable) Waste Material Sampling Analytical Results (if applicable) Disposal Facility Name and Permit Number Soil Backfilling and Cover Installation Re-vegetation Application Rates and Seeding Technique Site Reclamation (Photo Documentation) On-site Closure Location: Latitude: Longitude: NAD 1927 1983
25 <u>Operator Closure Certification:</u> I hereby certify that the information and attachments submitted with this closure report is ture, accurate and complete to the best of my knowledge and belief. I also certify that the closure complies with all applicable closure requirements and conditions specified in the approved closure plan.
Name (Print): DolligL. Busse Title: Staff Regulatory Technician
Signature: Milin Scose Date: 12/28/12
e-mail address: dollie.l.busse@conocophillips.com Telephone: (505) 324-6104

•

,