District II

1301 W. Grand Ave., Artesia, NM 88210

District III

1000 Rio Brazos Rd., Aztec, NM 87410

State of New Mexico Energy Minerals and Natural Resources

Department Oil Conservation Division 1220 South St. Francis Dr. Santa Fe, NM 87505

For temporary pits, closed-loop sytems, and below-grade tanks, submit to the appropriate NMOCD District Office.

For permanent pits and exceptions submit to the Santa Fe Environmental Bureau office and provide a copy to the

<u>District IV</u> 1220 S. St. Francis Dr., Santa Fe, NM 87505	•		propriate NMOCD District	
	Pit, Closed-Loop System	, Below-Grade T	ank, or	
Type of action:	osed Alternative Method I			<u>on</u>
Type of action:	Permit of a pit, closed-loop syst	tem, below-grade tank, o	or proposed alternativ	e method
7) 7) 70 01 4440	X Closure of a pit, closed-loop sy	_	•	
	Modification to an existing peri		r r	
	Closure plan only submitted for		or non-permitted pit, c	losed-loop system,
	below-grade tank, or proposed	alternative method	•	
Instructions: Please submit one ap	oplication (Form C-144) per individ	dual pit, closed-loop sys	stem, below-grade tar	nk or alternative request
• •	f this request does not relieve the operator of lia eve the operator of its responsibility to comply v	· ·	-	=
1	the the operator of its responsionity to comply			diadons of ordinances.
Operator: Burlington Resources Oi	& Gas Company, LP	OG	RID#: 14538	
Address: PO Box 4289, Farmingto	n, NM 87499			
Facility or well name: San Juan 30-	6 Unit 443S			
API Number:30	0-039-27284	OCD Permit Number:		
U/L or Qtr/Qtr: O(SW/SE) Section	on: 36 Township: 30N	Range: 6W	County: Rio A	
Center of Proposed Design: Latitude		·		NAD: X 1927 1983
Surface Owner: Federal	X State Private T	ribal Trust or Indian All	otment	
		LLDPE HDP	PE PVC Other	RCVD DEC 31 '12 DIL CONS. DIV. DIST. 3
Liner Seams: Welded Fa	ctory Other	Volume:bbl	Dimensions L	_ x W x D
Type of Operation: X P&A  Drying Pad X Above Groun  Lined Unlined Lines	on H of 19.15.17.11 NMAC  Drilling a new well  Workover or notice of intend Steel Tanks  Haul-off Bins  type: Thickness milectory Other	r Drilling (Applies to active ent) Other LLDPE HDPE		approval of a permit or
Below-grade tank: Subsection I Volume: bl Tank Construction material: Secondary containment with leak det Visible sidewalls and liner Liner Type: Thickness	ection Visible sidewalls, line	er, 6-inch lift and automatic ther	overflow shut-off	
5 Alternative Method: Submittal of an exception request is requ	uired. Exceptions must be submitted to t	the Santa Fe Environmenta	ıl Bureau office for cons	sideration of approval

Fencing: Subsection D of 19.15.17.11 NMAC (Applies to permanent pit, temporary pits, and below-grade tanks)  Chain link, six feet in height, two strands of barbed wire at top (Required if located within 1000 feet of a permanent residence, school, hospital, institution or church)  Four foot height, four strands of barbed wire evenly spaced between one and four feet				
Alternate. Please specify				
Netting: Subsection E of 19.15.17.11 NMAC (Applies to permanent pits and permanent open top tanks)  Screen Netting Other  Monthly inspections (If netting or screening is not physically feasible)				
Signs: Subsection C of 19.15.17.11 NMAC  12" X 24", 2" lettering, providing Operator's name, site location, and emergency telephone numbers  X Signed in compliance with 19.15.3.103 NMAC				
Administrative Approvals and Exceptions:  Justifications and/or demonstrations of equivalency are required. Please refer to 19.15.17 NMAC for guidance.  Please check a box if one or more of the following is requested, if not leave blank:  Administrative approval(s): Requests must be submitted to the appropriate division district of the Santa Fe Environmental Bureau office for cons (Fencing/BGT Liner)  Exception(s): Requests must be submitted to the Santa Fe Environmental Bureau office for consideration of approval.	ideration of ap	proval.		
Exception(4). Reducts inter of submitted to the suntained Environmental surface of constitution of approval.		~		
Siting Criteria (regarding permitting): 19.15.17.10 NMAC  Instructions: The applicant must demonstrate compliance for each siting criteria below in the application. Recommendations of acceptable source material are provided below. Requests regarding changes to certain siting criteria may require administrative approval from the appropriate district office or may be considered an exception which must be submitted to the Santa Fe Environmental Bureau Office for consideration of approval. Applicant must attach justification for request. Please refer to 19.15.17.10 NMAC for guidance. Siting criteria does not apply to drying pads or above grade-tanks associated with a closed-loop system.				
Ground water is less than 50 feet below the bottom of the temporary pit, permanent pit, or below-grade tank.  - NM Office of the State Engineer - iWATERS database search; USGS; Data obtained from nearby wells	Yes	No		
Within 300 feet of a continuously flowing watercourse, or 200 feet of any other watercourse, lakebed, sinkhole, or playa lake (measured from the ordinary high-water mark).  - Topographic map; Visual inspection (certification) of the proposed site	Yes	□No		
Within 300 feet from a permanent residence, school, hospital, institution, or church in existence at the time of initial application.	Yes	No		
(Applies to temporary, emergency, or cavitation pits and below-grade tanks)	NA			
- Visual inspection (certification) of the proposed site; Aerial photo; Satellite image				
Within 1000 feet from a permanent residence, school, hospital, institution, or church in existence at the time of initial application.  (Applied to permanent pits)	Yes NA	No		
- Visual inspection (certification) of the proposed site; Aerial photo; Satellite image		_		
Within 500 horizonal feet of a private, domestic fresh water well or spring that less than five households use for domestic or stock watering purposes, or within 1000 horizontal feet of any other fresh water well or spring, in existence at the time of initial application.	Yes	∐No		
- NM Office of the State Engineer - iWATERS database search; Visual inspection (certification) of the proposed site.				
Within incorporated municipal boundaries or within a defined municipal fresh water well field covered under a municipal ordinance adopted pursuant to NMSA 1978, Section 3-27-3, as amended  - Written confirmation or verification from the municipality; Written approval obtained from the municipality	Yes	No		
Within 500 feet of a wetland.  - US Fish and Wildlife Wetland Identification map; Topographic map; Visual inspection (certification) of the proposed site	Yes	No		
Within the area overlying a subsurface mine Written confirmation or verification or map from the NM EMNRD - Mining and Mineral Division	Yes	No		
<ul> <li>Within an unstable area.</li> <li>Engineering measures incorporated into the design; NM Bureau of Geology &amp; Mineral Resources; USGS; NM Geological Society; Topographic map</li> </ul>	Yes	No		
Within a 100-year floodplain - FEMA map	Yes	No		

Form C-144 Oil Conservation Division Page 2 of 5

Temporary Pits, Emergency Pits and Below-grade Tanks Permit Application Attachment Checklist: Subsection B of 19.15.17.9 NMAC				
Instructions: Each of the following items must be attached to the application. Please indicate, by a check mark in the box, that the documents are attached.				
Hydrogeologic Report (Below-grade Tanks) - based upon the requirements of Paragraph (4) of Subsection B of 19.15.17.9 NMAC Hydrogeologic Data (Temporary and Emergency Pits) - based upon the requirements of Paragraph (2) of Subsection B of 19.15.17.9				
Siting Criteria Compliance Demonstrations - based upon the appropriate requirements of 19.15.17.10 NMAC				
Design Plan - based upon the appropriate requirements of 19.15.17.11 NMAC				
Operating and Maintenance Plan - based upon the appropriate requirements of 19.15.17.12 NMAC				
Closure Plan (Please complete Boxes 14 through 18, if applicable) - based upon the appropriate requirements of Subsection C of				
19.15.17.9 NMAC and 19.15.17.13 NMAC				
Previously Approved Design (attach copy of design) API or Permit				
Closed-loop Systems Permit Application Attachment Checklist: Subsection B of 19.15.17.9 NMAC Instructions: Each of the following items must be attached to the application. Please indicate, by a check mark in the box, that the documents are attached.  Geologic and Hydrogeologic Data (only for on-site closure) - based upon the requirements of Paragraph (3) of Subsection B of 19.15.17.9				
Siting Criteria Compliance Demonstrations (only for on-site closure) - based upon the appropriate requirements of 19.15.17.10 NMAC				
Design Plan - based upon the appropriate requirements of 19.15.17.11 NMAC				
Operating and Maintenance Plan - based upon the appropriate requirements of 19.15.17.12 NMAC				
Closure Plan (Please complete Boxes 14 through 18, if applicable) - based upon the appropriate requirements of Subsection C of 19.15.17.9  NMAC and 19.15.17.13 NMAC				
Previously Approved Design (attach copy of design)  API				
Previously Approved Operating and Maintenance Plan API				
Permanent Pits Permit Application Checklist: Subsection B of 19.15.17.9 NMAC				
Instructions: Each of the following items must be attached to the application. Please indicate, by a check mark in the box, that the documents are attached.				
I-lydrogeologic Report - based upon the requirements of Paragraph (1) of Subsection B of 19.15.17.9 NMAC   Siting Criteria Compliance Demonstrations - based upon the appropriate requirements of 19.15.17.10 NMAC				
Climatological Factors Assessment				
Certified Engineering Design Plans - based upon the appropriate requirements of 19.15.17.11 NMAC				
Dike Protection and Structural Integrity Design: based upon the appropriate requirements of 19.15.17.11 NMAC				
Leak Detection Design - based upon the appropriate requirements of 19.15.17.11 NMAC				
Liner Specifications and Compatibility Assessment - based upon the appropriate requirements of 19.15.17.11 NMAC				
Quality Control/Quality Assurance Construction and Installation Plan  Operating and Maintenance Plan - based upon the appropriate requirements of 19.15.17.12 NMAC				
Freeboard and Overtopping Prevention Plan - based upon the appropriate requirements of 19.15.17.11 NMAC				
Nuisance or Hazardous Odors, including H2S, Prevention Plan				
Emergency Response Plan				
Oil Field Waste Stream Characterization				
Monitoring and Inspection Plan				
Erosion Control Plan Closure Plan - based upon the appropriate requirements of Subsection C of 19.15.17.9 NMAC and 19.15.17.13 NMAC				
Proposed Closure: 19.15.17.13 NMAC Instructions: Please complete the applicable boxes, Boxes 14 through 18, in regards to the proposed closure plan.				
Type: Drilling Workover Emergency Cavitation P&A Permanent Pit Below-grade Tank Closed-loop System				
Alternative				
Proposed Closure Method: Waste Excavation and Removal				
Waste Removal (Closed-loop systems only)				
On-site Closure Method (only for temporary pits and closed-loop systems)				
In-place Burial On-site Trench				
Alternative Closure Method (Exceptions must be submitted to the Santa Fe Environmental Bureau for consideration)				
Weste Everystian and Pemayel Closure Plan Charlists (10.15.17.12 NMAC) Instructions: Each of the following items must be attached to the closure plan				
Waste Excavation and Removal Closure Plan Checklist: (19.15.17.13 NMAC) Instructions: Each of the following items must be attached to the closure plan.  Please indicate, by a check mark in the box, that the documents are attached.				
Protocols and Procedures - based upon the appropriate requirements of 19.15.17.13 NMAC				
Confirmation Sampling Plan (if applicable) - based upon the appropriate requirements of Subsection F of 19.15.17.13 NMAC				
Disposal Facility Name and Permit Number (for liquids, drilling fluids and drill cuttings)				
Soil Backfill and Cover Design Specifications - based upon the appropriate requirements of Subsection H of 19.15.17.13 NMAC				
Re-vegetation Plan - based upon the appropriate requirements of Subsection I of 19.15.17.13 NMAC				
Site Reclamation Plan - based upon the appropriate requirements of Subsection G of 19.15.17.13 NMAC				

Form C-144 Oil Conservation Division

Page 3 of 5

16					
Waste Remoyal Closure For Closed-loop Systems That Utilize Above Ground Steel Tanks or Haul-off Bins Only: (19.15.17.13.D NMAC) Instructions: Please identify the facility or facilities for the disposal of liquids, drilling fluids and drill cuttings. Use attachment if more than two facilities are required.					
Disposal Facility Name: Dispo	Disposal Facility Name: Disposal Facility Permit #:				
Will any of the proposed closed-loop system operations and associated activities occur.  Yes (If yes, please provide the information No	ir on or in areas that will not be used for future so	ervice and			
Required for impacted areas which will not be used for future service and operations:  Soil Backfill and Cover Design Specification - based upon the appropriate requirements of Subsection H of 19.15.17.13 NMAC  Re-vegetation Plan - based upon the appropriate requirements of Subsection I of 19.15.17.13 NMAC  Site Reclamation Plan - based upon the appropriate requirements of Subsection G of 19.15.17.13 NMAC					
17					
Siting Criteria (Regarding on-site closure methods only: 19.15.17.10 NMAC Instructions: Each siting criteria requires a demonstration of compliance in the closure plan. Recommendation siting criteria may require administrative approval from the appropriate district office or many office for consideration of approval. Justifications and/or demonstrations of equivalency are required.	y be considered an exception which must be submitted to ti				
Ground water is less than 50 feet below the bottom of the buried waste.		Yes No			
- NM Office of the State Engineer - iWATERS database search; USGS: Data obtained fr	om nearby wells	∐N/A			
Ground water is between 50 and 100 feet below the bottom of the buried waste		Yes No			
- NM Office of the State Engineer - iWATERS database search; USGS; Data obtained fro	om nearby wells	N/A			
Ground water is more than 100 feet below the bottom of the buried waste.		Yes No			
- NM Office of the State Engineer - iWATERS database search; USGS; Data obtained for	om nearby wells	□N/A			
Within 300 feet of a continuously flowing watercourse, or 200 feet of any other significant wa	Yes No				
(measured from the ordinary high-water mark).  - Topographic map; Visual inspection (certification) of the proposed site					
Within 300 feet from a permanent residence, school, hospital, institution, or church in existence	e at the time of initial application.	∏Yes ∏No			
- Visual inspection (certification) of the proposed site; Aerial photo; satellite image					
		Yes No			
Within 500 horizontal feet of a private, domestic frésh water well or spring that less than five households use for domestic or stock watering purposes, or within 1000 horizontal fee of any other fresh water well or spring, in existence at the time of the initial application.  - NM Office of the State Engineer - iWATERS database; Visual inspection (certification) of the proposed site					
Within incorporated municipal boundaries or within a defined municipal fresh water well field pursuant to NMSA 1978, Section 3-27-3, as amended.	Yes No				
<ul> <li>Written confirmation or verification from the municipality; Written approval obtained from the municipality</li> <li>Within 500 feet of a wetland</li> </ul>		Yes No			
- US Fish and Wildlife Wetland Identification map; Topographic map; Visual inspection (	certification) of the proposed site				
Within the area overlying a subsurface mine.  - Written confirantion or verification or map from the NM EMNRD-Mining and Mineral I	Division	∐Yes ∐No			
Within an unstable area.	51V131OII	□Yes □No			
- Engineering measures incorporated into the design; NM Bureau of Geology & Mineral R	tesources; USGS; NM Geological Society;				
Topographic map Within a 100-year floodplain.		□Yes □No			
- FEMA map					
18					
On-Site Closure Plan Checklist: (19.15.17.13 NMAC) Instructions: Each of the by a check mark in the box, that the documents are attached.	following items must bee attached to the closur	re plan. Please indicate,			
Siting Criteria Compliance Demonstrations - based upon the appropriate requirements of 19.15.17.10 NMAC					
Proof of Surface Owner Notice - based upon the appropriate requirements of Subsection F of 19.15.17.13 NMAC					
Construction/Design Plan of Burial Trench (if applicable) based upon the appropriate requirements of 19.15.17.11 NMAC					
Construction/Design Plan of Temporary Pit (for in place burial of a drying pad) - based upon the appropriate requirements of 19.15.17.11 NMAC					
Protocols and Procedures - based upon the appropriate requirements of 19.15.17.13 NMAC					
Confirmation Sampling Plan (if applicable) - based upon the appropriate requirements of Subsection F of 19.15.17.13 NMAC					
Waste Material Sampling Plan - based upon the appropriate requirements of Subsection F of 19.15.17.13 NMAC					
Disposal Facility Name and Permit Number (for liquids, drilling fluids and drill cuttings or in case on-site closure standards cannot be achieved)					
Soil Cover Design - based upon the appropriate requirements of Subsection H of 19.15.17.13 NMAC					
Re-vegetation Plan - based upon the appropriate requirements of Subsection I of 19.15.17.13 NMAC					
Site Reclamation Plan - based upon the appropriate requirements of Subsection G of 19 15 17 13 NMAC					

19 Operator Applic	cation Certification:				
	t the information submitted with this application is true	ie, accurate and complete to the best	of my knowledge and belief.		
Name (Print):		Title:			
Signature:		Date:			
e-mail address:		Telephone:			
OCD Approval: OCD Represents		) Of Source Plan (only) [	OCD Conditions (see attachment)		
OCD Represent	ative signature.	New	Approval Date: 1/08/2012		
Title: (5	mpliance Office	OCD Permit !	Number:		
Closure Report (required within 60 days of closure completion): Subsection K of 19.15.17.13 NMAC Instructions: Operators are required to obtain an approved closure plan prior to implementing any closure activities and submitting the closure report. The closure report is required to be submitted to the division within 60 days of the completion of the closure activities. Please do not complete this section of the form until an approved closure plan has been obtained and the closure activities have been completed.  X Closure Completion Date: 12/12/2012					
22		•••			
=	L: avation and Removal On-site Closure Me from approved plan, please explain.	thod Alternative Closure Met	hod X Waste Removal (Closed-loop systems only)		
23		· ·			
	egarding Waste Removal Closure For Closed-loop se identify the facility or facilities for where the liqui		d Steel Tanks or Haul-off Bins Only: were disposed. Use attachment if more than two facilities		
Disposal Facility	y Name: Envirotech / JFJ Landfarm % IEI	Disposal Facility Peri	nit Number: NM-01-0011 / NM-01-0010B		
Disposal Facility			nit Number: NM-01-005		
Were the closed	I-loop system operations and associated activities perform	_	used for future service and opeartions?		
Yes (If yes,	, please demonstrate complilane to the items below)	<u>x</u> No			
	pacted areas which will not be used for future service	and operations:			
=	nation (Photo Documentation) illing and Cover Installation				
=	ion Application Rates and Seeding Technique				
24					
Closure Repo		the following items must be attached	l to the closure report. Please indicate, by a check mark in		
•	e documents are attached.				
	Closure Notice (surface owner and division) Deed Notice (required for on-site closure)				
	(for on-site closures and temporary pits)				
Confirmation Sampling Analytical Results (if applicable)					
Waste Material Sampling Analytical Results (if applicable)					
=	Facility Name and Permit Number				
Soil Backt	filling and Cover Installation				
=	tion Application Rates and Seeding Technique				
_	mation (Photo Documentation)		N. D. 1995 D. 1995		
On-site Ci	osure Location: Latitude:	Longitude:	NAD   1927   1983		
25					
25 Operator Closure Certification:					
I hereby certify that the information and attachments submitted with this closure report is ture, accurate and complete to the best of my knowledge and belief. I also certify that the closure complies with all applicable closure requirements and conditions specified in the approved closure plan.					
Name (Print):	Dollie L. Busse	Title:	Staff Regulatory Technician		
Signature:	Millie & Buss	عـ Date:	12/28/12		
e-mail address:	dollie I busse@conocophillips.com	Telephone:	(505) 324-6104		