(that only use above ground stee Instructions: Please submit one application (Fo	el tanks or haul-off bins and propose to implement	For closed-loop systems that only use above ground steel tanks or haul-off bins and propose to implement waste removal for closure, submit to the appropriate NMOCD District Office. An Application oblement waste removal for closure) are in request. For any application request other than for a t waste removal for closure, please submit a Form C-144.
1.		governmental authority's rules, regulations or ordinances.
	OGF	
Address: <u>382 CR 3100 AZTEC, NM 1</u>		
Facility or well name: THOMAS #1		
API Number: <u>30–045–09722</u>		
U/L or Qtr/QtrA Section		
		NAD: 1927 1983
Surface Owner: 🖸 Federal 🗌 State 🕱 Private	Tribal Trust or Indian Allotment	
X Above Ground Steel Tanks or Haul-off I 3. Signs: Subsection C of 19.15.17.11 NMAC 12"x 24", 2" lettering, providing Operator's name	r or Drilling (Applies to activities which require p Bins ame, site location, and emergency telephone num	bers OIL CONS. DIV. DIST. 3
Signed in compliance with 19.15.3.103 NMA	C	
<i>attached.</i> Design Plan - based upon the appropriate required Operating and Maintenance Plan - based upon	<i>be attached to the application. Please indicate,</i> uirements of 19.15:17.11 NMAC in the appropriate requirements of 19.15.17.12 NM I upon the appropriate requirements of Subsection design) API Number:	<i>by a check mark in the box, that the documents are</i> MAC n C of 19.15.17.9 NMAC and 19.15.17.13 NMAC
5. Waste Removal Closure For Closed-loop Syste	me That Litilize A have Ground Steel Tanks or	Haul off Bing Only: (10.15.17.12 D.NMAC)
Instructions: Please indentify the facility or facility	ities for the disposal of liquids, drilling fluids and	d drill cuttings. Use attachment if more than two
facilities are required. Disposal Facility Name:	Disposal Facility F	Permit Number:
		ermit Number:
	ations and associated activities occur on or in are	as that will not be used for future service and operations?
Re-vegetation Plan - based upon the appro-	ed for future service and operations: tions based upon the appropriate requirements opriate requirements of Subsection I of 19.15.17. opropriate requirements of Subsection G of 19.15	13 NMAC
6. Operator Application Certification: I hereby certify that the information submitted wi	ith this application is true, accurate and complete	to the best of my knowledge and belief.
Name (Print):	Title:	
Signature:	Date:	
e-mail address:	Telenho	ne:
Form C-144 CLEZ	Oil Conservation Division	Page 1 of 2

5

7. OCD Approval: Permit Application (including closure) OCD Representative Signature: Over 10, K Title: Gmplique Over 10, K	e plan) Closure Plan (only)
8. Closure Report (required within 60 days of closure completion) Instructions: Operators are required to obtain an approved closur The closure report is required to be submitted to the division within section of the form until an approved closure plan has been obtained	e plan prior to implementing any closure activities and submitting the closure report n 60 days of the completion of the closure activities. Please do not complete this
9.	
than two facilities were utilized. Disposal Facility Name: IEI	
Discussed Fredition Means of	
Disposal Facility Name:	Disposal Facility Permit Number:
	erformed on or in areas that will not be used for future service and operations?
Were the closed-loop system operations and associated activities pe	erformed on or in areas that will not be used for future service and operations? low) X No
Were the closed-loop system operations and associated activities per Yes (If yes, please demonstrate compliance to the items bel Required for impacted areas which will not be used for future servit Site Reclamation (Photo Documentation) Soil Backfilling and Cover Installation	erformed on or in areas that will not be used for future service and operations? low) X No
Were the closed-loop system operations and associated activities pe Yes (If yes, please demonstrate compliance to the items bel Required for impacted areas which will not be used for future servi Site Reclamation (Photo Documentation) Soil Backfilling and Cover Installation Re-vegetation Application Rates and Seeding Technique 10. Operator Closure Certification : I hereby certify that the information and attachments submitted with	erformed on or in areas that will not be used for future service and operations? Now) 🕱 No
Were the closed-loop system operations and associated activities pe Yes (If yes, please demonstrate compliance to the items bel Required for impacted areas which will not be used for future servi Site Reclamation (Photo Documentation) Soil Backfilling and Cover Installation Re-vegetation Application Rates and Seeding Technique 10. Operator Closure Certification : I hereby certify that the information and attachments submitted with	erformed on or in areas that will not be used for future service and operations? No IX No the this closure report is true, accurate and complete to the best of my knowledge and
Were the closed-loop system operations and associated activities period of the second	erformed on or in areas that will not be used for future service and operations? low) X No <i>ice and operations:</i> th this closure report is true, accurate and complete to the best of my knowledge and losure requirements and conditions specified in the approved closure plan.

XTO Energy Inc. San Juan Basin Closed-Loop System Closure Plan

In accordance with Rule 19.15.17.11 NMAC the following information describes the closure requirements of closed-loop systems on XTO Energy Inc. (XTO) locations. This is XTO's standard procedure for all closed-loop systems. A separate plan will be submitted for any closed-loop system which does not conform to this plan.

General Plan

-

XTO will close a drying pad used for a closed-loop system within six months from the date that XTO released the drilling or workover rig. XTO will not the date of the drilling or workover rig's release on form C-105 or C-103, riled with the division, upon the well's or workover's completion.

The closed-loop tank will be closed in accordance with 19.15.17.13 NMAC. This will be done by transporting cuttings and all remaining sludges to Envirotech (Permit Number NM01-0011) or IEI (Permit Number NM01-0010B) immediately following rig operations.

All remaining liquids will be transported and disposed of at the Basin Disposal, Inc facility (Permit Number NM 01-005). As an alternative (in the event Basin Disposal refused liquids because of capacity considerations, and if proper inventory space is available for liquids transfer while meeting free board requirements), the liquids will be moved forward to a XTO temporary pit constructed in accordance with all specifications in NMAC Rule 19.15.17 for a well yet to be drilled. All specifications, limitations, and rules within the New Mexico Administrative Codes regulating this transfer of liquids will be strictly adhered to. As a third alternative, if Basin Disposal turns away the fluids because of capacity reasons, and the second transfer option is not available, XTO may elect to haul the fluids to IEI (Permit Number 01-0010B) for final disposition.

The tanks will be removed from the location as part of the rig move. At the time of well abandonment the site will be reclaimed and re-vegetated to pre-existing conditions when possible.

XTO Energy Inc. San Juan Basin Closed-Loop System Design and Construction Plan

In accordance with Rule 19.15.17.11 NMAC the following information describes the design and construction of closed-loop systems on XTO Energy Inc. (XTO) locations. This is XTO's standard procedure for all closed-loop systems. A separate plan will be submitted for any closed-loop system which does not conform to this plan.

General Plan

Our closed-loop system will not entail a drying pad, temporary pit, below grade tank or sump. It will entail an above ground tank suitable for holding the cuttings and fluids for rig operations. The tank will be of sufficient volume to maintain a safe free board between disposal of the liquids and solids from rig operations.

1. Fencing is not required for an above ground closed-loop system.

2. It will be signed in compliance with 19.15.3.103 NMAC.

XTO Energy Inc. San Juan Basin Closed-Loop Systems Maintenance and Operating Plan

In accordance with Rule 19.15.17.11 NMAC the following information describes the operation and maintenance of closed-loop systems on XTO Energy Inc. (XTO) locations. This is XTO's standard procedure for all closed-loop systems. A separate plan will be submitted for any closed-loop system which does not conform to this plan.

General Plan

The closed-loop tank will be operated and maintained; to contain liquids and solids, to aid in the prevention of contamination of fresh water sources, in order to protect public health and the environment. To attain the goal the following steps will be followed:

- The liquids will be vacuumed out and disposed of at the Basin Disposal, Inc. facility (Permit Number NM01-005). An alternative if available for liquids disposal, will be to move the liquids forward to a XTO temporary pit constructed in accordance with all specifications in NMAC Rule 19.15.17 for a well yet to be drilled. All specifications, limitations, and rules within the New Mexico Administrative Code regulating this transfer of liquids will be strictly adhered to. As a third alternative, if Basin Disposal turns away the fluids because of capacity reasons, and the second transfer option is not available, XTO may elect to haul fluids to IEI (Permit Number NM01-0010B) for final disposition.
- 2. Solids in the closed-loop tank will be vacuumed out and disposed of at Envirotech (Permit Number NM01-0011) or IEI (Permit Number NM01-0010B) on a periodic basis to prevent over topping.
- 3. No hazardous waste, miscellaneous solids, waste, or debris will be discharged into, or stored in the tank. Only fluids or cutting used or generated by rig operations will be placed or stored in the tank.
- 4. The division district office will be notified within 48 hours of the discovery of compromised integrity of the closed-loop tank. Upon discovery of the compromised tank, repairs will be enacted immediately.
- 5. All of the above operations will inspected and a log will be signed and dated daily during rig operations.