District I
1625 N. French Dr., Hobbs, NM 88240
District II
1301 W. Grand Avenue, Artesia, NM 88210
District III
1000 Rio Brazos Road, Aztec, NM 87410
District IV

1220 S. St. Francis Dr., Santa Fe, NM 87505

State of New Mexico Energy Minerals and Natural Resources

Oil Conservation Division 1220 South St. Francis Dr. Santa Fe, NM 87505 Form C-144 June 1, 2004

For drilling and production facilities, submit to appropriate NMOCD District Office. For downstream facilities, submit to Santa Fe office

## Pit or Below-Grade Tank Registration or Closure

Is pit or below-grade tank covered by a "general plan"? Yes ⊠ No □

Type of action: Registration of a pit or below-grade tank  $\square$  Closure of a pit or below-grade tank  $\boxtimes$ 

County: San Juan Latitude N3 Surface Owner: Federal State □ Private □ Indian □	045266690000 U/L or Qtr/Qtr _ASec 6 27.811 Longitude W107 49.456		<u> </u>
Pit  Type: Drilling □ Production □ Disposal □  Workover □ Emergency □  Lined □ Unlined □  Liner type: Synthetic □ Thicknessmil Clay □  Pit Volumebbl	Below-grade tank  Volume: _60bbl Type of fluid: Construction material: Fiberglass  Double-walled, with leak detection? Yes □ If not, explain why not.  No - Tank was installed prior to Rule 50.		
Depth to ground water (vertical distance from bottom of pit to seasonal high water elevation of ground water.)	Less than 50 feet 50 feet or more, but less than 100 feet 100 feet or more	(20 points) (10 points) ( 0 points)	0
Wellhead protection area: (Less than 200 feet from a private domestic water source, or less than 1000 feet from all other water sources.)	Yes No	(20 points) ( 0 points)	0
Distance to surface water: (horizontal distance to all wetlands, playas, irrigation canals, ditches, and perennial and ephemeral watercourses.)	Less than 200 feet 200 feet or more, but less than 1000 feet 1000 feet or more	(20 points) (10 points) ( 0 points)	20
	Ranking Score (Total Points)		20
Pit Location – 40 feet , 135 degrees from the wellhead.	name of facility (3) Attach a general desc No ☑ Yes ☐ If yes, show depth below ground surexcavations.	cription of remedial actio	n taken including
Soil sample collected 3 feet below bottom of tank. Soils tested cl	ean and no soil remediation was required. Lab an	alysis attached.	0/87.00
	the best of my knowledge and belief. I further or	artify that the above	Quibad nit on 19



## EPA METHOD 8015 Modified Nonhalogenated Volatile Organics Total Petroleum Hydrocarbons

Client:	Burlington Resources	Project #:	92115-001-003
Sample ID:	Huerfano 165E	Date Reported:	12-10-04
Laboratory Number:	31407	Date Sampled:	12-06-04
Chain of Custody No:	13117	Date Received:	12-08-04
Sample Matrix:	Soil	Date Extracted:	12-10-04
Preservative:	Cool	Date Analyzed:	12-10-04
Condition:	Cool and Intact	Analysis Requested:	8015 TPH

Parameter	Concentration (mg/Kg)	Det. Limit (mg/Kg)
Gasoline Range (C5 - C10)	ND	0.2
Diesel Range (C10 - C28)	ND	0.1
Total Petroleum Hydrocarbons	ND	0.2

ND - Parameter not detected at the stated detection limit.

References:

Method 8015B, Nonhalogenated Volatile Organics, Test Methods for Evaluating Solid Waste,

SW-846, USEPA, December 1996.

Comments:

Below Grade Tank

Area 1.

PID = 2.2

Analyst C. Q

Review Walters