

DISTRICT I
1626 N. French Dr., Hobbs, N.M. 88240

State of New Mexico
Energy, Minerals & Natural Resources Department

Form C-102
Revised October 12, 2005

DISTRICT II
1301 W. Grand Avenue, Artesia, N.M. 88210

Submit to Appropriate District Office
State Lease - 4 Copies
Fee Lease - 3 Copies

DISTRICT III
1000 Rio Brazos Rd., Aztec, N.M. 87410

OIL CONSERVATION DIVISION

1220 South St. Francis Dr.
Santa Fe, NM 87505

DISTRICT IV
1220 S. St. Francis Dr., Santa Fe, NM 87505

AS DRILLED PLAT

☐ AMENDED REPORT

WELL LOCATION AND ACREAGE DEDICATION PLAT

¹ API Number 30-045-35233		² Pool Code 72319/71599/97232	³ Pool Name BLANCO MESAVERDE / BASIN DAKOTA/MANCOS	BASIN
⁴ Property Code 7451	⁵ Property Name SAN JUAN			⁶ Well Number 24 P
⁷ OGRID No. 14538	⁸ Operator Name BURLINGTON RESOURCES OIL & GAS COMPANY LP			⁹ Elevation 6073'

¹⁰ Surface Location

UL or lot no.	Section	Township	Range	Lot Idn	Feet from the	North/South line	Feet from the	East/West line	County
F	33	29N	9W		2297'	NORTH	1644'	WEST	SAN JUAN


¹¹ Bottom Hole Location If Different From Surface

UL or lot no.	Section	Township	Range	Lot Idn	Feet from the	North/South line	Feet from the	East/West line	County
K	33	29N	9W		1642'	SOUTH	1801'	WEST	SAN JUAN

¹⁰ Dedicated Acres	¹¹ Joint or Infill	¹⁴ Consolidation Code	¹⁵ Order No.	RCVD APR 22 '13 OIL CONS. DIV. DIST. 3
320.00 ACRES - W/2				

NO ALLOWABLE WILL BE ASSIGNED TO THIS COMPLETION UNTIL ALL INTERESTS HAVE BEEN CONSOLIDATED
OR A NON-STANDARD UNIT HAS BEEN APPROVED BY THE DIVISION

16



17 OPERATOR CERTIFICATION

I hereby certify that the information contained herein is true and complete to the best of my knowledge and belief, and that this organization either owns a working interest or unleased mineral interest in the land including the proposed bottom hole location or has a right to drill this well at this location pursuant to a contract with an owner or a compulsory pooling order heretofore entered by the division.

Aileen White 4/19/13
Signature Date

Arleen White
Printed Name

18 SURVEYOR CERTIFICATION

I hereby certify that the well location shown on this plat was plotted from field notes of actual surveys made by me or under my supervision, and that the same is true and correct to the best of my belief.

DECEMBER 9, 2009

Date of Survey _____

Signature and Seal of Professional Surveyor:

⑦ - 2012 - 2013



DAVID RUSSELL

Certificate Number 10201

A

15

Operator BURLINGTON RESOURCES OIL & GAS COMPANY LP	Legal WellName SAN JUAN #24P	API / UWI 3004535233	County SAN JUAN	State/Province NEW MEXICO
Surface Legal Location 033-029N-009W-F	N/S Dist (ft) 2,297.00	N/S Ref FNL	E/W Dist (ft) 1,644.00	E/W Ref FWL

Survey Data					
Date	MD (RKB)	Incl (°)	Azm (°)	Method	Survey Company
12/11/2012	128.00	1.25		Inc-Drop	Mo Te Drilling Inc
12/11/2012	235.00	1.25		Inc-Drop	Mo Te Drilling Inc
1/15/2013	300.00	1.53	122.79	IncAzi-MWD	Scientific Drilling
1/15/2013	362.00	1.55	143.96	IncAzi-MWD	Scientific Drilling
1/15/2013	423.00	2.03	164.24	IncAzi-MWD	Scientific Drilling
1/15/2013	484.00	2.80	191.52	IncAzi-MWD	Scientific Drilling
1/15/2013	546.00	4.16	197.84	IncAzi-MWD	Scientific Drilling
1/15/2013	608.00	5.19	202.03	IncAzi-MWD	Scientific Drilling
1/15/2013	669.00	6.72	204.24	IncAzi-MWD	Scientific Drilling
1/16/2013	730.00	8.32	203.49	IncAzi-MWD	Scientific Drilling
1/16/2013	791.00	9.32	203.33	IncAzi-MWD	Scientific Drilling
1/16/2013	853.00	10.74	199.52	IncAzi-MWD	Scientific Drilling
1/16/2013	916.00	12.00	199.59	IncAzi-MWD	Scientific Drilling
1/16/2013	979.00	13.05	195.69	IncAzi-MWD	Scientific Drilling
1/16/2013	1,042.00	14.58	193.57	IncAzi-MWD	Scientific Drilling
1/16/2013	1,106.00	16.24	190.08	IncAzi-MWD	Scientific Drilling
1/16/2013	1,169.00	17.86	186.42	IncAzi-MWD	Scientific Drilling
1/16/2013	1,232.00	19.24	181.07	IncAzi-MWD	Scientific Drilling
1/16/2013	1,296.00	20.42	176.77	IncAzi-MWD	Scientific Drilling
1/16/2013	1,359.00	21.35	172.41	IncAzi-MWD	Scientific Drilling
1/16/2013	1,422.00	22.52	171.94	IncAzi-MWD	Scientific Drilling
1/16/2013	1,485.00	23.57	169.39	IncAzi-MWD	Scientific Drilling
1/16/2013	1,548.00	23.32	167.76	IncAzi-MWD	Scientific Drilling
1/16/2013	1,611.00	23.75	167.28	IncAzi-MWD	Scientific Drilling
1/16/2013	1,674.00	24.37	167.26	IncAzi-MWD	Scientific Drilling
1/16/2013	1,769.00	23.16	164.22	IncAzi-MWD	Scientific Drilling
1/16/2013	1,832.00	23.54	161.52	IncAzi-MWD	Scientific Drilling
1/16/2013	1,895.00	23.56	160.61	IncAzi-MWD	Scientific Drilling
1/16/2013	1,958.00	23.30	159.74	IncAzi-MWD	Scientific Drilling
1/16/2013	2,021.00	22.59	162.18	IncAzi-MWD	Scientific Drilling
1/17/2013	2,085.00	22.39	161.80	IncAzi-MWD	Scientific Drilling
1/17/2013	2,148.00	22.46	161.70	IncAzi-MWD	Scientific Drilling
1/17/2013	2,211.00	22.03	165.94	IncAzi-MWD	Scientific Drilling
1/17/2013	2,274.00	20.59	172.95	IncAzi-MWD	Scientific Drilling
1/17/2013	2,338.00	19.88	177.10	IncAzi-MWD	Scientific Drilling

I, the undersigned, certify that I acting in my capacity as _____ for ConocoPhillips Company, am authorized by said Company to make this report; and that said report was prepared under my supervision and directions, and that the facts stated herein are true to the best of my knowledge and belief.

Subscribed and sworn to me this _____

Notary Public in and for San Juan County, New Mexico

My Commission expires _____

Survey Data

Date	MD (ftKB)	Incl (°)	Azm (°)	Method	Survey Company
1/17/2013	2,401.00	18.93	175.01	IncAzi-MWD	Scientific Drilling
1/17/2013	2,464.00	18.65	175.31	IncAzi-MWD	Scientific Drilling
1/17/2013	2,527.00	19.30	178.44	IncAzi-MWD	Scientific Drilling
1/17/2013	2,591.00	20.20	181.13	IncAzi-MWD	Scientific Drilling
1/17/2013	2,654.00	21.15	180.53	IncAzi-MWD	Scientific Drilling
1/17/2013	2,717.00	21.97	180.54	IncAzi-MWD	Scientific Drilling
1/17/2013	2,780.00	22.02	180.11	IncAzi-MWD	Scientific Drilling
1/17/2013	2,843.00	21.94	177.28	IncAzi-MWD	Scientific Drilling
1/18/2013	2,907.00	21.99	177.17	IncAzi-MWD	Scientific Drilling
1/18/2013	2,970.00	21.43	175.29	IncAzi-MWD	Scientific Drilling
1/18/2013	3,033.00	21.17	173.95	IncAzi-MWD	Scientific Drilling
1/18/2013	3,097.00	19.97	173.94	IncAzi-MWD	Scientific Drilling
1/18/2013	3,160.00	18.88	171.77	IncAzi-MWD	Scientific Drilling
1/18/2013	3,223.00	19.57	174.91	IncAzi-MWD	Scientific Drilling
1/18/2013	3,286.00	20.37	176.44	IncAzi-MWD	Scientific Drilling
1/18/2013	3,349.00	21.31	175.82	IncAzi-MWD	Scientific Drilling
1/18/2013	3,413.00	22.41	174.80	IncAzi-MWD	Scientific Drilling
1/18/2013	3,476.00	22.04	174.40	IncAzi-MWD	Scientific Drilling
1/18/2013	3,539.00	21.69	170.81	IncAzi-MWD	Scientific Drilling
1/18/2013	3,602.00	22.34	172.03	IncAzi-MWD	Scientific Drilling
1/18/2013	3,665.00	22.20	169.92	IncAzi-MWD	Scientific Drilling
1/19/2013	3,728.00	22.32	169.63	IncAzi-MWD	Scientific Drilling
1/19/2013	3,792.00	22.05	167.63	IncAzi-MWD	Scientific Drilling
1/19/2013	3,855.00	19.82	167.08	IncAzi-MWD	Scientific Drilling
1/19/2013	3,919.00	18.51	164.12	IncAzi-MWD	Scientific Drilling
1/19/2013	3,982.00	16.63	159.65	IncAzi-MWD	Scientific Drilling
1/19/2013	4,045.00	14.35	157.91	IncAzi-MWD	Scientific Drilling
1/19/2013	4,109.00	13.60	158.40	IncAzi-MWD	Scientific Drilling
1/20/2013	4,172.00	12.31	157.39	IncAzi-MWD	Scientific Drilling
1/20/2013	4,235.00	11.14	158.95	IncAzi-MWD	Scientific Drilling
1/20/2013	4,298.00	9.00	159.50	IncAzi-MWD	Scientific Drilling
1/20/2013	4,360.00	6.72	161.40	IncAzi-MWD	Scientific Drilling
1/20/2013	4,424.00	4.94	150.53	IncAzi-MWD	Scientific Drilling
1/20/2013	4,464.00	3.87	147.41	IncAzi-MWD	Scientific Drilling
1/27/2013	7,245.00	3.00		Inc-Drop	Mo Te Drilling Inc

I, the undersigned, certify that I acting in my capacity as Drilling Engineer for ConocoPhillips Company, am authorized by said Company to make this report; and that said report was prepared under my supervision and directions, and that the facts stated herein are true to the best of my knowledge and belief.

Hank B.

Subscribed and sworn to me this March 12, 2013

Deleen W. White

Notary Public in and for San Juan County, New Mexico

My Commission expires

5/26/2015



RCVD APR 22 '13
OIL CONS. DIV.
DIST. 3

ConocoPhillips

SJB (NM West)
SEC 33-T29N-R9W
San Juan #24P

OH 30.045 - 35233


Design: OH


Standard Survey Report

24 January, 2013

This survey is correct to the best of my knowledge and is supported by actual field data.

Notarized this date 24th of January, 2013.


Notary Signature
County of Mesa
State of Colorado







Project: SJB (NM West)
Site: SEC 33-T29N-R9W
Well: San Juan #24P
Wellbore: OH
Design: OH



Azimuths to True North
Magnetic North: 9.75°

Magnetic Field
Strength: 50487.6snT
Dip Angle: 63.35°
Date: 01/07/2013
Model: BGGM2012



REFERENCE INFORMATION

Co-ordinate (N/E) Reference: Well San Juan #24P, True North
Vertical (TVD) Reference: GL 6073' @ RKB 15' @ 6088.0usft (AWS 711)
Section (VS) Reference: Slot - (0.0N, 0.0E)
Measured Depth Reference: GL 6073' @ RKB 15' @ 6088.0usft (AWS 711)
Calculation Method: Minimum Curvature
Local North: True

PROJECT DETAILS: SJB (NM West)
Geodetic System: US State Plane 1927 (Exact solution)
Datum: NAD 1927 (NADCON CONUS)
Ellipsoid: Clarke 1866
Zone: New Mexico West 3003

Company:	ConocoPhillips	Local Co-ordinate Reference:	Well San Juan #24P
Project:	SJB (NM West)	TVD Reference:	GL 6073' @ RKB 15' @ 6088.0usft (AWS 711)
Site:	SEC 33-T29N-R9W	MD Reference:	GL 6073' @ RKB 15' @ 6088.0usft (AWS 711)
Well:	San Juan #24P	North Reference:	True
Wellbore:	OH	Survey Calculation Method:	Minimum Curvature
Design:	OH	Database:	Farmington 5000 DB

Project	SJB (NM West), San Juan County, New Mexico, S-Type MV/DK Wells		
Map System:	US State Plane 1927 (Exact solution)	System Datum:	Mean Sea Level
Geo Datum:	NAD 1927 (NADCON CONUS)		
Map Zone:	New Mexico West 3003		Using geodetic scale factor

Site	SEC 33-T29N-R9W		
Site Position:		Northing:	2,067,964.56 usft
From:	Lat/Long	Easting:	512,767.05 usft
Position Uncertainty:	0.0 usft	Slot Radius:	13-3/16 "
		Latitude:	36° 40' 59.749 N
		Longitude:	107° 47' 23.254 W
		Grid Convergence:	0.03 °

Well	San Juan #24P		
Well Position	+N/-S	0.0 usft	Northing:
	+E/-W	0.0 usft	Easting:
Position Uncertainty	0.0 usft	Wellhead Elevation:	usft
		Latitude:	36° 40' 59.749 N
		Longitude:	107° 47' 23.258 W
		Ground Level:	6,073.0 usft

Wellbore	OH		
Magnetics	Model Name	Sample Date	Declination
			(°)
	BGGM2012	01/07/2013	9.75
			Dip Angle
			(°)
			Field Strength
			(nT)
			63.35
			50,488

Design	OH		
Audit Notes:			
Version:	1.0	Phase:	ACTUAL
		Tie On Depth:	0.0
Vertical Section:	Depth From (TVD)	+N/-S	+E/-W
	(usft)	(usft)	(usft)
	0.0	0.0	0.0
			Direction
			(°)
			172.57

Survey Program	Date 01/24/2013		
From	To	Survey (Wellbore)	Tool Name
(usft)	(usft)		
300.0	4,520.0	Survey #1 - MWD Survey (OH)	MWD SDI
			Description
			MWD - Standard ver 1.0.1

Survey										
Measured	Inclination	Azimuth	Vertical	+N/-S	+E/-W	Vertical	Dogleg	Build	Turn	
Depth	(°)	(°)	Depth	(usft)	(usft)	Section	Rate	Rate	Rate	
(usft)			(usft)			(usft)	(°/100usft)	(°/100usft)	(°/100usft)	
0.0	0.00	0.00	0.0	0.0	0.0	0.0	0.00	0.00	0.00	
300.0	1.53	122.79	300.0	-2.2	3.4	2.6	0.51	0.51	0.00	
First SDI MWD Survey										
362.0	1.55	143.96	361.9	-3.3	4.6	3.9	0.91	0.03	34.15	
423.0	2.03	164.24	422.9	-5.0	5.3	5.7	1.29	0.79	33.25	
484.0	2.80	191.52	483.9	-7.5	5.3	8.1	2.23	1.26	44.72	
546.0	4.16	197.84	545.7	-11.1	4.3	11.6	2.28	2.19	10.19	
608.0	5.19	202.03	607.5	-15.9	2.6	16.1	1.75	1.66	6.76	
669.0	6.72	204.24	668.2	-21.7	0.1	21.5	2.54	2.51	3.62	
730.0	8.32	203.49	728.7	-29.0	-3.1	28.3	2.63	2.62	-1.23	
791.0	9.32	203.33	789.0	-37.6	-6.8	36.4	1.64	1.64	-0.26	

Company:	ConocoPhillips	Local Co-ordinate Reference:	Well San Juan #24P
Project:	SJB (NM West)	TVD Reference:	GL 6073' @ RKB 15' @ 6088.0usft (AWS 711)
Site:	SEC 33-T29N-R9W	MD Reference:	GL 6073' @ RKB 15' @ 6088.0usft (AWS 711)
Well:	San Juan #24P	North Reference:	True
Wellbore:	OH	Survey Calculation Method:	Minimum Curvature
Design:	OH	Database:	Farmington 5000 DB

Survey										
Measured Depth (usft)	Inclination (°)	Azimuth (°)	Vertical Depth (usft)	+N/-S (usft)	+E/-W (usft)	Vertical Section (usft)	Dogleg Rate (°/100usft)	Build Rate (°/100usft)	Turn Rate (°/100usft)	
853.0	10.74	199.52	850.0	-47.6	-10.8	45.8	2.53	2.29	-6.15	
916.0	12.00	199.59	911.8	-59.3	-14.9	56.9	2.00	2.00	0.11	
979.0	13.05	195.69	973.3	-72.3	-19.0	69.3	2.14	1.67	-6.19	
1,042.0	14.58	193.57	1,034.4	-86.9	-22.8	83.2	2.56	2.43	-3.37	
1,106.0	16.24	190.08	1,096.1	-103.5	-26.3	99.3	2.97	2.59	-5.45	
1,169.0	17.86	186.42	1,156.4	-121.8	-28.9	117.1	3.08	2.57	-5.81	
1,232.0	19.24	181.07	1,216.1	-141.8	-30.2	136.7	3.48	2.19	-8.49	
1,296.0	20.42	176.77	1,276.3	-163.5	-29.7	158.3	2.93	1.84	-6.72	
1,359.0	21.35	172.41	1,335.2	-185.8	-27.6	180.7	2.87	1.48	-6.92	
1,422.0	22.52	171.94	1,393.6	-209.1	-24.4	204.2	1.88	1.86	-0.75	
1,485.0	23.57	169.39	1,451.6	-233.5	-20.4	228.9	2.30	1.67	-4.05	
1,548.0	23.32	167.76	1,509.4	-258.0	-15.4	253.9	1.10	-0.40	-2.59	
1,611.0	23.75	167.28	1,567.1	-282.6	-10.0	278.9	0.75	0.68	-0.76	
1,674.0	24.37	167.26	1,624.7	-307.7	-4.3	304.5	0.98	0.98	-0.03	
1,769.0	23.16	164.22	1,711.6	-344.8	5.1	342.5	1.81	-1.27	-3.20	
1,832.0	23.54	161.52	1,769.5	-368.6	12.4	367.1	1.80	0.60	-4.29	
1,895.0	23.56	160.61	1,827.2	-392.4	20.6	391.8	0.58	0.03	-1.44	
1,958.0	23.30	159.74	1,885.0	-416.0	29.1	416.2	0.69	-0.41	-1.38	
2,021.0	22.59	162.18	1,943.0	-439.2	37.1	440.3	1.88	-1.13	3.87	
2,085.0	22.39	161.80	2,002.2	-462.5	44.7	464.4	0.39	-0.31	-0.59	
2,148.0	22.46	161.70	2,060.4	-485.3	52.2	488.0	0.13	0.11	-0.16	
2,211.0	22.03	165.94	2,118.7	-508.2	58.9	511.5	2.64	-0.68	6.73	
2,274.0	20.59	172.95	2,177.4	-530.6	63.1	534.3	4.64	-2.29	11.13	
2,338.0	19.88	177.10	2,237.5	-552.7	65.0	556.5	2.50	-1.11	6.48	
2,401.0	18.93	175.01	2,296.9	-573.6	66.4	577.3	1.87	-1.51	-3.32	
2,464.0	18.65	175.31	2,356.5	-593.8	68.2	597.6	0.47	-0.44	0.48	
2,527.0	19.30	178.44	2,416.1	-614.2	69.3	618.0	1.92	1.03	4.97	
2,591.0	20.20	181.13	2,476.3	-635.9	69.3	639.5	2.00	1.41	4.20	
2,654.0	21.15	180.53	2,535.3	-658.1	69.0	661.5	1.54	1.51	-0.95	
2,717.0	21.97	180.54	2,593.9	-681.2	68.8	684.4	1.30	1.30	0.02	
2,780.0	22.02	180.11	2,652.3	-704.8	68.7	707.8	0.27	0.08	-0.68	
2,843.0	21.94	177.28	2,710.7	-728.4	69.2	731.2	1.69	-0.13	-4.49	
2,907.0	21.99	177.19	2,770.1	-752.3	70.4	755.1	0.09	0.08	-0.14	
2,970.0	21.43	175.29	2,828.6	-775.6	71.9	778.3	1.43	-0.89	-3.02	
3,033.0	21.17	173.95	2,887.3	-798.3	74.0	801.2	0.88	-0.41	-2.13	
3,097.0	19.97	173.94	2,947.2	-820.7	76.4	823.7	1.88	-1.88	-0.02	
3,160.0	18.88	171.77	3,006.6	-841.5	79.0	844.6	2.07	-1.73	-3.44	
3,223.0	19.57	174.91	3,066.1	-862.1	81.4	865.4	1.97	1.10	4.98	
3,286.0	20.37	176.44	3,125.3	-883.5	83.0	886.9	1.52	1.27	2.43	
3,349.0	21.31	175.82	3,184.2	-905.9	84.5	909.2	1.53	1.49	-0.98	
3,413.0	22.41	174.80	3,243.6	-929.7	86.5	933.0	1.82	1.72	-1.59	
3,476.0	22.04	174.40	3,301.9	-953.4	88.7	956.8	0.63	-0.59	-0.63	
3,539.0	21.69	170.81	3,360.4	-976.6	91.7	980.3	2.19	-0.56	-5.70	

Company:	ConocoPhillips	Local Co-ordinate Reference:	Well San Juan #24P
Project:	SJB (NM West)	TVD Reference:	GL 6073' @ RKB 15' @ 6088.0usft (AWS 711)
Site:	SEC 33-T29N-R9W	MD Reference:	GL 6073' @ RKB 15' @ 6088.0usft (AWS 711)
Well:	San Juan #24P	North Reference:	True
Wellbore:	OH	Survey Calculation Method:	Minimum Curvature
Design:	OH	Database:	Farmington 5000 DB

Survey										
Measured Depth (usft)	Inclination (°)	Azimuth (°)	Vertical Depth (usft)	+N/-S (usft)	+E/-W (usft)	Vertical Section (usft)	Dogleg Rate (°/100usft)	Build Rate (°/100usft)	Turn Rate (°/100usft)	
3,602.0	22.34	172.03	3,418.8	-1,000.0	95.2	1,003.9	1.26	1.03	1.94	
3,665.0	22.20	169.92	3,477.1	-1,023.6	99.0	1,027.8	1.29	-0.22	-3.35	
3,728.0	22.32	169.63	3,535.4	-1,047.0	103.2	1,051.6	0.26	0.19	-0.46	
3,792.0	22.05	167.63	3,594.7	-1,070.7	108.0	1,075.7	1.25	-0.42	-3.13	
3,855.0	19.82	167.08	3,653.5	-1,092.7	112.9	1,098.1	3.55	-3.54	-0.87	
3,919.0	18.51	164.12	3,714.0	-1,113.1	118.1	1,119.0	2.55	-2.05	-4.63	
3,982.0	16.63	159.65	3,774.0	-1,131.1	124.0	1,137.7	3.67	-2.98	-7.10	
4,045.0	14.35	157.91	3,834.7	-1,146.8	130.1	1,154.0	3.69	-3.62	-2.76	
4,109.0	13.60	158.40	3,896.8	-1,161.2	135.8	1,169.0	1.19	-1.17	0.77	
4,172.0	12.31	157.29	3,958.2	-1,174.2	141.1	1,182.6	2.09	-2.05	-1.76	
4,235.0	11.14	158.95	4,019.9	-1,186.1	145.9	1,195.0	1.93	-1.86	2.63	
4,298.0	9.00	159.50	4,081.9	-1,196.4	149.8	1,205.7	3.40	-3.40	0.87	
4,360.0	6.72	161.40	4,143.4	-1,204.4	152.7	1,214.0	3.70	-3.68	3.06	
4,424.0	4.94	150.53	4,207.0	-1,210.3	155.2	1,220.3	3.26	-2.78	-16.98	
4,464.0	3.87	147.41	4,246.9	-1,213.0	156.8	1,223.1	2.74	-2.67	-7.80	
Last SDI MWD Survey										
4,520.0	3.14	147.41	4,302.8	-1,215.9	158.6	1,226.2	1.30	-1.30	0.00	

Design Annotations					
Measured Depth (usft)	Vertical Depth (usft)	Local Coordinates			
		+N/-S (usft)	+E/-W (usft)	Comment	
300.0	300.0	-2.2	3.4	First SDI MWD Survey	
4,464.0	4,246.9	-1,213.0	156.8	Last SDI MWD Survey	

Checked By: _____	Approved By: _____	Date: _____
-------------------	--------------------	-------------