

DISTRICT II
 611 E. First St., Artesia, N.M. 88210
 Phone: (505) 748-1283 Fax: (505) 748-9720

DISTRICT III
1000 Rio Brazos Ed., Arisco, N.M. 87410
Phone: (505) 334-6178 Fax: (505) 334-6170

DISTRICT IV
1820 S. St. Francis Dr., Santa Fe, NM 87505
Phone: (505) 476-8480 Fax: (505) 476-8482

OIL CONSERVATION DIVISION

1220 South St. Francis Dr.
Santa Fe. NM 87505

AS DRILLED PLAT

**Submit one copy to appropriate
District Office**

~~AMENDED~~ REPORT

WELL LOCATION AND ACREAGE DEDICATION PLAT

*API Number 30-045-35221		*Pool Code 72319/97232	*Pool Name BLANCO MESAVERDE /	BASIN MANCOS
*Property Code 6946	*Property Name DAY			*Well Number 2C
*OGRID No. 14538	*Operator Name BURLINGTON RESOURCES OIL & GAS COMPANY LP			*Elevation 6504'

¹⁰ Surface Location


UL or lot no.	Section	Township	Range	Lot Idn	Feet from the	North/South line	Feet from the	East/West line	County
N	9	29N	8W		1179'	SOUTH	1776'	WEST	SAN JUAN

¹¹ Bottom Hole Location If Different From Surface

UL or lot no. K	Section 9	Township 29N	Range 8W	Lot Idn	Feet from the 2477'	North/South line SOUTH	Feet from the 1773'	East/West line WEST	County SAN JUAN
³³ Dedicated Acres 320.00 ACRES - W/2			³⁴ Joint or Infill		³⁵ Consolidation Code		³⁶ Order No. RCVD MAY 9 '13 OIL CONS. DIV.		

NO ALLOWABLE WILL BE ASSIGNED TO THIS COMPLETION UNTIL ALL INTERESTS HAVE BEEN CONSOLIDATED
OR A NON-STANDARD UNIT HAS BEEN APPROVED BY THE DIVISION DIST 2

18



17 OPERATOR CERTIFICATION

I hereby certify that the information contained herein is true and complete to the best of my knowledge and belief, and that this organization either owns a working interest or unleased mineral interest in the land including the proposed bottom hole location or has a right to drill this well at this location pursuant to a contract with an owner of such a mineral or working interest, or to a voluntary pooling agreement or a compulsory pooling order heretofore entered by the Division.

Signature Aileen White Date 5/9/13

Arleen White
Printed Name

E-mail Address

18 SURVEYOR CERTIFICATION

I hereby certify that the well location shown on this plat was plotted from field notes of actual surveys made by me or under my supervision, and that the same is true and correct to the best of my belief.

APRIL 27, 2010

Date of Survey _____

Signature and Seal of Professional Surveyor:



DAVID RUSSELL

Certificate Number

10201

Operator BURLINGTON RESOURCES OIL & GAS COMPANY LP	Legal WellName DAY #2C	API / UWI 3004535221	County SAN JUAN	State/Province NEW MEXICO
Surface Legal Location 009-029N-008W-N	N/S Dist (ft) 1,179.00	N/S Ref FSL	E/W Dist (ft) 1,776.00	E/W Ref FWL

Survey Data					
Date	MD (ftKB)	Incl (*)	Azm (*)	Method	Survey Company
1/30/2013	128.00	1.00		Inc-MWD	Mo Te Drilling Inc
1/30/2013	234.00	0.75		Inc-MWD	Mo Te Drilling Inc
2/26/2013	300.00	0.83	171.93	IncAzi-MWD	Scientific Drilling
2/26/2013	330.00	0.76	172.60	IncAzi-MWD	Scientific Drilling
2/26/2013	392.00	0.21	51.50	IncAzi-MWD	Scientific Drilling
2/26/2013	453.00	1.28	12.79	IncAzi-MWD	Scientific Drilling
2/26/2013	515.00	2.38	7.21	IncAzi-MWD	Scientific Drilling
2/26/2013	577.00	3.51	3.41	IncAzi-MWD	Scientific Drilling
2/26/2013	638.00	4.74	3.97	IncAzi-MWD	Scientific Drilling
2/26/2013	699.00	5.85	3.52	IncAzi-MWD	Scientific Drilling
2/27/2013	760.00	7.11	3.19	IncAzi-MWD	Scientific Drilling
2/27/2013	821.00	8.48	3.06	IncAzi-MWD	Scientific Drilling
2/27/2013	884.00	9.86	2.04	IncAzi-MWD	Scientific Drilling
2/27/2013	947.00	11.29	1.75	IncAzi-MWD	Scientific Drilling
2/27/2013	1,010.00	12.57	1.57	IncAzi-MWD	Scientific Drilling
2/27/2013	1,073.00	13.89	2.01	IncAzi-MWD	Scientific Drilling
2/27/2013	1,136.00	15.26	3.72	IncAzi-MWD	Scientific Drilling
2/27/2013	1,199.00	16.87	4.62	IncAzi-MWD	Scientific Drilling
2/27/2013	1,263.00	18.56	3.89	IncAzi-MWD	Scientific Drilling
2/27/2013	1,326.00	20.18	3.01	IncAzi-MWD	Scientific Drilling
2/27/2013	1,389.00	22.05	2.04	IncAzi-MWD	Scientific Drilling
2/27/2013	1,453.00	23.37	0.75	IncAzi-MWD	Scientific Drilling
2/27/2013	1,516.00	24.02	359.72	IncAzi-MWD	Scientific Drilling
2/27/2013	1,580.00	24.68	0.35	IncAzi-MWD	Scientific Drilling
2/27/2013	1,643.00	25.65	1.28	IncAzi-MWD	Scientific Drilling
2/27/2013	1,706.00	25.71	0.77	IncAzi-MWD	Scientific Drilling
2/27/2013	1,769.00	25.50	0.33	IncAzi-MWD	Scientific Drilling
2/27/2013	1,832.00	25.52	359.83	IncAzi-MWD	Scientific Drilling
2/27/2013	1,895.00	25.47	359.81	IncAzi-MWD	Scientific Drilling
2/27/2013	1,958.00	26.17	0.79	IncAzi-MWD	Scientific Drilling
2/27/2013	2,021.00	26.60	2.18	IncAzi-MWD	Scientific Drilling
2/27/2013	2,084.00	27.47	1.97	IncAzi-MWD	Scientific Drilling
2/27/2013	2,148.00	28.26	2.95	IncAzi-MWD	Scientific Drilling
2/27/2013	2,211.00	28.41	2.81	IncAzi-MWD	Scientific Drilling
2/27/2013	2,275.00	29.26	2.91	IncAzi-MWD	Scientific Drilling

I, the undersigned, certify that I acting in my capacity as _____ for ConocoPhillips Company, am authorized by said Company to make this report; and that said report was prepared under my supervision and directions, and that the facts stated herein are true to the best of my knowledge and belief.

Subscribed and sworn to me this _____

Notary Public in and for San Juan County, New Mexico

My Commission expires _____

Survey Data

Date	MD (RKB)	Incl (°)	Azm (°)	Method	Survey Company
2/27/2013	2,401.00	30.58	3.27	IncAzi-MWD	Scientific Drilling
2/27/2013	2,463.00	30.10	2.87	IncAzi-MWD	Scientific Drilling
2/27/2013	2,526.00	30.07	2.46	IncAzi-MWD	Scientific Drilling
2/27/2013	2,590.00	30.32	2.58	IncAzi-MWD	Scientific Drilling
2/27/2013	2,653.00	29.78	1.98	IncAzi-MWD	Scientific Drilling
2/27/2013	2,716.00	29.32	2.67	IncAzi-MWD	Scientific Drilling
2/27/2013	2,779.00	28.63	3.56	IncAzi-MWD	Scientific Drilling
2/27/2013	2,843.00	27.55	3.28	IncAzi-MWD	Scientific Drilling
2/28/2013	2,888.00	26.81	3.30	IncAzi-MWD	Scientific Drilling
2/28/2013	2,906.00	26.80	2.92	IncAzi-MWD	Scientific Drilling
2/28/2013	2,906.00	26.80	2.92	IncAzi-MWD	Scientific Drilling
2/28/2013	2,969.00	26.45	2.41	IncAzi-MWD	Scientific Drilling
2/28/2013	3,033.00	25.94	1.35	IncAzi-MWD	Scientific Drilling
2/28/2013	3,096.00	25.21	0.19	IncAzi-MWD	Scientific Drilling
2/28/2013	3,159.00	24.04	359.21	IncAzi-MWD	Scientific Drilling
2/28/2013	3,223.00	23.00	357.71	IncAzi-MWD	Scientific Drilling
2/28/2013	3,286.00	21.49	356.46	IncAzi-MWD	Scientific Drilling
2/28/2013	3,349.00	20.10	355.71	IncAzi-MWD	Scientific Drilling
2/28/2013	3,411.00	19.57	355.57	IncAzi-MWD	Scientific Drilling
2/28/2013	3,475.00	20.02	354.99	IncAzi-MWD	Scientific Drilling
2/28/2013	3,538.00	19.51	354.67	IncAzi-MWD	Scientific Drilling
2/28/2013	3,601.00	19.02	354.01	IncAzi-MWD	Scientific Drilling
2/28/2013	3,665.00	17.69	352.95	IncAzi-MWD	Scientific Drilling
2/28/2013	3,728.00	16.21	352.38	IncAzi-MWD	Scientific Drilling
2/28/2013	3,791.00	15.30	351.21	IncAzi-MWD	Scientific Drilling
2/28/2013	3,855.00	14.29	350.56	IncAzi-MWD	Scientific Drilling
2/28/2013	3,918.00	12.63	348.76	IncAzi-MWD	Scientific Drilling
2/28/2013	3,981.00	10.95	347.65	IncAzi-MWD	Scientific Drilling
2/28/2013	4,045.00	9.51	346.58	IncAzi-MWD	Scientific Drilling
2/28/2013	4,108.00	8.65	345.37	IncAzi-MWD	Scientific Drilling
2/28/2013	4,172.00	8.12	345.55	IncAzi-MWD	Scientific Drilling
2/28/2013	4,236.00	7.20	345.72	IncAzi-MWD	Scientific Drilling
2/28/2013	4,363.00	5.33	350.46	IncAzi-MWD	Scientific Drilling
2/28/2013	4,426.00	4.78	354.87	IncAzi-MWD	Scientific Drilling
2/28/2013	4,489.00	3.56	1.33	IncAzi-MWD	Scientific Drilling
3/1/2013	4,543.00	2.59	2.78	IncAzi-MWD	Scientific Drilling

I, the undersigned, certify that I acting in my capacity as Drilling Engineer for ConocoPhillips Company, am authorized by said Company to make this report; and that said report was prepared under my supervision and directions, and that the facts stated herein are true to the best of my knowledge and belief.

Hank B.

Subscribed and sworn to me this March 13 2013

Adrian White

Notary Public in and for San Juan County, New Mexico

My Commission expires 5/26/2015



RCVD MAY 6 '13
OIL CONS. DIV.
DIST. 3

ConocoPhillips

SJB (NM West)
SEC 09-T29N-R8W
Day #2C

OH 30.045-35221


Design: OH

Standard Survey Report


5 March, 2013

This survey is correct to the best of my knowledge and is supported by actual field data.

Notarized this date 5th of March, 2013.



Notary Signature
County of Mesa
State of Colorado



Scientific Drilling



Project: SJB (NM West)
Site: SEC 09-T29N-8W
Well: Day #2C
Wellbore: OH
Design: OH





Azimuths to True North
Magnetic North: 9.70°

Magnetic Field
Strength: 50511.5snT
Dip Angle: 63.42°
Date: 02/22/2013
Model: BGGM2012

WELL DETAILS: Day #2C

Ground Level: GL 6504' & RKB 15' @ 6519.0usft (AWS 711)
Northing: 2087141.74 Easting: 544265.61 Latitude: 36° 44' 9.075 N Longitude: 107° 40' 56.164 W



REFERENCE INFORMATION

Co-ordinate (N/E) Reference: Well Day #2C, True North
Vertical (TVD) Reference: GL 6504' & RKB 15' @ 6519.0usft (AWS 711)
Section (VS) Reference: Slot - (0.0N, 0.0E)
Measured Depth Reference: GL 6504' & RKB 15' @ 6519.0usft (AWS 711)
Calculation Method: Minimum Curvature
Local North: True

PROJECT DETAILS: SJB (NM West)
Geodetic System: US State Plane 1927 (Exact solution)
Datum: NAD 1927 (NADCON CONUS)
Ellipsoid: Clarke 1866
Zone: New Mexico West 3003

Company:	ConocoPhillips	Local Co-ordinate Reference:	Well Day #2C
Project:	SJB (NM West)	TVD Reference:	GL 6504' & RKB 15' @ 6519.0usft (AWS 711)
Site:	SEC 09-T29N-8W	MD Reference:	GL 6504' & RKB 15' @ 6519.0usft (AWS 711)
Well:	Day #2C	North Reference:	True
Wellbore:	OH	Survey Calculation Method:	Minimum Curvature
Design:	OH	Database:	Farmington 5000 DB

Project	SJB (NM West), San Juan County, New Mexico, S-Type MV/DK Wells		
Map System:	US State Plane 1927 (Exact solution)	System Datum:	Mean Sea Level
Geo Datum:	NAD 1927 (NADCON CONUS)		
Map Zone:	New Mexico West 3003		Using geodetic scale factor

Site	SEC 09-T29N-8W		
Site Position:		Northing:	2,087,141.73 usft
From:	Lat/Long	Easting:	544,265.61 usft
Position Uncertainty:	0.0 usft	Slot Radius:	13-3/16 "
		Latitude:	36° 44' 9.075 N
		Longitude:	107° 40' 56.164 W
		Grid Convergence:	0.09 °

Well	Day #2C					
Well Position	+N/-S	0.0 usft	Northing:	2,087,141.73 usft	Latitude:	36° 44' 9.075 N
	+E/-W	0.0 usft	Easting:	544,265.61 usft	Longitude:	107° 40' 56.164 W
Position Uncertainty		0.0 usft	Wellhead Elevation:	usft	Ground Level:	6,504.0 usft

Wellbore	OH				
Magnetics	Model Name	Sample Date	Declination (°)	Dip Angle (°)	Field Strength (nT)
	BGGM2012	02/22/2013	9.70	63.42	50,511

Design	OH				
Audit Notes:					
Version:	1.0	Phase:	ACTUAL	Tie On Depth:	0.0
Vertical Section:	Depth From (TVD) (usft)	+N/-S (usft)	+E/-W (usft)	Direction (°)	
	0.0	0.0	0.0	2.24	

Survey Program	Date 03/05/2013			
From (usft)	To (usft)	Survey (Wellbore)	Tool Name	Description
300.0	4,598.0	Survey #1 - SDI MWD Survey (OH)	MWD SDI	MWD - Standard ver 1.0.1

Measured Depth (usft)	Inclination (°)	Azimuth (°)	Vertical Depth (usft)	+N/-S (usft)	+E/-W (usft)	Vertical Section (usft)	Dogleg Rate (°/100usft)	Build Rate (°/100usft)	Turn Rate (°/100usft)
0.0	0.00	0.00	0.0	0.0	0.0	0.0	0.00	0.00	0.00
300.0	0.83	171.94	300.0	-2.2	0.3	-2.1	0.28	0.28	0.00
First SDI MWD Survey									
330.0	0.76	172.61	330.0	-2.6	0.4	-2.5	0.24	-0.23	2.23
392.0	0.21	51.51	392.0	-2.9	0.5	-2.9	1.43	-0.89	-195.32
453.0	1.28	12.79	453.0	-2.2	0.7	-2.1	1.84	1.75	-63.48
515.0	2.38	7.21	514.9	-0.2	1.1	-0.2	1.80	1.77	-9.00
577.0	3.51	3.40	576.9	3.0	1.3	3.0	1.85	1.82	-6.15
638.0	4.74	3.95	637.7	7.3	1.6	7.4	2.02	2.02	0.90
699.0	5.85	3.52	698.4	13.0	2.0	13.0	1.82	1.82	-0.70
760.0	7.11	3.19	759.1	19.8	2.4	19.9	2.07	2.07	-0.54

Company:	ConocoPhillips	Local Co-ordinate Reference:	Well Day #2C
Project:	SJB (NM West)	TVD Reference:	GL 6504' & RKB 15' @ 6519.0usft (AWS 711)
Site:	SEC 09-T29N-8W	MD Reference:	GL 6504' & RKB 15' @ 6519.0usft (AWS 711)
Well:	Day #2C	North Reference:	True
Wellbore:	OH	Survey Calculation Method:	Minimum Curvature
Design:	OH	Database:	Farmington 5000 DB

Survey									
Measured Depth (usft)	Inclination (°)	Azimuth (°)	Vertical Depth (usft)	+N/-S (usft)	+E/-W (usft)	Vertical Section (usft)	Dogleg Rate (°/100usft)	Build Rate (°/100usft)	Turn Rate (°/100usft)
821.0	8.48	3.06	819.5	28.1	2.8	28.2	2.25	2.25	-0.21
884.0	9.86	2.04	881.7	38.1	3.3	38.2	2.21	2.19	-1.62
947.0	11.29	1.75	943.6	49.7	3.7	49.8	2.27	2.27	-0.46
1,010.0	12.57	1.57	1,005.2	62.7	4.0	62.8	2.03	2.03	-0.29
1,073.0	13.89	2.01	1,066.6	77.1	4.5	77.2	2.10	2.10	0.70
1,136.0	15.26	3.72	1,127.5	92.9	5.3	93.1	2.28	2.17	2.71
1,199.0	16.87	4.62	1,188.1	110.3	6.6	110.5	2.59	2.56	1.43
1,263.0	18.56	3.89	1,249.0	129.7	8.0	130.0	2.66	2.64	-1.14
1,326.0	20.18	3.01	1,308.5	150.6	9.2	150.8	2.61	2.57	-1.40
1,389.0	22.05	2.04	1,367.2	173.3	10.2	173.5	3.02	2.97	-1.54
1,453.0	23.37	0.75	1,426.3	198.0	10.8	198.2	2.20	2.06	-2.02
1,516.0	24.02	359.72	1,484.0	223.3	10.9	223.5	1.22	1.03	-1.63
1,580.0	24.68	0.35	1,542.3	249.7	11.0	249.9	1.11	1.03	0.98
1,643.0	25.65	1.28	1,599.3	276.5	11.3	276.7	1.66	1.54	1.48
1,706.0	25.71	0.77	1,656.1	303.7	11.8	304.0	0.36	0.10	-0.81
1,769.0	25.50	0.33	1,712.9	331.0	12.1	331.2	0.45	-0.33	-0.70
1,832.0	25.52	359.83	1,769.7	358.1	12.1	358.3	0.34	0.03	-0.79
1,895.0	25.47	359.81	1,826.6	385.2	12.0	385.4	0.08	-0.08	-0.03
1,958.0	26.17	0.79	1,883.3	412.7	12.2	412.8	1.30	1.11	1.56
2,021.0	26.60	2.18	1,939.8	440.6	12.9	440.8	1.19	0.68	2.21
2,084.0	27.47	1.97	1,995.9	469.3	13.9	469.4	1.39	1.38	-0.33
2,148.0	28.26	2.95	2,052.5	499.1	15.2	499.4	1.43	1.23	1.53
2,211.0	28.41	2.81	2,107.9	529.0	16.7	529.3	0.26	0.24	-0.22
2,275.0	29.26	2.91	2,164.0	559.8	18.3	560.1	1.33	1.33	0.16
2,338.0	30.04	3.14	2,218.7	591.0	19.9	591.3	1.25	1.24	0.37
2,401.0	30.58	3.27	2,273.1	622.7	21.7	623.1	0.86	0.86	0.21
2,463.0	30.10	2.87	2,326.6	654.0	23.4	654.4	0.84	-0.77	-0.65
2,526.0	30.07	2.46	2,381.1	685.5	24.8	686.0	0.33	-0.05	-0.65
2,590.0	30.32	2.58	2,436.4	717.7	26.3	718.2	0.40	0.39	0.19
2,653.0	29.78	1.98	2,491.0	749.2	27.5	749.7	0.98	-0.86	-0.95
2,716.0	29.32	2.67	2,545.8	780.2	28.8	780.8	0.91	-0.73	1.10
2,779.0	28.63	3.56	2,600.9	810.7	30.4	811.3	1.29	-1.10	1.41
2,843.0	27.55	3.28	2,657.4	840.8	32.2	841.4	1.70	-1.69	-0.44
2,888.0	26.81	3.30	2,697.4	861.3	33.4	862.0	1.64	-1.64	0.04
2,906.0	26.80	2.92	2,713.5	869.4	33.9	870.1	0.95	-0.06	-2.11
2,969.0	26.45	2.41	2,769.8	897.6	35.2	898.3	0.66	-0.56	-0.81
3,033.0	25.94	1.35	2,827.2	925.9	36.1	926.6	1.08	-0.80	-1.66
3,096.0	25.21	0.19	2,884.0	953.1	36.5	953.8	1.41	-1.16	-1.84
3,159.0	24.04	359.21	2,941.3	979.3	36.3	980.0	1.97	-1.86	-1.56
3,223.0	23.00	357.71	3,000.0	1,004.8	35.7	1,005.5	1.87	-1.63	-2.34
3,286.0	21.49	356.46	3,058.3	1,028.7	34.5	1,029.2	2.51	-2.40	-1.98
3,349.0	20.10	355.71	3,117.2	1,051.0	32.9	1,051.5	2.25	-2.21	-1.19
3,411.0	19.57	355.57	3,175.5	1,071.9	31.3	1,072.3	0.86	-0.85	-0.23

Company:	ConocoPhillips	Local Co-ordinate Reference:	Well Day #2C
Project:	SJB (NM West)	TVD Reference:	GL 6504' & RKB 15' @ 6519.0usft (AWS 711)
Site:	SEC 09-T29N-8W	MD Reference:	GL 6504' & RKB 15' @ 6519.0usft (AWS 711)
Well:	Day #2C	North Reference:	True
Wellbore:	OH	Survey Calculation Method:	Minimum Curvature
Design:	OH	Database:	Farmington 5000 DB

Survey										
Measured Depth (usft)	Inclination (°)	Azimuth (°)	Vertical Depth (usft)	+N/-S (usft)	+E/-W (usft)	Vertical Section (usft)	Dogleg Rate (°/100usft)	Build Rate (°/100usft)	Turn Rate (°/100usft)	
3,475.0	20.02	354.99	3,235.7	1,093.5	29.5	1,093.9	0.77	0.70	-0.91	
3,538.0	19.51	354.67	3,295.0	1,114.8	27.6	1,115.0	0.83	-0.81	-0.51	
3,601.0	19.02	354.01	3,354.5	1,135.4	25.6	1,135.6	0.85	-0.78	-1.05	
3,665.0	17.69	352.95	3,415.2	1,155.5	23.3	1,155.5	2.14	-2.08	-1.66	
3,728.0	16.21	352.38	3,475.5	1,173.7	21.0	1,173.6	2.36	-2.35	-0.90	
3,791.0	15.30	351.21	3,536.1	1,190.6	18.5	1,190.4	1.53	-1.44	-1.86	
3,855.0	14.29	350.56	3,598.0	1,206.8	15.9	1,206.5	1.60	-1.58	-1.02	
3,918.0	12.63	348.76	3,659.3	1,221.2	13.3	1,220.8	2.72	-2.63	-2.86	
3,981.0	10.95	347.65	3,720.9	1,233.8	10.7	1,233.3	2.69	-2.67	-1.76	
4,045.0	9.51	346.58	3,783.9	1,244.9	8.2	1,244.2	2.27	-2.25	-1.67	
4,108.0	8.65	345.37	3,846.1	1,254.5	5.8	1,253.8	1.40	-1.37	-1.92	
4,172.0	8.12	345.55	3,909.4	1,263.5	3.4	1,262.7	0.83	-0.83	0.28	
4,236.0	7.20	345.72	3,972.9	1,271.8	1.3	1,270.9	1.44	-1.44	0.27	
4,299.0	5.98	346.88	4,035.4	1,278.8	-0.4	1,277.8	1.95	-1.94	1.84	
4,363.0	5.33	350.46	4,099.1	1,285.0	-1.7	1,284.0	1.16	-1.02	5.59	
4,426.0	4.78	354.87	4,161.9	1,290.5	-2.4	1,289.4	1.07	-0.87	7.00	
4,489.0	3.56	1.33	4,224.7	1,295.1	-2.6	1,294.0	2.07	-1.94	10.25	
4,543.0	2.59	2.78	4,278.7	1,298.0	-2.5	1,296.9	1.80	-1.80	2.68	
Last SDI MWD Survey										
4,598.0	2.59	2.78	4,333.6	1,300.5	-2.4	1,299.4	0.00	0.00	0.00	

Design Annotations				
Measured Depth (usft)	Vertical Depth (usft)	Local Coordinates		Comment
		+N/-S (usft)	+E/-W (usft)	
300.0	300.0	-2.2	0.3	First SDI MWD Survey
4,543.0	4,278.7	1,298.0	-2.5	Last SDI MWD Survey

Checked By: _____ Approved By: _____ Date: _____