

DISTRICT I

1626 N. French Dr., Hobbs, N.M. 88240
Phone: (505) 393-6161 Fax: (505) 393-0720

DISTRICT II

811 S. First St., Artesia, N.M. 88210
Phone: (505) 748-1283 Fax: (505) 748-9720

DISTRICT III

1000 Elc Brasos Rd., Artesia, N.M. 87410
Phone: (505) 334-6178 Fax: (505) 334-6170

DISTRICT IV

1220 S. St. Francis Dr., Santa Fe, NM 87505
Phone: (505) 476-3460 Fax: (505) 476-3463

State of New Mexico
Energy, Minerals & Natural Resources Department

Form C-102
Revised August 1, 2011

Submit one copy to appropriate
District Office

OIL CONSERVATION DIVISION

1220 South St. Francis Dr.
Santa Fe, NM 87505

AS DRILLED PLAT

☐ AMENDED REPORT

WELL LOCATION AND ACREAGE DEDICATION PLAT

¹ API Number 30-045-35416	² Pool Code 72319/71599	³ Pool Name BLANCO MESAVERDE / BASIN DAKOTA
⁴ Property Code 37577	⁵ Property Name HOUCK COM	⁶ Well Number 2N
⁷ GRID No. 14538	⁸ Operator Name BURLINGTON RESOURCES OIL & GAS COMPANY LP	⁹ Elevation 5790'

¹⁰ Surface Location

UL or lot no.	Section	Township	Range	Lot Idn	Feet from the	North/South line	Feet from the	East/West line	County
E	7	29N	10W	9	1505'	NORTH	1090'	WEST	SAN JUAN


¹¹ Bottom Hole Location If Different From Surface

UL or lot no.	Section	Township	Range	Lot Idn	Feet from the	North/South line	Feet from the	East/West line	County
D	7	29N	10W	8	697'	NORTH	713'	WEST	SAN JUAN

¹² Dedicated Acres 308.28 ACRES N/2	¹³ Joint or Infill	¹⁴ Consolidation Code	¹⁵ Order No. RCVD MAY 9 '13 OIL CONS. DIV.
---	-------------------------------	----------------------------------	---

NO ALLOWABLE WILL BE ASSIGNED TO THIS COMPLETION UNTIL ALL INTERESTS HAVE BEEN CONSOLIDATED
OR A NON-STANDARD UNIT HAS BEEN APPROVED BY THE DIVISION **DIST. 3**

18

¹⁷ OPERATOR CERTIFICATION

I hereby certify that the information contained herein is true and complete to the best of my knowledge and belief, and that this organization either owns a working interest or unleased mineral interest in the land including the proposed bottom hole location or has a right to drill this well at this location pursuant to a contract with an owner of such mineral or working interest, or to a voluntary pooling agreement or a compulsory pooling order heretofore entered by the division.

Signature: *Patsy Clugston* Date: 5/6/13

Printed Name: Patsy Clugston


E-mail Address: Patsy.L.Clugston@Conocophillips.com

¹⁸ SURVEYOR CERTIFICATION

I hereby certify that the well location shown on this plat was plotted from field notes of actual surveys made by me or under my supervision, and that the same is true and correct to the best of my belief.

JANUARY 24, 2013

Date of Survey: *David R. Russell*
Signature and Seal of Professional Surveyor:



DAVID RUSSELL

Certificate Number: 10201

Operator BURLINGTON RESOURCES OIL & GAS COMPANY LP	Legal WellName HOUCK COM #2N	API / UWI 3004535416	County SAN JUAN	State/Province NEW MEXICO
Surface Legal Location 007-029N-010W-E	N/S Dist (ft) 1,505.00	N/S Ref FNL	E/W Dist (ft) 1,090.00	E/W Ref FWL

Survey Data						
Date	MD (ftKB)	Incl (°)	Azm (°)	Method	Survey Company	
2/14/2013	133.00	1.00		Inc-Drop	Mo Te Drilling Inc	
2/14/2013	233.00	1.50		Inc-Drop	Mo Te Drilling Inc	
2/18/2013	269.00	1.83	352.58	IncAzi-MWD	Scientific Drilling	
2/18/2013	331.00	1.81	349.08	IncAzi-MWD	Scientific Drilling	
2/18/2013	393.00	2.38	347.03	IncAzi-MWD	Scientific Drilling	
2/18/2013	454.00	2.57	341.41	IncAzi-MWD	Scientific Drilling	
2/18/2013	516.00	2.67	347.35	IncAzi-MWD	Scientific Drilling	
2/18/2013	577.00	3.35	342.72	IncAzi-MWD	Scientific Drilling	
2/18/2013	638.00	4.52	336.34	IncAzi-MWD	Scientific Drilling	
2/18/2013	700.00	5.69	334.07	IncAzi-MWD	Scientific Drilling	
2/18/2013	762.00	6.98	331.78	IncAzi-MWD	Scientific Drilling	
2/18/2013	823.00	8.17	328.73	IncAzi-MWD	Scientific Drilling	
2/18/2013	886.00	9.93	327.64	IncAzi-MWD	Scientific Drilling	
2/18/2013	949.00	10.81	328.51	IncAzi-MWD	Scientific Drilling	
2/18/2013	1,012.00	12.08	330.10	IncAzi-MWD	Scientific Drilling	
2/18/2013	1,075.00	12.95	330.01	IncAzi-MWD	Scientific Drilling	
2/18/2013	1,139.00	14.21	330.88	IncAzi-MWD	Scientific Drilling	
2/18/2013	1,202.00	15.47	332.52	IncAzi-MWD	Scientific Drilling	
2/18/2013	1,264.00	16.71	333.33	IncAzi-MWD	Scientific Drilling	
2/18/2013	1,327.00	17.94	332.02	IncAzi-MWD	Scientific Drilling	
2/18/2013	1,390.00	19.14	332.17	IncAzi-MWD	Scientific Drilling	
2/18/2013	1,453.00	19.83	332.52	IncAzi-MWD	Scientific Drilling	
2/18/2013	1,516.00	20.07	331.95	IncAzi-MWD	Scientific Drilling	
2/18/2013	1,579.00	20.11	332.14	IncAzi-MWD	Scientific Drilling	
2/18/2013	1,643.00	20.21	331.43	IncAzi-MWD	Scientific Drilling	
2/18/2013	1,706.00	19.88	329.97	IncAzi-MWD	Scientific Drilling	
2/18/2013	1,769.00	20.01	330.38	IncAzi-MWD	Scientific Drilling	
2/18/2013	1,832.00	19.57	331.46	IncAzi-MWD	Scientific Drilling	
2/18/2013	1,895.00	19.24	332.53	IncAzi-MWD	Scientific Drilling	
2/18/2013	1,958.00	19.13	333.68	IncAzi-MWD	Scientific Drilling	
2/18/2013	2,021.00	19.00	333.09	IncAzi-MWD	Scientific Drilling	
2/18/2013	2,084.00	19.25	332.98	IncAzi-MWD	Scientific Drilling	
2/18/2013	2,148.00	19.61	333.15	IncAzi-MWD	Scientific Drilling	
2/18/2013	2,210.00	19.81	333.18	IncAzi-MWD	Scientific Drilling	
2/18/2013	2,273.00	20.40	332.56	IncAzi-MWD	Scientific Drilling	

I, the undersigned, certify that I acting in my capacity as _____ for ConocoPhillips Company, am authorized by said Company to make this report; and that said report was prepared under my supervision and directions, and that the facts stated herein are true to the best of my knowledge and belief.

Subscribed and sworn to me this _____

Notary Public in and for San Juan County, New Mexico

My Commission expires _____

Survey Data

Date	MD (ftKB)	Incl. (°)	Azm. (°)	Method	Survey Company
2/18/2013	2,336.00	20.33	332.37	IncAzi-MWD	Scientific Drilling
2/18/2013	2,400.00	19.69	332.00	IncAzi-MWD	Scientific Drilling
2/18/2013	2,463.00	18.74	330.52	IncAzi-MWD	Scientific Drilling
2/18/2013	2,526.00	18.48	332.05	IncAzi-MWD	Scientific Drilling
2/18/2013	2,590.00	17.60	333.61	IncAzi-MWD	Scientific Drilling
2/18/2013	2,653.00	16.71	335.10	IncAzi-MWD	Scientific Drilling
2/18/2013	2,716.00	16.38	334.81	IncAzi-MWD	Scientific Drilling
2/18/2013	2,780.00	16.33	334.32	IncAzi-MWD	Scientific Drilling
2/18/2013	2,843.00	16.06	333.16	IncAzi-MWD	Scientific Drilling
2/18/2013	2,906.00	16.44	333.83	IncAzi-MWD	Scientific Drilling
2/18/2013	2,970.00	16.50	333.67	IncAzi-MWD	Scientific Drilling
2/18/2013	3,033.00	16.44	333.96	IncAzi-MWD	Scientific Drilling
2/18/2013	3,097.00	16.67	334.19	IncAzi-MWD	Scientific Drilling
2/18/2013	3,160.00	16.06	333.83	IncAzi-MWD	Scientific Drilling
2/18/2013	3,223.00	15.04	334.17	IncAzi-MWD	Scientific Drilling
2/18/2013	3,286.00	14.09	336.31	IncAzi-MWD	Scientific Drilling
2/18/2013	3,350.00	12.64	337.40	IncAzi-MWD	Scientific Drilling
2/18/2013	3,413.00	11.27	338.70	IncAzi-MWD	Scientific Drilling
2/18/2013	3,476.00	10.25	341.67	IncAzi-MWD	Scientific Drilling
2/18/2013	3,539.00	8.68	343.50	IncAzi-MWD	Scientific Drilling
2/18/2013	3,602.00	6.92	344.17	IncAzi-MWD	Scientific Drilling
2/18/2013	3,665.00	5.17	343.53	IncAzi-MWD	Scientific Drilling
2/18/2013	3,729.00	3.33	348.42	IncAzi-MWD	Scientific Drilling
2/18/2013	3,791.00	2.00	346.44	IncAzi-MWD	Scientific Drilling
2/18/2013	3,854.00	1.35	20.30	IncAzi-MWD	Scientific Drilling
2/18/2013	3,918.00	1.19	26.65	IncAzi-MWD	Scientific Drilling
2/18/2013	3,980.00	1.01	1.63	IncAzi-MWD	Scientific Drilling
2/18/2013	4,044.00	1.00	2.96	IncAzi-MWD	Scientific Drilling
2/18/2013	4,106.00	0.76	12.08	IncAzi-MWD	Scientific Drilling
2/18/2013	4,165.00	0.53	20.76	Projection	Scientific Drilling
2/25/2013	6,135.00	2.00		Inc-MWD	Aztec Well Servicing Co Inc
2/25/2013	6,169.00	1.00		Inc-MWD	Aztec Well Servicing Co Inc
2/25/2013	6,420.00	1.00		Inc-MWD	Aztec Well Servicing Co Inc
2/25/2013	6,545.00	1.00		Inc-MWD	Aztec Well Servicing Co Inc
2/26/2013	6,848.00	2.00		Inc-Drop	Aztec Well Servicing Co Inc
2/26/2013	6,848.00	1.00		Inc-MWD	Aztec Well Servicing Co Inc

I, the undersigned, certify that I acting in my capacity as DRILLING ENGINEER for ConocoPhillips Company, am authorized by said Company to make this report; and that said report was prepared under my supervision and directions, and that the facts stated herein are true to the best of my knowledge and belief.

Carla Blauz 5/8/13

Subscribed and sworn to me this

5/8/13

Patricia L. Chuyit

Notary Public in and for San Juan County, New Mexico

My Commission expires

10/2/15

Cara

ConocoPhillips

ConocoPhillips

SJB (NM West)
SEC 07-T29N-R10W
Houck Com #2N

OH 30-045-35416

RCVD MAY 9 '13
OIL CONS. DIV.
DIST. 3

Design: OH

Standard Survey Report

1 March, 2013

This survey is correct to the best of my knowledge and is supported by actual field data.

Notarized this date 1st of March, 2013.

Leandra Stanley
Notary Signature
County of Mesa
State of Colorado

LEAUDRA STANLEY
NOTARY PUBLIC
STATE OF COLORADO
NOTARY ID #20044039346
My Commission Expires December 5, 2016



Scientific Drilling



Project: SJB (NM West)
Site: SEC 07-T29N-R10W
Well: Houck Com #2N
Wellbore: OH
Design: OH





Azimuths to True North
Magnetic North: 9.81°

Magnetic Field
Strength: 50496.7nT
Dip Angle: 63.38°
Date: 01/31/2013
Model: BGGM2012

WELL DETAILS: Houck Com #2N

Ground Level: GL 5790' & KB 15' @ 5805.0usft (AWS 730)
Northing 2089806.49 Easting 471786.54 Latitude 36° 44' 35.631 N Longitude 107° 55' 46.657 W



REFERENCE INFORMATION

Co-ordinate (N/E) Reference: Well Houck Com #2N, True North
Vertical (TVD) Reference: GL 5790' & KB 15' @ 5805.0usft (AWS 730)
Section (VS) Reference: Slot - (0.0N, 0.0E)
Measured Depth Reference: GL 5790' & KB 15' @ 5805.0usft (AWS 730)
Calculation Method: Minimum Curvature
Local North: True

PROJECT DETAILS: SJB (NM West)

Geodetic System: US State Plane 1927 (Exact solution)
Datum: NAD 1927 (NADCON CONUS)
Ellipsoid: Clarke 1866
Zone: New Mexico West 3003

Company:	ConocoPhillips	Local Co-ordinate Reference:	Well Houck Com #2N
Project:	SJB (NM West)	TVD Reference:	GL 5790' & KB 15' @ 5805.0usft (AWS 730)
Site:	SEC 07-T29N-R10W	MD Reference:	GL 5790' & KB 15' @ 5805.0usft (AWS 730)
Well:	Houck Com #2N	North Reference:	True
Wellbore:	OH	Survey Calculation Method:	Minimum Curvature
Design:	OH	Database:	Farmington 5000 DB

Project	SJB (NM West), San Juan County, New Mexico, S-Type MV/DK Wells		
Map System:	US State Plane 1927 (Exact solution)	System Datum:	Mean Sea Level
Geo Datum:	NAD 1927 (NADCON CONUS)		
Map Zone:	New Mexico West 3003		Using geodetic scale factor

Site	SEC 07-T29N-R10W		
Site Position:		Northing:	2,089,806.49 usft
From:	Lat/Long	Easting:	471,786.54 usft
Position Uncertainty:	0.0 usft	Slot Radius:	13-3/16 "
		Latitude:	36° 44' 35.631 N
		Longitude:	107° 55' 46.657 W
		Grid Convergence:	-0.06 °

Well	Houck Com #2N		
Well Position	+N/-S	0.0 usft	Northing: 2,089,806.49 usft
	+E/-W	0.0 usft	Easting: 471,786.54 usft
Position Uncertainty	0.0 usft	Wellhead Elevation:	usft
		Latitude:	36° 44' 35.631 N
		Longitude:	107° 55' 46.657 W
		Ground Level:	5,790.0 usft

Wellbore	OH		
----------	----	--	--

Magnetics	Model Name	Sample Date	Declination (°)	Dip Angle (°)	Field Strength (nT)
	BGGM2012	01/31/2013	9.81	63.38	50,497

Design	OH		
--------	----	--	--

Audit Notes:			
Version:	1.0	Phase:	ACTUAL
		Tie On Depth:	0.0

Vertical Section:	Depth From (TVD) (usft)	+N/-S (usft)	+E/-W (usft)	Direction (°)
	0.0	0.0	0.0	333.80

Survey Program		Date 03/01/2013		
From (usft)	To (usft)	Survey (Wellbore)	Tool Name	Description
269.0	4,165.0	Survey #1 - MWD Survey (OH)	MWD SDI	MWD - Standard ver 1.0.1

Measured Depth (usft)	Inclination (°)	Azimuth (°)	Vertical Depth (usft)	+N/-S (usft)	+E/-W (usft)	Vertical Section (usft)	Dogleg Rate (°/100usft)	Build Rate (°/100usft)	Turn Rate (°/100usft)
0.0	0.00	0.00	0.0	0.0	0.0	0.0	0.00	0.00	0.00
269.0	1.83	352.58	269.0	4.3	-0.6	4.1	0.68	0.68	0.00
First SDI MWD Survey									
331.0	1.81	349.08	330.9	6.2	-0.9	5.9	0.18	-0.03	-5.65
393.0	2.38	347.03	392.9	8.4	-1.3	8.1	0.93	0.92	-3.31
454.0	2.57	341.41	453.8	10.9	-2.1	10.7	0.50	0.31	-9.21
516.0	2.67	347.35	515.8	13.7	-2.8	13.5	0.47	0.16	9.58
577.0	3.35	342.72	576.7	16.8	-3.7	16.7	1.18	1.11	-7.59
638.0	4.52	336.34	637.5	20.7	-5.2	20.8	2.05	1.92	-10.46
700.0	5.69	334.07	699.3	25.7	-7.5	26.3	1.91	1.89	-3.66
762.0	6.98	331.78	760.9	31.8	-10.6	33.2	2.12	2.08	-3.69

Company:	ConocoPhillips	Local Co-ordinate Reference:	Well Houck Com #2N
Project:	SJB (NM West)	TVD Reference:	GL 5790' & KB 15' @ 5805.0usft (AWS 730)
Site:	SEC 07-T29N-R10W	MD Reference:	GL 5790' & KB 15' @ 5805.0usft (AWS 730)
Well:	Houck Com #2N	North Reference:	True
Wellbore:	OH	Survey Calculation Method:	Minimum Curvature
Design:	OH	Database:	Farmington 5000 DB

Survey									
Measured Depth (usft)	Inclination (°)	Azimuth (°)	Vertical Depth (usft)	+N/-S (usft)	+E/-W (usft)	Vertical Section (usft)	Dogleg Rate (°/100usft)	Build Rate (°/100usft)	Turn Rate (°/100usft)
823.0	8.17	328.73	821.4	38.7	-14.6	41.2	2.06	1.95	-5.00
886.0	9.93	327.64	883.6	47.1	-19.8	51.1	2.81	2.79	-1.73
949.0	10.81	328.51	945.6	56.8	-25.8	62.3	1.42	1.40	1.38
1,012.0	12.08	330.10	1,007.3	67.5	-32.2	74.8	2.08	2.02	2.52
1,075.0	12.95	330.01	1,068.8	79.3	-39.0	88.4	1.38	1.38	-0.14
1,139.0	14.21	330.88	1,131.0	92.4	-46.4	103.4	1.99	1.97	1.36
1,202.0	15.47	332.52	1,191.9	106.6	-54.1	119.5	2.11	2.00	2.60
1,264.0	16.71	333.33	1,251.5	121.9	-61.9	136.7	2.03	2.00	1.31
1,327.0	17.94	332.02	1,311.6	138.6	-70.5	155.5	2.05	1.95	-2.08
1,390.0	19.14	332.17	1,371.3	156.3	-79.9	175.5	1.91	1.90	0.24
1,453.0	19.83	332.52	1,430.7	174.9	-89.6	196.5	1.11	1.10	0.56
1,516.0	20.07	331.95	1,490.0	193.9	-99.6	218.0	0.49	0.38	-0.90
1,579.0	20.11	332.14	1,549.1	213.0	-109.8	239.6	0.12	0.06	0.30
1,643.0	20.21	331.43	1,609.2	232.5	-120.2	261.7	0.41	0.16	-1.11
1,706.0	19.88	329.97	1,668.4	251.3	-130.8	283.2	0.95	-0.52	-2.32
1,769.0	20.01	330.38	1,727.6	270.0	-141.5	304.7	0.30	0.21	0.65
1,832.0	19.57	331.46	1,786.9	288.6	-151.8	326.0	0.91	-0.70	1.71
1,895.0	19.24	332.53	1,846.3	307.1	-161.7	346.9	0.77	-0.52	1.70
1,958.0	19.13	333.68	1,905.8	325.5	-171.0	367.6	0.62	-0.17	1.83
2,021.0	19.00	333.09	1,965.4	343.9	-180.3	388.2	0.37	-0.21	-0.94
2,084.0	19.25	332.98	2,024.9	362.3	-189.6	408.8	0.40	0.40	-0.17
2,148.0	19.61	333.15	2,085.2	381.3	-199.3	430.1	0.57	0.56	0.27
2,210.0	19.81	333.18	2,143.6	400.0	-208.7	451.0	0.32	0.32	0.05
2,273.0	20.40	332.56	2,202.8	419.2	-218.6	472.7	1.00	0.94	-0.98
2,336.0	20.33	332.37	2,261.8	438.7	-228.7	494.6	0.15	-0.11	-0.30
2,400.0	19.69	332.00	2,322.0	458.1	-238.9	516.5	1.02	-1.00	-0.58
2,463.0	18.74	330.52	2,381.4	476.2	-248.9	537.2	1.69	-1.51	-2.35
2,526.0	18.48	332.05	2,441.2	493.9	-258.5	557.3	0.88	-0.41	2.43
2,590.0	17.60	333.61	2,502.0	511.5	-267.6	577.1	1.57	-1.38	2.44
2,653.0	16.71	335.10	2,562.2	528.2	-275.6	595.7	1.58	-1.41	2.37
2,716.0	16.38	334.81	2,622.6	544.5	-283.2	613.6	0.54	-0.52	-0.46
2,780.0	16.33	334.32	2,684.0	560.8	-291.0	631.6	0.23	-0.08	-0.77
2,843.0	16.06	333.16	2,744.5	576.5	-298.8	649.2	0.67	-0.43	-1.84
2,906.0	16.44	333.83	2,805.0	592.3	-306.6	666.8	0.67	0.60	1.06
2,970.0	16.50	333.67	2,866.4	608.6	-314.6	685.0	0.12	0.09	-0.25
3,033.0	16.44	333.96	2,926.8	624.6	-322.5	702.8	0.16	-0.10	0.46
3,097.0	16.67	334.19	2,988.1	641.0	-330.5	721.1	0.37	0.36	0.36
3,160.0	16.06	333.83	3,048.6	657.0	-338.3	738.8	0.98	-0.97	-0.57
3,223.0	15.04	334.17	3,109.3	672.1	-345.7	755.7	1.63	-1.62	0.54
3,286.0	14.09	336.31	3,170.2	686.5	-352.3	771.5	1.73	-1.51	3.40
3,350.0	12.64	337.40	3,232.5	700.1	-358.1	786.3	2.30	-2.27	1.70
3,413.0	11.27	338.70	3,294.1	712.2	-363.0	799.3	2.22	-2.17	2.06
3,476.0	10.25	341.67	3,356.0	723.3	-367.0	811.0	1.84	-1.62	4.71

Company:	ConocoPhillips	Local Co-ordinate Reference:	Well Houck Com #2N
Project:	SJB (NM West)	TVD Reference:	GL 5790' & KB 15' @ 5805.0usft (AWS 730)
Site:	SEC 07-T29N-R10W	MD Reference:	GL 5790' & KB 15' @ 5805.0usft (AWS 730)
Well:	Houck Com #2N	North Reference:	True
Wellbore:	OH	Survey Calculation Method:	Minimum Curvature
Design:	OH	Database:	Farmington 5000 DB

Survey:										
Measured Depth (usft)	Inclination (°)	Azimuth (°)	Vertical Depth (usft)	+N/-S (usft)	+E/-W (usft)	Vertical Section (usft)	Dogleg Rate (°/100usft)	Build Rate (°/100usft)	Turn Rate (°/100usft)	
3,539.0	8.68	343.50	3,418.2	733.2	-370.1	821.3	2.54	-2.49	2.90	
3,602.0	6.92	344.17	3,480.6	741.4	-372.5	829.7	2.80	-2.79	1.06	
3,665.0	5.17	343.53	3,543.2	747.7	-374.4	836.2	2.78	-2.78	-1.02	
3,729.0	3.33	348.42	3,607.1	752.3	-375.6	840.8	2.93	-2.88	7.64	
3,791.0	2.00	346.44	3,669.0	755.1	-376.2	843.6	2.15	-2.15	-3.19	
3,854.0	1.35	20.30	3,732.0	756.9	-376.2	845.2	1.84	-1.03	53.75	
3,918.0	1.19	26.65	3,795.9	758.2	-375.6	846.1	0.33	-0.25	9.92	
3,980.0	1.01	1.63	3,857.9	759.3	-375.3	847.0	0.82	-0.29	-40.35	
4,044.0	1.00	2.96	3,921.9	760.5	-375.3	848.0	0.04	-0.02	2.08	
4,106.0	0.76	12.08	3,983.9	761.4	-375.2	848.8	0.45	-0.39	14.71	
Last SDI MWD Survey										
4,165.0	0.76	12.08	4,042.9	762.2	-375.0	849.4	0.00	0.00	0.00	

Design Annotations					
Measured Depth (usft)	Vertical Depth (usft)	Local Coordinates			
		+N/-S (usft)	+E/-W (usft)	Comment	
269.0	269.0	4.3	-0.6	First SDI MWD Survey	
4,106.0	3,983.9	761.4	-375.2	Last SDI MWD Survey	

Checked By: _____ Approved By: _____ Date: _____