District I 1625 N. French Dr., Hobbs, NM 88240

District II

1301 W. Grand Ave., Artesia, NM 88210

District III

1000 Rio Brazos Rd., Aztec, NM 87410

District IV

1220 S. St. Francis Dr., Santa Fe, NM 87505

State of New Mexico Energy Minerals and Natural Resources

> Department Oil Conservation Division 1220 South St. Francis Dr. Santa Fe, NM 87505

Form C-144 July 21, 2008

For temporary pits, closed-loop sytems, and below-grade tanks, submit to the appropriate NMOCD District Office.

For permanent pits and exceptions submit to the Santa Fe Environmental Bureau office and provide a copy to the appropriate NMOCD District Office.

_		Pit, Closed-Loop System, Below-Grade Tank, or
3112	<u>Prop</u>	osed Alternative Method Permit or Closure Plan Application
<b>'</b> 2`	Type of action:	Permit of a pit, closed-loop system, below-grade tank, or proposed alternative method
		$\overline{X}$ Closure of a pit, closed-loop system, below-grade tank, or proposed alternative method
		Modification to an existing permit

Closure plan only submitted for an existing permitted or non-permitted pit, closed-loop system, below-grade tank, or proposed alternative method
Instructions: Please submit one application (Form C-144) per individual pit, closed-loop system, below-grade tank or alternative request
Please be advised that approval of this request does not relieve the operator of liability should operations result in pollution of surface water, ground water or the environment. Nor does approval relieve the operator of its responsibility to comply with any other applicable governmental authority's rules, regulations or ordinances.
Operator: ConocoPhillips Company OGRID#: 217817
Address: P.O. Box 4289, Farmington, NM 87499
Facility or well name: SAN JUAN 29-5 UNIT 90N
API Number: 30-039-30672 OCD Permit Number:
U/L or Qtr/Qtr: F(SE/NW) Section: 35 Township: 29N Range: 5W County: Rio Arriba
Center of Proposed Design: Latitude: 36.682591 °N Longitude: 107.329992 °W NAD: 1927 1983
Surface Owner: X Federal Private Tribal Trust or Indian Allotment
2
X Pit: Subsection F or G of 19.15.17.11 NMAC RCUD AHG 29.17
Temporary: X Drilling Workover OIL CONS. DIV.
Permanent Emergency Cavitation P&A DIST, 3
X Lined Unlined Liner type: Thickness 20 mil X LLDPE HDPE PVC Other
X String-Reinforced
Liner Seams: X Welded X Factory Other Volume: 7700' bbl Dimensions L 120' x W 55' x D 12'
3
Closed-loop System: Subsection H of 19.15.17.11 NMAC
Type of Operation: P&A Drilling a new well Workover or Drilling (Applies to activities which require prior approval of a permit or notice of intent)
Drying Pad Above Ground Steel Tanks Haul-off Bins Other
Lined Unlined Liner type: Thicknessmil LLDPE HDPE PVD Other
Liner Seams: Welded Factory Other
4
Below-grade tank: Subsection 1 of 19.15.17.11 NMAC
Volume:bbl Type of fluid:
Tank Construction material:
Secondary containment with leak detection  Visible sidewalls, liner, 6-inch lift and automatic overflow shut-off
Visible sidewalls and liner
Liner Type: Thicknessmil HDPE PVC Other
S Alternative Method:
Submittal of an exception request is required. Exceptions must be submitted to the Santa Fe Environmental Bureau office for consideration of approval.

Fencing: Subsection D of 19.15.17.11 NMAC (Applies to permanent pit, temporary pits, and below-grade tanks)  Chain link, six feet in height, two strands of barbed wire at top (Required if located within 1000 feet of a permanent residence, school, hospital, institution of the light, four strands of barbed wire evenly spaced between one and four feet  Alternate. Please specify  Netting: Subsection E of 19.15.17.11 NMAC (Applies to permanent pits and permanent open top tanks)  Screen Netting Other  Monthly inspections (If netting or screening is not physically feasible)	ution or church	)
Signs: Subsection C of 19.15.17.11 NMAC  12" X 24", 2" lettering, providing Operator's name, site location, and emergency telephone numbers  X Signed in compliance with 19.15.3.103 NMAC		
Administrative Approvals and Exceptions:  Justifications and/or demonstrations of equivalency are required. Please refer to 19.15.17 NMAC for guidance.  Please check a box if one or more of the following is requested, if not leave blank:		
Administrative approval(s): Requests must be submitted to the appropriate division district of the Santa Fe Environmental Bureau office for consideration (Fencing/BGT Liner)	leration of app	roval.
Exception(s): Requests must be submitted to the Santa Fe Environmental Bureau office for consideration of approval.		
Siting Criteria (regarding permitting) 19.15.17.10 NMAC  Instructions: The applicant must demonstrate compliance for each siting criteria below in the application. Recommendations of acceptable source material are provided below. Requests regarding changes to certain siting criteria may require administrative approval from the appropriate district office or may be considered an exception which must be submitted to the Santa Fe Environmental Bureau Office for consideration of approval. Applicant must attach justification for request. Please refer to 19.15.17.10 NMAC for guidance. Siting criteria does not apply to drying pads or above grade-tanks associated with a closed-loop system.		
Ground water is less than 50 feet below the bottom of the temporary pit, permanent pit, or below-grade tank.  - NM Office of the State Engineer - iWATERS database search; USGS; Data obtained from nearby wells	Yes	No
Within 300 feet of a continuously flowing watercourse, or 200 feet of any other watercourse, lakebed, sinkhole, or playa lake (measured from the ordinary high-water mark).  - Topographic map; Visual inspection (certification) of the proposed site	Yes	□No
Within 300 feet from a permanent residence, school, hospital, institution, or church in existence at the time of initial application.	Yes	No
(Applies to temporary, emergency, or cavitation pits and below-grade tanks)  - Visual inspection (certification) of the proposed site; Aerial photo; Satellite image	□NA	
Within 1000 feet from a permanent residence, school, hospital, institution, or church in existence at the time of initial application.	Yes	□No
(Applied to permanent pits) - Visual inspection (certification) of the proposed site; Aerial photo; Satellite image	NA	
Within 500 horizonal feet of a private, domestic fresh water well or spring that less than five households use for domestic or stock watering purposes, or within 1000 horizontal feet of any other fresh water well or spring, in existence at the time of initial application.	Yes	No
- NM Office of the State Engineer - iWATERS database search; Visual inspection (certification) of the proposed site.		
Within incorporated municipal boundaries or within a defined municipal fresh water well field covered under a municipal ordinance adopted pursuant to NMSA 1978, Section 3-27-3, as amended	Yes	No
<ul> <li>Written confirmation or verification from the municipality; Written approval obtained from the municipality</li> <li>Within 500 feet of a wetland.</li> <li>US Fish and Wildlife Wetland Identification map; Topographic map; Visual inspection (certification) of the proposed site</li> </ul>	Yes	No
Within the area overlying a subsurface mine.  - Written confirmation or verification or map from the NM EMNRD - Mining and Mineral Division	Yes	No
Within an unstable area.  - Engineering measures incorporated into the design; NM Bureau of Geology & Mineral Resources; USGS; NM Geological Society; Topographic map	Yes	No
Within a 100-year floodplain	Yes	No

Temporary Pits, Emergency Pits and Below-grade Tanks Permit Application Attachment ChecklistSubsection B of 19.15.17.9 NMAC Instructions: Each of the following items must be attached to the application. Please indicate, by a check mark in the box, that the documents are attached.  Hydrogeologic Report (Below-grade Tanks) - based upon the requirements of Paragraph (4) of Subsection B of 19.15.17.9 NMAC  Hydrogeologic Data (Temporary and Emergency Pits) - based upon the requirements of Paragraph (2) of Subsection B of 19.15.17.9  Siting Criteria Compliance Demonstrations - based upon the appropriate requirements of 19.15.17.10 NMAC
Design Plan - based upon the appropriate requirements of 19.15.17.11 NMAC  Operating and Maintenance Plan - based upon the appropriate requirements of 19.15.17.12 NMAC  Closure Plan (Please complete Boxes 14 through 18, if applicable) - based upon the appropriate requirements of Subsection C of
19.15.17.9 NMAC and 19.15.17.13 NMAC  Previously Approved Design (attach copy of design) API or Permit
Closed-loop Systems Permit Application Attachment Checklist: Subsection B of 19.15.17.9 NMAC  Instructions: Each of the following items must be attached to the application. Please indicate, by a check mark in the box, that the documents are attached.  Geologic and Hydrogeologic Data (only for on-site closure) - based upon the requirements of Paragraph (3) of Subsection B of 19.15.17.9  Siting Criteria Compliance Demonstrations (only for on-site closure) - based upon the appropriate requirements of 19.15.17.11 NMAC  Design Plan - based upon the appropriate requirements of 19.15.17.11 NMAC  Operating and Maintenance Plan - based upon the appropriate requirements of 19.15.17.12 NMAC  Closure Plan (Please complete Boxes 14 through 18, if applicable) - based upon the appropriate requirements of Subsection C of 19.15.17.9  NMAC and 19.15.17.13 NMAC  Previously Approved Design (attach copy of design)  API  Previously Approved Operating and Maintenance Plan  API
Permanent Pits Permit Application Checklist: Subsection B of 19.15.17.9 NMAC  Instructions: Each of the following items must be attached to the application. Please indicate, by a check mark in the box, that the documents are attached.  Hydrogeologic Report - based upon the requirements of Paragraph (I) of Subsection B of 19.15.17.9 NMAC  Siting Criteria Compliance Demonstrations - based upon the appropriate requirements of 19.15.17.10 NMAC  Climatological Factors Assessment  Certified Engineering Design Plans - based upon the appropriate requirements of 19.15.17.11 NMAC  Dike Protection and Structural Integrity Design: based upon the appropriate requirements of 19.15.17.11 NMAC  Leak Detection Design - based upon the appropriate requirements of 19.15.17.11 NMAC  Liner Specifications and Compatibility Assessment - based upon the appropriate requirements of 19.15.17.11 NMAC  Quality Control/Quality Assurance Construction and Installation Plan  Operating and Maintenance Plan - based upon the appropriate requirements of 19.15.17.12 NMAC  Freeboard and Overtopping Prevention Plan - based upon the appropriate requirements of 19.15.17.11 NMAC  Nuisance or Hazardous Odors, including H2S, Prevention Plan  Emergency Response Plan  Oil Field Waste Stream Characterization  Monitoring and Inspection Plan  Erosion Control Plan  Closure Plan - based upon the appropriate requirements of Subsection C of 19.15.17.9 NMAC and 19.15.17.13 NMAC
Proposed Closure: 19.15.17.13 NMAC Instructions: Please complete the applicable boxes, Boxes 14 through 18, in regards to the proposed closure plan.  Type: Drilling Workover Emergency Cavitation P&A Permanent Pit Below-grade Tank Closed-loop System Alternative  Proposed Closure Method: Waste Excavation and Removal Waste Removal (Closed-loop systems only) On-site Closure Method (only for temporary pits and closed-loop systems) In-place Burial On-site Trench Alternative Closure Method (Exceptions must be submitted to the Santa Fe Environmental Bureau for consideration)
Waste Excavation and Removal Closure Plan Checklist (19.15.17.13 NMAC) Instructions: Each of the following items must be attached to the closure plan.  Please indicate, by a check mark in the box, that the documents are attached.  Protocols and Procedures - based upon the appropriate requirements of 19.15.17.13 NMAC  Confirmation Sampling Plan (if applicable) - based upon the appropriate requirements of Subsection F of 19.15.17.13 NMAC  Disposal Facility Name and Permit Number (for liquids, drilling fluids and drill cuttings)  Soil Backfill and Cover Design Specifications - based upon the appropriate requirements of Subsection H of 19.15.17.13 NMAC  Re-vegetation Plan - based upon the appropriate requirements of Subsection G of 19.15.17.13 NMAC

16 Waste Removal Closure For Closed-loop Systems That Utilize Above Ground	Steel Tanks or Haul-off Bins Only:(19.15.17.13.D NMAC)			
Instructions: Please identify the facility or facilities for the disposal of liquids, dril facilities are required.		)		
Disposal Facility Name:	Disposal Facility Permit #			
Disposal Facility Name:				
Will any of the proposed closed-loop system operations and associated ac				
Required for impacted areas which will not be used for future service and operation  Soil Backfill and Cover Design Specification - based upon the app Re-vegetation Plan - based upon the appropriate requirements of Sul	ropriate requirements of Subsection H of 19.15.17.13 Nosection I of 19.15.17.13 NMAC	IMAC		
Siting Criteria (Regarding on-site closure methods only: 19.15.17.10 NM Instructions: Each siting criteria requires a demonstration of compliance in the closure plan certain siting criteria may require administrative approval from the appropriate district office office for consideration of approval. Justifications and/or demonstrations of equivalency are	Recommendations of acceptable source material are provided below e or may be considered an exception which must be submitted to the S			
Ground water is less than 50 feet below the bottom of the buried waste.  - NM Office of the State Engineer - iWATERS database search; USGS; Data	obtained from nearby wells	Yes No		
•	,			
Ground water is between 50 and 100 feet below the bottom of the buried - NM Office of the State Engineer - iWATERS database search; USGS; Data		Yes No		
Ground water is more than 100 feet below the bottom of the buried waste		Yes No		
- NM Office of the State Engineer - iWATERS database search; USGS; Data		N/A		
Within 300 feet of a continuously flowing watercourse, or 200 feet of any other sig (measured from the ordinary high-water mark).	gnificant watercourse or lakebed, sinkhole, or playa lake	Yes No		
- Topographic map; Visual inspection (certification) of the proposed site				
Within 300 feet from a permanent residence, school, hospital, institution, or church - Visual inspection (certification) of the proposed site; Aerial photo; satellite in		Yes No		
Within 500 horizontal feet of a private, domestic fresh water well or spring that less purposes, or within 1000 horizontal fee of any other fresh water well or spring, in c - NM Office of the State Engineer - iWATERS database: Visual inspection (ce	existence at the time of the initial application.	Yes No		
Within incorporated municipal boundaries or within a defined municipal fresh water pursuant to NMSA 1978, Section 3-27-3, as amended.	·	Yes No		
Written confirmation or verification from the municipality; Written approval Within 500 feet of a wetland	, ,	Yes No		
<ul> <li>US Fish and Wildlife Wetland Identification map; Topographic map; Visual Within the area overlying a subsurface mine.</li> </ul>	inspection (certification) of the proposed site	Yes No		
<ul> <li>Written confirantion or verification or map from the NM EMNRD-Mining at Within an unstable area.</li> <li>Engineering measures incorporated into the design; NM Bureau of Geology &amp;</li> </ul>		Yes No		
Topographic map Within a 100-year floodplain FEMA map		Yes No		
On-Site Closure Plan Checklist: (19.15.17.13 NMAC) Instructions: Edby a check mark in the box, that the documents are attached.	ach of the following items must bee attached to the clo	sure plan. Please indicate,		
Siting Criteria Compliance Demonstrations - based upon the appro	priate requirements of 19 15 17 10 NMAC			
Proof of Surface Owner Notice - based upon the appropriate requir				
Construction/Design Plan of Burial Trench (if applicable) based up				
Construction/Design Plan of Temporary Pit (for in place burial of a				
Protocols and Procedures - based upon the appropriate requirement	ts of 19.15.17.13 NMAC			
Confirmation Sampling Plan (if applicable) - based upon the appro	priate requirements of Subsection F of 19.15.17.13 NM	1AC		
Waste Material Sampling Plan - based upon the appropriate require				
<ul> <li>Disposal Facility Name and Permit Number (for liquids, drilling flighted)</li> <li>Soil Cover Design - based upon the appropriate requirements of Summer of Sum</li></ul>		ds cannot be achieved)		
Re-vegetation Plan - based upon the appropriate requirements of Subsection I of 19.15.17.13 NMAC  Site Reclamation Plan - based upon the appropriate requirements of Subsection G of 19.15.17.13 NMAC				

Form C-144

19
Operator Application Certification:
I hereby certify that the information submitted with this application is true, accurate and complete to the best of my knowledge and belief.  Name (Print):  Title:
e-mail address: Telephone:
OCD Approval: Permit Application (including closure plan) Que Plan (only) OCD Conditions (see attachment)  OCD Representative Signature: Approval Date: 5/21/2013  Title: OCD Permit Number:
Closure Report (required within 60 days of closure completion): Subsection K of 19.15.17.13 NMAC Instructions: Operators are required to obtain an approved closure plan prior to implementing any closure activities and submitting the closure report. The closure report is required to be submitted to the division within 60 days of the completion of the closure activities. Please do not complete this section of the form until an approved closure plan has been obtained and the closure activities have been completed.    Closure Completion Date:   July 3, 2012
22  Closure Method:  Waste Excavation and Removal X On-site Closure Method Alternative Closure Method Waste Removal (Closed-loop systems only)  If different from approved plan, please explain.
23  Closure Report Regarding Waste Removal Closure For Closed-loop Systems That Utilize Above Ground Steel Tanks or Haul-off Bins Only:  Instructions: Please identify the facility or facilities for where the liquids, drilling fluids and drill cuttings were disposed. Use attachment if more than two facilities were utilized.
Disposal Facility Name: Disposal Facility Permit Number:
Disposal Facility Name: Disposal Facility Permit Number:
Were the closed-loop system operations and associated activities performed on or in areas that will not be used for future service and operations?
Yes (If yes, please demonstrate compliane to the items below)
Required for impacted areas which will not be used for future service and operations:
Site Reclamation (Photo Documentation)  Soil Backfilling and Cover Installation
Re-vegetation Application Rates and Seeding Technique
24
Closure Report Attachment Checklist: Instructions: Each of the following items must be attached to the closure report. Please indicate, by a check mark in the box, that the documents are attached.  X Proof of Closure Notice (surface owner and division)  X Proof of Deed Notice (required for on-site closure)  X Plot Plan (for on-site closures and temporary pits)  X Confirmation Sampling Analytical Results (if applicable)
Waste Material Sampling Analytical Results (if applicable)
X Disposal Facility Name and Permit Number
X Soil Backfilling and Cover Installation
X   Re-vegetation Application Rates and Seeding Technique
X Site Reclamation (Photo Documentation)
On-site Closure Location: Latitude: 36.6824391 °N Longitude: 107.3298475 °W NAD 1927 X 1983
25
Operator Closure Certification:
I hereby certify that the information and attachments submitted with this closure report is ture, accurate and complete to the best of my knowledge and belief. I also certify that the closure complies with all applicable closure requirements and conditions specified in the approved closure plan.
Name (Print): Jamie Goodwin . Title: Regulatory Tech.
Signature: Date: 878/12
e-mail address: / jamie.l.goodwin@conocophillips.com Telephone: 505-326-9784

# ConocoPhillips Company San Juan Basin Closure Report

Lease Name: SAN JUAN 29-5 UNIT 90N

API No.: 30-039-30672

In accordance with Rule 19.15.17.13 NMAC the following information describes the closure of the temporary pit referenced above. All proper documentation regarding closure activities is being included with the C-144. The temporary pit for this location was constructed and location drilled before June 16, 2008 (effective date for Rule 19.15.17). While closure of the temporary pit did fall within the rule some dates for submittals are after the rig release date.

- Details on Capping and Covering, where applicable. (See report)
- Plot Plan (Pit Diagram) (Included as an attachment)
- Inspection Reports (Included as an attachment)
- Sampling Results (Included as an attachment)
- C-105 (Included as an attachment)
- Copy of Deed Notice will be filed with County Clerk (Not required on Federal, State, or Tribal land as stated by FAQ dated October 30, 2008)

#### **General Plan:**

1. All free standing liquids will be removed at the start of the pit closure process from the pit and disposed of in a division—approved facility or recycle, reuse or reclaim the liquids in a manner that the appropriate division district office approves.

All recovered liquids were disposed of at Basin Disposal (Permit #NM-01-005) and any sludge or soil required to be removed to facilitate closure was hauled to Envirotech Land Farm (Permit #NM-01-011) and JFJ Landfarm % IEI (Permit #NM-01-0010B).

2. The preferred method of closure for all temporary pits will be on-site burial, assuming that all the criteria listed in sub-section (B) of 19.15.17.13 are met.

The pit was closed using onsite burial.

3. The surface owner shall be notified of COPC's closing of the temporary pit as per the approved closure plan using certified mail, return receipt requested.

The closure process notification to the landowner was sent via email. (See Attached)(Well located on Federal Land, certified mail is not required for Federal Land per BLM/OCD MOU.)

4. Within 6 months of the Rig Off status occurring COPC will ensure that temporary pits are closed, re-contoured, and reseeded.

\*\*Pitclosure Exceeded Comonths following Rig Release, closure time frame out of The closure plan requirements were met due to rig move off date as noted on C-105. Compliance.

5. Notice of Closure will be given to the Aztec Division office between 72 hours and one week of closure via email, or verbally. The notification of closure will include the following:

- i. Operator's name
- ii. Location by Unit Letter, Section, Township, and Range. Well name and API number.

Notification is attached.

6. Liner of temporary pit shall be removed above "mud level" after stabilization. Removal of liner will consist of manually or mechanically cutting liner at mud level and removing all remaining liner. Care will be taken to remove "All" of the liner i.e., edges of liner entrenched or buried. All excessive liner will be disposed of at a licensed disposal facility.

Liner of temporary pit was removed above "mud level" after stabilization. Removal of the liner consisted of manually cutting liner at mud level and removing all remaining liner. Care was taken to remove "ALL" of the liner i.e., edges of liner entrenched or buried. All excessive liner was disposed of at a licensed disposal facility, (San Juan County Landfill).

7. Pit contents shall be mixed with non-waste containing, earthen material in order to achieve the solidification process. The solidification process will be accomplished using a combination of natural drying and mechanically mixing. Pit contents will be mixed with non-waste, earthen material to a consistency that is deemed a safe and stable. The mixing ratio shall not exceed 3 parts clean soil to 1 part pit contents.

ConocoPhillips mixed the Pit contents with non-waste containing, earthen material in order to achieve the solidification process. The solidification process was accomplished by using a combination of natural drying and mechanically mixing. Pit contents were mixed with non-waste, earthen material to a consistency that is deemed as safe and stable. The mixing ratio consisted of approximately 3 parts clean soil to 1 part pit contents.

8. A five point composite sample will be taken of the pit using sampling tools and all samples tested per Subsection B of 19.15.17.13(B)(1)(b). In the event that the criteria are not met, all contents will be handled per Subparagraph (a) of Paragraph (1) of Subsection B of 19.15.17.13 i.e., Dig and haul.

A five point composite sample was taken of the pit using sampling tools and all samples tested per Subsection B of 19.15.17.1 3(B)(1)(b). (Sample results attached).

Components	Tests Method	Limit (mg/Kg)	Results
Benzene	EPA SW-846 8021B or 8260B	0.2	ND ug/kg
BTEX	EPA SW-846 8021B or 8260B	50	147 ug/kG
TPH	EPA SW-846 418.1	2500	621mg/kg
GRO/DRO	EPA SW-846 8015M	500	1.4 mg/Kg
Chlorides	EPA 300.1	// 1000/500	40 mg/L

9. Upon completion of solidification and testing standards being passed, the pit area will be backfilled with compacted, non-waste containing, earthen material. A minimum of four feet of cover shall be achieved and the cover shall include one foot of suitable material to establish vegetation at the site, or the background thickness of topsoil, whichever is greater. If standard testing fails BR will dig and haul all contents pursuant to 19.15.17.13.i.a. After doing such, confirmation sampling will be conducted to ensure a release has not occurred.

The pit material passed solidification and testing standards. The pit area was then backfilled with compacted, non-waste containing, earthen material. More than four feet of cover was achieved and the cover included one foot of suitable material to establish vegetation at the site.

10. During the stabilization process if the liner is ripped by equipment the Aztec OCD office will be notified within 48 hours and the liner will be repaired if possible. If the liner can not be repaired then all contents will be excavated and removed.

The integrity of the liner was not damaged in the pit closure process.

11. Dig and Haul Material will be transported to the Envirotech Land Farm located 16 miles south of Bloomfield on Angel Peak Road, CR 7175. Permit # NM010011

Dig and Haul was not required.

12. Re-contouring of location will match fit, shape, line, form and texture of the surrounding. Re-shaping will include drainage control, prevent ponding, and prevent erosion. Natural drainages will be unimpeded and water bars and/or silt traps will be place in areas where needed to prevent erosion on a large scale. Final recontour shall have a uniform appearance with smooth surface, fitting the natural landscape.

The pit area was re-contoured to match fit, shape, line, form and texture of the surrounding area. Reshaping included drainage control, to prevent ponding and erosion. Natural drainages were unimpeded and water bars and/or silt traps were placed in areas where needed to prevent erosion on a large scale. Final recontour has a uniform appearance with smooth surface, fitting the natural landscape.

13. Notification will be sent to OCD when the reclaimed area is seeded.

Provision 13 was accomplished through complying with BLM seeding requirements as allowed by the BLM/OCD MOU.

14. COPC shall seed the disturbed areas the first growing season after the operator closes the pit. Seeding will be accomplished via drilling on the contour whenever practical or by other division-approved methods. BLM or Forest Service stipulated seed mixes will used on federal lands. Vegetative cover will equal 70% of the native perennial vegetative cover (un-impacted) consisting of at least three native plant species, including at least one grass, but not including noxious weeds, and maintain that cover through two successive growing seasons. Repeat seeding or planting will be continued until successful vegetative growth occurs.

Provision 14 was accomplished through complying with BLM seeding requirements as allowed by the BLM/OCD MOU.

15. The temporary pit will be located with a steel marker, no less than four inches in diameter, cemented in a hole three feet deep in the center of the onsite burial upon the abandonment of all the wells on the pad. The marker will be flush with the ground to allow access of the active well pad and for safety concerns. The marker will include a threaded collar to be used for future abandonment. The top of the marker will contain a welded steel 12" square plate that indicates the onsite burial of the temporary pit. The plate will be easily removable and a four foot tall riser will be threaded into the top of the collar marker and welded around the base with the operator's information at the time of all wells on the pad are abandoned. The operator's information will include the following: Operator Name, Lease Name, Well Name and number, Unit Number, Section, Township, Range and an indicator that the marker is an onsite burial location.

Provision 15 was accomplished by installing a steel marker in the temporary pit, no less than four inches in diameter, cemented in a hole three feet deep in the center of the onsite burial. The marker is flush with the ground to allow access of the active well pad and for safety concerns. The top of the marker contains a welded steel 12" square plate that indicates the onsite burial of the temporary pit. The plate contains the following: Operator Name, Lease Name, Well Name and number, Unit Number, Section, Township, Range and an indicator that the marker is an onsite burial location.

The plate will be easily removable and a four foot tall riser will be threaded into the top of the collar marker and welded around the base with the following operator's information at the time of all wells on the pad are abandoned. The riser will be labeled: COP, BLM, SAN JUAN 29-5 UNIT 90N, UL-F, Sec. 35, T 29N, R 5W, API # 30-039-30672

#### Tally, Ethel

From:

Tally, Ethel

Sent:

Friday, January 30, 2009 3:00 PM 'mark\_kelly@nm.blm.gov'
SURFACE OWNER NOTIFICATION

To:

Subject:

The following locations will have temporary pits that will be closed on-site.

San Juan 29-5 Unit 90N Cooper 100

Please let Tamara Sessions (326-9834) or I know if you have any questions or concerns.

Thank You,

**Ethel Tally** ConocoPhillips-SJBU 3401 E. 30th Farmington NM 87402 (505)599-4027 phone Ethel.Tally@ConocoPhillips.com DISTRICT I

1625 N. French Dr., Hobbs, N.M. 88240

DISTRICT II

1301 W. Grand Avenue, Artesia, N.M. 88210


1000 Rio Brazos Rd., Aztec, N.M. 87410

## State of New Mexico Energy, Minerals & Natural Resources Department

OIL CONSERVATION DIVISION 1220 South St. Francis Dr. Santa Fe, N.M. 87505

Form C-102 Revised July 16, 2010 Submit one copy to appropriate District Office

1220 S.		eis Dr., Sai	ata Fe, N.M	(. 875	505								AME	ENDED REPORT
				WE	ELL L	OCATIO	N Al	ND AC	REAGE DEDI	[CA	TION PI	ДТ		
	1 API	Number				*Pool Code			DAK	(()	Pool Nam		DDE	
4 P	roperty Co	ode			<u>1</u>			<sup>6</sup> Property	Name		A / PILS	DA VLI	I	<sup>6</sup> Well Number
	Zoopp v					SA	<u> </u>		9-5 UNIT					90N
	OGRID N	о.				CONO	COPI	*Operator	S COMPANY					Elevation 7462
	*								Location				L	
UL or	lot no.	Section	Township	7	Range	Lot Idn		rom the	North/South line	Fee	t from the	East/Wes	t line	County
اا	F	35	29 N	!	5 W		24	٠3١	NORTH		1706	WES	ST	RIO ARRIBA
_				1	11 Botto	m Hole	Loc	ation I	f Different Fro	m	Surface			
UL or	lot no.	Section	Township	7	Range	Lot Idn	Feet f	rom the	North/South line	Fee	t from the	East/Wes	t line	County
	E	<b>3</b> 5	29 N		5 W			50	NORTH	L	310	WES	ST	RIO ARRIBA
	cated Acre		loint or In	fill	14 Cons	olidation Cod	le i	<sup>15</sup> Order No.						
	(W/			100	- L	mo mili		VDI DDI		*> **				GOVIGOT ID AMED
NO	ALLOW.	ABLE W							ON UNTIL ALL SEN APPROVED				EEN	CONSOLIDATED
16	N 00	°49'43°			4.83'	<b>P</b>				آ ر	<del></del>		D CI	ERTIFICATION
00°19'22" W 2632.76'	2550'		2431	Ĺ		ARE R NEW N SYSTE UNLES E 6825913 07.32999	EFERI MEXIC EM, WE SS OT!	ENCED TO COOR!			true and compl and that this o or unleased mi- proposed bottom well at this loc owner of such	ete to the b rganization neral interes hole locati ation pursu a mineral o ng agreemer	est of n either o st in th on or h ant to a r worki ut or a	ion contained herein is my knowledge and belief, was a working interest e land including the as a right to drill this a contract with an ng interest, or to a compulsory pooling order  Date
90				1	.AT: 36	40.954					Printed Nam	ie		
z		1706'	],	, ,	-ONG: I NAD 27	07° 19.76 <b> </b>	346'	<b>w</b>						
<u>310</u>	<b>4</b> 7				SECT	1 10N 35					E-mail Addı	ess		_
	\	OTTOM AT: 36. ONG: 10 AD 83 AT: 36°	°17'34" V <u>HOLE</u> 6822957 7.33475 40.9372 7°20.04	7° N 27°	w N			T.N.≕T   CONVE	O'18'02"  GRID NORTH RUE NORTH ERGENCE AT ELOCATION		I hereby certify was plotted from or under my su correct to the be	that the w n field note pervision, a est of my b	ell locat s of act and that elief.	RTIFICATION  sion shown on this plat  rual surveys made by me  the same is true and
		· · · · · · · · · · · · · · · · · · ·	07891	7		● = B01 <b>⊕</b> = F0U <b>◯</b> = CAU	FACE TOM I IND 19 CULA		CATION .L.O. BRASS CAP SITION FROM		Date of Surve Signature and	XIV.	110	MG y Tor.





### EPA METHOD 8015 Modified Nonhalogenated Volatile Organics Total Petroleum Hydrocarbons

Client:	ConocoPhillips	Project #:	96052-1706
Sample ID:	Back-Ground	Date Reported:	04-18-12
Laboratory Number:	61728	Date Sampled:	04-13-12
Chain of Custody No:	11798	Date Received:	04-13-12
Sample Matrix:	Soil	Date Extracted:	04-16-12
Preservative:	Cool	Date Analyzed:	04-17-12
Condition:	Intact	Analysis Requested:	8015 TPH

Parameter	Concentration (mg/Kg)	Det. Limit (mg/Kg)
Gasoline Range (C5 - C10)	ND	0.2
Diesel Range (C10 - C28)	ND	0.1
Total Petroleum Hydrocarbons	ND	

ND - Parameter not detected at the stated detection limit.

References:

Method 8015B, Nonhalogenated Volatile Organics, Test Methods for Evaluating Solid Waste,

SW-846, USEPA, December 1996.

Comments:

S.J. 29-5 #90N

Analyst

Review



### EPA METHOD 8015 Modified Nonhalogenated Volatile Organics Total Petroleum Hydrocarbons

	•		
Client:	ConocoPhillips	Project #:	96052-1706
Sample ID:	Reserve Pit	Date Reported:	04-18-12
Laboratory Number:	61729	Date Sampled:	04-13-12
Chain of Custody No:	11798	Date Received:	04-13-12
Sample Matrix:	Soil	Date Extracted:	04-16-12
Preservative:	Cool	Date Analyzed:	04-17-12
Condition:	Intact	Analysis Requested:	8015 TPH

Parameter	Concentration (mg/Kg)	Det. Limit (mg/Kg)	
	·		
Gasoline Range (C5 - C10)	ND	0.2	
Diesel Range (C10 - C28)	1.4	0.1	
Total Petroleum Hydrocarbons	1.4		

ND - Parameter not detected at the stated detection limit.

References:

Method 8015B, Nonhalogenated Volatile Organics, Test Methods for Evaluating Solid Waste,

SW-846, USEPA, December 1996.

Comments:

S.J. 29-5 #90N

Analyst

Paviou

Review



### EPA Method 8015 Modified Nonhalogenated Volatile Organics **Total Petroleum Hydrocarbons**

#### **Quality Assurance Report**

Client:

QA/QC

Project #:

N/A

Sample ID:

0417TCA2 QA/QC

Date Reported:

04-18-12

Laboratory Number:

61692

Date Sampled:

N/A

Sample Matrix:

Methylene Chloride

Date Received:

N/A

**TPH** 

Preservative:

Condition:

N/A N/A Date Analyzed:

Analysis Requested:

04-17-12

Gasoline Range C5 - C10

[l-Cal Date 04-17-12

I Cal RF 1.0000E+03 9.9960E+02

0.04%

C-Cal RF. M Difference Accept Range 0 - 15%

Diesel Range C10 - C28

04-17-12

9.9960E+02

Concentration

1.0000E+03

0.04%

0 - 15%

Bla	ank (	Cond	:./(m̃g/	L, • (m	g/Kg)	
_		_				

Gasoline Range C5 - C10 Diesel Range C10 - C28

ND ND 0.2

Detection Limit

**Total Petroleum Hydrocarbons** 

ND

0.1

Duplicate Conc. (mg/Kg)

Gasoline Range C5 - C10 Diesel Range C10 - C28

Sample Duplicate MDifference Accept Range ND ND

0.0% 0.0% 0 - 30% 0 - 30%

Spike Conc. (mg/Kg) Gasoline Range C5 - C10

Diesel Range C10 - C28

····Sample: ND

ND

ND

ND

250 250

Spike Added: Spike Result 296

269

Recovery 118%

108%

Accept Range 75 - 125% 75 - 125%

ND - Parameter not detected at the stated detection limit.

References:

Method 8015B, Nonhalogenated Volatile Organics, Test Methods for Evaluating Solid Was

SW-846, USEPA, December 1996.

Comments:

QA/QC for Samples 61688-61700 and 61728-61729

5796 US Highway 64, Farmington, NM 87401

Ph (505) 632-0615 Fx (505) 632-1865

environd-incom

Three Springs • 65 Mercado Street, Suite 115, Durango, CO 81301

Ph (970) 259-0615 Fr (800) 362-1879

laboratory@envirolech-inccom



## EPA METHOD 8021 AROMATIC VOLATILE ORGANICS

Client:	ConocoPhillips	Project #:	96052-1706
Sample ID:	Back-Ground	Date Reported:	04-23-12
Laboratory Number:	61728	Date Sampled:	04-13-12
Chain of Custody:	11798	Date Received:	04-13-12
Sample Matrix:	Soil	Date Analyzed:	04-19-12
Preservative:	Cool	Date Extracted:	04-16-12
Condition:	Intact	Analysis Requested:	BTEX
		Dilution:	50

	Dilution.	30
		Det.
	Concentration	Limit
Parameter	(ug/Kg)	(ug/Kg)
Benzene	ND	10.0
Toluene	ND	10.0
Ethylbenzene	ND	10.0
p,m-Xylene	13.1	10.0
o-Xylene	ND	10.0
Total BTEX	13.1	

ND - Parameter not detected at the stated detection limit.

Surrogate Recoveries:	Parameter	Percent Recovery
	Fluorobenzene	95.2 %
	1,4-difluorobenzene	101 %
	Bromochlorobenzene	102 %

References:

Method 5030B, Purge-and-Trap, Test Methods for Evaluating Solid Waste, SW-846, USEPA,

December 1996.

Method 8021B, Aromatic Volatile Organics, Test Methods for Evaluating Solid Waste, SW-846,

USEPA, December 1996.

Comments:

S.J. 29-5 #90N

Analyst

5796 US Highway 64, Farmington, NM 87401

Review

Ph (505) 632-0615 Fx (505) 632-1865

Ph (970) 259-0615 Fr (800) 362-1879

envirotedi-inecom laboratory@envirotedi-inecom



#### **EPA METHOD 8021** AROMATIC VOLATILE ORGANICS

Client:	ConocoPhillips	Project #:		96052-1706
Sample ID:	Reserve Pit	Date Repo	orted:	04-23-12
Laboratory Number:	61729	Date Sam	pled:	04-13-12
Chain of Custody:	11798	Date Rece	eived:	04-13-12
Sample Matrix:	Soil	Date Anal	yzed:	04-19-12
Preservative:	Cool	Date Extra	acted:	04-16-12
Condition:	Intact	Analysis F	Requested:	BTEX
		Dilution:		50
			De	t.
		Concentration	Lim	it
Parameter		(ug/Kg)	(ug/Kg	•1
		(49/119/	(ug/Kg	3)
Benzene		ND	(ug/Kg	
Benzene Toluene				.0
Toluene		ND	10.	.0 .0
		ND 46.7	10. 10.	.0 .0 .0

ND - Parameter not detected at the stated detection limit.

Surrogate Recoveries:	Parameter	Percent Recovery
	Fluorobenzene	100 %
	1,4-difluorobenzene	103 %
	Bromochlorobenzene	100 %

147

References:

**Total BTEX** 

Method 5030B, Purge-and-Trap, Test Methods for Evaluating Solid Waste, SW-846, USEPA,

December 1996.

Method 8021B, Aromatic Volatile Organics, Test Methods for Evaluating Solid Waste, SW-846,

USEPA, December 1996.

Comments:

S.J. 29-5 #90N

5796 US Highway 64, Farmington, NM 87401

Ph (505) 632-0615 Fx (505) 632-1865

Three Springs • 65 Mercado Street, Suite 115, Durango, CO 81301

Ph (970) 259-0615 Fr (800) 362-1879

envioced-incom laboratory@envirotech-incom



## EPA METHOD 8021 AROMATIC VOLATILE ORGANICS

Client:	N/A	Project #:	N/A
Sample ID:	0419BCA2 QA/QC	Date Reported:	04-23-12
Laboratory Number:	61728	Date Sampled:	N/A
Sample Matrix:	Soil	Date Received:	N/A
Preservative:	N/A	Date Analyzed:	04-19-12
Condition:	N/A	Analysis:	BTEX
		Dilution:	50

Calibration and Detection Limits (ug/L)	UÉCAI(RF	Cept Range 0:15%	%Diff	(Blańk Cońc.∜	Detect L'imit
Benzene	5.1404E-06	5.1404E-06	0.000	ND	0.2
Toluene	4.2766E-06	4.2766E-06	0.000	ND	0.2
Ethylbenzene	4.4906E-06	4.4906E-06	0.000	ND	0.2
p,m-Xylene	3.3509E-06	3.3509E-06	0.000	ND	0.2
o-Xylene	4.7171E-06	4.7171E-06	0.000	ND	0.2

Duplicate Conc. (ug/Kg)	Sample D	iplicate -	%Diff <sub>ress</sub>	Accept Range	Detect-Limit
Benzene	ND	ND	0.00	0 - 30%	10
Toluene	ND	ND	0.00	0 - 30%	10
Ethylbenzene	ND	ND	0.00	0 - 30%	10
p,m-Xylene	13.1	13.1	0.00	0 - 30%	10
o-Xylene	ND	ND	0.00	0 - 30%	10

Spike Conc (ug/Kg)	Sample 🖫 Amo	unt Spiked Spik	ēd Sample : %,[	Recovery	Accept Range.
Benzene	ND	2500	2520	101	39 - 150
Toluene	ND	2500	2540	102	46 - 148
Ethylbenzene	, ND	2500	2520	101	32 - 160
p,m-Xylene	13.1	5000	5050	101	46 - 148
o-Xylene	ND	2500	2540	102	46 - 148

ND - Parameter not detected at the stated detection limit.

Dilution: Spike and spiked sample concentration represent a dilution proportional to sample dilution.

References:

Method 5030B, Purge-and-Trap, Test Methods for Evaluating Solid Waste, SW-846, USEPA,

December 1996.

Method 8021B, Aromatic and Halogenated Volatiles by Gas Chromatography Using

Photoionization and/or Electrolytic Conductivity Detectors, SW-846, USEPA December 1996.

Comments:

QA/QC for Samples 61698-61700, 61728-61729, 61736-61738

and 61776-61777

Analyst 5796 US Highway 64, Farmington, NM 87401

Ph (505) 632-0615 Fx (505) 632-1865

Ph (970) 259-0615 Fr (800) 362-1879

Three Springs • 65 Mercado Street, Suite 115, Durango, CO 81301

laboratory@envirotech-trecom



Client:	ConocoPhillips	Project #:	96052-1706
Sample ID:	Back-Ground	Date Reported:	04-23-12
Laboratory Number:	61728	Date Sampled:	04-13-12
Chain of Custody No:	11798	Date Received:	04-13-12
Sample Matrix:	Soil	Date Extracted:	04-17-12
Preservative:	Cool	Date Analyzed:	04-17-12
Condition:	Intact	Analysis Needed:	TPH-418.1

		Det.
	Concentration	Limit
Parameter	(mg/kg)	(mg/kg)

**Total Petroleum Hydrocarbons** 

41.4

7.4

ND = Parameter not detected at the stated detection limit.

References:

Method 418.1, Petroleum Hydrocarbons, Total Recoverable, Chemical Analysis of Water

and Waste, USEPA Storet No. 4551, 1978.

Comments:

S.J. 29-5 #90N

Analyst

Review

5796 US Highway 64, Farmington, NM 87401

Ph (505) 632-0615 Fx (505) 632-1865

Ph (970) 259-0615 Fr (800) 362-1879

mosall-depoilvne mosall-depolvne@ynoranddl



Client:	ConocoPhillips	Project #:	96052-1706
Sample ID:	Reserve- Pit	Date Reported:	04-23-12
Laboratory Number:	61729	Date Sampled:	04-13-12
Chain of Custody No:	11798	Date Received:	04-13-12
Sample Matrix:	Soil	Date Extracted:	04-17-12
Preservative:	Cool	Date Analyzed:	04-17-12
Condition:	Intact	Analysis Needed:	TPH-418.1

		Det.
	Concentration	Limit
Parameter	(mg/kg)	(mg/kg) ්

**Total Petroleum Hydrocarbons** 

621

7.4

ND = Parameter not detected at the stated detection limit.

References:

Method 418.1, Petroleum Hydrocarbons, Total Recoverable, Chemical Analysis of Water

and Waste, USEPA Storet No. 4551, 1978.

Comments:

S.J. 29-5 #90N

Analyst

Politica

5796 US Highway 64, Farmington, NM 87401

Ph (505) 632-0615 Fx (505) 632-1865

bborroy@nvloteth-incom

envirotech-trecom



#### **EPA METHOD 418.1** TOTAL PETROLEUM HYDROCARBONS QUALITY ASSURANCE REPORT

Client:

QA/QC

Project #:

N/A

Sample ID:

QA/QC

Date Reported:

04-17-12

Laboratory Number:

04-17-TPH.QA/QC 61676 Freon-113

04-17-12

Date Sampled: Date Analyzed: N/A 04-17-12

Sample Matrix: Preservative:

N/A

Date Extracted:

04-17-12

Condition:

N/A

Analysis Needed:

**TPH** 

Calibration

(l-Cal Date C-Call Date II-Call RE C-Call RE W Difference Accept Range

01-17-12

1,850

1.720

7.0%

+/- 10%

Blank(Conc. (mg/Kg))

Concentration Detection Limit

**TPH** 

ND

7.4

Duplicate Conc. (mg/Kg)

Sample Duplicate % Difference Accept Range

**TPH** 

**TPH** 

185

177

4.0%

+/- 30%

Spike Conc. (mg/Kg)

185

Spike Added Spike Result % Recovery Accept Range

2,000

2,590

119%

80 - 120%

ND = Parameter not detected at the stated detection limit.

References:

Method 418.1, Petroleum Hydrocarbons, Total Recoverable, Chemical Analysis of Water

and Waste, USEPA Storet No. 4551, 1978.

Comments:

QA/QC for Samples 61676-61679, 61728-61729, 61733-61734, 61736-61737.

5796 US Highway 64, Farmington, NM 87401

Ph (505) 632-0615 Fx (505) 632-1865

anyloted)+herom

Three Springs • 65 Mercado Street, Suite 115, Durango, CO 81301

Ph (970) 259-0615 Fr (800) 362-1879

laboratory@envirotech-ingcom



#### Chloride

ConocoPhillips Project #: 96052-1706 Client: Back-Ground Date Reported: Sample ID: 04-18-12 Lab ID#: 61728 Date Sampled: 04-13-12 Soil Date Received: 04-13-12 Sample Matrix: Preservative: Cool Date Analyzed: 04-18-12 Condition: Intact Chain of Custody: 11798

Parameter

Concentration (mg/Kg)

**Total Chloride** 

10

Reference:

U.S.E.P.A., 4500B, "Methods for Chemical Analysis of Water and Wastes", 1983.

Standard Methods For The Examination of Water And Waste Water", 18th ed., 1992.

Comments:

S.J. 29-5 #90N

Analyst

Rolling

5796 US Highway 64, Farmington, NM 87401

Ph (505) 632-0615 Fx (505) 632-1865

laboratory@envirotechi-inscom

environeth-faccom



#### Chloride

96052-1706 Client: ConocoPhillips Project #: Date Reported: 04-18-12 Sample ID: Reserve Pit Lab ID#: 61729 -Date Sampled: 04-13-12 Date Received: 04-13-12 Sample Matrix: Soil Preservative: Cool Date Analyzed: 04-18-12 Condition: Intact Chain of Custody: 11798

Parameter

Concentration (mg/Kg)

**Total Chloride** 

40

Reference:

U.S.E.P.A., 4500B, "Methods for Chemical Analysis of Water and Wastes", 1983.

Standard Methods For The Examination of Water And Waste Water", 18th ed., 1992.

Comments:

S.J. 29-5 #90N

Analyst

Review

5796 US Highway 64, Farmington, NM 87401

Ph (505) 632-0615 Fx (505) 632-1865

Ph (970) 259-0615 Fr (800) 362-1879

envioted-incom

Three Springs • 65 Mercado Street, Suite 115, Durango, CO 81301

Submit To Appropri Two Copies	ubmit To Appropriate District Office State of New Mexico wo Copies														rm C-105	
District 1 Energy, Minerals and 1625 N. French Dr., Hobbs, NM 88240						d Nat	ural Re	esour	ces	July 17,  1. WELL API NO.				uly 17, 2008		
District II 1301 W. Grand Avenue. Artesia. NM 88210 Oil Conservation Division									30-039-30672							
District III 1000 Rio Brazos Rd., Aztec, NM 87410  1220 South St. Francis Dr.								2. Type of Lease								
District IV									STATE ☐ FEE ☐ FED/INDIAN  3. State Oil & Gas Lease No.							
									SF-07891							
								5. Lease Nan						-		
S COMPLETION DEPORT (FILL 1 Was S On 15 H 1)								SAN JUA	N 29	-						
				_						6. Well Num <b>90N</b>	ber:					
#33; attach this ar									32 and/or							
7. Type of Comp		WORKOVER		PENING	□PLUGBACI	кПг	DIFFERE	NT RE	SERVOI	R □ OTHER						
8. Name of Opera	tor			D. 11.10		·· <u></u>	JII I BILD		JER V OI	9. OGRID						
ConocoPhilli 10. Address of Op		any								217817	e or W	/ildcat				
PO Box 4298, Fa		M 87499														
12.Location	Unit Ltr	Section	Town	nship	Range	Lot	··· - · ·	Feet	from the	N/S Line	Fee	t from t	he	E/W Li	ne	County
Surface:																
BH:		<u> </u>			<u> </u>											
13. Date Spudded	14. Date	T.D. Reached		Date Rig 3/11	Released		16	Date (	Complete	d (Ready to Pro	duce)			. Elevation, GR, etc		and RKB,
18. Total Measure	ed Depth of	Well	19.	Plug Bac	ck Measured Dep	pth	20	Was	Direction	al Survey Made	?	21.	Гуре	Electric	and Ot	her Logs Run
22. Producing Int	erval(s), of the	his completion	- Top, Bo	ottom, Na	ame				<del></del>			.l				
23.				CAS	ING REC	ORI	(Rep	ort a	ll strin	gs set in w	rell)	·				
CASING SIZ	ZE	WEIGHT LE	3./FT.		DEPTH SET			LE SI		CEMENTIN		CORD	工	AM	OUNT	PULLED
													+			
									·····				+	· · · · · · · · · · · · · · · · · · ·		
				_									$oldsymbol{oldsymbol{ iny}}$			
24.				LIN	ER RECORD			<del></del> .	25		TURI	NG RI	 FCC	)R D		
SIZE	TOP	В	оттом		SACKS CEM	ENT	SCREE	٧		ZE		EPTH S			PACK	ER SET
											_					
26. Perforation	record (inter	rval, size, and 1	number)				27. AC	ID, SI	HOT, FR	ACTURE, C	<u> </u>	NT, SC	)UE	EZE, E	TC.	<del></del> .
							DEPTH			AMOUNT.						
													—		_	
28.							<u>DDUC</u>									
Date First Produc	tion	Prodi	iction Me	ethod (Flo	owing, gas lift, p	umping	g - Size an	d type	pump)	Well Statu	s (Pro	d. or Si	hut-ii	in)		
Date of Test	Hours To	ested (	Choke Siz	e	Prod'n For Test Period		Oil - Bb	1	Ga 	as - MCF	"	/ater - E	3bl.		Gas - C	Oil Ratio
Flow Tubing	Casing P		Calculated		Oil - Bbl.		Gas	- MCF	<u>-</u> -	Water - Bbl.		Oil	Grav	ity - API	l - (Cor	r.)
Press.  29. Disposition of	F Gas (Sold )		lour Rate								130	Toot W	itnoo	sed By		
31. List Attachmo	·		emea, eic	·· <i>)</i>							30.	Test W				
32. If a temporary		d at the well, a	ttach a pla	at with th	e location of the	tempo	prary pit.						_			
33. If an on-site b	•		•			-	• •									
I hereby certif	Sy that the	Latitude 36			ongitude 107.32	298475	°W NAI	0 🗆 19	27 × 19	83	of me	know	Jod	an and	holia	<del></del>
Signature Signature	y inai ine N		$\{(x)\}$	Prir					-			<i>кпоw</i> e: 8/28		•	υειιε]	
E-mail Addres	ss jamie.l.	.goodwin@	conocor					- 1	<i></i>							
														_		

# ConocoPhillips

Pit Closure Form:	
Date: 7/3 //2	
Well Name: 5 J 29-5 # 90 N	_
Footages: 2431 FNC 1706 FWC	Unit Letter: F
Section: <u>35</u> , T <u>29</u> -N, R- <u>5</u> -W, County: <u>Æis/</u>	Av.b. State: Nm
Contractor Closing Pit:	en der der det der
Pit Closure Start Date: 6/28/12	
Pit Closure Complete Date: 7/3 //2_	
Construction Inspector: 5. Mc Classon	Date: 7/3//2
Inspector Signature:	
Revised 11/4/10	
Office Use Only: Subtask DSM Folder	

#### Goodwin, Jamie L

Pavne, Wendy F From:

Sent: Monday, June 25, 2012 10:44 AM

(Brandon.Powell@state:nm.us); GRP:SJBU Regulatory; Jonathan Kelly; To:

(lpuepke@cimarronsvc.com); Eli (Cimarron) (eliv@cimarronsvc.com); James (Cimarron) (jwood@cimarronsvc.com); Mark Kelly; Randy McKee; Robert Switzer; Sherrie Landon; Bassing, Kendal R.; Dee, Harry P; Eric Smith (sconsulting.eric@gmail.com); Faver Norman; Fred Martinez; Lowe, Terry; McCarty Jr, Chuck R; Payne, Wendy F; Peter, Dan J; Smith, Mike W; Spearman, Bobby E; Steve McGlasson; Tally, Ethel; Becker, Joey W; Bowker, Terry D; Brant Fourr; Frost, Ryan M; Goosey, Paul P; Gordon Chenault; Green, Cary J; GRP:SJBU Production Leads; Hockett, Christy R; Bassing, Kendal R.; Kennedy, Jim R; Leboeuf, Davin J; Lopez, Richard A. Nelson, Garry D. O'Nan, Mike J.: Peace, James T. Poulson, Mark E. Schaaphok, Bill; Smith, Randall O; Spearman, Bobby E; Stamets, Steve A; Thibodeaux, Gordon A; Eddie; Quintana Tony (tquintana@flintenergy.com); Barton, Austin; Blakley, Mac; Coats, Nathan W; Farrell, Juanita R; Maxwell, Mary Alice; McWilliams, Peggy L; Rhoads,

Travis P (Finney Land Co.); Saiz, Kooper K; Seabolt, Elmo F; Thompson, Trev

Cc: 'acedragline@vahoo.com'

Subject: Reclamation Notice: San Juan 29-5 Unit 90N (Area 25 \* Run 561)

Importance: High

Attachments: San Juan 29-5 Unit 90N.pdf

ACE Services will move a tractor to the San Juan 29-5 Unit 90N to start the reclamation process on Thursday, June 28, 2012. Please contact Steve McGlasson (716-3285) if you have questions or need further assistance.



San Juan 29-5 Unit 90N.pdf (18...

ConocoPhillips Company Well - Network # 10228558 - Activity Code D250 (reclamation) & D260 (pit closure) - PO: Kaitlw Rio Arriba County, NM

#### San Juan 29-5 Unit 90N - BLM surface/BLM minerals

Onsite: Mike Flaniken 5-13-08

Twin: n/a

2431' FNL, 1706' FWL Sec.35, T29N, R5W Unit Letter "F" Lease # SF-078917

BH: SWNW Sec.35, T29N, R5W Latitude: 36° 40' 57" N (NAD 83) Longitude: 107° 19' 48" W (NAD 83)

Elevation: 7462'

Total Acres Disturbed: 3.03 acres

Access Road: n/a API # 30-039-30672 Within City Limits: NO

Pit Lined: YES


NOTE: Arch Monitoring IS required on this location (WCRM 326-7420)

Wendy Payne ConocoPhillips-SJBU 505-326-9533


Wendy.F.Payne@conocophillips.com

# ConocoPhillips

Reclamation Form:
Date: 8/15/12 cor
Well Name: 6ds 5529-5#90N
Footages: 243/FNL 1706 FWL Unit Letter: F
Section: 35, T-29-N, R-5-W, County: Lindship State: 1/1
Reclamation Contractor: Ace Selvices
Reclamation Start Date: 6/28/12
Reclamation Complete Date: $\frac{7/9/i2}{}$
Road Completion Date: $\frac{7/12}{12}$
Seeding Date: 7/13/12
**PIT MARKER STATUS (When Required): Picture of Marker set needed
MARKER PLACED: $\frac{8}{14}/12$ (DATE)
LATATUDE: 36.68250°
LONGITUDE: 107. 32986
Pit Manifold removed $\frac{6/28//2}{}$ (DATE)
Construction Inspector: 912 Date: 8/15/12
Inspector Signature: Sture McClasson
Office Use Only: SubtaskDSMFolderPictures
Davis and C(14/2042









$\vdash$	WELL NAME: San Juan 29-5 Unit 90N	OPEN P	IT INSPE	CTION I	FORM			Cone	ocoPh	illips
	INSPECTOR DATE	<del> </del>	E. Perry 08/04/11	E. Perry 08/11/11	E.Perry 08/18/11	E. Perry 08/24/11	Fred 09/07/11	Fred Mtz 09/15/11	Fred Mtz 09/22/11	Fred Mtz 10/04/11
	*Please request for pit extention after 26 weeks  PIT STATUS	Week 1  Drilled Completed Clean-Up	Week 2  Drilled Completed Clean-Up	Week 3  Drilled Completed Clean-Up	Week 4  Drilled Completed Clean-Up	Week 5  Drilled Completed Clean-Up	Week 6  Drilled Completed Clean-Up	Week 7  Drilled Completed Clean-Up	Week 8  Drilled Completed Clean-Up	Week 9  Drilled Completed Clean-Up
LOCATION	ls the location marked with the proper flagging? (Const. Zone, poles, pipelines, etc.)	✓ Yes ☐ No	✓ Yes ☐ No	☑ Yes ☐ No	✓ Yes ☐ No	✓ Yes 🗌 No	✓ Yes ☐ No	✓ Yes ☐ No	✓ Yes ☐ No	☑ Yes ☐ No
1007	Is the temporary well sign on location and visible from access road?	✓ Yes 🗌 No	✓ Yes  No	✓ Yes 🗌 No	☑ Yes ☐ No	✓ Yes ☐ No	✓ Yes ☐ No	✓ Yes ☐ No	✓ Yes ☐ No	☐ Yes ☐ No
	Is the access road in good driving condition? (deep ruts, bladed)	☑ Yes ☐ No	✓ Yes ☐ No	✓ Yes ☐ No	☑ Yes ☐ No	✓ Yes ☐ No	☑ Yes ☐ No	☑ Yes ☐ No	✓ Yes ☐ No	✓ Yes 🗌 No
	Are the culverts free from debris or any object preventing flow?	✓ Yes ☐ No	☑ Yes ☐ No	✓ Yes ☐ No	✓ Yes 🗌 No	✓ Yes 🗌 No	☑ Yes 🗌 No	☑ Yes ☐ No	✓ Yes 🗌 No	✓ Yes 🗌 No
	Is the top of the location bladed and in good operating condition?	☑ Yes ☐ No	✓ Yes ☐ No	☑ Yes ☐ No	☑ Yes ☐ No	☑ Yes 🗌 No	☑ Yes ☐ No	☑ Yes ☐ No	☑ Yes ☐ No	☑ Yes ☐ No
NGE I	Is the fence stock-proof? (fences tight, barbed wire, fence clips in place?	✓ Yes 🗌 No	✓ Yes 🗌 No	☐ Yes ☑ No	☐ Yes ☑ No	☐ Yes ☑ No	☑ Yes ☐ No	✓ Yes ☐ No	☑ Yes ☐ No	✓ Yes □ No
COMPLIANCE	Is the pit liner in good operating condition? (no tears, up-rooting corners, etc.)	✓ Yes 🗌 No	☑ Yes ☐ No	☑ Yes ☐ No	✓ Yes □ No	☑ Yes ☐ No	☑ Yes ☐ No	☑ Yes ☐ No	✓ Yes ☐ No	☑ Yes ☐ No
_	Is the the location free from trash, oil stains and other materials? (cables, pipe threads, etc.)	Yes No	☑ Yes 🗌 No	✓ Yes ☐ No	☑ Yes 🗌 No	✓ Yes ☐ No	☑ Yes ☐ No	☑ Yes ☐ No	☑ Yes ☐ No	☑ Yes ☐ No
ENVIRONMENTAL	Does the pit contain two feet of free board? (check the water levels)	✓ Yes □ No	✓ Yes 🗌 No	✓ Yes ☐ No	✓ Yes 🗌 No	✓ Yes ☐ No	✓ Yes 🗌 No	☑ Yes ☐ No	☑ Yes ☐ No	✓ Yes □ No
S N N N	Is there any standing water on the blow pit?	✓ Yes 🗌 No	☑ Yes ☐ No	☑ Yes ☐ No	✓ Yes 🗌 No	✓ Yes ☐ No	☑ Yes ☐ No	☑ Yes ☐ No	✓ Yes 🗌 No	☑ Yes ☐ No
Ĭ.	Are the pits free of trash and oil?	☐ Yes ☑ No	Yes 🗸 No	Yes 🗹 No	☐ Yes ☑ No	☐ Yes ☑ No	Yes V No	☑ Yes ☐ No	✓ Yes ☐ No	☑ Yes ☐ No
	Are there diversion ditches around the pits for natural drainage?	✓ Yes □ No	☐ Yes ☑ No	☐ Yes ☑ No	☐ Yes ☐ No	☐ Yes ☑ No	☐ Yes ☑ No	☑ Yes ☐ No	✓ Yes ☐ No	☑ Yes ☐ No
	Is there a Manifold on location?	☑ Yes ☐ No	☑ Yes ☐ No	☑ Yes ☐ No	☑ Yes ☐ No	☑ Yes ☐ No	☑ Yes ☐ No	☑ Yes ☐ No	✓ Yes ☐ No	☑ Yes ☐ No
	Is the Manifold free of leaks? Are the hoses in good condition?	✓ Yes □ No	☑ Yes ☐ No	✓ Yes ☐ No	✓ Yes 🗌 No	✓ Yes □ No	☑ Yes ☐ No	☑ Yes ☐ No	☑ Yes ☐ No	☑ Yes ☐ No
ა ე	Was the OCD contacted?	Yes 🗸 No	Yes 🗸 No	☐ Yes ☑ No	☐ Yes ☑ No	☐ Yes ☑ No	☐ Yes ☑ No	Yes 🗸 No	☐ Yes ☑ No	☐ Yes ☑ No
	PICTURE TAKEN	Yes 🗸 No	☐ Yes ☑ No	Yes V No	☐ Yes ☑ No	☐ Yes ☑ No	☐ Yes ☑ No	Yes No	Yes 🗹 No	☐ Yes ☑ No
	COMMENTS	Pit full of Trashey Water No Diversion Ditch	Oily Trashy in Pit No Diversion Ditch	Fence down for drill Rig Oily in Pit No Diversion Ditch	Fence Loose No	Wire Missing No Diversion Ditch	Floaties in Pit No Diversion Ditch			

	WELL NAME:									
	San Juan 29-5 Unit 90N INSPECTOR		T = 141		T 6 1441	F 1441	T	T =		· -···-
-	DATE		11/14/11	Fred Mtz 11/16/11	11/30/11	Fred Mtz 12/06/11	Fred Mtz 12/13/11	Fred Mtz 12/22/11	12/30/11	Fred mtz 01/12/12
	*Please request for pit extention after 26 weeks	Week 10	Week 11	Week 12	Week 13	Week 14	Week 15	Week 16	Week 17	Week 18
	PIT STATUS	☐ Drilled ☐ Completed ☐ Clean-Up	Drilled Completed Clean-Up	Drilled Completed Clean-Up	✓ Drilled ✓ Completed ☐ Clean-Up	✓ Drilled ✓ Completed ☐ Clean-Up	✓ Drilled ✓ Completed ☐ Clean-Up	✓ Drilled ✓ Completed ☐ Clean-Up	☑ Drilled ☑ Completed ☐ Clean-Up	✓ Drilled ✓ Completed ☐ Clean-Up
CATION	Is the location marked with the proper flagging? (Const. Zone, poles, pipelines, etc.)	Yes No	☐ Yes ☐ No	Yes No	✓ Yes ☐ No	✓ Yes ☐ No	✓ Yes ☐ No	✓ Yes 🗌 No	✓ Yes 🗌 No	✓ Yes ☐ No
700T	Is the temporary well sign on location and visible from access road?	Yes No	☐ Yes ☐ No	Yes No	✓ Yes ☐ No	✓ Yes ☐ No	☐ Yes ☑ No	☐ Yes ☑ No	☐ Yes ☑ No	☐ Yes ☑ No
	is the access road in good driving condition? (deep ruts, bladed)	Yes No	☐ Yes ☐ No	Yes No	☑ Yes ☐ No	✓ Yes ☐ No	✓ Yes 🗌 No	✓ Yes 🗌 No	☐ Yes ☑ No	☐ Yes ☑ No
	Are the culverts free from debris or any object preventing flow?	☐ Yes ☐ No	Yes No	☐ Yes ☐ No	☑ Yes ☐ No	☑ Yes ☐ No	✓ Yes □ No	☑ Yes ☐ No	✓ Yes □ No	☐ Yes ☐ No
	Is the top of the location bladed and in good operating condition?	☐ Yes ☐ No	☐ Yes ☐ No	☐ Yes ☐ No	☐ Yes ☑ No	☑ Yes ☐ No	✓ Yes ☐ No	☑ Yes ☐ No	☐ Yes ☑ No	☐ Yes ☐ No
NCE	Is the fence stock-proof? (fences tight, barbed wire, fence clips in place?	☐ Yes ☐ No	☐ Yes ☐ No	☐ Yes ☐ No	☐ Yes ☑ No	☑ Yes ☐ No	✓ Yes 🗌 No	☑ Yes ☐ No	✓ Yes 🗌 No	☐ Yes ☐ No
OMPLIAN	Is the pit liner in good operating condition? (no tears, up-rooting corners, etc.)	☐ Yes ☐ No	☐ Yes ☐ No	☐ Yes ☐ No	☑ Yes ☐ No	✓ Yes 🗌 No	☑ Yes ☐ No	☑ Yes ☐ No	✓ Yes 🗌 No	☐ Yes ☐ No
Ü	Is the the location free from trash, oil stains and other materials? (cables, pipe threads, etc.)	Yes No	☐ Yes ☐ No	☐ Yes ☐ No	☑ Yes ☐ No	✓ Yes □ No	☑ Yes ☐ No	☑ Yes ☐ No	✓ Yes 🗌 No	☐ Yes ☐ No
MENT	Does the pit contain two feet of free board? (check the water levels)	☐ Yes ☐ No	☐ Yes ☐ No	☐ Yes ☐ No	☑ Yes ☐ No	☑ Yes ☐ No	☑ Yes ☐ No	☑ Yes ☐ No	✓ Yes ☐ No	Yes No
ENVIRONMENTAL	Is there any standing water on the blow pit?	☐ Yes ☐ No	☐ Yes ☐ No	☐ Yes ☐ No	☐ Yes ☑ No	Yes No	☐ Yes ☑ No	☐ Yes ☑ No	Yes 🗹 No	☐ Yes ☐ No
EN	Are the pits free of trash and oil?	☐ Yes ☐ No	☐ Yes ☐ No	☐ Yes ☐ No	☐ Yes ☑ No	✓ Yes 🗌 No	☑ Yes ☐ No	☑ Yes ☐ No	☐ Yes ☑ No	☐ Yes ☐ No
	Are there diversion ditches around the pits for natural drainage?	☐ Yes ☐ No	☐ Yes ☐ No	☐ Yes ☐ No	✓ Yes 🗌 No	✓ Yes 🗌 No	☑ Yes ☐ No	☑ Yes ☐ No	✓ Yes □ No	☐ Yes ☐ No
	Is there a Manifold on location?	☐ Yes ☐ No	☐ Yes ☐ No	☐ Yes ☐ No	☑ Yes ☐ No	✓ Yes □ No	✓ Yes 🗌 No	☑ Yes ☐ No	☑ Yes ☐ No	☐ Yes ☐ No
	Is the Manifold free of leaks? Are the hoses in good condition?	☐ Yes ☐ No	☐ Yes ☐ No	☐ Yes ☐ No	☑ Yes ☐ No	☑ Yes ☐ No	☑ Yes ☐ No	☑ Yes ☐ No	☑ Yes ☐ No	☐ Yes ☐ No
၁၀ ၀	Was the OCD contacted?	☐ Yes ☐ No	Yes No	☐ Yes ☐ No	Yes 🗸 No	☐ Yes ☑ No	☐ Yes ☑ No	☐ Yes ☑ No	☐ Yes ☑ No	Yes No
	PICTURE TAKEN	Yes No	Yes No	Yes No	☐ Yes ☑ No	☐ Yes ☑ No	Yes V No	☐ Yes ☑ No	Yes V No	Yes No
	COMMENTS	rig on location	rig on location	frack crew on location	location was bladed ditches debri and location needs bladed.	location needs bladed	Sign on Facility	Sign on Facility	Rd to loc. Snow covered debri in pit	

	WELL NAME:			··	·					•
	San Juan 29-5 Unit 90N									
<u> </u>	INSPECTOR DATE		Fred Mtz 01/19/12	F.MTZ 02/02/12	Fred Mtz 02/17/12	Fred Mtz 02/24/12	Fred Mtz 03/08/12	Fred Mtz 03/16/12	fred Mtz 03/30/12	Fred Mtz 04/13/12
$\vdash$	*Please request for pit extention after 26 weeks	Week 19	Week 20	Week 21	Week 22	Week 23	Week 24	Week 25	*Week 26*	Week 27
	PIT STATUS	Drilled Completed Clean-Up	✓ Drilled ✓ Completed ☐ Clean-Up	✓ Drilled ✓ Completed ☐ Clean-Up	✓ Drilled ✓ Completed ☐ Clean-Up	✓ Drilled ✓ Completed ☐ Clean-Up	✓ Drilled ✓ Completed ☐ Clean-Up	✓ Drilled ✓ Completed ☐ Clean-Up	✓ Drilled ✓ Completed ☐ Clean-Up	✓ Drilled ✓ Completed ☐ Clean-Up
CATION	ls the location marked with the proper flagging? (Const. Zone, poles, pipelines, etc.)	Yes No	✓ Yes □ No	☐ Yes ☑ No	☐ Yes ☑ No	☐ Yes ☑ No	✓ Yes ☐ No	✓ Yes ☐ No	✓ Yes 🗌 No	✓ Yes ☐ No
10CA	Is the temporary well sign on location and visible from access road?	☐ Yes ☐ No	Yes 🗹 No	Yes 🗹 No	✓ Yes ☐ No	✓ Yes ☐ No	✓ Yes 🗌 No	✓ Yes □ No	✓ Yes 🗌 No	Yes V No
Γ	Is the access road in good driving condition? (deep ruts, bladed)	✓ Yes 🗌 No	☐ Yes ☑ No	Yes ✓ No	☐ Yes ☑ No	☐ Yes ☑ No	☐ Yes ☑ No	✓ Yes ☐ No	✓ Yes 🗌 No	✓ Yes □ No
	Are the culverts free from debris or any object preventing flow?	☑ Yes ☐ No	☑ Yes ☐ No	✓ Yes □ No	☑ Yes ☐ No	☑ Yes ☐ No	✓ Yes 🗌 No	✓ Yes 🗌 No	✓ Yes 🗌 No	☑ Yes ☐ No
	Is the top of the location bladed and in good operating condition?	☑ Yes ☐ No	✓ Yes 🗌 No	☐ Yes ☑ No	☐ Yes ☑ No	☐ Yes ☑ No	☐ Yes ☑ No	☐ Yes ☑ No	Yes 🗸 No	☐ Yes ☑ No
NCE	Is the fence stock-proof? (fences tight, barbed wire, fence clips in place?	✓ Yes 🗌 No	✓ Yes □ No	☑ Yes ☐ No	✓ Yes 🗌 No	✓ Yes 🗌 No	✓ Yes □ No	✓ Yes □ No	✓ Yes □ No	☑ Yes ☐ No
OMPLIANCE	Is the pit liner in good operating condition? (no tears, up-rooting corners, etc.)	✓ Yes 🗌 No	✓ Yes □ No	✓ Yes 🗌 No	☑ Yes ☐ No	☑ Yes ☐ No	✓ Yes 🗌 No	✓ Yes ☐ No	✓ Yes 🗌 No	☑ Yes ☐ No
U	Is the the location free from trash, oil stains and other materials? (cables, pipe threads, etc.)	☑ Yes ☐ No	☑ Yes ☐ No	✓ Yes □ No	☑ Yes ☐ No	☑ Yes ☐ No	✓ Yes 🗌 No	✓ Yes □ No	✓ Yes 🗌 No	✓ Yes No
ENVIRONMENTAL	Does the pit contain two feet of free board? (check the water levels)	✓ Yes 🗌 No	☑ Yes ☐ No	✓ Yes □ No	✓ Yes ☐ No	☑ Yes 🗌 No	✓ Yes   No	✓ Yes 🗌 No	✓ Yes □ No	✓ Yes ☐ No
RON	Is there any standing water on the blow pit?	☑ Yes ☐ No	✓ Yes ☐ No	✓ Yes □ No	✓ Yes ☐ No	☑ Yes ☐ No	☑ Yes ☐ No	☑ Yes ☐ No	✓ Yes 🗌 No	☐ Yes ☑ No
EN	Are the pits free of trash and oil?	☑ Yes ☐ No	☑ Yes ☐ No	☐ Yes ☐ No	✓ Yes 🗌 No	☑ Yes ☐ No	✓ Yes □ No	☐ Yes ☑ No	☐ Yes ☑ No	☐ Yes ☑ No
	Are there diversion ditches around the pits for natural drainage?	☐ Yes ☑ No	☐ Yes ☑ No	✓ Yes ☐ No	✓ Yes □ No	✓ Yes ☐ No	☐ Yes ☑ No	✓ Yes 🗌 No	☑ Yes ☐ No	✓ Yes ☐ No
	Is there a Manifold on location?	✓ Yes □ No	✓ Yes □ No	☑ Yes ☐ No	☑ Yes 🗋 No	✓ Yes □ No	✓ Yes 🗌 No	✓ Yes ☐ No	☑ Yes ☐ No	✓ Yes ☐ No
	Is the Manifold free of leaks? Are the hoses in good condition?	✓ Yes 🗌 No	☑ Yes ☐ No	☑ Yes ☐ No	☑ Yes ☐ No	☑ Yes ☐ No	✓ Yes ☐ No	✓ Yes 🗌 No	✓ Yes 🗌 No	✓ Yes ☐ No
၁၀	Was the OCD contacted?	☐ Yes ☐ No	☐ Yes ☑ No	☐ Yes ☑ No	☐ Yes ☑ No	☐ Yes ☑ No	☐ Yes ☑ No	☐ Yes ☑ No	☐ Yes ☑ No	☐ Yes ☑ No
	PICTURE TAKEN	Yes No	☐ Yes ☑ No	☐ Yes ☑ No	☐ Yes ☑ No	Yes 🗸 No	☐ Yes ☑ No	☐ Yes ☑ No	Yes V No	Yes 🗸 No
	COMMENTS	debri in pit road and location needs bladed facility set on location sing on facility fence	Pit road location needs bladed sign on facility fence.		road and locatio need bladed sing on fence	location need	location needs bladed sign on Facility pit piner fence has debri on it from Facility crew.	Location need bladed sign visible on Facility fence.	sing on facility location needs bladed	Sign is on fence Facility set on location location needs bladed sample pit.

WELL NAME: San Juan 29-5 Unit 90N

	San Juan 29-5 Unit 90N									
	INSPECTOR	Fred Mtz	Fred Mtz	Fred Mtz	Fred Mtz	Fred Mtz	Fred Mtz	Fred Mtz		
<u> </u>	*Please request for pit extention after 26 weeks	04/20/12 Week 28	04/24/12	05/11/12 Week 30	06/01/12	06/08/12	06/20/12	06/27/12	Week 25	Wools 24
	PIT STATUS	✓ Drilled ✓ Completed ☐ Clean-Up	Week 29  ☑ Drilled ☑ Completed ☐ Clean-Up	☐ Drilled ☐ Completed ☐ Clean-Up	Week 31  ☑ Drilled ☑ Completed ☐ Clean-Up	Week 32  Drilled Completed Clean-Up	Week 33  Uprilled Completed Clean-Up	Week 34  ☑ Drilled ☑ Completed ☐ Clean-Up	Week 35  Drilled Completed Clean-Up	Week 36  Drilled Completed Clean-Up
CATION	Is the location marked with the proper flagging? (Const. Zone, poles, pipelines, etc.)	✓ Yes 🗌 No	✓ Yes ☐ No	✓ Yes □ No	✓ Yes □ No	☑ Yes ☐ No	✓ Yes ☐ No	☑ Yes ☐ No	☐ Yes ☐ No	Yes No
10C/	Is the temporary well sign on location and visible from access road?	Yes 🗸 No	✓ Yes ☐ No	☐ Yes ☑ No	☐ Yes ☑ No	☑ Yes ☐ No	☐ Yes ☑ No	☐ Yes ☑ No	☐ Yes ☐ No	Yes No
	Is the access road in good driving condition? (deep ruts, bladed)	✓ Yes ☐ No	✓ Yes ☐ No	☑ Yes ☐ No	✓ Yes ☐ No	✓ Yes □ No	✓ Yes ☐ No	✓ Yes ☐ No	Yes No	☐ Yes ☐ No
	Are the culverts free from debris or any object preventing flow?	✓ Yes 🗌 No	✓ Yes □ No	☑ Yes ☐ No	✓ Yes  No	✓ Yes ☐ No	☑ Yes ☐ No	✓ Yes 🗌 No	Yes No	☐ Yes ☐ No
	Is the top of the location bladed and in good operating condition?	☐ Yes ☑ No	✓ Yes 🗌 No	☑ Yes ☐ No	✓ Yes □ No	☑ Yes ☐ No	☑ Yes ☐ No	✓ Yes 🗌 No	Yes No	☐ Yes ☐ No
NCE	Is the fence stock-proof? (fences tight, barbed wire, fence clips in place?	✓ Yes 🗌 No	✓ Yes 🗌 No	☑ Yes ☐ No	✓ Yes □ No	☑ Yes ☐ No	✓ Yes 🗌 No	✓ Yes 🗌 No	☐ Yes ☐ No	☐ Yes ☐ No
OMPLIAN	Is the pit liner in good operating condition? (no tears, up-rooting corners, etc.)	✓ Yes 🗌 No	☑ Yes ☐ No	☑ Yes ☐ No	☑ Yes ☐ No	☑ Yes ☐ No	☑ Yes ☐ No	✓ Yes ☐ No	Yes No	☐ Yes ☐ No
Ū	Is the the location free from trash, oil stains and other materials? (cables, pipe threads, etc.)	✓ Yes 🗌 No	✓ Yes □ No	☑ Yes ☐ No	✓ Yes 🗌 No	☑ Yes ☐ No	☑ Yes ☐ No	☑ Yes ☐ No	☐ Yes ☐ No	☐ Yes ☐ No
MENT	Does the pit contain two feet of free board? (check the water levels)	☑ Yes ☐ No	☑ Yes ☐ No	☑ Yes ☐ No	☑ Yes ☐ No	✓ Yes 🗌 No	☑ Yes ☐ No	☑ Yes ☐ No	☐ Yes ☐ No	☐ Yes ☑ No
ENVIRONMENTAL	Is there any standing water on the blow pit?	☐ Yes ☑ No	☐ Yes ☑ No	Yes 🗸 No	☐ Yes ☑ No	☑ Yes ☐ No	☑ Yes ☐ No	☑ Yes ☐ No	Yes No	☐ Yes ☐ No
₽	Are the pits free of trash and oil?	☐ Yes ☑ No	☐ Yes ☑ No	☐ Yes ☑ No	☐ Yes ☑ No	✓ Yes □ No	☑ Yes ☐ No	☑ Yes ☐ No	Yes No	☐ Yes ☐ No
	Are there diversion ditches around the pits for natural drainage?	✓ Yes 🗌 No	✓ Yes □ No	✓ Yes 🗌 No	☑ Yes ☐ No	☑ Yes ☐ No	☐ Yes ☑ No	☐ Yes ☑ No	☐ Yes ☐ No	☐ Yes ☐ No
	Is there a Manifold on location?	☑ Yes ☐ No	✓ Yes 🗌 No	✓ Yes 🗌 No	☑ Yes ☐ No	☐ Yes ☑ No	✓ Yes 🗌 No	☑ Yes ☐ No	☐ Yes ☐ No	☐ Yes ☐ No
	Is the Manifold free of leaks? Are the hoses in good condition?	✓ Yes 🗌 No	✓ Yes ☐ No	☑ Yes ☐ No	✓ Yes □ No	✓ Yes ☐ No	✓ Yes ☐ No	✓ Yes ☐ No	☐ Yes ☐ No	☐ Yes ☐ No
၁ ၁	Was the OCD contacted?	☐ Yes ☑ No	☐ Yes ☑ No	☐ Yes ☑ No	☐ Yes ☑ No	☐ Yes ☑ No	☐ Yes ☑ No	☐ Yes ☑ No	Yes No	Yes No
	PICTURE TAKEN	☐ Yes ☑ No	☐ Yes ☑ No	Yes 🗸 No	☐ Yes ☑ No	☐ Yes ☑ No	Yes V No	☐ Yes ☑ No	Yes No	☐ Yes ☐ No
	COMMENTS	sing is on fence facility set on location needs bladed sampled pit	Debri in pit facility's set on fence.	Debri in pit Facility's set sign on fence.	debri in pit facilitiesset sing on fence	Debri in pit.	Sign on fence debri in pit.	Sign on fence debri in pit facility's on location.		