District I

1625 N. French Dr., Hobbs, NM 88240

1301 W. Grand Ave., Artesia, NM 88210

District III

1000 Rio Brazos Rd., Aztec, NM 87410

District IV

1220 S. St. Francis Dr., Santa Fe, NM 87505

State of New Mexico Energy Minerals and Natural Resources

> Department Oil Conservation Division 1220 South St. Francis Dr. Santa Fe, NM 87505

July 21, 2008 For temporary pits, closed-loop sytems, and below-grade

Form C-144

For permanent pits and exceptions submit to the Santa Fe Environmental Bureau office and provide a copy to the

appropriate NMOCD District Office.

tanks, submit to the appropriate NMOCD District Office.

. ^	312	
Ó	J	

Pit, Closed-Loop System, Below-Grade Tank, or Proposed Alternative Method Permit or Closure Plan Application

Type of action: Permit of a pit, closed-loop system, below-grade tank, or proposed alternative method X Closure of a pit, closed-loop system, below-grade tank, or proposed alternative method Modification to an existing permit Closure plan only submitted for an existing permitted or non-permitted pit, closed-loop system, below-grade tank, or proposed alternative method

Instructions: Please submit one application (Form C-144) per individual pit, closed-loop system, below-grade tank or alternative request

Please be advised that approval of this request does not relieve the operator of liability should operations result in pollution of surface water, ground water or the environment. Nor does approval relieve the operator of its responsibility to comply with any other applicable governmental authority's rules, regulations or ordinances.

Operator: Burlington Resources Oil & Gas Company, LP OGRID#: 14538
Address: P.O. Box 4289, Farmington, NM 87499
Facility or well name: SAN JUAN 32-9 UNIT 24B
API Number: 30-045-35208 OCD Permit Number:
U/L or Qtr/Qtr: P(SE/SE) Section: 5 Township: 31N Range: 9W County: SAN JUAN
Center of Proposed Design: Latitude: <u>36.92219</u> °N Longitude: <u>107.76863</u> °W NAD: 1927 X 1983
Surface Owner: Federal State X Private Tribal Trust or Indian Allotment
RCVD AUG 9 12 RCVD AUG 9 1
Closed-loop System: Subsection H of 19.15.17.11 NMAC Type of Operation: P&A Drilling a new well Workover or Drilling (Applies to activities which require prior approval of a permit or notice of intent) Drying Pad Above Ground Steel Tanks Haul-off Bins Other Lined Unlined Liner type: Thickness mil LLDPE HDPE PVD Other Liner Seams: Welded Factory Other
Below-grade tank: Subsection I of 19.15.17.11 NMAC Volume: bbl Type of fluid: Tank Construction material: Secondary containment with leak detection Visible sidewalls, liner, 6-inch lift and automatic overflow shut-off Visible sidewalls and liner Visible sidewalls only Other Liner Type: Thickness mil HDPE PVC Other
Alternative Method: Submittal of an exception request is required. Exceptions must be submitted to the Santa Fe Environmental Bureau office for consideration of approval.

Form C-144

Oil Conservation Division

Page 1 of 5

Fencing: Subsection D of 19.15.17.11 NMAC (Applies to permanent pit, temporary pits, and below-grade tanks) Chain link, six feet in height, two strands of barbed wire at top (Required if located within 1000 feet of a permanent residence, school, hospital, institt Four foot height, four strands of barbed wire evenly spaced between one and four feet Alternate. Please specify	tion or church)
Netting: Subsection E of 19.15.17.11 NMAC (Applies to permanent pits and permanent open top tanks) Screen Netting Other Monthly inspections (If netting or screening is not physically feasible)		
Signs: Subsection C of 19.15.17.11 NMAC 12" X 24", 2" lettering, providing Operator's name, site location, and emergency telephone numbers X Signed in compliance with 19.15.3.103 NMAC		
9		
Administrative Approvals and Exceptions: Justifications and/or demonstrations of equivalency are required. Please refer to 19.15.17 NMAC for guidance. Please check a box if one or more of the following is requested, if not leave blank: Administrative approval(s): Requests must be submitted to the appropriate division district of the Santa Fe Environmental Bureau office for consideration (Fencing/BGT Liner) Exception(s): Requests must be submitted to the Santa Fe Environmental Bureau office for consideration of approval.	leration of app	roval.
Siting Criteria (regarding permitting) 19.15.17.10 NMAC Instructions: The applicant must demonstrate compliance for each siting criteria below in the application. Recommendations of acceptable source material are provided below. Requests regarding changes to certain siting criteria may require administrative approval from the appropriate district office or may be considered an exception which must be submitted to the Santa Fe Environmental Bureau Office for consideration of approval. Applicant must attach justification for request. Please refer to 19.15.17.10 NMAC for guidance. Siting criteria does not apply to drying pads or above grade-tanks associated with a closed-loop system.		
Ground water is less than 50 feet below the bottom of the temporary pit, permanent pit, or below-grade tank. - NM Office of the State Engineer - iWATERS database search; USGS; Data obtained from nearby wells	Yes	□No
Within 300 feet of a continuously flowing watercourse, or 200 feet of any other watercourse, lakebed, sinkhole, or playa lake (measured from the ordinary high-water mark). - Topographic map; Visual inspection (certification) of the proposed site	Yes	□No
Within 300 feet from a permanent residence, school, hospital, institution, or church in existence at the time of initial application.	Yes	□No
(Applies to temporary, emergency, or cavitation pits and below-grade tanks)	□NA	
- Visual inspection (certification) of the proposed site; Aerial photo; Satellite image		
Within 1000 feet from a permanent residence, school, hospital, institution, or church in existence at the time of initial application. (Applied to permanent pits)	☐Yes ☐NA	No
- Visual inspection (certification) of the proposed site; Aerial photo; Satellite image	لسا	
Within 500 horizonal feet of a private, domestic fresh water well or spring that less than five households use for domestic or stock watering purposes, or within 1000 horizontal feet of any other fresh water well or spring, in existence at the time of initial application.	Yes	No
- NM Office of the State Engineer - iWATERS database search; Visual inspection (certification) of the proposed site.		
Within incorporated municipal boundaries or within a defined municipal fresh water well field covered under a municipal ordinance adopted pursuant to NMSA 1978, Section 3-27-3, as amended	Yes	□No
 Written confirmation or verification from the municipality; Written approval obtained from the municipality Within 500 feet of a wetland. US Fish and Wildlife Wetland Identification map; Topographic map; Visual inspection (certification) of the proposed site 	Yes	□No
Within the area overlying a subsurface mine. - Written confirmation or verification or map from the NM EMNRD - Mining and Mineral Division	Yes	□No
Within an unstable area. - Engineering measures incorporated into the design; NM Bureau of Geology & Mineral Resources; USGS; NM Geological Society; Topographic map	Yes	No
Within a 100-year floodplain - FEMA map	Yes	No

Temporary Pits, Emergency Pits and Below-grade Tanks Permit Application Attachment ChecklistSubsection B of 19.15.17.9 NMAC
Instructions: Each of the following items must be attached to the application. Please indicate, by a check mark in the box, that the documents are attached.
Hydrogeologic Report (Below-grade Tanks) - based upon the requirements of Paragraph (4) of Subsection B of 19.15.17.9 NMAC
Hydrogeologic Data (Temporary and Emergency Pits) - based upon the requirements of Paragraph (2) of Subsection B of 19.15.17.9
Siting Criteria Compliance Demonstrations - based upon the appropriate requirements of 19.15.17.10 NMAC
Design Plan - based upon the appropriate requirements of 19.15.17.11 NMAC
Operating and Maintenance Plan - based upon the appropriate requirements of 19.15.17.12 NMAC
Closure Plan (Please complete Boxes 14 through 18, if applicable) - based upon the appropriate requirements of Subsection C of 19.15.17.9 NMAC and 19.15.17.13 NMAC
Previously Approved Design (attach copy of design) API
Closed-loop Systems Permit Application Attachment Checklist: Subsection B of 19.15.17.9 NMAC Instructions: Each of the following items must be attached to the application. Please indicate, by a check mark in the box, that the documents are attached. Geologic and Hydrogeologic Data (only for on-site closure) - based upon the requirements of Paragraph (3) of Subsection B of 19.15.17.9
Siting Criteria Compliance Demonstrations (only for on-site closure) - based upon the appropriate requirements of 19.15.17.10 NMAC
Design Plan - based upon the appropriate requirements of 19.15.17.11 NMAC
Operating and Maintenance Plan - based upon the appropriate requirements of 19.15.17.12 NMAC
Closure Plan (Please complete Boxes 14 through 18, if applicable) - based upon the appropriate requirements of Subsection C of 19.15.17.9 NMAC and 19.15.17.13 NMAC
Previously Approved Design (attach copy of design) API
Previously Approved Operating and Maintenance Plan API
Permanent Pits Permit Application Checklist: Subsection B of 19.15.17.9 NMAC
Instructions: Each of the following items must be attached to the application. Please indicate, by a check mark in the box, that the documents are attached.
Hydrogeologic Report - based upon the requirements of Paragraph (I) of Subsection B of 19.15.17.9 NMAC
Siting Criteria Compliance Demonstrations - based upon the appropriate requirements of 19.15.17.10 NMAC Climatological Factors Assessment
Certified Engineering Design Plans - based upon the appropriate requirements of 19.15.17.11 NMAC
Dike Protection and Structural Integrity Design: based upon the appropriate requirements of 19.15.17.11 NMAC
Leak Detection Design - based upon the appropriate requirements of 19.15.17.11 NMAC
Liner Specifications and Compatibility Assessment - based upon the appropriate requirements of 19.15.17.11 NMAC
Quality Control/Quality Assurance Construction and Installation Plan
Operating and Maintenance Plan - based upon the appropriate requirements of 19.15.17.12 NMAC
Freeboard and Overtopping Prevention Plan - based upon the appropriate requirements of 19.15.17.11 NMAC
Nuisance or Hazardous Odors, including H2S, Prevention Plan
Emergency Response Plan
Oil Field Waste Stream Characterization
Monitoring and Inspection Plan
Erosion Control Plan
Closure Plan - based upon the appropriate requirements of Subsection C of 19.15.17.9 NMAC and 19.15.17.13 NMAC
Proposed Closure: 19.15.17.13 NMAC
Instructions: Please complete the applicable boxes, Boxes 14 through 18, in regards to the proposed closure plan.
Type: Drilling Workover Emergency Cavitation P&A Permanent Pit Below-grade Tank Closed-loop System Alternative
Proposed Closure Method: Waste Excavation and Removal
Waste Removal (Closed-loop systems only)
On-site Closure Method (only for temporary pits and closed-loop systems)
In-place Burial On-site Trench
Alternative Closure Method (Exceptions must be submitted to the Santa Fe Environmental Bureau for consideration)
15
Waste Excavation and Removal Closure Plan Checklist (19.15.17.13 NMAC) Instructions: Each of the following items must be attached to the closure plan. Please indicate, by a check mark in the box, that the documents are attached.
Protocols and Procedures - based upon the appropriate requirements of 19.15.17.13 NMAC
Confirmation Sampling Plan (if applicable) - based upon the appropriate requirements of Subsection F of 19.15.17.13 NMAC
Disposal Facility Name and Permit Number (for liquids, drilling fluids and drill cuttings)
Soil Backfill and Cover Design Specifications - based upon the appropriate requirements of Subsection H of 19.15.17.13 NMAC
Re-vegetation Plan - based upon the appropriate requirements of Subsection I of 19.15.17.13 NMAC

16					
Waste Removal Closure For Closed-loop Systems That Utilize Above Ground S Instructions: Please identify the facility or facilities for the disposal of liquids, drilling	teel Tanks or Haul-off Bins Only: (19.15.17.13.D NMAC) ing fluids and drill cuttings. Use attachment if more than two				
facilities are required.					
Disposal Facility Name:	Disposal Facility Permit #:				
Disposal Facility Name:	Disposal Facility Permit #:				
Will any of the proposed closed-loop system operations and associated acti Yes (If yes, please provide the information No	vities occur on or in areas that will nbe used for future	service and			
Required for impacted areas which will not be used for future service and operation Soil Backfill and Cover Design Specification - based upon the appropriate requirements of Subs Site Reclamation Plan - based upon the appropriate requirements of S	opriate requirements of Subsection H of 19.15.17.13 Neection I of 19.15.17.13 NMAC	MAC			
Siting Criteria (Regarding on-site closure methods only: 19.15.17.10 NM. Instructions: Each siting criteria requires a demonstration of compliance in the closure plan. certain siting criteria may require administrative approval from the appropriate district office office for consideration of approval. Justifications and/or demonstrations of equivalency are r	Recommendations of acceptable source material are provided below or may be considered an exception which must be submitted to the S				
Ground water is less than 50 feet below the bottom of the buried waste.		Yes No			
- NM Office of the State Engineer - iWATERS database search; USGS: Data of	btained from nearby wells	∐N/A			
Ground water is between 50 and 100 feet below the bottom of the buried w	raste	Yes No			
- NM Office of the State Engineer - iWATERS database search; USGS; Data of	btained from nearby wells	□N/A			
Ground water is more than 100 feet below the bottom of the buried waste.		Yes No			
- NM Office of the State Engineer - iWATERS database search; USGS; Data of	btained from nearby wells	N/A			
Within 300 feet of a continuously flowing watercourse, or 200 feet of any other sign (measured from the ordinary high-water mark).	ificant watercourse or lakebed, sinkhole, or playa lake	Yes No			
- Topographic map; Visual inspection (certification) of the proposed site					
Within 300 feet from a permanent residence, school, hospital, institution, or church - Visual inspection (certification) of the proposed site; Aerial photo; satellite im-	••	Yes No			
		Yes No			
Within 500 horizontal feet of a private, domestic fresh water well or spring that less to purposes, or within 1000 horizontal fee of any other fresh water well or spring, in expression of the State Engineer - iWATERS database; Visual inspection (cer	xistence at the time of the initial application.				
Within incorporated municipal boundaries or within a defined municipal fresh water pursuant to NMSA 1978. Section 3-27-3, as amended.	·	☐Yes ☐No			
 Written confirmation or verification from the municipality: Written approval of Within 500 feet of a wetland 	obtained from the municipality	∏Yes ∏No			
- US Fish and Wildlife Wetland Identification map; Topographic map; Visual is	nspection (certification) of the proposed site				
Within the area overlying a subsurface mine.		Yes No			
- Written confiramtion or verification or map from the NM EMNRD-Mining and	d Mineral Division				
Within an unstable area.	Minaral Passaurasa USCS, NM Coolegical Society	Yes No			
 Engineering measures incorporated into the design; NM Bureau of Geology & Topographic map 	Milleral Resources, USOS, NM Geological Society;	-			
Within a 100-year floodplain FEMA map		Yes No			
18					
On-Site Closure Plan Checklist: (19.15.17.13 NMAC) Instructions: Eaby a check mark in the box, that the documents are attached.	ch of the following items must bee attached to the clo	osure plan. Please indicate,			
Siting Criteria Compliance Demonstrations - based upon the approp	oriate requirements of 19.15.17.10 NMAC				
Proof of Surface Owner Notice - based upon the appropriate require	ements of Subsection F of 19.15.17.13 NMAC				
Construction/Design Plan of Burial Trench (if applicable) based up	on the appropriate requirements of 19.15.17.11 NMAC				
Construction/Design Plan of Temporary Pit (for in place burial of a		s of 19.15.17.11 NMAC			
Protocols and Procedures - based upon the appropriate requirement					
Confirmation Sampling Plan (if applicable) - based upon the approp	•	1AC			
Waste Material Sampling Plan - based upon the appropriate require					
Disposal Facility Name and Permit Number (for liquids, drilling flu	_	ds cannot be achieved)			
Soil Cover Design - based upon the appropriate requirements of Su					
Re-vegetation Plan - based upon the appropriate requirements of Subsection I of 19.15.17.13 NMAC Site Reclamation Plan - based upon the appropriate requirements of Subsection G of 19.15.17.13 NMAC					

Form C-144 Oil Conservation Division

19 Output on Application Continue	
Operator Application Certification: Thereby certify that the information submitted with this application is true, accurate and c	omplete to the best of my knowledge and belief.
-	Fitle:
	Date:
	elephone:
OCD Approval: Permit Application (including closure plan) Clos OCD Representative Signature: Title: OMP GALCE OF THE	ure Plan (only) OCD Conditions (see attachment) Approval Date: 5/21/2013 OCD Permit Number:
21	
Closure Report (required within 60 days of closure completion): Subsection K of Instructions: Operators are required to obtain an approved closure plan prior to implement report is required to be submitted to the division within 60 days of the completion of the capproved closure plan has been obtained and the closure activities have been completed.	enting any closure activities and submitting the closure report. The closure losure activities. Please do not complete this section of the form until an
	X Closure Completion Date: June 18, 2012
Closure Method: Waste Excavation and Removal X On-site Closure Method All If different from approved plan, please explain.	ernative Closure Method Waste Removal (Closed-loop systems only)
23	
Closure Report Regarding Waste Removal Closure For Closed-loop Systems That U Instructions: Please identify the facility or facilities for where the liquids, drilling fluids were utilized.	
	Disposal Facility Permit Number:
Disposal Facility Name:	Disposal Facility Permit Number:
Were the closed-loop system operations and associated activities performed on or in a	reas that will not be used for future service and opeartions?
Yes (If yes, please demonstrate compliane to the items below)	
Required for impacted areas which will not be used for future service and operations: Site Reclamation (Photo Documentation)	
Soil Backfilling and Cover Installation	
Re-vegetation Application Rates and Seeding Technique	
24	
Closure Report Attachment Checklist: Instructions: Each of the following its	ems must be attached to the closure report. Please indicate, by a check mark in
the box, that the documents are attached. X Proof of Closure Notice (surface owner and division)	
N Proof of Closure Notice (squired for on-site closure)	
X Plot Plan (for on-site closures and temporary pits)	
X Confirmation Sampling Analytical Results (if applicable)	
Waste Material Sampling Analytical Results (if applicable)	
X Disposal Facility Name and Permit Number	
Soil Backfilling and Cover Installation	
X Re-vegetation Application Rates and Seeding Technique	
X Site Reclamation (Photo Documentation)	
On-site Closure Location: Latitude: 36.92209 °N Lo	ongitude: 107.79834 °W NAD 1927 X 1983
Operator Clasura Cartification	
Operator Closure Certification: I hereby certify that the information and attachments submitted with this closure report is the closure complies with all applicable closure requirements and conditions specified in	
Name (Print): Jamie Goodwin	Title: Regulatory Tech.
Signature: (300dw)	Date: 8812
e-mail address:	Telephone: 505-326-9784

Burlington Resources Oil Gas Company, LP San Juan Basin Closure Report

Lease Name: SAN JUAN 32-9 UNIT 24B

API No.: 30-045-35208

In accordance with Rule 19.15.17.13 NMAC the following information describes the closure of the temporary pit referenced above. All proper documentation regarding closure activities is being included with the C-144. The temporary pit for this location was constructed and location drilled before June 16, 2008 (effective date for Rule 19.15.17). While closure of the temporary pit did fall within the rule some dates for submittals are after the rig release date.

- Details on Capping and Covering, where applicable. (See report)
- Plot Plan (Pit Diagram) (Included as an attachment)
- Inspection Reports (Included as an attachment)
- Sampling Results (Included as an attachment)
- C-105 (Included as an attachment)
- Copy of Deed Notice will be filed with County Clerk (Not required on Federal, State, or Tribal land as stated by FAQ dated October 30, 2008)

General Plan:

1. All free standing liquids will be removed at the start of the pit closure process from the pit and disposed of in a division—approved facility or recycle, reuse or reclaim the liquids in a manner that the appropriate division district office approves.

All recovered liquids were disposed of at Basin Disposal (Permit #NM-01-005) and any sludge or soil required to be removed to facilitate closure was hauled to Envirotech Land Farm (Permit #NM-01-011) and JFJ Landfarm % IEI (Permit #NM-01-0010B).

2. The preferred method of closure for all temporary pits will be on-site burial, assuming that all the criteria listed in sub-section (B) of 19.15.17.13 are met.

The pit was closed using onsite burial.

3. The surface owner shall be notified of BR's closing of the temporary pit as per the approved closure plan using certified mail, return receipt requested.

The closure process notification to the landowner was sent via certified mail. (See Attached)(Well located on Private Land, certified mail is not required for Federal Land per BLM/OCD MOU.)

4. Within 6 months of the Rig Off status occurring BR will ensure that temporary pits are closed, re-contoured, and reseeded.

Theoree das (ig release date was reported as 10/28/2011 and rule change was Provision 4 of the closure plan requirements were not met due to rig move off date as noted on C-105 which 6/16/2008 was prior to pit rule change. Burlington will ensure compliance with this rule in the future.

- 5. Notice of Closure will be given to the Aztec Division office between 72 hours and one week of closure via email, or verbally. The notification of closure will include the following:
 - i. Operator's name
 - ii. Location by Unit Letter, Section, Township, and Range. Well name and API number.

Notification is attached.

6. Liner of temporary pit shall be removed above "mud level" after stabilization. Removal of liner will consist of manually or mechanically cutting liner at mud level and removing all remaining liner. Care will be taken to remove "All" of the liner i.e., edges of liner entrenched or buried. All excessive liner will be disposed of at a licensed disposal facility.

Liner of temporary pit was removed above "mud level" after stabilization. Removal of the liner consisted of manually cutting liner at mud level and removing all remaining liner. Care was taken to remove "ALL" of the liner i.e., edges of liner entrenched or buried. All excessive liner was disposed of at a licensed disposal facility, (San Juan County Landfill).

7. Pit contents shall be mixed with non-waste containing, earthen material in order to achieve the solidification process. The solidification process will be accomplished using a combination of natural drying and mechanically mixing. Pit contents will be mixed with non-waste, earthen material to a consistency that is deemed a safe and stable. The mixing ratio shall not exceed 3 parts clean soil to 1 part pit contents.

Burlington mixed the Pit contents with non-waste containing, earthen material in order to achieve the solidification process. The solidification process was accomplished by using a combination of natural drying and mechanically mixing. Pit contents were mixed with non-waste, earthen material to a consistency that is deemed as safe and stable. The mixing ratio consisted of approximately 3 parts clean soil to 1 part pit contents.

8. A five point composite sample will be taken of the pit using sampling tools and all samples tested per Subsection B of 19.15.17.13(B)(1)(b). In the event that the criteria are not met, all contents will be handled per Subparagraph (a) of Paragraph (1) of Subsection B of 19.15.17.13 i.e., Dig and haul.

A five point composite sample was taken of the pit using sampling tools and all samples tested per Subsection B of 19.15.17.1 3(B)(1)(b). (Sample results attached).

Tests Method	Limit (mg/Kg)	Results
EPA SW-846 8021B or 8260B	0.2	15.4 ug/kg
EPA SW-846 8021B or 8260B	50	312 ug/kG
EPA SW-846 418.1	2500	73.9mg/kg
EPA SW-846 8015M	500	ND mg/Kg
EPA 300.1	(1000/500	70 mg/L
	EPA SW-846 8021B or 8260B EPA SW-846 8021B or 8260B EPA SW-846 418.1 EPA SW-846 8015M	EPA SW-846 8021B or 8260B 0.2 EPA SW-846 8021B or 8260B 50 EPA SW-846 418.1 2500 EPA SW-846 8015M 500

9. Upon completion of solidification and testing standards being passed, the pit area will be backfilled with compacted, non-waste containing, earthen material. A minimum of four feet of cover shall be achieved and the cover shall include one foot of suitable material to establish vegetation at the site, or the background thickness of topsoil, whichever is greater. If standard testing fails BR will dig and haul all contents pursuant to 19.15.17.13.i.a. After doing such, confirmation sampling will be conducted to ensure a release has not occurred.

The pit material passed solidification and testing standards. The pit area was then backfilled with compacted, non-waste containing, earthen material. More than four feet of cover was achieved and the cover included one foot of suitable material to establish vegetation at the site.

10. During the stabilization process if the liner is ripped by equipment the Aztec OCD office will be notified within 48 hours and the liner will be repaired if possible. If the liner can not be repaired then all contents will be excavated and removed.

The integrity of the liner was not damaged in the pit closure process.

11. Dig and Haul Material will be transported to the Envirotech Land Farm located 16 miles south of Bloomfield on Angel Peak Road, CR 7175. Permit # NM010011

Dig and Haul was not required.

12. Re-contouring of location will match fit, shape, line, form and texture of the surrounding. Re-shaping will include drainage control, prevent ponding, and prevent erosion. Natural drainages will be unimpeded and water bars and/or silt traps will be place in areas where needed to prevent erosion on a large scale. Final recontour shall have a uniform appearance with smooth surface, fitting the natural landscape.

The pit area was re-contoured to match fit, shape, line, form and texture of the surrounding area. Reshaping included drainage control, to prevent ponding and erosion. Natural drainages were unimpeded and water bars and/or silt traps were placed in areas where needed to prevent erosion on a large scale. Final recontour has a uniform appearance with smooth surface, fitting the natural landscape.

13. Notification will be sent to OCD when the reclaimed area is seeded.

Provision 13 was accomplished on 6/27/12 with the following seeding regiment:

Туре	Variety or Cultivator	PLS/A
Western wheatgrass	Arriba	3.0
Indian ricegrass	Paloma or Rimrock	3.0
Slender wheatgrass	San Luis	2.0
Crested wheatgrass	Hy-crest	3.0
Bottlebrush Squirreltail	Unknown	2.0
Four-wing Saltbrush	Delar	.25

14. BR shall seed the disturbed areas the first growing season after the operator closes the pit. Seeding will be accomplished via drilling on the contour whenever practical or by other division-approved methods. BLM or Forest Service stipulated seed mixes will used on federal lands. Vegetative cover will equal 70% of the native perennial vegetative cover (un-impacted) consisting of at least three native plant species, including at least one grass, but not including noxious weeds, and maintain that cover through two successive growing seasons. Repeat seeding or planting will be continued until successful vegetative growth occurs.

Provision 14 was accomplished on 6/27/12 with the above seeding regiment. Seeing was accomplished via drilling on the contour whenever practical or by other division-approved methods. The OCD will be notified once two successive growing seasons have been accomplished by submitting a C-103.

15. The temporary pit will be located with a steel marker, no less than four inches in diameter, cemented in a hole three feet deep in the center of the onsite burial upon the abandonment of all the wells on the pad. The marker will be flush with the ground to allow access of the active well pad and for safety concerns. The marker will include a threaded collar to be used for future abandonment. The top of the marker will contain a welded steel 12" square plate that indicates the onsite burial of the temporary pit. The plate will be easily removable and a four foot tall riser will be threaded into the top of the collar marker and welded around the base with the operator's information at the time of all wells on the pad are abandoned. The operator's information will include the following: Operator Name, Lease Name, Well Name and number, Unit Number, Section, Township, Range and an indicator that the marker is an onsite burial location.

Provision 15 was accomplished by installing a steel marker in the temporary pit, no less than four inches in diameter, cemented in a hole three feet deep in the center of the onsite burial. The marker is flush with the ground to allow access of the active well pad and for safety concerns. The top of the marker contains a welded steel 12" square plate that indicates the onsite burial of the temporary pit. The plate contains the following: Operator Name, Lease Name, Well Name and number, Unit Number, Section, Township, Range and an indicator that the marker is an onsite burial location.

The plate will be easily removable and a four foot tall riser will be threaded into the top of the collar marker and welded around the base with the following operator's information at the time of all wells on the pad are abandoned. The riser will be labeled: BR, Fee, SAN JUAN 32-9 UNIT 24B, UL-P, Sec. 5, T 31N, R 9W, API # 30-045-35208



ConocoPhillips Company GRFS / PTRRC – San Juan Business Unit Juanita Farrell 3401 East 30th Street Farmington, NM 87402 Telephone: (505) 326-9597

Telephone: (505) 326-9597 Facsimile: (505) 324-6136

October 21, 2010

Oil Conservation Department 1000 Rio Brazos Road Aztec, New Mexico 87410

Subject:

San Juan 32-9 Unit 24B SE Section 5, T31N, R9W San Juan County, New Mexico

To whom it concerns:

Pursuant to Paragraph 1 (b) of Subsection F of 19.15.17.13 NMAC, an operator shall provide the surface owner of the operator's proposal to close a temporary pit on-site in compliance with the on-site closure methods specified in the same Subsection of the NMAC.

The subject well and proposed temporary pit is located on property owned by ConocoPhillips; therefore a certified letter will not be mailed.

If you have any questions, please contact me @ (505) 326-9597 or the PTRRC Department @ (505) 324-6111.

Sincerely,

Juanita Farrell

Juanita Farrell Staff Associate, PTRRC DISTRICT I 1625 N. French Dr., Hobbs, N.M. 88240

State of New Mexico Energy, Minerals & Natural Resources Department

Form C-102 Revised October 12, 2005

DISTRICT II 1301 W. Grand Avenue, Artesia, N.M. 88210

DISTRICT III 1000 Rio Brazos Rd., Aztec, N.M. 87410 OIL CONSERVATION DIVISION 1220 South St. Francis Dr. Santa Fe, NM 87505 Submit to Appropriate District Office State Lease - 4 Copies Fee Lease - 3 Copies

EAST

☐ AMENDED REPORT

SAN JUAN

DISTRICT IV 1220 S. St. Francis Dr., Santa Fe, NM 87606

5 |

31N

9W

WELL LOCATION AND ACREAGE DEDICATION PLAT

'API Number			*Pool Code *Pool Name						
						BLANCO	MESAVERDE ,	/ BASIN DAKO	ΓΑ
Property Co	ebx				⁵ Property	Name	*	0.1	Tell Number
					SAN JUAN	32-9 UNIT		İ	24 B
OGRID No			-		⁵ Operator	Name	÷*		[®] Elevation
16292	8		BURLINGTON RESOURCES OIL & GAS COMPANY LP					6637'	
					¹⁰ Surface	Location			
L or lot no.	Section	Township	Range	Lot Idn	Feet from the	North/South line	Feet from the	East/West line	County

¹¹ Bottom Hole Location If Different From Surface


SOUTH

1168'

890'

							,,,,			
UL or lot no.	Section	Township	Range	Lot Idn	Feet from the	North/South line	Feet from the	East/West line	County	
J	5	31N	9W	l 	1993'	SOUTH	1780'	EAST	SAN	JUAN
B Dedicated Acres	9		18 Joint or	Infill	¹⁴ Consolidation C	ode	¹⁸ Order No.			
316.70 AC	CRES -	E/2								

NO ALLOWABLE WILL BE ASSIGNED TO THIS COMPLETION UNTIL ALL INTERESTS HAVE BEEN CONSOLIDATED OR A NON-STANDARD UNIT HAS BEEN APPROVED BY THE DIVISION



WELL FLAG

LATITUDE: 36.92219° N I ONGITUDE: 107.79863° W

CENTER OF PIT

LATITUDE: 36.92209° N ONGITUDE: 107.79834° W ELEVATION: 6624.8

DATUM: NAD83 & NAVD88

BURLINGTON RESOURCES OIL & GAS COMPANY LP

SAN JUAN 32-9 UNIT #24 B 890' FSL & 1168' FEL


LOCATED IN THE SE/4 SE/4 OF SECTION 5.


T31N, R9W, N.M.P.M.,

SAN JUAN COUNTY, NEW MEXICO

GROUND ELEVATION: 6637', NAVD 88

FINISHED PAD ELEVATION: 6636.8', NAVD 88





TOTAL PERMITTED AREA 330' x 400' = 3.03 ACRES

SCALE: 1" = 60' JOB No.: COPC327 DATE: 07/01/09 DRAWN BY: TWT

NOTE:

RESERVE PIT DIKE: TO BE 8' ABOVE DEEP SIDE (OVERFLOW - 3' WIDE AND 1' ABOVE SHALLOW SIDE). RUSSELL SURVEYING, INC. IS NOT LIABLE FOR UNDERGROUND UTILITIES OR PIPELINES. CONTRACTOR SHOULD CALL ONE-CALL FOR LOCATION OF ANY MARKED OR UNMARKED, BURIED PIPELINES OR CABLES ON WELL PAD, IN CONSTRUCTION ZONE AND/OR ACCESS ROAD AT LEAST TWO (2) WORKING DAYS PRIOR TO CONSTRUCTION.

MATCH THE ORIGINAL CONTOURS AS CLOSE AS POSSIBLE.

Russell Surveying 1409 W. Aztec Blvd. #2 Aztec, New Mexico 87410 (505) 334-8637

SLOPES TO BE CONSTRUCTED TO



EPA METHOD 8015 Modified Nonhalogenated Volatile Organics Total Petroleum Hydrocarbons

Client:	ConocoPhillips	Project #:	96052-1706
Sample ID:	Back Ground	Date Reported:	03-29-12
Laboratory Number:	61491	Date Sampled:	03-22-12
Chain of Custody No:	13541	Date Received:	03-22-12
Sample Matrix:	Soil	Date Extracted:	03-22-12
Preservative:	Cool	Date Analyzed:	03-28-12
Condition:	Intact	Analysis Requested:	8015 TPH

Parameter	Concentration (mg/Kg)	Det. Limit (mg/Kg)
Gasoline Range (C5 - C10)	ND	0.2
Diesel Range (C10 - C28)	ND	0.1
Total Petroleum Hydrocarbons	ND	

ND - Parameter not detected at the stated detection limit.

References: Method 8015

Method 8015B, Nonhalogenated Volatile Organics, Test Methods for Evaluating Solid Waste,

SW-846, USEPA, December 1996.

Comments:

S.J. 32-9 #24B

Analyst

Ph (505) 632-0615 Fx (505) 632-1865

Ph (970) 259-0615 Fr (800) 362-1879





EPA METHOD 8015 Modified Nonhalogenated Volatile Organics Total Petroleum Hydrocarbons

Client:	ConocoPhillips	Project #:	96052-1706
Sample ID:	Reserve Pit	Date Reported:	03-29-12
Laboratory Number:	61492	Date Sampled:	03-22-12
Chain of Custody No:	13541	Date Received:	03-22-12
Sample Matrix:	Soil	Date Extracted:	03-22-12
Preservative:	Cool	Date Analyzed:	03-28-12
Condition:	Intact	Analysis Requested:	8015 TPH

Parameter	Concentration (mg/Kg)	Det. Limit (mg/Kg)
Gasoline Range (C5 - C10)	ND	0.2
Diesel Range (C10 - C28)	ND	0.1
Total Petroleum Hydrocarbons	ND	

ND - Parameter not detected at the stated detection limit.

References:

Method 8015B, Nonhalogenated Volatile Organics, Test Methods for Evaluating Solid Waste,

SW-846, USEPA, December 1996.

Comments:

S.J. 32-9 #24B

Analyst

Review.

U





EPA Method 8015 Modified Nonhalogenated Volatile Organics **Total Petroleum Hydrocarbons**

Quality Assurance Report

Client: Sample ID:

0328TCAL QA/QC

Project #: Date Reported: N/A 03-29-12

Laboratory Number:

61528

QA/QC

Date Sampled:

N/A

Sample Matrix:

Methylene Chloride

Date Received:

N/A

Preservative:

N/A

Date Analyzed:

03-28-12

Condition:

N/A

Analysis Requested:

TPH

Gasoline Range C5 - C10

I-Cal Date 03-28-12

9.9960E+02 1.0000E+03

C-Cal RF: % Difference; Accept Range 0.04%

0 - 15%

Diesel Range C10 - C28

03-28-12

9.9960E+02 1.0000E+03

0.04%

0 - 15%

Blank Conc. (mg/L = mg/Kg)

Gasoline Range C5 - C10 Diesel Range C10 - C28

ND ND

Concentration,

I-Cal RF

Detection Limit 0.2

Total Petroleum Hydrocarbons

ND

0.1

Duplicate Conc. (mg/Kg)	Sample	Duplicate	% Difference	Accept-Range
Gasoline Range C5 - C10	ND	ND	0.0%	0 - 30%
Diesel Range C10 - C28	ND	ND	0.0%	0 - 30%

Spike Conc. (mg/Kg)	Sample	Spike Added	Spike Resul	t: 1% Récovery	Accept: Range
Gasoline Range C5 - C10	ND	250	291	116%	75 - 125%
Diesel Range C10 - C28	ND	250	289	116%	75 - 125%

ND - Parameter not detected at the stated detection limit.

References:

Method 8015B, Nonhalogenated Volatile Organics, Test Methods for Evaluating Solid Was

SW-846, USEPA, December 1996.

Comments:

QA/QC for Samples 61491-61492, 61510-61518, 61528-61530 and 61533-61534

Analyst



EPA METHOD 8021 AROMATIC VOLATILE ORGANICS

Client:	ConocoPhillips	Project #:	96052-1706
Sample ID:	Back Ground	Date Reported:	03-29-12
Laboratory Number:	61491	Date Sampled:	03-22-12
Chain of Custody:	13541	Date Received:	03-22-12
Sample Matrix:	Soil	Date Analyzed:	03-28-12
Preservative:	Cool	Date Extracted:	03-22-12
Condition:	Intact	Analysis Requested:	BTEX
		Dilution:	50

	Dilution:	50	
		Det.	_
	Concentration	Limit	
Parameter	(ug/Kg)	(ug/Kg)	
Benzene	16.1	10.0	
Toluene	159	10.0	
Ethylbenzene	26.4	10.0	
p,m-Xylene	155	10.0	
o-Xylene	48.0	10.0	
Total BTEX	404		

ND - Parameter not detected at the stated detection limit.

Surrogate Recoveries:	Parameter	Percent Recovery
	Fluorobenzene	93.5 %
	1,4-difluorobenzene	101 %
	Bromochlorobenzene	103 %

References:

Method 5030B, Purge-and-Trap, Test Methods for Evaluating Solid Waste, SW-846, USEPA,

December 1996.

Method 8021B, Aromatic Volatile Organics, Test Methods for Evaluating Solid Waste, SW-846,

USEPA, December 1996.

Comments:

S.J. 32-9 #24B

Analyst

Review







EPA METHOD 8021 AROMATIC VOLATILE ORGANICS

Client:	ConocoPhillips	Project #:	96052-1706
Sample ID:	Reserve Pit	Date Reported:	03-29-12
Laboratory Number:	61492	Date Sampled:	03-22-12
Chain of Custody:	13541	Date Received:	03-22-12
Sample Matrix:	Soil	Date Analyzed:	03-28-12
Preservative:	Cool	Date Extracted:	03-22-12
Condition:	Intact	Analysis Requested:	BTEX
		Dilution:	50

	Concentration	Det. Limit	
Parameter	(ug/Kg)	(ug/Kg)	
Benzene	15.4	10.0	
Toluene	100	10.0	
Ethylbenzene	17.0	10.0	
p,m-Xylene	139	10.0	
o-Xylene	41.0	10.0	
Total BTEX	312		

ND - Parameter not detected at the stated detection limit.

Surrogate Recoveries:	Parameter	Percent Recovery
	Fluorobenzene	98.8 %
	1,4-difluorobenzene	105 %
	Bromochlorobenzene	102 %

References:

Method 5030B, Purge-and-Trap, Test Methods for Evaluating Solid Waste, SW-846, USEPA,

December 1996.

Method 8021B, Aromatic Volatile Organics, Test Methods for Evaluating Solid Waste, SW-846.

USEPA, December 1996.

Comments:

S.J. 32-9 #24B

5796 US Highway 64, Farmington, NM 87401

Ph (505) 632-0615 Fx (505) 632-1865

Three Springs • 65 Mercado Street, Suite 115, Durango, CO 81301

Ph (970) 259-0615 Fr (800) 362-1879





Ethylbenzene

p,m-Xylene

o-Xylene

EPA METHOD 8021 AROMATIC VOLATILE ORGANICS

ND

ND

ND

0.2

0.2

0.2

Client:	N/A	:	Project #:		N/A	
Sample ID:	0328BCAL QA/Q	C I	Date Reported:		03-29-12	
Laboratory Number:	61491	1	Date Sampled:		N/A	
Sample Matrix:	Soil		Date Received:		N/A	
Preservative:	N/A	1	Date Analyzed:		03-28-12	
Condition:	N/A		Analysis:		BTEX	
		l	Dilution:		50	
Calibration and	(I-CaliRF	CECAL RE	↓%Diff.	Blank	Detect	
Detection Limits (ug/L)		Accept! Range 0-15%		Conc	Limits	
Benzene	5.2548E-06	5.2548E-06	0.000	ND	0.2	
Toluene	5.0348E-06	5.0348E-06	0.000	ND	0.2	

5.6748E-06

4.2525E-06

6.0959E-06

0.000

0.000

0.000

5.6748E-06

4.2525E-06

6.0959E-06

Duplicate Conc. (ug/Kg) Sample Duplicate & Molff Accept Range Detect Limit					
Benzene	16.1	16.0	0.01	0 - 30%	10
Toluene	159	189	0.18	0 - 30%	10
Ethylbenzene	26.4	27.1	0.03	0 - 30%	10
p,m-Xylene	155	168	0.09	0 - 30%	10
o-Xylene	48.0	50.6	0.05	0 - 30%	10

Spike Conc: (ug/kg)	Sample: Amo	unt Spiked Spik	ed Sample : % l	Recovery	Accept Range -
Benzene	16.1	2500	2740	109	39 - 150
Toluene	159 [°]	2500	3130	118	46 - 148
Ethylbenzene	26.4	2500	2730	108	32 - 160
p,m-Xylene	155	5000	5710	111	46 - 148
o-Xylene	48.0	2500	2770	109	46 - 148

ND - Parameter not detected at the stated detection limit.

Dilution: Spike and spiked sample concentration represent a dilution proportional to sample dilution.

References: Method 5030B, Purge-and-Trap, Test Methods for Evaluating Solid Waste, SW-846, USEPA,

December 1996.

Method 8021B, Aromatic and Halogenated Volatiles by Gas Chromatography Using

Photoionization and/or Electrolytic Conductivity Detectors, SW-846, USEPA December 1996.

Comments: QA/QC for Samples 61491-61492 and 61533-61534

Analyst 5796 US Highway 64, Farmington, NM 87401

Ph (505) 632-0615 Fx (505) 632-1865

Ph (970) 259-0615 Fr (800) 362-1879

Three Springs • 65 Mercado Street, Suite 115, Durango, CO 81301



EPA METHOD 418.1 TOTAL PETROLEUM HYDROCARBONS

Client:	ConocoPhillips	Project #:	96052-1706
Sample ID:	Back Ground	Date Reported:	03-26-12
Laboratory Number:	61491	Date Sampled:	03-22-12
Chain of Custody No:	13541	Date Received:	03-22-12
Sample Matrix:	Soil	Date Extracted:	03-23-12
Preservative:	Cool	Date Analyzed:	03-23-12
Condition:	Intact	Analysis Needed:	TPH-418.1

		Det.
	Concentration	Limit
Parameter	(mg/kg)	(mg/kg)

Total Petroleum Hydrocarbons

20.7

3.7

ND = Parameter not detected at the stated detection limit.

References:

Method 418.1, Petroleum Hydrocarbons, Total Recoverable, Chemical Analysis of Water

and Waste, USEPA Storet No. 4551, 1978.

Comments:

S.J. 32-9 #24B

Analyst

Review

Ph (505) 632-0615 Fx (505) 632-1865

....

Ph (970) 259-0615 Fr (800) 362-1879



Three Springs • 65 Mercado Street, Suite 115, Durango, CO 81301



EPA METHOD 418.1 TOTAL PETROLEUM HYDROCARBONS

Client:	ConocoPhillips	Project #:	96052-1706
Sample ID:	Reserve Pit	Date Reported:	03-26-12
Laboratory Number:	61492	Date Sampled:	03-22-12
Chain of Custody No:	13541	Date Received:	03-22-12
Sample Matrix:	Soil	Date Extracted:	03-23-12
Preservative:	Cool	Date Analyzed:	03-23-12
Condition:	Intact	Analysis Needed:	TPH-418.1

		Det.
	Concentration	Limit
Parameter	(mg/kg)	(mg/kg)

Total Petroleum Hydrocarbons

73.9

3.7

ND = Parameter not detected at the stated detection limit.

References:

Method 418.1, Petroleum Hydrocarbons, Total Recoverable, Chemical Analysis of Water

and Waste, USEPA Storet No. 4551, 1978.

Comments:

S.J. 32-9 #24B

5796 US Highway 64, Farmington, NM 87401

Ph (505) 632-0615 Fx (505) 632-1865 Ph (970) 259-0615 Fr (800) 362-1879







QUALITY ASSURANCE REPORT

Client:

QA/QC

Project #:

N/A

Sample ID:

QA/QC

Date Reported:

03-26-12

Laboratory Number:

03-23-TPH.QA/QC 61491

Date Sampled:

N/A

Sample Matrix:

Freon-113

03-23-12

Date Analyzed:

03-23-12 03-23-12

Preservative:

Condition:

N/A N/A Date Extracted: Analysis Needed:

TPH

Calibration | LiCal Date | C-Cal Date | LiCal RE | C-Cal RE | W Difference | Accept Range

01-17-12

1,720

7.0%

+/- 10%

Blank Conc. (mg/Kg

Concentration:

1,850

Detection Limit

TPH

TPH

ND

5.0

Duplicate Conc. (mg/Kg)

20.7

18.5

Duplicate: - % Difference - Accept Range

+/- 30%

Spike Conc. (mg/Kg)

Sample: Spike Added Spike Result % Recovery, Accept Range

10.6%

TPH

20.7

2,000

2,070

102%

80 - 120%

ND = Parameter not detected at the stated detection limit.

References:

Method 418.1, Petroleum Hydrocarbons, Total Recoverable, Chemical Analysis of Water

and Waste, USEPA Storet No. 4551, 1978.

Comments:

QA/QC for Samples 61491-61492, 61501-61503, 61507.





Chloride

ConocoPhillips Project #: 96052-1706 Client: Sample ID: **Back Ground** Date Reported: 03-28-12 Lab ID#: 61491 Date Sampled: 03-22-12 Sample Matrix: Date Received: 03-22-12 Soil Preservative: Cool Date Analyzed: 03-28-12 Condition: Intact Chain of Custody: 13541

Parameter

Concentration (mg/Kg)

Total Chloride

ND

Reference:

U.S.E.P.A., 4500B, "Methods for Chemical Analysis of Water and Wastes", 1983.

Standard Methods For The Examination of Water And Waste Water", 18th ed., 1992.

Comments:

S.J. 32-9 #24B

Analyst

Review

5796 US Highway 64, Farmington, NM 87401

Ph (505) 632-0615 Fx (505) 632-1865

Three Springs • 65 Mercado Street, Suite 115, Durango, CO 81301

Ph (970) 259-0615 Fr (800) 362-1879





Chloride

Project #: Client: ConocoPhillips 96052-1706 Sample ID: Reserve Pit Date Reported: 03-28-12 Lab ID#: 61492 Date Sampled: 03-22-12 Sample Matrix: Soil Date Received: 03-22-12 Preservative: Cool Date Analyzed: 03-28-12 Condition: Intact Chain of Custody: 13541

Parameter Concentration (mg/Kg)

Total Chloride

70

Reference:

U.S.E.P.A., 4500B, "Methods for Chemical Analysis of Water and Wastes", 1983.

Standard Methods For The Examination of Water And Waste Water", 18th ed., 1992.

Comments:

S.J. 32-9 #24B

Analyst

Review



Ph (505) 632-0615 Fx (505) 632-1865

Three Springs • 65 Mercado Street, Suite 115, Durango, CO 81301

Ph (970) 259-0615 Fr (800) 362-1879



Submit To Appropris Two Copics	ate District Of	ffice			State of Ne					Form C-105						
District I 1625 N. French Dr.,	Hobbs, NM 8	88240	Energy, Minerals and Natural Resources					}	July 17, 2008 1. WELL API NO.							
District II 1301 W. Grand Ave	nue, Artesia, N	NM 88210		Oil	l Conservat	tion	Divisio	n		30-045-35208						
District III 1000 Rio Brazos Rd					20 South St					2. Type of Lease						
District IV 1220 S. St. Francis I					Santa Fe, N			1.		STATE FEE FED/INDIAN 3. State Oil & Gas Lease No.						
										the state of the s						
4. Reason for filir		TION OF	RECC	MPL	ETION RE	POF	RIAND	LOG					ment N	ame		
	_	NT (F:11 : 1	u • .•	1 421	r c		• \			5. Lease Name or Unit Agreement Name SAN JUAN 32-9 UNIT						
COMPLETIC							• /			6. Well Numb	er:					
									/or	24B						
7. Type of Compl	etion:				□PLUGBACI				/OIR	OTHER					_,	
8. Name of Operat	or									9. OGRID				•		
Burlington Re		Oil Gas Co	ompany,	LP						14538	or W	ildcat				
PO Box 4298, Far		M 87499														
12.Location					Feet from t	he	N/S Line	Feet	from the	E/W	Line	County				
Surface:						<u> </u>							_			
BH:	Lu Da	T.D. D. L. I	1,5,	D. (D.	D. 1			D		1/D 1				(DE	15//5	
13. Date Spudded	14. Date	T.D. Reached	10/2		; Released		16.	Date Comp	ietea	(Ready to Prod	iuce)		T, GR,		and RKB,	
18. Total Measure	d Depth of \	Well	19. [Plug Bac	k Measured Dep	pth	20.	Was Direct	iona	al Survey Made	?	21. Ty	e Electi	ric and O	ther Logs Ru	n
22. Producing Into	erval(s), of th	his completion	- Top, Bo	ttom, Na	ame							<u> </u>				
23.				CAS	ING REC	OR	D (Repo	ort all st	ring	gs set in w	ell)					
CASING SIZ	E	WEIGHT LI	3./FT.		DEPTH SET			LE SIZE		CEMENTIN		CORD	A	MOUNT	PULLED	
		· · · · · · · · · · · · · · · · · · ·	· · ·							_						
	-							·								
24.				LIN	ER RECORD			 _	25	1	TIRI	NG REC	ORD			
SIZE	TOP	В	ОТТОМ		SACKS CEM	ENT	SCREEN	I	SIZ			EPTH SE		PACK	ER SET	
	ļ															
26. Perforation	record (inter	rval, size, and	number)		<u> </u>		27. ACI	D. SHOT.	FR.	ACTURE, CE	MEN	NT. SOU	EEZE.	ETC.		
								NTERVAL		AMOUNT A						
							ļ			 						
										 						
28.							ODUC:									
Date First Product	ion	Prod	uction Met	hod (Fla	owing, gas lift, p	numpin	ig - Size and	l type pump,)	Well Status	s (Pro	d. or Shu	-in)			
Date of Test	Hours Te	ested	Choke Size		Prod'n For Test Period		Oil - Bbl	·	Ga	s - MCF	W	ater - Bb		Gas - 0	Dil Ratio	
Flow Tubing	Casing P		Calculated	24-	Oil - Bbl.		Gas	- MCF	L	Water - Bbl.		Oil Gr	ivity - A	.PI - (Cor	r.)	
Press. 29. Disposition of	Gas (Sold. 1	ļ	Hour Rate)	<u> </u>						30.	Test Witn	essed By	,		
31. List Attachme	·····									 .	l			<u></u>	·	
32. If a temporary	pit was used	d at the well, a	ttach a pla	t with th	e location of the	temp	orary pit.									
33. If an on-site b	urial was use	ed at the well,	report the	exact loc	cation of the on-	site bu	irial:						-			
T 7 7	:	Latitude 36			gitude 107.7983					1 1 1		1	· · · · ·	11 11		
I hereby certif	y that the	information		Pri	h sides of this nted ne Jamie Go			•					•	id belie,	†	
Signature Control E-mail Address	y I TVU ve jemie 1	المالال				JUUW	111 1111	e: Kegul	alOI	iy iech.	Date	e: 8/8/20	112			
E-mail Addres	s jamie.i.	.goodwin@	сопосор	шпрѕ	.com											

ConocoPhillips

Pit Closure Form:
Date: 6/18/12
Well Name: 5J 32.9 # 24/3
Footages: 690 FS L 1168 FE L Unit Letter:
Section: 5, T-31-N, R-9-W, County: 5, Jun State:
Contractor Closing Pit: Aztec Excavation
Pit Closure Start Date: 6/14/12
Pit Closure Complete Date: 6/18/2
Construction Inspector: 5. M-Classon Date: 6/18/12
Inspector Signature:
Revised 11/4/10 Office Use Only:
Onice use Unity: Subtask DSM Folder

Goodwin, Jamie L

From: Payne, Wendy F

Sent: Monday, June 11, 2012 12:46 PM

To: (Brandon.Powell@state.nm.us); GRP:SJBU Regulatory; Barton, Austin; Blakley, Mac; Coats,

Nathan W; Farrell, Juanita R; Maxwell, Mary Alice; McWilliams, Peggy L; Saiz, Kooper K; Seabolt, Elmo F; Thayer, Ashley A; Thompson, Trey; (lpuepke@cimarronsvc.com); Eli (Cimarron) (eliv@cimarronsvc.com); James (Cimarron) (jwood@cimarronsvc.com); Bassing, Kendal R.; Dee, Harry P; Eric Smith (sconsulting.eric@gmail.com); Faver Norman; Fred Martinez; Lowe, Terry; McCarty Jr, Chuck R; Payne, Wendy F; Peter, Dan J; Smith, Mike W; Spearman, Bobby E; Steve McGlasson; Tally, Ethel; Becker, Joey W; Bowker, Terry D; Brant

Fourr; Frost, Ryan M; Goosey, Paul P; Gordon Chenault; Green, Cary J; GRP:SJBU

Production Leads; Hockett, Christy R; Bassing, Kendal R.; Kennedy, Jim R; Leboeuf, Davin J;

Lopez, Richard A; Nelson, Garry D; O'Nan, Mike J.; Peace, James T; Poulson, Mark E; Schaaphok, Bill; Smith, Randall O; Spearman, Bobby E; Stamets, Steve A; Thibodeaux, Gordon A; Corey Alfandre; 'isaiah@crossfire-llc.com'; Jerid Cabot (jerid@crossfire-llc.com)

Cc: 'Aztec Excavation'

Subject: Reclamation Notice: San Juan 32-9 Unit 24B (Area 4 * Run 410)

Importance: High

Attachments: San Juan 32-9 Unit 24B.pdf; SJ 32-9 Unit 24B APD_C102.pdf

Aztec Excavation will move a tractor to the **San Juan 32-9 Unit 24B** to start the reclamation process on **Thursday, June 14, 2012**. Please contact Steve McGlasson (716-3285) if you have any questions or need further assistance.





San Juan 32-9 Unit SJ 32-9 Unit 24B 24B.pdf (49... APD_C102.pdf ...

Burlington Resources Well - Network # 10304610 - Activity Code D250 (reclamation) & D260 (pit closure) - PO:Kaitlw San Juan County, NM

San Juan 32-9 Unit 24B - FEE surface/FEE minerals

Onsite: n/a

Twin: San Juan 32-9 Unit 24A (existing)

890' FSL, 1168' FEL Sec.5, T31N, R9W Unit Letter " P " Lease # FEE

BH: NWSE,Sec.5,T31N,R9W Latitude: 36° 55' 20" N (NAD 83) Longitude: 107° 47' 55" W (NAD 83)

Elevation: 6637'

Total Acres Disturbed: 3.03

Access Road: n/a API # 30-045-35208 Within City Limits: No Pit Lined: **YES**

Note: Arch monitoring is NOT required on this location.


Wendy Payne ConocoPhillips-SJBU 505-326-9533

Wendy.F.Payne@conocophillips.com

ConocoPhillips

Reclamation Form:
Date: 7/30/10
Well Name: 5532-9#24B
Footages: 1695 FSL 830 FEL Unit Letter:
Section: 5, T-31-N, R-9-W, County: Sn Juan State: MM
Reclamation Contractor: Aztec
Reclamation Start Date: 6/14/17
Reclamation Complete Date: 6/21/12
Road Completion Date: $6/25/12$
Seeding Date: 6/27//2
**PIT MARKER STATUS (When Required): Picture of Marker set needed
MARKER PLACED: $6/29/12$ (DATE)
LATATUDE: 36.922150
LONGITUDE: 107.79844
Pit Manifold removed 6/14//2 (DATE)
Construction Inspector: S. M-[/asso- Date: 7/30//2
Inspector Signature: 5/1/2
Office Use Only: SubtaskDSMFolderPictures

Revised 6/14/2012







SAN JUAN 32-9 UNIT #24A FORMATION MV/PC LATITUDE N 36° 55.3 LONGITUDE W 107° 47.8 1695' FSL 830' FEL SEC. 05 T031N R009W LEASE NO. NMSF-078509 ELEV. 6638 API NO. 30-045-29268

SAN JUAN COUNTY, NEW MEXICO

WELL NAME: ConocoPhillips OPEN PIT INSPECTION FORM San Juan 32-9 Unit 24B INSPECTOR Fred Mtz Fred Mtz Fred Miz Fred Mtz Fred Mtz Fred mtz Fred Mtz Fred Mtz Fred Mtz DATE 10/25/11 10/31/11 11/07/11 11/16/11 11/21/11 11\29/11 12/05/11 12/12/11 12/28/11 Week 1 Week 2 Week 3 Week 4 Week 5 Week 7 Week 9 Week 6 Week 8 *Please request for pit extention after 26 weeks ☐ Drilled ☐ Drilled Drilled Drilled Drilled ✓ Drilled ✓ Drilled ✓ Drilled Drilled Completed Completed Completed Completed Completed ☐ Completed Completed Completed Completed PIT STATUS Clean-Up Clean-Up Clean-Up Clean-Up Clean-Up ☐ Clean-Up Clean-Up Clean-Up Clean-Up LOCATION is the location marked with the proper flagging? ✓ Yes ☐ No ☐ Yes ☐ No. Yes No ☐ Yes ☐ No. ✓ Yes ☐ No ✓ Yes ☐ No. ☐ Yes ☐ No. ☐ Yes ☐ No ☑ Yes ☐ No (Const. Zone, poles, pipelines, etc.) Is the temporary well sign on location and visible ✓ Yes 🗌 No Yes No Yes No ☐ Yes ☐ No ☐ Yes ☐ No ✓ Yes No ☑ Yes ☐ No ☑ Yes ☐ No ☐ Yes ☐ No from access road? Is the access road in good driving condition? ✓ Yes 🗍 No ☐ Yes ☐ No. Yes No Yes No Yes No ☑ Yes ☐ No ✓ Yes ☐ No ✓ Yes ☐ No ☐ Yes ☐ No (deep ruts, bladed) Are the culverts free from debris or any object ✓ Yes No ☐ Yes ☐ No Yes No Yes No Yes No ✓ Yes ☐ No ✓ Yes □ No ☑ Yes ☐ No ☐ Yes ☐ No preventing flow? is the top of the location bladed and in good ✓ Yes No ☐ Yes ☐ No Yes No ☐ Yes ☐ No Yes No Yes No ✓ Yes 🗀 No ☑ Yes ☐ No ☐ Yes ☐ No operating condition? Is the fence stock-proof? (fences tight, barbed ✓ Yes ☐ No ☐ Yes ☐ No. ☐ Yes ☐ No. ☐ Yes ☐ No. Yes No Yes No ✓ Yes □ No ✓ Yes ☐ No ☐ Yes ☐ No wire, fence clips in place? Is the pit liner in good operating condition? (no ✓ Yes ☐ No ☐ Yes ☐ No ☐ Yes ☐ No. ☐ Yes ☐ No. Yes No ☑ Yes ☐ No ✓ Yes No ✓ Yes No Yes No tears, up-rooting corners, etc.) Is the the location free from trash, oil stains and ☑ Yes ☐ No Yes No Yes No Yes No ☐ Yes ☐ No ☐ Yes 🗸 No ☑ Yes ☐ No Yes No ✓ Yes No other materials? (cables, pipe threads, etc.) Does the pit contain two feet of free board? (check ENVIRONMENT ☑ Yes ☐ No ☐ Yes ☐ No ☐ Yes ☐ No ☐ Yes ☐ No Yes No ✓ Yes ☐ No ✓ Yes ☐ No. ☑ Yes ☐ No ☐ Yes ☐ No the water levels) Is there any standing water on the blow pit? ☑ Yes ☐ No ☐ Yes ☐ No ☐ Yes ☐ No ☐ Yes ☐ No Yes No ✓ Yes 🗌 No ✓ Yes 🗌 No ✓ Yes ☐ No ☐ Yes ☐ No Are the pits free of trash and oil? ☑ Yes ☐ No ☐ Yes ☐ No Yes No ☐ Yes ☐ No Yes No Yes V No ☑ Yes ☐ No ✓ Yes 🗌 No Yes No Are there diversion ditches around the pits for ☐ Yes 🔽 No Yes No ☐ Yes ☐ No ☐ Yes ☑ No Yes No Yes No ☑ Yes 🗌 No ✓ Yes 🗌 No ☐ Yes ☐ No natural drainage? Is there a Manifold on location? ☑ Yes ☐ No ☐ Yes ☐ No ☑ Yes ☐ No Yes No Yes No ☐ Yes ☐ No. ✓ Yes □ No ☐ Yes ☐ No ☑ Yes ☐ No Is the Manifold free of leaks? Are the hoses in ✓ Yes □ No ☐ Yes ☐ No Yes No Yes No Yes No ✓ Yes □ No ☐ Yes ☐ No ✓ Yes No Yes No good condition? □ Was the OCD contacted? Yes V No Yes No ☐ Yes ☐ No Yes No Yes No ☐ Yes 🗸 No ☐ Yes ☑ No ☐ Yes 🗸 No Yes No PICTURE TAKEN Yes V No Yes No Yes No Yes No Yes No Yes 🗸 No ☐ Yes ☑ No ☐ Yes ☑ No Yes No on, tia Ilua ditches, location has trash pallets **COMMENTS** pit has debri in it no repairs no location nieeds ditches Rog on location rig on location rig on location rig on location bladed. no repairs No repairs Rig on location

WELL NAME: San Juan 32-9 Unit 24B INSPECTOR FΡ Fred Mtz Fred Mtz frred Mtz Fred Mtz FMtz Fred Mtz Fred Mtz F.Mtz DATE 01/03/12 01/09/12 01/16/12 01/23/11 01/30/12 02/06/12 02/14/12 02/20/12 02/27/12 Week 10 Week 11 Week 12 Week 13 Week 14 Week 15 Week 16 Week 17 Week 18 *Please request for pit extention after 26 weeks ✓ Drilled ✓ Drilled ✓ Drilled □ Drilled ☑ Drilled ✓ Drilled Drilled Drilled ✓ Drilled Completed Completed Completed Completed Completed Completed Completed Completed Completed PIT STATUS Clean-Up Clean-Up Clean-Up Clean-Up Clean-Up Clean-Up Clean-Up Clean-Up Clean-Up Is the location marked with the proper flagging? ✓ Yes ☐ No. ✓ Yes ☐ No. ✓ Yes ☐ No. ☑ Yes ☐ No. ☐ Yes ☑ No. ☐ Yes ☐ No. ☐ Yes ☐ No. ✓ Yes ☐ No. ✓ Yes ☐ No (Const. Zone, poles, pipelines, etc.) Is the temporary well sign on location and visible ✓ Yes ☐ No ✓ Yes No ✓ Yes 🗆 No ✓ Yes ☐ No ✓ Yes 🗌 No Yes No Yes No ☑ Yes ☐ No ✓ Yes 🗌 No from access road? Is the access road in good driving condition? ☐ Yes 🗸 No ☐ Yes 🗸 No Yes 🗸 No ☐ Yes 🗸 No ☐ Yes 🗸 No Yes No ☐ Yes ☐ No ☐ Yes ☑ No ☐ Yes 🔽 No (deep ruts, bladed) Are the culverts free from debris or any object ✓ Yes ☐ No. ☑ Yes ☐ No ✓ Yes ☐ No ✓ Yes ☐ No ✓ Yes ☐ No ☐ Yes ☐ No ☐ Yes ☐ No ☑ Yes ☐ No ✓ Yes ☐ No preventing flow? Is the top of the location bladed and in good ☐ Yes 🔽 No Yes V No. ☐ Yes 🗸 No ☐ Yes 🔽 No ☐ Yes ☑ No ☐ Yes ☐ No ☐ Yes ☐ No ☐ Yes 🔽 No ☐ Yes 🔽 No operating condition? Is the fence stock-proof? (fences tight, barbed ☐ Yes ☑ No ✓ Yes ☐ No Yes No ✓ Yes No ☐ Yes ☐ No ☐ Yes ☐ No ☐ Yes ☐ No ☑ Yes ☐ No ✓ Yes ☐ No wire, fence clips in place? Is the pit liner in good operating condition? (no ☑ Yes ☐ No ✓ Yes No ☑ Yes ☐ No ✓ Yes □ No ☐ Yes ☐ No ☐ Yes ☐ No ✓ Yes □ No ✓ Yes ☐ No ✓ Yes ☐ No tears, up-rooting corners, etc.) Is the the location free from trash, oil stains and ✓ Yes ☐ No. ✓ Yes ☐ No. ☐ Yes ☐ No ✓ Yes ☐ No. ☐ Yes 🗸 No ☐ Yes 🗸 No Yes No ✓ Yes No ✓ Yes ☐ No other materials? (cables, pipe threads, etc.) Does the pit contain two feet of free board? (check Yes V No ✓ Yes ☐ No ✓ Yes □ No ☐ Yes 🗸 No ☑ Yes ☐ No ☐ Yes ☐ No ☐ Yes ☐ No ☑ Yes ☐ No ☑ Yes ☐ No the water levels) ENVIRONM Is there any standing water on the blow pit? ✓ Yes ☐ No. ✓ Yes ☐ No. ✓ Yes ☐ No. ☑ Yes ☐ No ✓ Yes ☐ No ☐ Yes ☐ No ☐ Yes ☐ No ☑ Yes ☐ No ✓ Yes ☐ No. Are the pits free of trash and oil? ✓ Yes No ✓ Yes ☐ No. ✓ Yes ☐ No. ☐ Yes ☑ No. ☐ Yes 🔽 No ☐ Yes 🗸 No ☐ Yes ☐ No Yes No ✓ Yes ☐ No Are there diversion ditches around the pits for ☑ Yes ☐ No Yes No ☐ Yes 🗸 No Yes No ☐ Yes ☐ No Yes No ✓ Yes 🗀 No ✓ Yes No ☐ Yes ☑ No natural drainage? Is there a Manifold on location? ✓ Yes No ☐ Yes 🗸 No ✓ Yes ☐ No ☑ Yes ☐ No Yes No Yes No ☑ Yes ☐ No ✓ Yes 🗆 No ✓ Yes ☐ No ls the Manifold free of leaks? Are the hoses in ☑ Yes ☐ No ✓ Yes
☐ No ✓ Yes ☐ No ☑ Yes ☐ No ✓ Yes ☐ No Yes No Yes No ✓ Yes ☐ No ☑ Yes ☐ No good condition? △ Was the OCD contacted? ☐ Yes ☑ No Yes No ☐ Yes 🗸 No ☐ Yes ☑ No ☐ Yes ☑ No ☐ Yes ✓ No Yes No Yes No ☐ Yes 🔽 No ☐ Yes ☑ No Yes No ☐ Yes ☑ No PICTURE TAKEN Yes V No Yes V No ☐ Yes ✓ No Yes No Yes No Yes V No ocation and road dug up no No ditches roads road need flagging around location needs rutted location no ditches road no ditches road bladed road roads rutted bladed no COMMENTS needs bladed ditches frack and loction need needs bladed fence loose pit and location location and froze over,ria on contacted Flint to need bladed tanks next to bladed pit has Drake 24 Ria on drake 24 on road need facility crew on location fix fence. fence loose debri in it location bladed location fence know bar loc.

	WELL NAME:			-						
	San Juan 32-9 Unit 24B		 							
-	INSPECTOR DATE	Fred Myz 03/05/12	Fred Mtz 03/12/12	Fred Mtz 03/19/12	Fred Mtz 03/22/12	fred Mtz 04/03/12	Fred Mtz 04/24/12	Fred Mtz 05/03/12	Fred Mtz 05/10/12	Fred Mtz 05/17/12
	*Please request for pit extention after 26 weeks	Week 19	Week 20	Week 21	Week 22	Week 23	Week 24	Week 25	*Week 26*	Week 27
	PIT STATUS	✓ Drilled ✓ Completed ☐ Clean-Up	✓ Drilled ✓ Completed ☐ Clean-Up	☑ Drilled ☑ Completed ☐ Clean-Up	✓ Drilled ✓ Completed ☐ Clean-Up	✓ Drilled ✓ Completed ☐ Clean-Up	Drilled Completed Clean-Up	Drilled Completed Clean-Up	☑ Drilled ☑ Completed ☐ Clean-Up	☐ Drilled☐ Completed☐ Clean-Up
CATION	Is the location marked with the proper flagging? (Const. Zone, poles, pipelines, etc.)	☑ Yes ☐ No	✓ Yes 🗌 No	✓ Yes 🗌 No	✓ Yes 🗌 No	✓ Yes 🗌 No	Yes No	✓ Yes ☐ No	✓ Yes 🗌 No	✓ Yes 🗌 No
10C/	Is the temporary well sign on location and visible from access road?	☑ Yes ☐ No	✓ Yes 🗌 No	☑ Yes ☐ No	☐ Yes ☐ No	✓ Yes ☐ No	☐ Yes ☐ No	☑ Yes ☐ No	☐ Yes ☑ No	☐ Yes ☑ No
	Is the access road in good driving condition? (deep ruts, bladed)	☐ Yes ☑ No	☐ Yes ☑ No	☐ Yes ☑ No	Yes V No	✓ Yes 🗌 No	☐ Yes ☐ No	✓ Yes □ No	✓ Yes 🗌 No	✓ Yes ☐ No
	Are the culverts free from debris or any object preventing flow?	✓ Yes ☐ No	✓ Yes ☐ No	☑ Yes 🗌 No	☑ Yes ☐ No	✓ Yes 🗌 No	☐ Yes ☐ No	✓ Yes □ No	✓ Yes 🗌 No	✓ Yes □ No
	is the top of the location bladed and in good operating condition?	☐ Yes ☑ No	☐ Yes ☑ No	☐ Yes ☑ No	Yes 🗸 No	☐ Yes ☑ No	☐ Yes ☐ No	☐ Yes ☑ No	☐ Yes ☑ No	✓ Yes 🗌 No
NCE	Is the fence stock-proof? (fences tight, barbed wire, fence clips in place?	☐ Yes ☑ No	☐ Yes ☑ No	☐ Yes ☑ No	✓ Yes ☐ No	☐ Yes ☑ No	☐ Yes ☐ No	☐ Yes ☑ No	☐ Yes ☑ No	✓ Yes 🗌 No
OMPLIANCE	Is the pit liner in good operating condition? (no tears, up-rooting corners, etc.)	☑ Yes ☐ No	✓ Yes 🗌 No	✓ Yes ☐ No	✓ Yes ☐ No	✓ Yes □ No	☐ Yes ☐ No	✓ Yes □ No	✓ Yes 🗌 No	✓ Yes ☐ No
U	Is the the location free from trash, oil stains and other materials? (cables, pipe threads, etc.)	✓ Yes ☐ No	✓ Yes □ No	☑ Yes ☐ No	✓ Yes ☐ No	✓ Yes 🗌 No	☐ Yes ☐ No	☐ Yes ☑ No	✓ Yes 🗌 No	✓ Yes 🗌 No
ENVIRONMENTAL	Does the pit contain two feet of free board? (check the water levels)	☑ Yes ☐ No	✓ Yes □ No	☑ Yes ☐ No	✓ Yes ☐ No	✓ Yes □ No	☐ Yes ☐ No	✓ Yes 🗌 No	☑ Yes ☐ No	✓ Yes ☐ No
RON N	Is there any standing water on the blow pit?	☑ Yes ☐ No	☑ Yes ☐ No	☑ Yes ☐ No	✓ Yes 🗌 No	✓ Yes ☐ No	☐ Yes ☐ No	✓ Yes 🗌 No	✓ Yes 🗌 No	✓ Yes ☐ No
EN S	Are the pits free of trash and oil?	☐ Yes ☑ No	✓ Yes □ No	✓ Yes 🗌 No	✓ Yes 🗌 No	✓ Yes □ No	☐ Yes ☐ No	☐ Yes ☑ No	✓ Yes 🗌 No	✓ Yes ☐ No
	Are there diversion ditches around the pits for natural drainage?	☑ Yes ☐ No	✓ Yes 🗌 No	☑ Yes ☐ No	☑ Yes ☐ No	✓ Yes 🗌 No	☐ Yes ☐ No	✓ Yes 🗌 No	☐ Yes ☑ No	✓ Yes ☐ No
	Is there a Manifold on location?	☑ Yes ☐ No	☑ Yes ☐ No	☑ Yes ☐ No	✓ Yes 🗌 No	☑ Yes ☐ No	☐ Yes ☐ No	✓ Yes 🗌 No	✓ Yes ☐ No	✓ Yes ☐ No
	Is the Manifold free of leaks? Are the hoses in good condition?	☑ Yes ☐ No	☑ Yes ☐ No	☑ Yes ☐ No	☑ Yes ☐ No	✓ Yes 🗌 No	☐ Yes ☐ No	✓ Yes ☐ No	☑ Yes ☐ No	☑ Yes ☐ No
၁၀	Was the OCD contacted?	Yes No	☐ Yes ☑ No	☐ Yes ☑ No	☐ Yes ☑ No	☐ Yes ☑ No	☐ Yes ☐ No	☐ Yes ☑ No	☐ Yes ☑ No	☐ Yes ☑ No
	PICTURE TAKEN	☐ Yes ☑ No	☐ Yes ☑ No	☐ Yes ☑ No	☐ Yes ☑ No	☐ Yes ☑ No	☐ Yes ☐ No	☐ Yes ☐ No	☐ Yes ☑ No	☐ Yes ☑ No
	COMMENTS	road and location need bladed pit has debri in it	Facility crew on location open ditches etc. M.N.R. will pull pit when Facility crew on done.		tested pit facility set location needs bladed.	facilities on location location needs bladed fence loose sing on facilitie fence	rig on location	Had Flint tighten fence clean up oil stains.	Debri in pit sign on fence. Fence loose facility set oil stains contact Flint.	Debri In pit. Sign on fence good. Facility's set sign on fence.

	WELL NAME:						· ·			•
	San Juan 32-9 Unit 24B									
	INSPECTOR		Fred Mtz	Fred Mtz						
	*Please request for pit extention after 26 weeks	05/25/12 Week 28	06/04/12 Week 29	06/11/12 Week 30	Week 31	Week 32	Week 33	Week 34	Week 35	Week 36
	PIT STATUS	✓ Drilled ☐ Completed ☐ Clean-Up	✓ Drilled ✓ Completed ☐ Clean-Up	Drilled Completed Clean-Up	Drilled Completed Clean-Up	Drilled Completed Clean-Up	Drilled Completed Clean-Up	Drilled Completed Clean-Up	Drilled Completed Clean-Up	☐ Drilled ☐ Completed ☐ Clean-Up
CATION	ls the location marked with the proper flagging? (Const. Zone, poles, pipelines, etc.)	✓ Yes ☐ No	✓ Yes □ No	✓ Yes □ No	Yes No	Yes No	☐ Yes ☐ No	☐ Yes ☐ No	Yes No	Yes No
700T	Is the temporary well sign on location and visible from access road?	☐ Yes ☑ No	☐ Yes ☑ No	☐ Yes ☑ No	Yes No	Yes No	Yes No	☐ Yes ☐ No	Yes No	☐ Yes ☐ No
	Is the access road in good driving condition? (deep ruts, bladed)	✓ Yes ☐ No	✓ Yes ☐ No	✓ Yes ☐ No	Yes No	Yes No	Yes No	Yes No	☐ Yes ☐ No	☐ Yes ☐ No
	Are the culverts free from debris or any object preventing flow?	✓ Yes ☐ No	✓ Yes ☐ No	☑ Yes ☐ No	Yes No	Yes No	☐ Yes ☐ No	☐ Yes ☐ No	Yes No	☐ Yes ☐ No
	Is the top of the location bladed and in good operating condition?	☑ Yes ☐ No	☑ Yes ☐ No	✓ Yes 🗌 No	☐ Yes ☐ No	☐ Yes ☐ No	☐ Yes ☐ No	☐ Yes ☐ No	☐ Yes ☐ No	☐ Yes ☐ No
MPLIANCE	Is the fence stock-proof? (fences tight, barbed wire, fence clips in place?	☑ Yes ☐ No	☑ Yes ☐ No	☑ Yes ☐ No	Yes No	Yes No	☐ Yes ☐ No	☐ Yes ☐ No	☐ Yes ☐ No	☐ Yes ☐ No
MPLI/	Is the pit liner in good operating condition? (no tears, up-rooting corners, etc.)	✓ Yes 🗌 No	✓ Yes 🗌 No	✓ Yes 🗌 No	Yes No	Yes No	☐ Yes ☐ No	☐ Yes ☐ No	☐ Yes ☐ No	☐ Yes ☐ No
AL CO	Is the the location free from trash, oil stains and other materials? (cables, pipe threads, etc.)	☑ Yes ☐ No	☑ Yes ☐ No	☑ Yes ☐ No	☐ Yes ☐ No	☐ Yes ☐ No	☐ Yes ☐ No	☐ Yes ☐ No	☐ Yes ☐ No	☐ Yes ☐ No
	Does the pit contain two feet of free board? (check the water levels)	☑ Yes ☐ No	☑ Yes ☐ No	☑ Yes ☐ No	Yes No	☐ Yes ☐ No	☐ Yes ☐ No	☐ Yes ☐ No	☐ Yes ☐ No	☐ Yes ☐ No
ENVIRONMENT	Is there any standing water on the blow pit?	✓ Yes 🗌 No	☐ Yes ☑ No	☑ Yes ☐ No	☐ Yes ☐ No	☐ Yes ☐ No	☐ Yes ☐ No	☐ Yes ☐ No	☐ Yes ☐ No	☐ Yes ☐ No
EN	Are the pits free of trash and oil?	☐ Yes ☑ No	☐ Yes ☑ No	☐ Yes ☑ No	☐ Yes ☐ No	☐ Yes ☐ No	☐ Yes ☐ No	☐ Yes ☐ No	☐ Yes ☐ No	☐ Yes ☐ No
	Are there diversion ditches around the pits for natural drainage?	☐ Yes ☑ No	☑ Yes ☐ No	☐ Yes ☑ No	☐ Yes ☐ No	☐ Yes ☐ No	☐ Yes ☐ No	☐ Yes ☐ No	☐ Yes ☐ No	☐ Yes ☐ No
	is there a Manifold on location?	✓ Yes 🗌 No	✓ Yes 🗌 No	✓ Yes 🗌 No	☐ Yes ☐ No	☐ Yes ☐ No	☐ Yes ☐ No	☐ Yes ☐ No	☐ Yes ☐ No	☐ Yes ☐ No
	Is the Manifold free of leaks? Are the hoses in good condition?	☑ Yes ☐ No	✓ Yes 🗌 No	✓ Yes 🗌 No	☐ Yes ☐ No	☐ Yes ☐ No	☐ Yes ☐ No	Yes No	☐ Yes ☐ No	☐ Yes ☐ No
ပ္ပ	Was the OCD contacted?	☐ Yes ☑ No	☐ Yes ☑ No	☐ Yes ☑ No	☐ Yes ☐ No	Yes No	Yes No	☐ Yes ☐ No	☐ Yes ☐ No	☐ Yes ☐ No
	PICTURE TAKEN	☐ Yes ☑ No	☐ Yes ☑ No	☐ Yes ☑ No	Yes No	☐ Yes ☐ No	Yes No	Yes No	Yes No	Yes No
		Debri in pit sign on fence no water in pit.	debri in pit no	No water in pit debri in pit facility's on location.						