District I

1625 N. French Dr., Hobbs, NM 88240

1301 W. Grand Ave., Artesia, NM 88210

District III

State of New Mexico Energy Minerals and Natural Resources

> Department Oil Conservation Division 1220 South St. Francis Dr.

Form C-144 July 21, 2008

For temporary pits, closed-loop sytems, and below-grade tanks, submit to the appropriate NMOCD District Office.

1000 Rio Brazos Rd., Aztec, NM 87410  District IV 1220 S. St. Francis Dr., Santa Fe, NM 87505	Santa Fe, NM 87505	For permanent pits and exceptions submit to the Santa Fe Environmental Bureau office and provide a copy to the appropriate NMOCD District Office.				
Pi	t, Closed-Loop System, Below-Grad	de Tank, or				
Propose	d Alternative Method Permit or Clo	sure Plan Application				
Type of action:	Permit of a pit, closed-loop system, below-grade to	ank, or proposed alternative method				
	Closure of a pit, closed-loop system, below-grade					
	Modification to an existing permit	, I I				
Ī	Closure plan only submitted for an existing permit	ted or non-permitted pit, closed-loop system,				
	below-grade tank, or proposed alternative method					
Instructions: Please submit one application (Form C-144) per individual pit, closed-loop system, below-grade tank or alternative request  Please be advised that approval of this request does not relieve the operator of liability should operations result in pollution of surface water, ground water or the environment. Nor does approval relieve the operator of its responsibility to comply with any other applicable governmental authority's rules, regulations or ordinances.						
Operator: Burlington Resources Oil &	Gas Company, LP	OGRID#: 14538				
Address: PO Box 4289, Farmington, N						
Facility or well name: Cain 21						
API Number: 30-04	5-21800 OCD Permit Number	er:				
U/L or Qtr/Qtr: P(SE/SE) Section:	30 Township 29N Range:	9W County: San Juan				
Center of Proposed Design: Latitude:	36.69257 °N Longitude:	<b>107.81473 °W</b> NAD: <b>X</b> 1927 <b>1</b> 983				
Surface Owner: X Federal	State Private Tribal Trust or India	n Allotment				
Pit: Subsection F or G of 19.15.17.11  Temporary: Drilling Workove Permanent Emergency Cavite Lined Unlined Liner t String-Reinforced Liner Scams: Welded Factor	er ation P&A type: Thickness mil LLDPE	OIL CONS. DIV DIST. 3  HDPE PVC Other JUL 1 9 2013				
Type of Operation: X P&A Dr	notice of intent)  iteel Tanks Haul-off Bins Other  oe: Thickness mil LLDPE I	activities which require prior approval of a permit or  HDPE PVD Other				
4  Below-grade tank: Subsection I of I Volume: bbl Tank Construction material: Secondary containment with leak detection Visible sidewalls and liner Liner Type: Thickness	Type of fluid:	omatic overflow shut-off				
5 Alternative Method:						

Form C-144

Oil Conservation Division

Page 1 of 5

Fencing: Subsection D of 19.15.17.11 NMAC (Applies to permanent pit, temporary pits, and below-grade tanks)  Chain link, six feet in height, two strands of barbed wire at top (Required if located within 1000 feet of a permanent residence, school, hospital, institution or church)  Four foot height, four strands of barbed wire evenly spaced between one and four feet						
Alternate. Please specify						
Netting: Subsection E of 19.15.17.11 NMAC (Applies to permanent pits and permanent open top tanks)  Screen Netting Other  Monthly inspections (If netting or screening is not physically feasible)						
8						
Signs: Subsection C of 19.15.17.11 NMAC  12" X 24", 2" lettering, providing Operator's name, site location, and emergency telephone numbers  X Signed in compliance with 19.15.3.103 NMAC						
9 Administration Assessed Francisco						
Administrative Approvals and Exceptions:  Justifications and/or demonstrations of equivalency are required. Please refer to 19.15.17 NMAC for guidance.						
Please check a box if one or more of the following is requested, if not leave blank:						
Administrative approval(s): Requests must be submitted to the appropriate division district of the Santa Fe Environmental Bureau office for consideration of approval. (Fencing/BGT Liner)						
Exception(s): Requests must be submitted to the Santa Fe Environmental Bureau office for consideration of approval.						
Siting Criteria (regarding permitting): 19.15.17.10 NMAC  Instructions: The applicant must demonstrate compliance for each siting criteria below in the application. Recommendations of source material are provided below. Requests regarding changes to certain siting criteria may require administrative approval of appropriate district office or may be considered an exception which must be submitted to the Santa Fe Environmental Bureau Consideration of approval. Applicant must attach justification for request. Please refer to 19.15.17.10 NMAC for guidance. Si does not apply to drying pads or above grade-tanks associated with a closed-loop system.	from the Office for					
Ground water is less than 50 feet below the bottom of the temporary pit, permanent pit, or below-grade tank.  - NM Office of the State Engineer - iWATERS database search; USGS; Data obtained from nearby wells		Yes	No			
Within 300 feet of a continuously flowing watercourse, or 200 feet of any other watercourse, lakebed, sinkhole, lake (measured from the ordinary high-water mark).  - Topographic map; Visual inspection (certification) of the proposed site	or playa	Yes	□No			
Within 300 feet from a permanent residence, school, hospital, institution, or church in existence at the time of in application.	nitial	Yes	No			
(Applies to temporary, emergency, or cavitation pits and below-grade tanks)  - Visual inspection (certification) of the proposed site; Aerial photo; Satellite image		NA				
Within 1000 feet from a permanent residence, school, hospital, institution, or church in existence at the time of initial appli	cation.	Yes	□No			
(Applied to permanent pits) - Visual inspection (certification) of the proposed site; Aerial photo; Satellite image		□NA	II			
Within 500 horizonal feet of a private, domestic fresh water well or spring that less than five households use for domestic of watering purposes, or within 1000 horizontal feet of any other fresh water well or spring, in existence at the time of initial		Yes	No			
- NM Office of the State Engineer - iWATERS database search; Visual inspection (certification) of the proposed si	te.					
Within incorporated municipal boundaries or within a defined municipal fresh water well field covered under a municipal adopted pursuant to NMSA 1978, Section 3-27-3, as amended  - Written confirmation or verification from the municipality: Written approval obtained from the municipality	ordinance	Yes	No			
Within 500 feet of a wetland.  - US Fish and Wildlife Wetland Identification map; Topographic map; Visual inspection (certification) of the propo	osed site	Yes	No			
Within the area overlying a subsurface mine.  - Written confirmation or verification or map from the NM EMNRD - Mining and Mineral Division		Yes	No			
Within an unstable area.  - Engineering measures incorporated into the design; NM Bureau of Geology & Mineral Resources; USGS; NM Geology; Topographic map	eological	Yes	No			
Within a 100-year floodplain - FEMA map		Yes	No			

Temporary Pits, Emergency Pits and Below-grade Tanks Permit Application Attachment Checklist: Subsection B of 19.15.17.9 NMAC Instructions: Each of the following items must be attached to the application. Please indicate, by a check mark in the box, that the documents are attached.  Hydrogeologic Report (Below-grade Tanks) - based upon the requirements of Paragraph (4) of Subsection B of 19.15.17.9  Hydrogeologic Data (Temporary and Emergency Pits) - based upon the requirements of Paragraph (2) of Subsection B of 19.15.17.9  Siting Criteria Compliance Demonstrations - based upon the appropriate requirements of 19.15.17.10 NMAC  Design Plan - based upon the appropriate requirements of 19.15.17.12 NMAC  Operating and Maintenance Plan - based upon the appropriate requirements of 19.15.17.12 NMAC  Closure Plan (Please complete Boxes 14 through 18, if applicable) - based upon the appropriate requirements of Subsection C of 19.15.17.9 NMAC and 19.15.17.13 NMAC
Previously Approved Design (attach copy of design) API or Permit
Closed-loop Systems Permit Application Attachment Checklist:  Instructions: Each of the following items must be attached to the application. Please indicate, by a check mark in the box, that the documents are attached.  Geologic and Hydrogeologic Data (only for on-site closure) - based upon the requirements of Paragraph (3) of Subsection B of 19.15.17.9  Siting Criteria Compliance Demonstrations (only for on-site closure) - based upon the appropriate requirements of 19.15.17.10 NMAC  Design Plan - based upon the appropriate requirements of 19.15.17.11 NMAC  Operating and Maintenance Plan - based upon the appropriate requirements of 19.15.17.12 NMAC  Closure Plan (Please complete Boxes 14 through 18, if applicable) - based upon the appropriate requirements of Subsection C of 19.15.17.9 NMAC and 19.15.17.13 NMAC  Previously Approved Design (attach copy of design)  API  Previously Approved Operating and Maintenance Plan API
13
Permanent Pits Permit Application Checklist: Subsection B of 19.15.17.9 NMAC  Instructions: Each of the following items must be attached to the application. Please indicate, by a check mark in the box, that the documents are attached.  Hydrogeologic Report - based upon the requirements of Paragraph (I) of Subsection B of 19.15.17.9 NMAC  Siting Criteria Compliance Demonstrations - based upon the appropriate requirements of 19.15.17.10 NMAC  Climatological Factors Assessment  Certified Engineering Design Plans - based upon the appropriate requirements of 19.15.17.11 NMAC  Dike Protection and Structural Integrity Design: based upon the appropriate requirements of 19.15.17.11 NMAC  Leak Detection Design - based upon the appropriate requirements of 19.15.17.11 NMAC  Limer Specifications and Compatibility Assessment - based upon the appropriate requirements of 19.15.17.11 NMAC  Quality Control/Quality Assurance Construction and Installation Plan  Operating and Maintenance Plan - based upon the appropriate requirements of 19.15.17.12 NMAC  Freeboard and Overtopping Prevention Plan - based upon the appropriate requirements of 19.15.17.11 NMAC  Nuisance or Hazardous Odors, including H2S, Prevention Plan  Emergency Response Plan  Oil Field Waste Stream Characterization  Monitoring and Inspection Plan  Erosion Control Plan  Closure Plan - based upon the appropriate requirements of Subsection C of 19.15.17.9 NMAC and 19.15.17.13 NMAC
Proposed Closure: 19.15.17.13 NMAC  Instructions: Please complete the applicable boxes, Boxes 14 through 18, in regards to the proposed closure plan.  Type: Drilling Workover Emergency Cavitation P&A Permanent Pit Below-grade Tank Closed-loop System Alternative  Proposed Closure Method: Waste Excavation and Removal  Waste Removal (Closed-loop systems only)  On-site Closure Method (only for temporary pits and closed-loop systems)  In-place Burial On-site Trench  Alternative Closure Method (Exceptions must be submitted to the Santa Fe Environmental Bureau for consideration)
Waste Excavation and Removal Closure Plan Checklist: (19.15.17.13 NMAC) Instructions: Each of the following items must be attached to the closure plan. Please indicate, by a check mark in the box, that the documents are attached.    Protocols and Procedures - based upon the appropriate requirements of 19.15.17.13 NMAC   Confirmation Sampling Plan (if applicable) - based upon the appropriate requirements of Subsection F of 19.15.17.13 NMAC   Disposal Facility Name and Permit Number (for liquids, drilling fluids and drill cuttings)   Soil Backfill and Cover Design Specifications - based upon the appropriate requirements of Subsection H of 19.15.17.13 NMAC   Re-vegetation Plan - based upon the appropriate requirements of Subsection G of 19.15.17.13 NMAC

Form C-144 Oil Conservation Division Page 3 of 5

16 Waste Removal Closure For Closed-loop Systems That Utilize Above Ground Steel Tanks or Haul-off Bins Only: (19.15.17.13.D NM	AC)				
Instructions: Please identify the Jacility or Jacilities for the disposal of liquids, drilling fluids and drill cuttings. Use attachment if more than facilities are required.	two				
Disposal Facility Name: Envirotech / JFJ Landfarm % IEI Disposal Facility Permit #: NM-0109911 / NM 01-	0010B				
Disposal Facility Name: Basin Disposal Facility Disposal Facility Permit #: NM-01-005					
Will any of the proposed closed-loop system operations and associated activities occur on or in areas that will not be used for future and yes (If yes, please provide the information No	re service and				
Required for impacted areas which will not be used for future service and operations:  Soil Backfill and Cover Design Specification - based upon the appropriate requirements of Subsection H of 19.15.17.13 Nf Re-vegetation Plan - based upon the appropriate requirements of Subsection I of 19.15.17.13 NMAC Site Reclamation Plan - based upon the appropriate requirements of Subsection G of 19.15.17.13 NMAC	MAC				
17					
Siting Criteria (Regarding on-site closure methods only: 19.15.17.10 NMAC Instructions: Each siting criteria requires a demonstration of compliance in the closure plan. Recommendations of acceptable source material are provided be	tlow. Requests regarding changes to				
certain siting criteria may require administrative approval from the appropriate district office or may be considered an exception which must be submitted to the for consideration of approval. Justifications and/or demonstrations of equivalency are required. Please refer to 19.15.17.10 NMAC for guidance.	ne Santa Fe Environmental Bureau office				
Ground water is less than 50 feet below the bottom of the buried waste.	Yes No				
- NM Office of the State Engineer - iWATERS database search; USGS: Data obtained from nearby wells	□ N/A				
Ground water is between 50 and 100 feet below the bottom of the buried waste	Yes No				
- NM Office of the State Engineer - iWATERS database search; USGS, Data obtained from nearby wells	N/A □ N/A				
Ground water is more than 100 feet below the bottom of the buried waste.	Yes No				
- NM Office of the State Engineer - iWATERS database search; USGS; Data obtained from nearby wells	□ N/A				
Within 300 feet of a continuously flowing watercourse, or 200 feet of any other significant watercourse or lakebed, sinkhole, or playa lake (measured from the ordinary high-water mark).  - Topographic map; Visual inspection (certification) of the proposed site	Yes No				
Within 300 feet from a permanent residence, school, hospital, institution, or church in existence at the time of initial application.  - Visual inspection (certification) of the proposed site; Aerial photo; satellite image	Yes No				
Within 500 horizontal feet of a private, domestic fresh water well or spring that less than five households use for domestic or stock watering purposes, or within 1000 horizontal fee of any other fresh water well or spring, in existence at the time of the initial application.	Yes No				
- NM Office of the State Engineer - iWATERS database; Visual inspection (certification) of the proposed site Within incorporated municipal boundaries or within a defined municipal fresh water well field covered under a municipal ordinance adopted pursuant to NMSA 1978, Section 3-27-3, as amended.	Yes No				
<ul> <li>Written confirmation or verification from the municipality; Written approval obtained from the municipality</li> <li>Within 500 feet of a wetland</li> <li>US Fish and Wildlife Wetland Identification map; Topographic map; Visual inspection (certification) of the proposed site</li> </ul>	Yes No				
Within the area overlying a subsurface mine.	☐Yes ☐No				
- Written confiramtion or verification or map from the NM EMNRD-Mining and Mineral Division					
Within an unstable area.  - Engineering measures incorporated into the design; NM Bureau of Geology & Mineral Resources; USGS; NM Geological Society; Topographic map	Yes No				
Within a 100-year floodplain FEMA map	Yes No				
18					
On-Site Closure Plan Checklist: (19.15.17.13 NMAC) Instructions: Each of the following items must bee attached to the clindicate, by a check mark in the box, that the documents are attached.	osure plan. Please				
Siting Criteria Compliance Demonstrations - based upon the appropriate requirements of 19.15.17.10 NMAC					
Proof of Surface Owner Notice - based upon the appropriate requirements of Subsection F of 19.15.17.13 NMAC					
Construction/Design Plan of Burial Trench (if applicable) based upon the appropriate requirements of 19.15.17.11 NMAC					
Construction/Design Plan of Temporary Pit (for in place burial of a drying pad) - based upon the appropriate requirements of 19.15.17.11 NMAC					
Protocols and Procedures - based upon the appropriate requirements of 19.15.17.13 NMAC  Confirmation Sampling Plan (if applicable) - based upon the appropriate requirements of Subsection F of 19.15.17.13 NMAC					
Waste Material Sampling Plan - based upon the appropriate requirements of Subsection F of 19.15.17.13 NMAC					
Disposal Facility Name and Permit Number (for liquids, drilling fluids and drill cuttings or in case on-site closure standards cannot be achieved)					
Soil Cover Design - based upon the appropriate requirements of Subsection H of 19.15.17.13 NMAC					
Re-vegetation Plan - based upon the appropriate requirements of Subsection I of 19.15.17.13 NMAC					
Site Reclamation Plan - based upon the appropriate requirements of Subsection G of 19.15.17.13 NMAC	i				

19 Operator Applica	ation Certification:			
	the information submitted with this application is true, accur	rate and complete to the b	est of my knowledge and belief.	
Name (Print):			·	
Signature:		Date:		
e-mail address: _		Telephone:		
20 OCD Approval: OCD Representa	Permit Application (including closure plan)	Closure <del>Plan (only)</del>	OCD Conditions (see attachment)  Approval Date: 7/30/250	3
Title: ( Title:	plance Volater	OCD Permit	Number:	
Instructions: Operate report is required to	required within 60 days of closure completion): Substors are required to obtain an approved closure plan prior to be submitted to the division within 60 days of the completic an has been obtained and the closure activities have been completed.	to implementing any closi on of the closure activities completed.	are activities and submitting the closure report. The cl	
][		Alternative Closure N	Method X Waste Removal (Closed-loop systems on	ly)
Instructions: Please facilities were utiliz.  Disposal Facility Disposal Facility Were the closed- Yes (If yes, particular for imp Site Reclama Soil Backfill	Name: Envirotech / JFJ Landfarm % IEI  Name: Basin Disposal Facility  loop system operations and associated activities performed of	Disposal Facility P Disposal Facility P Disposal Facility P on or in areas that will not	remit Number: NM-01-0011 / NM-01-0010B NM-01-005	
in the box, that the proof of Cl. Proof of De. Plot Plan (f. Confirmation Waste Mate Disposal Factor Soil Backfin Re-vegetati	rt Attachment Checklist: Instructions: Each of the following the documents are attached.  Josure Notice (surface owner and division)  Josure Notice (required for on-site closure)  Josure Notice (required for on-site closure)  Josure Notice (required for on-site closure)  Josure Sampling Analytical Results (if applicable)  Josure	owing items must be attacked by the attacked b	NAD   1927   1983	k mark
25				
Operator Closure I hereby certify that	e <u>Certification:</u> the information and attachments submitted with this closure uplies with all applicable closure requirements and condition	•		l also certify
Name (Print):	Denise Journey	Title:	Regulatory Technician	
Signature:	Denish Journey	Date:	7/18/2013	
e-mail address:	Denise Journey@conocophillips.com	Telephone:	505-326-9556	