Form 3160-5 (August 2007)

RECEIVED UNITED STATES

DEPARTMENT OF THE INTERIORS BUREAU OF LAND MANAGEMENT

Bureau of Land Management
Durango, Colorado

FORM APPROVED OMB No. 1004-0137 Expires: July 31, 2010

		Expires:	Jui
i	5. Lease Serial No.		

	Du		I-22-IND-2772			
	NDRY NOTICES AND REI			6. If Indian, Allottee or Tribe	Name	
	se this form for proposals d well. Use Form 3160-3 (Ute	Mountain Ute	· · · · · · · · · · · · · · · · · · ·
	UBMIT IN TRIPLICATE - Other in	nstructions on page 2.		7. If Unit of CA/Agreement, I	Name and/or No.	
1. Type of Well Oil Well	X Gas Well Other	r		8. Well Name and No.		
<u> </u>					Ute 12	
2. Name of Operator	-t D Oil 9 C-	- O I B		9. API Well No.	245 44 422	
3a. Address	gton Resources Oil & Ga	3b. Phone No. (include area	node)	30-1 10. Field and Pool or Explora	045-11426	
PO Box 4289, Farmingt		(505) 326-970	0	Barker	Dome Parado	Κ
4. Location of Well (Footage, Sec., T., Unit F (SI	R.,M., or Survey Description) ENW), Sec. 16, T32N, R14	₩, 2708' FSL & 1608'		11. Country or Parish, State San Juan	, New Mexi	со
12. CHECK	THE APPROPRIATE BOX(ES	S) TO INDICATE NATURE	OF NOT	ICE, REPORT OR OTH	ER DATA	
TYPE OF SUBMISSION		TYPE	OF ACT	TION		-
Notice of Intent	Acidize	Deepen	Pr	oduction (Start/Resume)	Water Shut-O	ff
<u></u>	Alter Casing	Fracture Treat	=	eclamation	Well Integrity	
X Subsequent Report	Casing Repair	New Construction	Re	ecomplete	X Other	
	Change Plans	Plug and Abandon	Te	mporarily Abandon	Spill Fina	al Report
Final Abandonment Notice	Convert to Injection	Plug Back	W	ater Disposal		
completed by a third p weather and another s excavation was recom produced water. Soil areas were excavated	m a 39bbls produced water and excaspill was discovered on 1, mended. Before the excaspiling was completed and confirmation samplicable UMUT Standached for review.	vation was recommer /17/2013 of 35bbls pro cavation could begin a I by a third party and e ng was conducted. Fi ards for all excavation	ided. The duced was release xcavation eld scre	ne excavationw as devater. Soil sampling was discovered on 3 on was recommende ening results indicated for the formal of the same action will	elayed due to was conducted 3/4/2013 of 230l d. On 5/21/13 t ed TPH	d and obls three and
	9 .	Den Resource Ar	2003	•	OIL CONS. DI	U. 3K
	Em c	by of Land Manag	omers		0151.3	Final C-141s leceived and processed.
14. I hereby certify that the foregoing is Cry	true and correct. Name (Printed/Ty)	ped) Title	F	ield Environmental S	Specialist	-process ec.
Signature Au	1-Taloga	Date	7/25	5/2013		
<i>V</i>	THIS SPACE FO	OR FEDERAL OR STAT	É OFFI	CE USE		
Approved by						
		T _T	tle		Date	
Conditions of approval, if any, are attach hat the applicant holds legal or equitable entitle the applicant to conduct operation	e title to those rights in the subject le as thereon.	t warrant or certify	fice		Date	
Fitle 19 II C. Caction 1001 and Title 4	2 II C C Section 1212 males it a said	for one more a lengue in also and	1	males to any department and	conour of the United C	totas anu

Title 18 U.S.C. Section 1001 and Title 43 U.S.C. Section 1212, make it a crime for any person knowingly and willfully to make to any department or agency of the United States any false, fictitious or fraudulent statements or representations as to any matter within its jurisdiction.





Animas Environmental Services, LLC

www.animasenvironmental.com

624 E. Comanche Farmington, NM 87401 505-564-2281

> Durango, Colorado 970-403-3084

July 2, 2013

Crystal Tafoya ConocoPhillips San Juan Business Unit Office 214-05 5525 Hwy 64 Farmington, New Mexico 87401

Via electronic mail to: SJBUE-Team@ConocoPhillips.com

RE: Initial Release Assessments and Final Excavation Report

Ute #12

San Juan County, New Mexico

Dear Ms. Tafoya:

On December 6, 2012, Animas Environmental Services, LLC (AES) completed an initial release assessment at the Ute #12, located in San Juan County, New Mexico. The release consisted of approximately 39 barrels (bbls) of produced water which overflowed from the northernmost produced water tank in the tank battery.

On January 25, 2013, AES returned to the location and completed an additional initial release assessment at the Ute #12. The second release consisted of approximately 35 bbls of produced water that leaked from a hole in the northernmost produced water tank in the tank battery.

On March 7, 2013, AES again returned to the location and completed an initial release assessment for a corrosion caused produced water release from the southernmost tank in the tank battery. The third release was estimated to be approximately 230 bbls.

On May 21, 2013, AES returned to the location and completed confirmation sampling on two excavations within the tank battery. During the confirmation sampling, an additional release area associated with the former drip tank was discovered, and AES completed confirmation sampling for an excavation associated with that release as well.

1.0 Site Information

1.1 Location

Location - NE¼ SW¼, Section 16, T32N, R14W, San Juan County, New Mexico Well/Facility Location Latitude/Longitude – N36.98711 and W108.31692, respectively RECEIVED

JUL 2 9 2013

Release #1 and #2 Latitude/Longitude - N36.98733 and W108.31715, respectively Release #3 Latitude/Longitude - N36.98725 and W108.31721, respectively Release #4 Latitude/Longitude - N36.98720 and W108.31763, respectively Land Jurisdiction — Ute Mountain Ute Tribe (UMUT) Figure 1. Topographic Site Location Map

Figure 2. Aerial Site Map

1.2 Regulatory

Standards for releases are determined by the Ute Mountain Ute Environmental Programs Department Standards for Spill Clean-Up and Reclamation based on Colorado Oil and Gas Commission Standards outlined within the COGCC Rules 900 Series Exploration and Production (E&P) Waste Management Table 910-1. These rules are applicable only to E&P waste, as defined in §34-60-103(4.5), Colorado Revised Statutes (CRS).

1.3 Distance to Groundwater and Surface Water

Prior to site work, the New Mexico Oil Conservation Division (NMOCD) database was reviewed, and a Cathodic Protection Report dated January 1995 for the Ute #12 reported the depth to groundwater as 340 feet below ground surface (bgs). The New Mexico Office of the State Engineer (NMOSE) database was reviewed for nearby water wells, and no registered water wells were reported to be located within 1,000 feet of the location. Additionally, Google Earth and the New Mexico Tech Petroleum Recovery Research Centér online mapping tool (http://ford.nmt.edu/react/project.html) were accessed to aid in the identification of downgradient surface water.

Once on site, AES personnel further assessed the site using topographical interpretation, Global Positioning System (GPS) elevation readings, and visual reconnaissance. AES personnel concluded that depth to groundwater at the site was greater than 100 feet bgs. An unnamed wash is located approximately 400 feet southeast of the location and drains to Barker Arroyo

1.4 Assessments

Release #1

AES was initially contacted by Crystal Tafoya of CoP on December 6, 2012, and on the same day, Deborah Watson of AES completed the initial release assessment field work. The assessment included collecting one 5-point composite soil sample (SC-1) from visibly stained surface soils in the release area for laboratory analysis. Sampling locations are shown on Figure 3.

RECEIVED

JUL **2 9** 2013

Release #2

AES was contacted by Crystal Tafoya of CoP on January 22, 2013, and on January 25, 2013, Kelsey Christiansen and Corwin Lameman of AES completed the initial release assessment field work. The assessment included collection and field screening of 36 soil samples from 9 soil borings (SB-1 through SB-9) within the release area. Additionally, one soil sample (SC-2) was composited from surface samples collected in SB-1 through SB-9 for laboratory analysis. Sampling locations are shown on Figure 4.

Release #3

AES was contacted by Crystal Tafoya of CoP on March 6, 2013, and on March 7, 2013, Deborah Watson and Heather Woods of AES completed the initial release assessment field work. The assessment included collection and field screening of 23 soil samples from 11 soil borings (SB-10 through SB-20) within the release area. Additionally, three soil samples (SC-3 through SC-5) were composited from surface samples collected in SB-10 through SB-20. Sampling locations are shown on Figure 5.

Release #4

During final excavation confirmation sampling on May 21, 2013, a release from the former drip tank was identified, and AES personnel recommended an area of excavation based on visual observations and consultation with CoP personnel.

Final Excavation Confirmation Sampling

On May 21, 2013, AES personnel completed confirmation sampling on three excavation areas (Area A, B, and C). Composite soil samples were collected from the walls and base of each excavation, for a total of 15 samples (SC-6 through SC-20). Additionally, samples SC-16 through SC-20 were composited into sample SC-21 and submitted for laboratory analysis. Sample locations and excavation extents are shown on Figure 6.

2.0 Soil Sampling

A total of 59 soil samples were collected from 20 soil borings (SB-1 through SB-20). Additionally, five composite samples (SC-1 through SC-5) were collected during the assessments. Fifteen composite samples (SC-6 through SC-20) were collected during final excavation confirmation sampling. Soil samples were field-screened for volatile organic compounds (VOCs) and selected samples were also analyzed for total petroleum hydrocarbons (TPH). Additionally, composite samples SC-1 through SC-5 and SC-21 were submitted for laboratory analysis.

2.1 Field Screening

2.1.1 Volatile Organic Compounds

Field-screening for VOC vapors was conducted with a photo-ionization detector (PID) organic vapor meter (OVM). Before beginning field screening, the PID-OVM was first calibrated with 100 parts per million (ppm) isobutylene gas.

2.1.2 Total Petroleum Hydrocarbons

Field TPH samples were analyzed per USEPA Method 418.1 using a Buck Scientific Model HC-404 Total Hydrocarbon Analyzer Infrared Spectrometer (Buck). A 3-point calibration was completed prior to conducting soil analyses. Field analytical protocol followed AES's Standard Operating Procedure: Field Analysis Total Petroleum Hydrocarbons per EPA Method 418.1.

2.2 Laboratory Analyses

The composite soil samples (SC-1 through SC-5 and SC-21) collected for laboratory analysis were placed into new, clean, laboratory-supplied containers, which were then labeled, placed on ice, and logged onto a sample chain of custody record. Samples were maintained on ice until delivery to the analytical laboratory, Hall Environmental Analysis Laboratory (Hall), in Albuquerque, New Mexico. Soil samples SC-1 through SC-5 and SC-21 were laboratory analyzed per Colorado Oil and Gas Conservation Commission (COGCC) Table 910-1 Requirements, which included the following:

- VOCs per USEPA Methods 8015/8021: total petroleum hydrocarbons (TPH), benzene, toluene, ethylbenzene, and total xylenes (BTEX);
- Polynuclear Aromatic Hydrocarbons (PAHs) per USEPA Method 8270C: acenaphthene, anthracene, benzo(A)anthracene, benzo(B)fluoranthene, benzo(K)fluoranthene, benzo(A)pyrene, chrysene, dibenzo(A,H)anthracene, fluoranthene, fluorene, indeno(1,2,3,C,D)pyrene, naphthalene, and pyrene;
- Inorganics: electrical conductivity, sodium adsorption ratio, and pH; and
- Metals per USEPA Method 6010B and 7471: arsenic, barium, cadmium, chromium (III), chromium (VI), copper, lead, mercury, nickel, selenium, silver, and zinc.

2.3 Field Screening and Laboratory Analytical Results

On January 25, 2013, release assessment field screening results for VOCs via OVM showed concentrations ranging from 0.1 ppm in SB-5 up to 773 ppm in SB-1. Field TPH concentrations ranged from less than 20 mg/kg in SB-5 through SB-9 to greater than 2,500 mg/kg in SB-1.

On March 7, 2013, release assessment field screening results for VOCs via OVM showed concentrations ranging from 2.5 ppm in SB-10 up to 1,040 ppm in SB-18. Field TPH

concentrations ranged from 39.5 mg/kg in SB-15 to greater than 2,500 mg/kg in SB-16 and SB-18.

On May 21, 2013, final excavation field screening results for VOCs via OVM showed concentrations ranging from 0.6 ppm (SC-10) to 218 ppm (SC-8) in Area A; from 1.4 ppm (SC-15) to 58.9 ppm (SC-12) in Area B; and from 0.4 ppm (SC-19) to 64.3 ppm (SC-20) in Area C. Field TPH concentrations ranged from 34.0 mg/kg (SC-10) to 107 mg/kg (SC-7) in Area A; from 46.6 mg/kg (SC-11) to 100 mg/kg (SC-12) in Area B; and from 46.6 mg/kg (SC-18) to 484 mg/kg (SC-20) in Area C. Results are included below in Table 1 and on Figures 3 through 5. The AES Field Screening Reports are attached.

Table 1. Soil Field Screening Results
Ute #12 Initial Release Assessments and Final Excavation
December 2012 through May 2013

Sample ID	Date Sampled	Sample VOCs OVN Depth Reading (ft bgs) (ppm)		Field TPH (mg/kg)
		Standards*		500
		0.5	773	>2,500
		2	21.1	NA
SB-1	1/25/13	4	27.0	NA ·
	-	6	24.4	NA
		8	11.1	34.4
		0.5	12.2	41.4
		2	8.6	NA
SB-2	1/25/13	4	10.1	NA
		6	5.7	NA
		8	7.2	82.5
		0.5	2.5	NA
SB-3	1/25/13	, 2	1.9	NA
		3.5	1.2	40.0
	_	0.5	27.5	26.3
	_	1.5	2.1	NA
SB-4	1/25/13	4	1.1	NA
	_	6	0.9	NA '
		8	5.7	30.4
		0.5	70.3	658
SB-5	1/25/13	2	2.2	NA
		3	0.1	<20.0
SB-6	1/25/13	0.5 15.4		31.8
30-0	1/23/13	1	5.8	<20.0

Sample ID	Date Sampled	Sample Depth (ft bgs)	VOCs OVM Reading (ppm)	Field TPH (mg/kg)
	UMUT	Standards*		500
	** ,_	0.5	1.7	26.3
	•	2	17.9	NA
SB-7	1/25/13	4	19.1	NA
	-	6	1.2	NA
	•	8	1.5	<20.0
		0.5	0.7	<20.0
SB-8	1/25/13	2	0.6	NA
	•	4	0.7	<20.0
		0.5	1.1	<20.0
	•	2	3.1	NA
SB-9	1/25/13	4	6.5	NA
	· -	6	8.0	NA
	-	8	9.9	<20.0
		Surface	3.3	47.8
SB-10	3/7/13	2	2.5	50.6
		4	9.1	56.1
CD 11	2/7/12	Surface	⁻ 5.5	68.5
SB-11	3/7/13 -	2	7.3	54.7
	3/7/13	Surface	. 11.8	151
SB-12		2	4.7	NA
		4	5.8	NA
		Surface	11.2	65.8
SB-13	3/7/13	2	5.7	NA
	·	4	5.4	NA
SB-14	3/7/13	Surface _.	2.6	54.7
SB-15	3/7/13 -	Surface	4.9	39.5
30-13	3///13	1	4.0	NA
SB-16	3/7/13	Surface	319	>2,500
30-10	3///13	2	13.1	52.0
SB-17	3/7/13 -	Surface	12.3	93.4
	J, 1, 1.5	2	8.1	NA
SB-18	3/7/13 -	Surface	1,040	>2,500
JD 10		2	63.1	139
SB-19	3/7/ 1 3 -	Surface	7.2	52.0
JD-13	J// LJ	2	6.7	NA
SB-20	3/7/13	Surface	5.5	NA
SC-6	5/21/13	1 to 3	0.9	38.2

	Date	Sample Depth	VOCs OVM Reading	Field TPH
Sample ID	Sampled	(ft bgs)	(ppm)	(mg/kg)
1	UMUT	Standards*		500
SC-7	5/21/13	1 to 3	149	107
SC-8	5/21/13	1 to 3	218	38.2
SC-9	5/21/13	1 to 3	189	52.3
SC-10	5/21/13	3 `	0.6	34.0
SC-11	5/21/13	1 to 3	1.6	46.6
SC-12	5/21/13	1 to 3	58.9	100
SC-13 .	5/21/13	1 to 3	1.8	50.9
SC-14	5/21/13	1 to 3	2.1	48.1
SC-15	5/21/13	. 3	1.4	53.7
SC-16	5/21/13	1 to 2.5	4.8	52.3
SC-17	5/21/13	1 to 2.5	1.9	59.3
SC-18	5/21/13	1 to 2.5	2.1	46.6
SC-19	5/21/13	1 to 2.5	0.4	69.1
SC-20	5/21/13	2.5	64.3	484

NA - Not Analyzed;

Laboratory analytical results for the composite samples SC-1 through SC-5 and SC-21 are included below in Table 2, and laboratory analytical reports are attached.

Table 2. Soil Laboratory Analytical Results
Ute #12 Initial Release Assessments and Final Excavation
December 2012 through May 2013

Analytical Parameter	SC-1 12/6/12	SC-2 1/25/13	SC-3 3/29/13	SC-4 3/29/13	SC-5 3/29/13	SC-21 5/22/13	UMUT Standard*
Benzene (mg/kg)	<0.96	<0.19	<0.047	<0.047	<0.47	<0.047	0.17
Toluene (mg/kg)	<0.96	0.021	<0.047	<0.047	<0.47	<0.047	85
Ethylbenzene (mg/kg)	1.1	0.079	<0.047	<0.047	0.14	<0.047	100
Total Xylenes (mg/kg)	15	0.32	<0.093	<0.093	5.7	0.014	175
GRO (mg/kg)	370	44	<4.7	<4.7	580	<4.7	
DRO (mġ/kg)	11,000	2,200	53	<10	850	22	500
MRO (mg/kg)	NA	<500	<52	<51	<51	<50	····

^{*}UMUT Standards of Spill Clean-up and Reclamation (based on Colorado Oil and Gas Commission Standards)

•							
Analytical Parameter	SC-1 12/6/12	SC-2 1/25/13	SC-3 3/29/13	SC-4 3/29/13	SC-5 3/29/13	SC-21 5/22/13	UMUT Standard*
Acenaphthene (mg/kg)	<0.40	<0.10	<0.020	<0.020	0.31	<0.020	1,000
Anthracene (mg/kg)	<0.040	<0.020	<0.020	<0.020	<0.020	<0.020	1,000
Benzo(A)anthracene (mg/kg)	<0.040	<0.020	<0.020	<0.020	0.023	<0.020	0.22
Benzo(B)fluoranthene (mg/kg)	<0.040	0.0050	<0.020	0.0084	0.037	0.012	0.22
Benzo(K)fluoranthene (mg/kg)	<0.040	<0.020	<0.020	<0.020	0.010	0.0083	2.2
Benzo(A)pyrene (mg/kg)	<0.040	<0.020	<0.020	<0.020	0.021	<0.020	0.022
Chrysene (mg/kg)	<0.040	<0.020	<0.020	<0.020	0.023	<0.020	22
Dibenzo(A,H) anthracene(mg/kg)	<0.040	<0.020	<0.020	<0.020	<0.020	<0.020	0.022
Fluoranthene (mg/kg)	<0.040	<0.020	0.0043	0:0037	0.051	<0.020	1,000
Fluorene (mg/kg)	0.54	<0.10	<0.020	<0.020	0.65	<0.020	1,000
Indeno(1,2,3,C,D) pyrene (mg/kg)	<0.040	<0.020	<0.020	<0.020	<0.020	<0.020	0.22
Naphthalene (mg/kg)	4.1	0.46	0.0047	0.0047	0.56	<0.020	23
Pyrene (mg/kg)	<0.040	<0.020	<0.020	<0.020	0.054	<0.020	1,000
Electrical Conductivity (µmhos/cm)	6,900	5,200	5,000	1,900	4,200	· 2,400	<4,000
Sodium Adsorption Ratio	89	63	91	3.0	60	34	<12
рH	8.12	.8.2	8.7	7.9	8.4	8.8	6-9
Arsenic (mg/kg)*	7.1	1.9	<3.1	<3.1	<3.1	4.0	0.39
Barium (mg/kg)	150	160	190	130	130	200	15,000
Cadmium (mg/kg)	<0.10	0.037	<0.50	<0.50	<0.50	<0.20	70
Chromium (III) (mg/kg)	4.2	4.9	6.4	7.7	5.2	8.5	120,000
Chromium (VI) (mg/kg)	<2.0	<2.0	<2.0	<50	<2.0	<10	23
Copper (mg/kg)	8.5	9.0	10	9.5	9.7	11	3,100
Lead (mg/kg)	3.8	3.5	4.4	9.1	5.4	7.7	400

Analytical Parameter	SC-1 12/6/12	SC-2 1/25/13	SC-3 3/29/13	SC-4 3/29/13	SC-5 3/29/13	SC-21 5/22/13	UMUT Standard*
Mercury (mg/kg)	<0.033	0.020	0.0079	0.043	0.0063	0.036	23
Nickel (mg/kg)	3.6	3.7	5.0	7.6	. 4.4	9.1	1,600
Selenium (mg/kg)	<2.5	<2.5	<12	<12	<12	<5.0	390
Silver (mg/kg)	<0.25	<0.25	<1.2	<1.2	<1.3	<0.50	390
Zinc (mg/kg)	24	24	37	44	28	47	23,000

^{*}Per Colorado Oil and Gas Conservation Commission (COGCC) Table 910-1

3.0 Conclusions and Recommendations

AES conducted initial assessments of four release areas at the Ute #12, located in San Juan County, New Mexico, from December 2012 through March 2013. Based on visual observations, field screening, and laboratory analytical results from the assessments, three excavation areas (A, B, and C) were recommended. On May 21, 2013, AES returned to conduct confirmation sampling on the final excavation areas. Soil arsenic concentrations were reported above the UMUT threshold of 0.39 mg/kg (which is based on the COGCC residential standard) in SC-1, SC-2, and SC-21; however, background arsenic concentrations in the general vicinity are known to be elevated. Additionally, sodium adsorption ratios exceeded UMUT Standards, which is consistent with previous work experience in the general area of this location.

AREA A: Releases #1 and #2

On December 6, 2012, AES completed an initial assessment for an approximately 39 bbl produced water and condensate release that occurred when the northernmost tank in the tank battery was overfilled. The assessment included the collection of one 5-point composite soil sample (SC-1) from visibly stained surface soils in the release area for laboratory analysis. Laboratory analytical results confirmed TPH concentrations above UMUT Standards.

On January 25, 2013, AES completed an initial assessment for an approximately 35 bbl produced water release that resulted from a corrosion hole in the northernmost tank in the tank battery. The assessment included collection and field screening of 36 soil samples from 9 soil borings (SB-1 through SB-9) within the release area. Additionally, one soil sample (SC-2) was composited from surface samples collected in SB-1 through SB-9 for laboratory analysis. Field screening and laboratory analytical results confirmed

TPH concentrations above UMUT Standards, and an area of excavation (Area A) was recommended that would remove soils impacted by both Release #1 and #2.

On May 21, 2013, AES conducted confirmation sampling of the final excavation for Area A, which measured approximately 475 feet² by 3 feet in depth. Field screening results of the excavation extents showed that VOC and TPH concentrations were below applicable UMUT Standards for all of the final four walls and the base of the excavation.

AREA B: Release #3

On March 7, 2013, AES completed an initial assessment for an approximately 230 bbl release of produced water that resulted from a corrosion hole in the southernmost tank in the tank battery. The assessment included collection and field screening of 23 soil samples from 11 soil borings (SB-10 through SB-20) within the release area. Additionally, three soil samples (SC-3 through SC-5) were composited from surface samples collected in SB-10 through SB-20. Field screening and laboratory analytical results confirmed TPH concentrations above UMUT standards, and an area of excavation (Area B) was recommended that would remove soils impacted by Release #3.

On May 21, 2013, AES conducted confirmation sampling of the final excavation for Area B, which measured approximately 655 feet² by 3 feet in depth. Field screening results of the excavation extents showed that VOC and TPH concentrations were below applicable UMUT standards for all of the final four walls and the base of the excavation.

AREA C: Release #4

On May 21, 2013, a release from the former drip tank was identified, and AES personnel recommended an area of excavation based on visual observations and consultation with CoP personnel. AES conducted confirmation sampling of the final excavation for Area C, which measured approximately 500 feet² by 2.5 feet in depth. Field screening results of the excavation extents showed that VOC and TPH concentrations were below applicable UMUT standards for all of the final four walls and the base of the excavation. In addition, a composite sample from the walls and base of the excavation (SC-21) was submitted for confirmation laboratory analysis. All parameters were below UMUT Standards, with the exception of sodium adsorption ratio and arsenic, which were consistent with levels typically observed in regional soils.

Based on visual observations, field screening and laboratory analytical results, CoP received approval to backfill the excavations (Areas A, B, and C) from Scott Clow of UMUT Environmental Programs Department and Ryan Joyner of Colorado Bureau of Land Management on May 23, 2013.

If you have any questions about this report or site conditions, please do not hesitate to contact Deborah Watson at (505) 564-2281.

Sincerely,

Landrea Cupps

Environmental Scientist

Light mirely

Landre R. Cupps

Elizabeth McNally, PE

Attachments:

Figure 1. Topographic Site Location Map

Figure 2. Aerial Site Map

Figure 3. Initial Assessment Sample Locations and Results, December 2012

Figure 4. Initial Assessment Sample Locations and Results, January 2013


Figure 5. Initial Assessment Sample Locations and Results, March 2013


Figure 6. Final Excavation Sample Locations and Results, May 2013


AES Field Screening Reports 012513, 030713, and 052113


Hall Analytical Report 1212360, 1301920, 1303459, and 1305949


 $R:\Animas\ 2000\Dropbox\2013\ Projects\ConocoPhillips\Ute\ 12\CoP\ Ute\ \#12\ Initial\ Release\ Assessments\ and\ Final\ Excavation\ Report\ 070213.docx$














AES Field Screening Report



Animas Environmental Services, LLC

www.animasenvironmental.com

624 E. Comanche Farmington, NM 87401 505-564-2281

> Durango, Colorado 970-403-3084

Client: ConocoPhillips

Project Location: Ute #12

Date: 1/25/2013

Matrix: Soil

Sample ID	Collection Date	Collection Time	OVM (ppm)	Time of Sample Analysis	Field TPH* (mg/kg)	TPH PQL (mg/kg)	DF	TPH Analysts Initials		
SB-1 @ 0.5'	1/25/2013	11:30	773	12:43	>2,500	20.0	1	KC		
SB-1 @ 2'	1/25/2013	11:33	21.1		Not A	nalyzed for T	¬РН			
SB-1 @ 4'	1/25/2013	11:37	27.0		Not A	nalyzed for T	Р Н			
SB-1 @ 6'	1/25/2013	11:41	24.4		Not A	nalyzed for T	- РН			
SB-1 @ 8'	1/25/2013	11:45	11.1	12:45	34.4	20.0	1	KC		
SB-2 @ 0.5'	1/25/2013	11:51	12.2	13:43	41.4	20.0	1	KC		
SB-2 @ 2'	1/25/2013	11:54	8.6		Not Analyzed for TPH					
SB-2 @ 4'	1/25/2013	11:57	10.1		Not Analyzed for TPH					
SB-2 @ 6'	1/25/2013	11:59	5.7		Not Analyzed for TPH					
SB-2 @ 8'	1/25/2013	12:04	7.2 ·	13:46	82.5	20.0	1	KC		
SB-3 @ 0.5!	1/25/2013	12:07	2.5		Not A	nalyzed for T	ΡΗ			
SB-3 @ 2'	1/25/2013	12:11	1.9		Not A	nalyzed for T	РΗ	,		
SB-3 @ 3.5'	1/25/2013	12:15	1.2	13:48	40.0	20.0	1	КС		
SB-4 @ 0.5'	1/25/2013	12:20	27.5	14:58	26.3	20.0	1	KC ,		
SB-4 @ 1.5'	1/25/2013	12:24	2.1		Not A	nalyzed for 1	РН			
SB-4 @ 4'	1/25/2013	12:28	1.1		Not A	nalyzed for 1	РН	· ·		
SB-4 @ 6'	1/25/2013	12:31	0.9		Not A	nalyzed for 1	РН			
SB-4 @ 8'	1/25/2013	12:35	5.7	15:02	30.4	20.0	1	КС		
SB-5 @ 0.5'	1/25/2013	12:40	70.3	15:06	658	20.0	1	КС		
SB-5 @ 2'	1/25/2013	12:44	2.2		Not A	nalyzed for 1	РН			
SB-5 @ 3'	1/25/2013	12:48	0,1	15:10	18.1	20.0	1	КС		
SB-6 @ 0.5'	1/25/2013	12:53	15.4	15:14	31.8	20.0	11	кс		

CoP Ute #12

Page 1

Report Finalized: 01/25/13

	, · · · · · · · · · · · · · · · · · · ·	1	r	ri	1		r	 	
Sample ID	Collection Date	Collection Time	OVM (ppm)	Time of Sample Analysis	Field TPH* (mg/kg)	TPH PQL (mg/kg)	DF	TPH Analysts Initials	
SB-6 @ 1'	1/25/2013	12:57	5.8	15:18	19.4	20.0	1 .	KC KC	
SB-7 @ 0.5'	1/25/2013	13:02	1.7	15:21	26.3	20.0	1	КС	
SB-7 @ 2'	1/25/2013	13:06	17.9		Not A	nalyzed for 7	ΡΗ		
SB-7 @ 4'	1/25/2013	13:10	19.1		Not A	nalyzed for T	PH .		
SB-7 @ 6'	1/25/2013	13:14	1.2		Not Analyzed for TPH				
SB-7 @ 8'	1/25/2013	13:18	1.5	15:25	18.1	20.0	1	KC	
SB-8 @ 0.5'	1/25/2013	13:23	0.7	15:29	16.7	20.0	1	KC	
SB-8 @ 2'	1/25/2013	13:27	0.6		Not A	nalyzed for T	PH .		
SB-8 @ 4'	. 1/25/2013	13:31	0.7	15:32	18.1	20.0	1	KC	
SB-9 @ 0.5'	1/25/2013	13:35	1.1	15:36	15.3	20.0	1	. KC	
SB-9 @ 2'	1/25/2013	13:39	3.1	•	Not A	nalyzed for T	РΗ	· <u>-</u>	
SB-9 @ 4'	1/25/2013	13:43	6.5		Not Ai	nalyzed for T	РН		
SB-9 @ 6'	1/25/2013	13:47	8.0	Not Analyzed for TPH					
SB-9 @ 8'	1/25/2013	13:52	9.9	15:39	18.1	20.0	1	KC	

Total Petroleum Hydrocarbons - USEPA 418.1

PQL

Practical Quantitation Limit

ND

Not Detected at the Reporting Limit

DF

Dilution Factor

NA

Not Analyzed

Analyst:

AES Field Screening Report

AES

Animas Environmental Services. LLC

www.animasenvironmental.com

624 E. Comanche Farmington, NM 87401 505-564-2281

> Durango, Colorado 970-403-3084

Client: ConocoPhillips

Project Location: Ute #12

Date: 3/7/2013

Matrix: Soil

	 			l	·		·	1
				Time of				ТРН
	Collection	Collection	OVM	Sample	Field TPH*	TPH PQL		Analysts
Sample ID	Date	Time	(ppm)	Analysis	(mg/kg)	(mg/kg)	DF	Initials
SB-10 @ Surface	3/7/2013	13:57	3.3	14:34	47.8	20.0	1	DAW
SB-10 @ 2'	3/7/2013	14:02	2.5	14:37	50.6	20.0	1	. DAW
SB-10 @ 4'	3/7/2013	14:05	9.1	14:39	56.1	20.0	11	DAW
SB-11 @ Surface	3/7/2013	14:08	5.5	14:42	68.5	20.0	11	DAW
SB-11 @ 2'	3/7/2013	14:13	7.3	14:44	54.7	20.0	1 .	DAW
SB-12 @ Surface	3/7/2013	14:17	11.8	15:15	151	20.0	1	DAW
SB-12 @ 2'	3/7/2013	14:21	4.7	Not Analyzed for TPH				
SB-12 @ 4'	3/7/2013	14:23	5.8	Not Analyzed for TPH				
SB-13 @ Surface	3/7/2013	14:26	11.2	15:17	65.8	20.0	1	DAW
SB-13 @ 2'	3/7/2013	14:31	5.7		Not And	alyzed for TP	Н	
SB-13 @ 4'	3/7/2013	14:33	5.4		Not And	alyzed for TP	Н	
SB-14 @ Surface	3/7/2013	14:44	2.6	15:19	54.7	20.0	1	DAW
SB-15 @ Surface	3/7/2013	14:54	4.9	15:21	39.5	20.0	1	DAW
SB-15 @ 1'	3/7/2013	14:58	4.0		Not And	alyzed for TP	Н	
SB-16 @ Surface	3/7/2013	15:04	319	15:25	>2,500	20.0	1	DAW
SB-16 @ 2'	3/7/2013	15:36	13.1	16:04	52.0	20.0	1	DAW
SB-17 @ Surface	3/7/2013	15:11	12.3	15:53	93.4	20.0	11	DAW
SB-17 @ 2'	3/7/2013	15:15	8.1		Not And	alyzed for TP	Н	
SB-18 @ Surface	3/7/2013	15:38	1,040	16:07	>2,500	20.0	1	DAW
SB-18 @ 2'	3/7/2013	15:42	63.1	16:13	139	20.0	1	DAW
SB-19 @ Surface	3/7/2013	15:44	7.2	16:11	52.0	20.0	1	DAW
SB-19 @ 2'	3/7/2013	15:48	6.7		Not And	alyzed for TP	Н	

CoP Ute #12

Page 1

Report Finalized: 03/07/13

Sample ID	Collection Date	Collection Time	OVM (ppm)	Time of Sample Analysis	Field TPH* (mg/kg)	TPH PQL (mg/kg)	DF	TPH Analysts Initials
SB-20 @ Surface	3/7/2013	15:53	5.5	Not Analyzed for TPH				

Total Petroleum Hydrocarbons - USEPA 418.1

PQL

Practical Quantitation Limit

Analyst:

Debrah Watn

ND

Not Detected at the Reporting Limit

DF

Dilution Factor

NA

Not Analyzed

AES Field Screening Report



Animas Environmental Services, LLC

www.animasenvironmental.com

624 E. Comanche Farmington, NM 87401 505-564-2281

> Durango, Colorado 970-403-3084

Client: ConocoPhillips

Project Location: Ute #12

Date: 5/21/2013

Matrix: Soil

Sample ID	Collection Date	Time of Sample Collection	Sample Location	OVM (ppm)	Field TPH Analysis Time	Field TPH* (mg/kg)	TPH PQL (mg/kg)	DF	TPH Analysts Initials
SC-6	5/21/2013	11:48	Area A North Wall	0.9	11:55	38.2	20.0	1	КС
SC-7	5/21/2013	11:49	Area A South Wall	149	11:57	107	20.0	1	КС
SC-8	5/21/2013	11:50	Area A East Wall	218	12:00	38.2	20.0	1	КС
SC-9	5/21/2013	11:51	Area A West Wall	189	12:03	52.3	20.0	1	KC
SC-10	5/21/2013	11:52	Area A Base	0.6	12:05	34.0	20.0	1	·KC
SC-11	5/21/2013	12:41	Area B North Wall	1.6	12:47	46.6	20.0	1	КС
SC-12	5/21/2013	12:43	Area B South Wall	58.9	12:50	100	20.0	1	KC
SC-13	5/21/2013	12:44	Area B East Wall	1.8	12:53	50.9	20.0	. 1	KC
SC-14	5/21/2013	12:45	Area B West Wall	2.1	12:55	48.1	20.0	1	KC
. SC-15	5/21/2013	12:46	Area B Base	1.4	12:58	53.7	20.0	1	KC
SC-16	5/21/2013	13:40	Area C North Wall	4.8	14:51	52.3	20.0	1 .	KC
SC-17	5/21/2013	13:31	Area C South Wall	1.9	14:44	59.3	20.0	1	KC
SC-18	5/21/2013	13:20	Area C East Wall	2.1	13:53	46.6	20.0	1	KC
SC-19	5/21/2013	13:30	Area C West Wall	0.4	14:50	69.1	20.0	1	KC ·
SC-20	5/21/2013	13:23	Area C Base	64.3	· 14:14	484	20.0	1	КС

PQL ND Practical Quantitation Limit

Tactical

Not Detected at the Reporting Limit

DF

Dilution Factor

NA

Not Analyzed

Analyst:

Report Finalized: 05/21/13

Lelang Chrotum



Hall Environmental Analysis Laboratory
4901 Hawkins NE
Albuquerque, NM 87109
TEL: 505-345-3975 FAX: 505-345-4107
Website: www.hallenvironmental.com

December 19, 2012

Debbie Watson
Animas Environmental Services
624 East Comanche
Farmington, NM 87401
TEL: (505) 486-4071

FAX

RE: COP Ute #12

OrderNo.: 1212360

Dear Debbie Watson:

Hall Environmental Analysis Laboratory received 1 sample(s) on 12/7/2012 for the analyses presented in the following report.

These were analyzed according to EPA procedures or equivalent. To access our accredited tests please go to www.hallenvironmental.com or the state specific web sites. See the sample checklist and/or the Chain of Custody for information regarding the sample receipt temperature and preservation. Data qualifiers or a narrative will be provided if the sample analysis or analytical quality control parameters require a flag. All samples are reported as received unless otherwise indicated. Lab measurement of analytes considered field parameters that require analysis within 15 minutes of sampling such as pH and residual chlorine are qualified as being analyzed outside of the recommended holding time.

Please don't hesitate to contact HEAL for any additional information or clarifications.

Sincerely,

Andy Freeman

Laboratory Manager

4901 Hawkins NE

Albuquerque, NM 87109

Hall Environmental Analysis Laboratory, Inc.

CLIENT: Animas Environmental Services

Project: COP Ute #12

Lab ID: 1212360-001

Matrix: SOIL

Client Sample ID: SC-1

Collection Date: 12/6/2012 1:25:00 PM

Received Date: 12/7/2012 10:00:00 AM

Analyses	Result	RL	Qual	Units	DF	Date Analyzed
EPA METHOD 8015B: DIESEL RANGE	ORGANICS					Analyst: MMD
Diesel Range Organics (DRO)	11000	200		mg/Kg	20	12/11/2012 8:41:00 AM
Surr: DNOP	0	72.4-120	S	%REC	20	12/11/2012 8:41:00 AM
EPA METHOD 8015B: GASOLINE RAN	GE					Analyst: NSB
Gasoline Range Organics (GRO)	370	96		mg/Kg	20	12/11/2012 5:31:44 PM
Surr: BFB	178	84-116	s	%REC	20	12/11/2012 5:31:44 PM
EPA METHOD 8021B: VOLATILES						Analyst: NSB
Benzene	ND	0.96		mg/Kg	20	12/11/2012 5:31:44 PM
Toluene	ND	0.96		mg/Kg	20	12/11/2012 5:31:44 PM
Ethylbenzene	1.1	0.96		mg/Kg	20	12/11/2012 5:31:44 PM
Xylenes, Total	15	1.9		mg/Kg	20 .	12/11/2012 5:31:44 PM
Surr: 4-Bromofluorobenzene	99.8	80-120		%REC	20	12/11/2012 5:31:44 PM
EPA METHOD 7471: MERCURY						Analyst: TMG
Mercury	ND	0.033		mg/kg	1	12/17/2012 10:00:03 AM
EPA METHOD 6010B: SOIL METALS						Analyst: ELS
Arsenic	7.1	2.5		mg/Kg	• 1	12/18/2012 9:09:22 AM
Barium	150	0.50		mg/Kg	√5	12/18/2012 9:42:06 AM
Cadmium	ND	0.10		mg/Kg	1	12/18/2012 9:09:22 AM
Chromium	4.2	0.30		mg/Kg	1	12/18/2012 9:09:22 AM
Copper	8.5	0.30		mg/Kg	1	12/18/2012 9:09:22 AM
Lead	3.8	0.25		mg/Kg	ĺ	12/18/2012 9:09:22 AM
Nickel	3.6	0.50		mg/Kg	1	12/18/2012 9:09:22 AM
Selenium	ND	2.5		mg/Kg	1	12/18/2012 9:09:22 AM
Silver	ND	0.25	•	mg/Kg	1	12/18/2012 9:09:22 AM
Zinc	24	2.5		mg/Kg	1	12/18/2012 9:09:22 AM
SAR SOLUBLE CATIONS				\		Analyst: ELS
Calcium	1900	1.0		mg/L	1	12/18/2012 7:43:00 AM
Magnesium	390	1.0		mg/L	1	12/18/2012 7:43:00 AM
Sodium	16000	1.0	+	mg/L	1	12/18/2012 7:43:00 AM
Sodium Adsorption Ratio	89	0			1	12/18/2012 7:43:00 AM
EPA METHOD 8270C: PAHS						Analyst: JDC
Naphthalene	4.1	0.40		mg/Kg . ,	10 .	12/11/2012 12:41:09 PM
1-Methylnaphthalene	2.4	0.40)	mg/Kg	10	12/11/2012 12:41:09 PM
2-Methylnaphthalene	11	0.40)	mg/Kg	10	12/11/2012 12:41:09 PM
Acenaphthylene	ND	0.40)	mg/Kg	10	12/11/2012 12:41:09 PM
Acenaphthene	ND	0.40)	mg/Kg	10	12/11/2012 12:41:09 PM
Fluorene	0.54	0.40)	mg/Kg	10	12/11/2012 12:41:09 PM
Phenanthrene	0.28	0.040)	mg/Kg	· 1	12/11/2012 12:06:02 PM
Anthracene	МĎ	0.040)	mg/Kg	1	12/11/2012 12:06:02 PM
Fluoranthene	ND	0.040		mg/Kg	1	12/11/2012 12:06:02 PM

Qualifiers:

- Value exceeds Maximum Contaminant Level.
- E Value above quantitation range
- Analyte detected below quantitation limits
- Sample pH greater than 2
- Reporting Detection Limit

- В Analyte detected in the associated Method Blank
- Н Holding times for preparation or analysis exceeded
- ND Not Detected at the Reporting Limit
- RPD outside accepted recovery limits
- Spike Recovery outside accepted recovery limits 1 of 11

Analytical Report

Lab Order 1212360

Date Reported: 12/19/2012

Hall Environmental Analysis Laboratory, Inc.

CLIENT: Animas Environmental Services

COP Ute #12

Lab ID: 1212360-001

Project:

Client Sample ID: SC-1

Collection Date: 12/6/2012 1:25:00 PM

Received Date: 12/7/2012 10:00:00 AM

Analyses	Result	RL (Qual	Units	DF	Date Analyzed
EPA METHOD 8270C: PAHS						Analyst: JDC
Pyrene	ND	0.040		mg/Kg	1	12/11/2012 12:06:02 PM
Benz(a)anthracene	ND	0.040		mg/Kg	1	12/11/2012 12:06:02 PM
Chrysene	ND	0.040		mg/Kg	1	12/11/2012 12:06:02 PM
Benzo(b)fluoranthene	ND	0.040		mg/Kg	1	12/11/2012 12:06:02 PM
Benzo(k)fluoranthene	ND	. 0.040		mg/Kg	1	12/11/2012 12:06:02 PM
Benzo(a)pyrene	ND	0.040		mg/Kg	1	12/11/2012 12:06:02 PM
Dibenz(a,h)anthracene	ND	0.040		mg/Kg	1	12/11/2012 12:06:02 PM
Benzo(g,h,i)perylene	, ND	0.040		mg/Kg	1	12/11/2012 12:06:02 PM
Indeno(1,2,3-cd)pyrene	. ND	0.040		mg/Kg	1	12/11/2012 12:06:02 PM
Surr: Benzo(e)pyrene	48.9	44.9-129		%REC	1	12/11/2012 12:06:02 PM
Surr: N-hexadecane	0	45.4-126	S	%REC	10	12/11/2012 12:41:09 PM
CONDUCTANCE						Analyst: TAF
Specific Conductance	6900	1.0		µmhos/cm	1	12/19/2012 8:03:00 AM
SM4500-H+B: PH	•					Analyst: IDC
рН	8.12	1.68		pH Units	1	12/13/2012 5:15:00 PM

Matrix: SOIL

Qualifiers:

- Value exceeds Maximum Contaminant Level.
- E Value above quantitation range
- J' Analyte detected below quantitation limits
- P Sample pH greater than 2
- RL Reporting Detection Limit

- B Analyte detected in the associated Method Blank
- H Holding times for preparation or analysis exceeded
- ND Not Detected at the Reporting Limit
- R RPD outside accepted recovery limits
- S Spike Recovery outside accepted recovery limits Page 2 of 11



YOURSEABED BECHOICE

12065 Lebanon Rd. Mt. Juliet, TN 37122 (615) 758-5858 1-800-767-5859 Fax (615) 758-5859

Tax I.D. 62-0814289

L611141-01

Est: 1970

REPORT OF ANALYSIS

December 17, 2012

ESC Sample # :

Site ID :

Project # :

Anne Thorne Hall Environmental Analysis Laborat

4901 Hawkins NE Albuquerque, NM 87109

December 14, 2012

Date Received Description

Sample ID

1212360-001B SC-1

Collected By : Collection Date :

12/06/12 13:25

Parameter	Result	Det. Limit	Units	Method	Dáte	Dil.	
Chromium, Hexavalent	BDL	2.0	mg/kg	3060A/7196A	12/17/12	1	ι
ORP	200		νm	2580	12/15/12	1	
рН	8.1		su	9045D	12/17/12	1	

BDL - Below Detection Limit Det. Limit - Practical Quantitation Limit(PQL)

Note:

The reported analytical results relate only to the sample submitted. This report shall not be reproduced, except in full, without the written approval from ESC.

Reported: 12/17/12 15:29 Printed: 12/17/12 15:29 L611141-01 (PH) - 8.1022.4c



NAO URLENBIO DE CHONCE

Hall Environmental Analysis Laboratory

Anne Thorne 4901 Hawkins NE

Albuquerque, NM 87109

12065 Lebanon Rd. Mt. Juliet, TN 37122 (615) 758-5858 1-800-767-5859 Fax (615) 758-5859

Tax I.D. 62-0814289

Est. 1970

Quality Assurance Report Level II

L611141

December 17, 2012

Analyte	Result		aborator Units	y Blank % Re	c	Lim i t		Batch I	Date Analyzed
Chromium, Hexavalent	< 2		mg/kg						2/17/12 13:35
Analyte	Units	Resul	Dupli t Du	cate plicate	RPD	Limit		Ref Samp	Batch
ORP	mV	200.	19	0.	3.62	20		L611054-0	01 WG628232
Chromium, Hexavalent Chromium, Hexavalent	mg/kg mg/kg	0 0.400	0 0.	920	0 78.8*	20 20		L610592-0 L610592-0	
рн рн	ຣນ ຣ ຍ	4.60 8.20	4. 8.		0.434 0.860	1 1		L611048-0 L611452-0	
Analyte	Units		atory Co n Val	ntrol Sam Re	ple sult	% Rec		Limit	Batch
ORP	νm	228		234.		103.		95.6-104.	WG628232
Chromium, Hexavalent	mg/kg	261		227.		87.0		80-120	WG628065
Н	su	6.03	·	6.01		99.7		98-101.6	WG628397
Analyte		Laboratory Result	Control Ref	Sample D %Rec		Limit	RPD	Limi	tBatch
ORP	m∇	234.	234.	103.		95.6-104.	0	20	WG628232
Chromium, Hexavalent	mg/kg	233.	227.	89.0		80-120	2.61	20	WG628065
рн	su	6.03	6.01	100.		98-101.6	0.332	20	WG628397
Analyte	Units	MS Res	Matrix Ref R		% Rec	_ Limit		Ref Samp	Batch
Chromium, Hexavalent	mg/kg	2.88	0	20	14.4*	75-125	<u> </u>	L610592-02	WG628065
Analyte	Units		ix Spike Ref	Duplicat	e Limit	RPD	Limit	Ref Samp	Batch
Chromium, Hexavalent		1.24	2.88	6.20*	75-125	79.6*	20	1610592-02	wG628065

Batch number /Run number / Sample number cross reference

WG628232: R2479837: L611141-01 WG628065: R2480877: L611141-01 WG628397: R2481017: L611141-01

 ^{* *} Calculations are performed prior to rounding of reported values.
 * Performance of this Analyte is outside of established criteria.

^{*} Performance of this Analyte is outside of established criteria.
For additional information, please see Attachment A 'List of Analytes with QC Qualifiers.'

Hall Environmental Analysis Laboratory, Inc.

WO#: 1212360

19-Dec-12

Client:

Animas Environmental Services

Project:

COP Ute #12

Sample ID MB-5158	Samn	 Гуре: М І	RI K	Tes	tCode: F	PA Mothod	8015B: Dies	el Range (Organics	
Client ID: PBS		h ID: 51			RunNo: 7			er Kange (organics	
Prep Date: 12/7/2012	Analysis [2/7/2012		SeqNo: 2		Units: mg/F	⟨ g		
Analyte	Result	PQL	SPK value	SPK Ref Val	%REC	LowLimit	HighLimit	%RPD	RPDLimit	Qual
Diesel Range Organics (DRO) Surr: DNOP	ND 9.7	10	10.00		96.9	72.4	120			
Sample ID LCS-5158	Samp	Type: LC	s	Ţes	tCode: E	PA Method	8015B: Dies	el Range (Organics	
Client ID: LCSS	· Batc	h ID: 51	58	F	RunNo: 7	361				
Prep Date: 12/7/2012	Analysis [Date: 1:	2/7/2012	S	SeqNo: 2	13516	Units: mg/k	(g		•
Analyte	Result	PQL	SPK value	SPK Ref Val	%REC	LowLimit	HighLimit	%RPD	RPDLimit	Qual
Diesel Range Organi⇔ (DRO)	50	10	50.00	0	99.6	47.4	122			
Surr: DNOP	4.2		5.000		84.0	72.4	120			

Qualifiers:

- Value exceeds Maximum Contaminant Level.
- E Value above quantitation range
- J Analyte detected below quantitation limits
- P Sample pH greater than 2

- B Analyte detected in the associated Method Blank
- H Holding times for preparation or analysis exceeded
- ND Not Detected at the Reporting Limit
- R RPD outside accepted recovery limits

Page 3 of 11

Hall Environmental Analysis Laboratory, Inc.

WO#: 1212360

19-Dec-12

Client:

Animas Environmental Services

Project:

COP Ute #12

Sample ID 1212385-001AMS SampType: MS TestCode: EPA Method 8015B: Gasoline Range Client ID: **BatchQC** Batch ID: 5186 RunNo: 7465 Prep Date: 12/10/2012 Analysis Date: 12/12/2012 SeqNo: 216508 Units: mg/Kg Analyte Result **PQL** SPK value SPK Ref Val %REC LowLimit HighLimit %RPD **RPDLimit** Qual Gasoline Range Organics (GRO) 24 4.7 23.74 0 101 70 130 s Surr: BFB 1500 949.7 159 84 116

Sample ID 1212385-001AMSE	SampT	уре: М	SD	Tes	tCode: El	PA Method	8015B: Gaso	line Rang	e	•	
Client ID: BatchQC	Batch	ID: 51	86	, F	RunNo: 7	465					
Prep Date: 12/10/2012	Analysis D	ate: 12	2/12/2012	. 8	SeqNo: 216509			Units: mg/Kg			
Analyte	Result	PQL	SPK value	SPK Ref Val	%REC	LowLimit	HighLimit	%RPD	RPDLimit	Qual	
Gasoline Range Organics (GRO)	25	4.7	23.67	0	105	70	130	3.67	22.1		
Surr: BFB	1900		947.0		197	84	116	0	0	S	

Qualifiers:

Value exceeds Maximum Contaminant Level.

E Value above quantitation range

Analyte detected below quantitation limits

P Sample pH greater than 2

B Analyte detected in the associated Method Blank

H Holding times for preparation or analysis exceeded

ND Not Detected at the Reporting Limit

R RPD outside accepted recovery limits

Page 4 of 11

Hall Environmental Analysis Laboratory, Inc.

WO#:

1212360

19-Dec-12

Client:

Animas Environmental Services

Project:

COP Ute #12

Sample ID mb-5196	SampType: N	IBLK	Tes	tCode: E	PA Method	8270C: PAHs	;		
Client ID: PBS	Batch ID: 5	196	F	RunNo: 7	422				
Prep Date: 12/10/2012	Analysis Date:	12/11/2012	5	SeqNo: 2	15077	Units: mg/K	g	-	
Analyte	Result PQL	SPK value	SPK Ref Val	%REC	LowLimit	HighLimit	%RPD	RPDLimit	Qual
Naphthalene	ND 0.02)	,				-		
1-Methylnaphthalene	ND 0.02)				-			
2-Methylnaphthalene	ND 0.020)							
Acenaphthylene	ND 0.02) .						•	
Acenaphthene	ND 0.02)							
Fluorene	ND 0.020)		•					
Phenanthrene	ND 0.02)							
Anthracene	ND . 0.020)							
Fluoranthene	ND 0.020)							
Pyrene	ND 0.02)							
Benz(a)anthracene	ND 0.020)	,						
Chrysene	ND 0.020	j.	,						
Benzo(b)fluoranthene	ND \ 0.020)							
Benzo(k)fluoranthene	ND 0.020)							
Benzo(a)pyrene	ND 0.020)							•
Dibenz(a,h)anthracene	ND 0.020)				•			
Benzo(g,h,i)perylene	ND 0.020)							
Indeno(1,2,3-cd)pyrene	ND 0.020)							
Surr: Benzo(e)pyrene	0.27	0.3300	•	81.2	44.9	129			
Surr: N-hexadecane	1.1	1.460		72.3	45.4	126			

Sample ID Ics-5196	Sampl	SampType: LCS TestCode: EPA M						s		
Client ID: LCSS	Batcl	h ID: 51	96	F	RunNo: 74	422			•	
Prep Date: 12/10/2012	Analysis E	Date: 12	2/11/2012	\$	SeqNo: 2	15078	Units: mg/F	⟨ g		
Analyte	Result	PQL	SPK value	SPK Ref Val	%REC	LowLimit	HighLimit	%RPD	RPDLimit	Qual
Naphthalene	0.26	0.020	0.3300	. 0	·77.4	- 52	107			
1-Methylnaphthalene	0.26	0.020	0.3300	0	78.6	54.7	112			
2-Methylnaphthalene	0.25	0.020	0.3300	0	76.7	50.2	112			
Acenaphthylene	0.30	0.020	0.3300	0	90.3	53.3	111			
Acenaphthene	0.31	0.020	0.3300	0	93.2	50	120			
Fluorene	0.30	0.020	0.3300	0	89.4	50.8	115			
Phenanthrene	0.30	0.020	0.3300	0	92.2	54.1	124			
Anthracene	0.30	0.020	0.3300	0	90.8	53.9	117	•		
Fluoranthene	0.30	0.020	0,3300	0	90.5	54.5	112			
Pyrene	0.28	0.020	0.3300	0	86.2	51.2	1 13			
Benz(a)anthracene	0.28	0.020	0.3300	0	86.0	54.9	109			
Chrysene	0.19	0.020	0.3300	0	58.3	49	112			
Benzo(b)fluoranthene	0.24	0.020	0.3300	0	73.9	58.2	118			
Benzo(k)fluoranthene	0.29	0.020	0.3300	0.	87.5	53.5	118			
Benzo(a)pyrene	0.26	0.020	0.3300	0	. 79.5	50.1	118		•	
•							•			

Qualifiers:

- * Value exceeds Maximum Contaminant Level.
- E Value above quantitation range
- J Analyte detected below quantitation limits
- P Sample pH greater than 2

- B Analyte detected in the associated Method Blank
- H Holding times for preparation or analysis exceeded

RPD outside accepted recovery limits

- ND Not Detected at the Reporting Limit
- Page 5 of 11

Hall Environmental Analysis Laboratory, Inc.

WO#: 1212360

19-Dec-12

Client:

Animas Environmental Services

Project:

COP Ute #12

Sample ID Ics-5196	SampT	ype: LC	S	Tes	tCode; El	PA Method	8270C: PAH	3		
Client ID: LCSS	Batch	Batch ID: 5196			RunNo: 7 -	422			•	
Prep Date: 12/10/2012	2/11/2012	. 8	15078	Units: mg/Kg						
Analyte	Result	PQL	SPK value	SPK Ref Val	%REC	LowLimit	HighLimit	%RPD	RPDLimit	Qual
Dibenz(a,h)anthracene	0.27	0.020	0.3300	. 0	82.3	59.5	113			
Benzo(g,h,i)perylene	0.29	0.020	0.3300	0	86.6	56.5	117			
Indeno(1,2,3-cd)pyrene	0.28	0.020	0.3300	. 0	83.9	58.5	114			
Surr: Benzo(e)pyrene	0.24		0.3300		72.9	44.9	129			
Surr: N-hexadecane	1.3		1.460	•	91.4	45.4	126			

Qualifiers:

- * Value exceeds Maximum Contaminant Level.
- E Value above quantitation range
- J Analyte detected below quantitation limits
- P Sample pH greater than 2

- B Analyte detected in the associated Method Blank
- H Holding times for preparation or analysis exceeded
- ND Not Detected at the Reporting Limit
- RPD outside accepted recovery limits

Page 6 of 11

Hall Environmental Analysis Laboratory, Inc.

WO#:

1212360

19-Dec-12

Client:

Animas Environmental Services

Project:

COP Ute #12

Sample ID 1212360-001ADUP

SampType: DUP

TestCode: CONDUCTANCE

Client ID: SC-1

Batch ID: R7578

RunNo: **7578**

Analysis Date: 12/19/2012

SeqNo: 219972

Units: µmhos/cm

Prep Date: Analyte

Result

SPK value SPK Ref Val %REC LowLimit

%RPD

RPDLimit

Qual

HighLimit

Specific Conductance

6900

1.0

PQL

20

Qualifiers:

Value exceeds Maximum Contaminant Level.

E Value above quantitation range

Analyte detected below quantitation limits

Sample pH greater than 2

Analyte detected in the associated Method Blank В

Η' Holding times for preparation or analysis exceeded

Not Detected at the Reporting Limit ND

RPD outside accepted recovery limits

Page 7 of 11

Hall Environmental Analysis, Laboratory, Inc.

WO#: 1212360

19-Dec-12

Client:

Animas Environmental Services

Project:

COP Ute #12

Sample ID MB-5289

SampType: MBLK

TestCode: EPA Method 7471: Mercury

Client ID: PBS

Prep Date:

12/17/2012

Batch ID: 5289 Analysis Date: 12/17/2012

RunNo: 7527

SeqNo: 218472

SPK value SPK Ref Val %REC LowLimit

Units: mg/kg

HighLimit

%RPD **RPDLimit**

Qual

Analyte Mercury

ND 0.033

Result

SampType: LCS

PQL

TestCode: EPA Method 7471: Mercury

Client ID: LCSS

Client ID: SC-1

Batch ID: 5289

RunNo: 7527

Prep Date: 12/17/2012

Sample ID LCS-5289

Analysis Date: 12/17/2012

SeqNo: 218473

Units: mg/kg

SPK value SPK Ref Val %REC LowLimit HighLimit

Analyte

PQL 0.033 0.1667

103

Mercury

120

RPDLimit .

Sample ID 1212360-001AMS

0.17

0.18

0.18

Result

SampType: MS

TestCode: EPA Method 7471: Mercury RunNo: 7527

125

Units: mg/kg

Prep Date: Analyte

12/17/2012

Analysis Date: 12/17/2012

Batch ID: 5289

SeqNo: 218475

HighLimit

%RPD

Result **PQL**

SPK value SPK Ref Val 0.1643

%REC 105

LowLimit

%RPD

RPDLimit

Qual

Mercury

0.033

0.033

TestCode: EPA Method 7471: Mercury

Client ID:

Sample ID 1212360-001AMSD SC-1

SampType: MSD Batch ID: 5289

0.1657

RunNo: 7527 SeqNo: 218476

Units: mg/kg

Qual

Analyte Mercury

Prep Date: 12/17/2012

Analysis Date: 12/17/2012

SPK value SPK Ref Val 0.008724

0.008724

%REC 106

75

HighLimit 125

1.27

%RPD **RPDLimit**

20

J

Value exceeds Maximum Contaminant Level.

E Value above quantitation range

Analyte detected in the associated Method Blank В

Holding times for preparation or analysis exceeded

Not Detected at the Reporting Limit ND

Page 8 of 11

Qualifiers:

Analyte detected below quantitation limits Sample pH greater than 2

RPD outside accepted recovery limits

Н

Hall Environmental Analysis Laboratory, Inc.

WO#: 1212360

19-Dec-12

Client:

Animas Environmental Services

Project:

COP Ute #12

Sample ID MB-5292	BLK	TestCode: EPA Method 6010B: Soil Metals								
Client ID: PBS .	Batch	n ID: 52	92	. F	RunNo: 7	561				
Prep Date: 12/17/2012	Analysis D	oate: 12	2/18/2012	S	SeqNo: 2	19504	Units: mg/K	(g		
Analyte	Result	PQL	SPK value	SPK Ref Val	%REC	LowLimit	HighLimit	%RPD	RPDLimit	Qual
Arsenic	ND	2.5								
Barium	ND	0.10							•	
Cadmium	ND	0.10	•							
Chromium	ND	0.30								
Copper	ND	0.30					•			
Lead	ND	0.25			٠.					
Nickel	ND	0.50	٠.	•						
Selenium	ND	2.5					•		•	
Silver	ND	0.25	•							
Zinc	ND	2.5								

Sample ID LCS-5292	SampT	ype: LC	S	Tes	PA Method	6010B: Soil	Metais			
Client ID: LCSS	Batch	D: 52	92	F	RunNo: 7	561				
Prep Date: 12/17/2012	Analysis D	ate: 12	2/18/2012	- S	SeqNo: 2	19505	Units: mg/K	(g		
Analyte	Result	PQL	SPK value	SPK Ref Val	%REC	LowLimit	HighLimit	%RPD	,RPDLimit	Qual
Arsenic	23	2.5	25.00	0	91.4	80	120			` ` ` ` ` ` ` ` ` ` ` ` ` ` ` ` ` ` ` `
Barium	22	0.10	25.00	0	- 89.4	80	120			
Cadmium	22	0.10	25.00	0	88.7	80	120			
Chromium	22	0.30	25.00	0	89.7	80	120			
Copper	23	0.30	25.00	0	90.8	80	120		-	
Lead	22	0.25	25.00	0	88.9	80	120			
Nickel	21	0.50	25.00	0	85.5	80	120			•
Selenium	22	2.5	25.00	. 0	87.4	80	120			
Silver	4.9	0.25	5.000	0.1050	96.6	80	120			
Zinc	22	2.5	25.00	0	89.8	80	120			

Sample ID 1212338-001AMS	SampType: MS Batch ID: 5292 Analysis Date: 12/18/2012			TestCode: EPA Method 6010B: Soil Metals						
Client ID: BatchQC				RunNo: 7561						
Prep Date: 12/17/2012				SeqNo: 219510			Units: mg/F	(g		•
Analyte `	Result	PQL	SPK value	SPK Ref Val	%REC	LowLimit	HighLimit	%RPD	RPDLimit	Qual
Arsenic	19	2.5	24.91	0.8300	74.1	75	125			S
Cadmium	18	0.10	24.91	0 .	73.0	75	125			S
Chromium	20	0.30	24.91	1.446	72.6	75	125			S
Lead	20	0.25	24.91	2.284	69.6	75	125			S
Selenium	17	2.5	24.91	0	69.1	75	125			S
Silver	3.7	0.25	4.982	0.05163	72.9	75	125			S

Qualifiers:

- * Value exceeds Maximum Contaminant Level.
- E Value above quantitation range
- J Analyte detected below quantitation limits
- P Sample pH greater than 2

- B Analyte detected in the associated Method Blank
- H Holding times for preparation or analysis exceeded
- ND Not Detected at the Reporting Limit
- R' RPD outside accepted recovery limits

Page 9 of 11

Hall Environmental Analysis Laboratory, Inc.

WO#:

1212360 *19-Dec-12*

Client:

Animas Environmental Services

Project:

COP Ute #12

Sample ID 1212338-001A	ample ID 1212338-001AMSD SampType: MSD				TestCode: EPA Method 6010B: Soil Metals							
Client ID: BatchQC	ent ID: BatchQC . Batch ID: 5292			F								
Prep Date: 12/17/2012	Analysis E	Analysis Date: 12/18/2012			SeqNo: 219511			Units: mg/Kg				
Analyte	Result	PQL	SPK value	SPK Ref Val	%REC	LowLimit	HighLimit	%RPD	RPDLimit	Qual		
Arsenic	20	2.5	24.55	0.8300	78.1	75	125	3.62	20			
Cadmium	19	0.10	. 24.55	0	76.9	75	125	3.80	20			
Chromium	20	0.30	24.55	1.446	77.5	75	125	4.65	20			
.ead	20	0.25	24.55	2.284	73.4	75	125	3.49	20	S		
Selenium	18	2.5	24.55	0	73.2	75	125	4.32	20	S		
Silver	3.9	0.25	4.911	0.05163	77.5	75	125.	4.66	20			

Qualifiers:

- Value exceeds Maximum Contaminant Level.
- E Value above quantitation range
- J Analyte detected below quantitation limits
- Sample pH greater than 2

- B Analyte detected in the associated Method Blank
- H Holding times for preparation or analysis exceeded
- ND Not Detected at the Reporting Limit
- R RPD outside accepted recovery limits

Page 10 of 11

Hall Environmental Analysis Laboratory, Inc.

WO#:

1212360 19-Dec-12

Client:

Animas Environmental Services

Project:

Prep Date:

COP Ute #12

Sample ID 1212360-001ADUP

TestCode: SM4500-H+B: pH

Client ID:

SampType: DUP Batch ID: R7490

RunNo: 7490

SPK value SPK Ref Val. %REC LowLimit

Analysis Date: 12/13/2012

PQL

SeqNo: 217055

Units: pH Units

HighLimit

%RPD

RPDLimit

Qual

Analyte

8.08 1.68

Qualifiers:

- Value exceeds Maximum Contaminant Level.
- Value above quantitation range
- Analyte detected below quantitation limits
- P Sample pH greater than 2

- · Analyte detected in the associated Method Blank
- Н Holding times for preparation or analysis exceeded
- ND Not Detected at the Reporting Limit

RPD outside accepted recovery limits

Page 11 of 11



Hall Environmental Analysis Laboratory 4901 Hawkins NE Albuquerque, NM 87105 TEL: 505-345-3975 FAX: 505-345-410;

Sample Log-In Check List

Website: www.hallenvironmental.com Client Name: Work Order Number: 1212360 Animas Environmental Received by/date Logged By: Lindsay Mangin 12/7/2012 10:00:00 AM Completed By: Lindsay Mangin 12/7/2012 12:04:34 PM Reviewed By: Chain of Custody Yes 🗌 No 🗍 Not Present 🗹 1. Were seals intact? Yes 🗹 No 🗌 Not Present 2. Is Chain of Custody complete? 3. How was the sample delivered? Courier Log In Yes V No 🗌 NA 🗌 4. Coolers are present? (see 19. for cooler specific information) Yes 🗹 No 🗌 NA 🗀 5. Was an attempt made to cool the samples? Yes 🔽 No 🗌 NA 🗆 6. Were all samples received at a temperature of >0° C to 6.0°C Yes 🗹 No 🗌 7. Sample(s) in proper container(s)? Yes 🔽 No 🗌 8. Sufficient sample volume for indicated test(s)? Yes 🗹 No 🗌 9. Are samples (except VOA and ONG) properly preserved? Yes 🗌 No 🗹 NA 🗆 10. Was preservative added to bottles? Yes D No D No VOA Vials 2 11. VOA vials have zero headspace? Yes D No 🗹 12. Were any sample containers received broken? # of preserved Yes 🗹 No 🗌 13. Does paperwork match bottle labels? bottles checked (Note discrepancies on chain of custody) for pH: Yes 🗹 No 🗌 (<2 or >12 unless noted) 14. Are matrices correctly identified on Chain of Custody? Yes 🗹 No 🗌 Adjusted? 15. Is it clear what analyses were requested? Yes 🗹 No 🗌 16. Were all holding times able to be met? (If no, notify customer for authorization.) Checked by: Special Handling (if applicable) NA 🗹 Yes D No D 17. Was client notified of all discrepancies with this order? Person Notified: By Whom: eMail Phone Fax In Person Via: Regarding: Client Instructions: 18. Additional remarks: 19. Cooler Information Cooler No Temp °C Condition Seal Intact Seal No Seal Date

1.0

Good

Yes

			stody Record	Turn-Around					28			a a	1 8		AI W	7 7 E	7	nj e	ME	NT	a.	
Client:	Anim	as En	vironmental	☐ Standard	Rush He #12	5 da	YTAT			H										ATC		_
	Ş	vvice.	5	Project Name	3 1 4 5.0	,				**			v.hal									
Mailing	Address	624			Ute #12	_			49	01 H	awki	ns N	IE	Alb	uqu	erqu	e, N	M 87	109			,
Fav	MLNS	on 1	M 87401	Project #:				United States	Τe	el. 50	5-34	Carrie Sec.	en e		Charles and the	Trade 1	345	A COLUMN	A STATE OF THE PARTY	and the second	STIGHT COM	
Phone:	#: <u>50</u>	5 56	4 2281		•		•						Α	naly		Rêd	ues					
email o				Project Mana	iger:			(£)	only	ese					SO ₄)	က်		·	affacted)			
QA/QC I	Package: dard		☐ Level 4 (Full Validation)	D. Wa				TMB's (8021)	+ TPH (Gas only)	(Gas/Diesel)			į		,PO4,	2 PCB			\sim 1			
Accredi		□ Othe	r	Sampler: D	Wason	e in No.		TMB	TPH 1	15B ((418.1)	504.1)	AH)		3,NO2	/ 808		A)	Table			(Z
	(Type)			Sample (1616)	namine -	6		H		08 p)d 4)d 5(or P	stals	N.	ides	· (a)	0	ऋ			2
Date	Time	Matrix	Sample Request ID	Container Type and #	Preservative Type		A jus	BTEX + MTBE	BTEX + MTBE	TPH Method 8015B	TPH (Method	EDB (Method	8310 (PNA or PAH)	RCRA 8 Metals	Anions (F,Cl,NO ₃ ,NO ₂ ,PO ₄ ,SO ₄)	8081 Pesticides / 8082 PCB's	8260B (VOA)	8270 (Semi-VOA)	LEMM UR			Air Bubbles (Y or N)
12-6-12	1325	Soil	SC-1	3-802		- (261												X	\top		
							· · · · · · · · · · · · · · · · · · ·															
							1															
					<u> </u>																	
 							······································															
												_	_							\dashv		
·						ļ <u>-</u>		-						\dashv						\dashv		\dashv
								╁			-	_										
Date: 7/6/12	Time:	Retinquishe	1. 11) 1	Received by:	. 1. 700 40.	Date	Time	Rer Wo Arr	narks , 92	s: 72 44	nll	h	Con	المحا	ا ۱۹ و	الله مالمان	ومها	Cn	sh l	та (DIAG	
Date:	Time:	Rehaquishe	ed by:	Received by:	THE PLANE	Date	Time	Arr	u: 1	- T	¥ 7 J	•			OVOL Sur	rea	ey.	Rich	nand	Lope	ر الا	
40/12	1715	Mar	the Waller	1	12/	07/10	2 1000	us	er 10): <u>G</u>	ARR	ecr	_		-v4		,,,,			1		
	f necessary	samples subr	nitted to Hall Environmental may be subc	contracted to other a	ocredited laboratorie	es. This sen	es as notice of th	is possi	bility.	Any su	b-conti	racted	data v	will be	clear	y nota	ted on	the ar	nalytica	ıl repor	t.	

Standards for Spill Clean-up and Reclamation <u>Ute Mountain Ute Tribe</u> Based on Colorado Oil and Gas Commission Standards

Note: Samples must be collected by a qualified professional and samples analyzed by a qualified laboratory (EPA certification recommended). At a minimum sufficient quality assurance/quality control data should be provided with analyses. These should be sent to Scott Clow, Environmental Programs Director, PO Box 448, Towaoc, CO 81334, or delivered to 520 Sunset Blvd. Towaoc, CO during regular business hours of 8 am to 4:30 pm, Monday through Friday. Other contact information: (970) 564-5432; FAX (970) 565-2651; cellular phone (970) 749-3508.

The Ute Mountain Ute Environmental Programs Department can do sampling on behalf of the Operator/Leasee with the understanding that analytical costs will be reimbursed to the Tribe.

Pollutant Concentrations in Soil and Water

CONCENTRATION LEVELS Contaminant of Concern	Concentrations
@@organic Compounds in	15010
TPH (total volatile and extractable petroleum	500 mg/kg
hydrocarbons)	
Benzene	0.17 mg/kg ₂
Toluene	85 mg/kg2
Ethylbenzene	100 mg/kg2
Xylenes (total	175 mg/kg2
Acenaphthene	1,000 mg/kg2
Anthracene	1,000 mg/kg2
Benzo(A)anthracene	0.22 mg/kg2
Велzo(B)fluoranthеле	0.22 mg/kg2
Benzo(K)fluoranthene	2.2 mg/kg2
Benzo(A)pyrene	0.022 mg/kg2
Chrysene	22 mg/kg2
Dibenzo(A,H)anthracene	0.022 mg/kg2
Fluoranthene	1,000 mg/kg2
Fluorene	1,000 mg/kg2
Indeno(1,2,3,C,D)pyrene	0.22 mg/kg2
Napthalene	23 mg/kg2

Sins limit

Pyrene	1,000 mg/kg2
Organic Compounds in Gr	ound Water
Benzene	5 μg/l ₃
Toluene	560 to 1,000 μg/l ₃
Ethylpenzene	700 µg/ls
Xylenes (Total)	1,400 to 10,000 µg/(3,4
	G 214
Electrical Conductivity (EC)	<4 mmhos/cm or 2x background
Sodium Adsorption Ratio (SAR)	<125
рН	6-9
Inorganics in Ground	Water
Total Dissolved Solids (TDS)	<1.25 x background3
Chlorides	<1.25 x backgrounds
Sulfates	<1.25 x background3
Metals in Soils	
Arsenic	0.39 mg/kg ₂
Barium (LDNR True Total Barium)	15,000 mg/kg ₂
Boron (Hot Water Soluble)	2 mg/ls
Cadmium	70 mg/kg3,6
Chromium (iii)	120,000 mg/kg ₂
Chromium (VI)	23 mg/kg2,6
Copper	3,100.mg/kg ₂
Lead (inorganic)	400 mg/kg ₂
Mercury	23 mg/kg ₂
Nickei (soluble salts)	1,600 mg/kg2,6
Selenium	390 mg/kg2,6
Silver	390 mg/kg2
Zinc	23,000 mg/kgzs
Liquid Hydrocarbons in Soils an	
Liquid hydrocarbons including condensate and oil	Below detection level

MAN X



Hall Environmental Analysis Laboratory
4901 Hawkins NE
Albuquerque, NM 87109
TEL: 505-345-3975 FAX: 505-345-4107
Website: www.hallenvironmental.com

February 04, 2013

Debbie Watson
Animas Environmental Services
624 East Comanche
Farmington, NM 87401
TEL: (505) 486-4071

FAX

RE: COP Ute #12

OrderNo.: 1301920

Dear Debbie Watson:

Hall Environmental Analysis Laboratory received 1 sample(s) on 1/29/2013 for the analyses presented in the following report.

This report is a revised report and it replaces the original report issued February 04, 2013.

These were analyzed according to EPA procedures or equivalent. To access our accredited tests please go to www.hallenvironmental.com or the state specific web sites. See the sample checklist and/or the Chain of Custody for information regarding the sample receipt temperature and preservation. Data qualifiers or a narrative will be provided if the sample analysis or analytical quality control parameters require a flag. All samples are reported as received unless otherwise indicated.

Please don't hesitate to contact HEAL for any additional information or clarifications.

Sincerely,

Andy Freeman

Laboratory Manager

4901 Hawkins NE

Albuquerque, NM 87109

Hall Environmental Analysis Laboratory, Inc.

Client Sample ID: SC-1 SC-2 Irc

Project: COP Ute #12

CLIENT: Animas Environmental Services

Collection Date: 1/25/2013 4:45:00 PM

Lab ID: 1301920-001

Matrix: SOIL Received Date: 1/29/2013 10:20:00 AM

Analyses	Result	MDL	ŔL	Qual	Units	DF	Date Analyzed	
EPA METHOD 8015B: DIESEL RANGE	ORGANICS						Analyst: MMD	
Diesel Range Organics (DRO)	2200	61.77645	100		mg/Kg ,	10	1/31/2013 11:15:20 AM	
Motor Oil Range Organics (MRO)	ND	499.00200	500		mg/Kg	10	1/31/2013 11:15:20 AM	
Surr: DNOP	0	0.00000	72.4-120	S	%REC	10	1/31/2013 11:15:20 AM	
EPA METHOD 8015B: GASOLINE RAN	GE				,		Analyst: NSB	
Gasoline Range Organics (GRO)	44	4.25846	19		mg/Kg	4	1/31/2013 12:15:32 PM	
Surr: BFB	148	0.00000	84-116	S	%REC	4	1/31/2013 12:15:32 PM	
EPA METHOD 8021B: VOLATILES	•			•		`	Analyst: NSB	
Benzene	ND	0.01192	0.19		mg/Kg	4	1/31/2013 12:15:32 PM	
Toluene .	0.021	0.01231	0.19	J	mg/Kg	4	1/31/2013 12:15:32 PM	
Ethylbenzene	0.079	0.01346	0.19	J	mg/Kg	4	1/31/2013 12:15:32 PM	
Xylenes, Total	0.32	0.04346	0.38	J	mg/Kg	4	1/31/2013 12:15:32 PM	
Surr: 4-Bromofluorobenzene	103	0.00000	80-120		%REC	٠4	1/31/2013 12:15:32 PM	
EPA METHOD 7471: MERCURY							Analyst: TMG	
Mercury	0.020	0.00164	0.033	. J	mg/kg	1	1/31/2013 8:07:12 AM	
EPA METHOD 6010B: SOIL METALS		,					Analyst: ELS	
Arsenic	1.9	0.62632	2.5	J	mg/Kg	1	1/31/2013 7:43:31 AM	
Barium	160	0.30451	0.50		mg/Kg	5	1/31/2013 7:45:51 AM	•
Cadmium	0.037	0.02710	0.10	· J	mg/Kg	1	1/31/2013 7:43:31 AM	
Chromium	4.9	0.11840	0.30		mg/Kg	1	1/31/2013 7:43:31 AM	
Copper	9.0	0.23231	0.30		mg/Kg	1	1/31/2013 7;43:31 AM	
Lead	3.5	0.21941	0.25		mg/Kg	1 `	1/31/2013 7:43:31 AM	
Nickel	3.7	0.16681	0.50		mg/Kg	1	1/31/2013 7:43:31 AM	
Selenium	ND	1.40255	2.5		mg/Kg	1	1/31/2013 7:43:31 AM	
Silver	· ND	0.03540	0.25		mg/Kg	1	1/31/2013 7:43:31 AM	,
Zinc	24	1.00664	2.5		mg/Kg	1	1/31/2013 7:43:31 AM	
SAR SOLUBLE CATIONS							Analyst: JLF	
Calcium	1600	0.48650	1.0		mg/L	1	1/31/2013 9:58:00 AM	
Magnesium	380	0.34400	1.0		mg/L	1	1/31/2013 9:58:00 AM	
Sodium	11000	0.87900	1.0		mg/L	[*] 1	1/31/2013 9:58:00 AM	
Sodium Adsorption Ratio	. 63	0.00000	0			1 ·	1/31/2013 9:58:00 AM	
EPA METHOD 8270C: PAHS							Analyst: JDC	•
Naphthalene	0.46	0.00434	0.020		mg/Kg	1	1/31/2013 3:17:05 PM	
1-Methylnaphthalene	0.53	0.00395	0.020		mg/Kg	1	1/31/2013 3:17:05 PM	
2-Methylnaphthalene	4.3	0.03997	0.20		mg/Kg	10	2/1/2013 11:27:55 AM	
Acenaphthylene	ND	0.02405	0.10		mg/Kg	5	1/31/2013 4:29:18 PM	
Acenaphthene	ND	0.02881	0.10		mg/Kg	5	1/31/2013 4:29:18 PM	
Fluorene	ND	. 0.02053	0.10		mg/Kg	5	1/31/2013 4:29:18 PM	
Phenanthrene	0.11	0.00324	0.020		mg/Kg	1,	1/31/2013 3:17:05 PM	
Anthracene	, ND	0.00316	0.020		mg/Kg	1	1/31/2013 3:17:05 PM	

- Value exceeds Maximum Contaminant Level.
- E Value above quantitation range
- J Analyte detected below quantitation limits
- P Sample pH greater than 2
- RL Reporting Detection Limit

- B Analyte detected in the associated Method Blank
- H Holding times for preparation or analysis exceeded
- ND Not Detected at the Reporting Limit
- R RPD outside accepted recovery limits
- S Spike Recovery outside accepted recovery limits

Analytical Report

Lab Order 1301920

Date Reported: 2/4/2013

Hall Environmental Analysis Laboratory, Inc.

CLIENT: Animas Environmental Services

Client Sample ID: SC-1 SC-2 lrc

Project: COP Ute #12 Collection Date: 1/25/2013 4:45:00 PM

Lab ID: 1301920-001

Matrix: SOIL

Received Date: 1/29/2013 10:20:00 AM

Analyses	Result	MDL	RL	Qual	Units	DF	Date Analyzed
EPA METHOD 8270C: PAHS							Analyst: JDC
Fluoranthene	ND .	0.00355	0.020	•	mg/Kg	1	1/31/2013 3:17:05 PM
Pyrene	ND	0.00485	0.020		mg/Kg	1	1/31/2013 3:17:05 PM
Benz(a)anthracene	. ND	0.00568	0.020		mg/Kg	1	1/31/2013 3:17:05 PM
Chrysene	ND	0.00376	0.020		mg/Kg	1	1/31/2013 3:17:05 PM
Benzo(b)fluoranthene	0.0050	0.00474	0.020	J	mg/Kg	1	1/31/2013 3:17:05 PM
Benzo(k)fluoranthene	ND	0.00581	0.020		mg/Kg	1	1/31/2013 3:17:05 PM
Benzo(a)pyrene	ND	0.00391	0.020		mg/Kg	1	1/31/2013 3:17:05 PM
Dibenz(a,h)anthracene	ND	0.00389	0.020		mg/Kg	1.	1/31/2013 3:17:05 PM
Benzo(g,h,i)perylene	ND	0.00506	0.020		mg/Kg	1	1/31/2013 3:17:05 PM
Indeno(1,2,3-cd)pyrene	ND	0.00783	0.020		mg/Kg	1	1/31/2013 3:17:05 PM
Surr: Benzo(e)pyrene	105	0.00000	44.9-129		%REC	1	1/31/2013 3:17:05 PM
Surr: N-hexadecane	0	0.00000	45.4-126	s	%REC	5	1/31/2013 4:29:18 PM
CONDUCTANCE						•	Analyst: TAF
Specific Conductance	5200	0.00000	1.0		µmhos/cm	1	1/31/2013 7:02:00 AM

- Value exceeds Maximum Contaminant Level.
- Value above quantitation range Ε
- Analyte detected below quantitation limits J
- Sample pH greater than 2
- Reporting Detection Limit

- Analyte detected in the associated Method Blank В
- Η Holding times for preparation or analysis exceeded
- ND Not Detected at the Reporting Limit
- RPD outside accepted recovery limits R
- Spike Recovery outside accepted recovery limits Page 2 of 9



YOUR WASTORNEHOICE

12065 Lebanon Rd. Mt. Juliet, TN 37122 (615) 758-5858 1-800-767-5859 Fax (615) 758-5859

Tax I.D. 62-0814289

Est. 1970

REPORT OF ANALYSIS

Anne Thorne Hall Environmental Analysis Laborat 4901 Hawkins NE Albuquerque, NM 87109

February 01, 2013

Date Received

January

30, 2013

ESC Sample # :

L617639-01

Description

Site ID :

Sample ID

1301920-001c sc-1 SC-2 lrc

Project # :

Collected By : Collection Date :

01/25/13 16:45

Chromium, Hexavalent BDL 2.0 mg/kg 3060A/7	Date Dil.
ř.	196A 02/01/13 1
ORP 58. mV 2580 B-2	2011 01/31/13 1
pH 8.2 su 9045D	01/31/13 1

BDL - Below Detection Limit Det. Limit - Practical Quantitation Limit(PQL) Note: The reported analytical results relate only to the sample submitted. This report shall not be reproduced, except in full, without the written approval from ESC.

Reported: 02/01/13 15:31 Printed: 02/01/13 15:40 L617639-01 (PH) - 8.2020.3c



WOUNTER MAKE FACTORICE

Hall Environmental Analysis Laboratory

Anne Thorne 4901 Hawkins NE

Albuquerque, NM 87109

Quality Assurance Report

Level II

February 01, 2013

12065 Lebanon Rd. Mt. Juliet, TN 37122 (615) 758-5858 1-800-767-5859 Fax (615) 758-5859 Tax I.D. 62-0814289

Est. 1970

L617639

Analyte	Result		Laborator Units		Rec		Limit		Batch Date	Analyzed
					rec	-	DIMLE			
Chromium, Hexavalent	< 2	··	mg/kg						WG634626 02/0	<u>1/13</u> 13:44
			Dupl1							
Analyte .	Units	Resu	lt Du	plicate	RPD		Limit		Ref Samp	Batch
ORP	mV	240.	23		3.42		20		L617129-01	WG634580
ORP	. Vm	57.0	- 58	. 0	1.74		20		L617639-01	WG634580
рH	8u	8.20	8.	20 .	0		1		L617639-01	WG634633
Chromium, Hexavalent	mg/kg	0	0		0		20		L617639-01	₩G634626
		Labo	ratory Co	ntrol Sa	mple					
Analyte	Units	Kno	wn Val	I	Result		% Rec		Limit	Batch
ORP	Vm	228		226	5 .		99.1		95.6-104.	WG634580
рH	su	5.7		5.7	2		100.		98.25-101.75	WG634633
Chromium, Hexavalent	mg/kg	261		214	<u>. </u>		82.0		80-120	WG634626
	1	Laborator	v Control	Sample	Duplicat	:e				
Analyte		Result	Ref	₹Re			Limit	RPD	Limit	Batch
ORP	"Vm	227.	226.	100) <u>.</u>		95.6-104.	0.442	20	WG634580
рН	su	5.73	5.72	100).		98.25-101.75	0.175	20	wG634633
Chromium, Hexavalent	mg/kg	215.	214.	82.	0		80-120	0.466	20	WG634626
			Matrix :	Spike						•
Analyte	Units	MS Res	Ref R	es T	7 & I	Rec	Limit		Ref Samp	Batch
Chromium, Hexavalent	mg/kg	19.6	0	20	98.	0	75-125		L617645-02	<u>WG634626</u>
•			rix Spike							
Analyte	Units	MSD	Ref	*Rec	Lin	nít	RPD	Limit	Ref Samp	Batch
Chromium, Hexavalent	mg/kg	19.0	19.6	99.0 .	75-	-125	1:02	20	L617645-02	WG634626

Batch number /Run number / Sample number cross reference

WG634580: R2525258: L617639-01 WG634633: R2525299: L617639-01 WG634626: R2525957: L617639-01

^{* *} Calculations are performed prior to rounding of reported values.
* Performance of this Analyte is outside of established criteria.
For additional information, please see Attachment A 'List of Analytes with QC Qualifiers.'

Hall Environmental Analysis Laboratory, Inc.

WO#: 1301920

04-Feb-13

Client:

Animas Environmental Services

Project:

COP Ute #12

Sample ID MB-5902 SampType: MBLK Client ID: PBS Batch ID: 5902				TestCode: EPA Method 8015B: Diesel Range Organics RunNo: 8358								
Prep Date: 1/30/2013	Analysis D		31/2013		SeqNo: 2		Units: mg/K	ζg				
Analyte	Result	PQL	SPK value	SPK Ref Val	%REC	LowLimit	HighLimit	%RPD	RPDLimit	Qual		
Diesel Range Organics (DRO)	ND	10										
Motor Oil Range Organics (MRO)	ND	50				*						
Surr: DNOP	·9.9		10.00		99.1	72.4	120	1				
Sample ID LCS-5902	SampT	ype: LC	S	Tes	tCode: El	PA Method	8015B: Diese	el Range (Organics			
Client ID: LCSS	Batch	ID: 59	02	F	RunNo: 8	358						

Client ID: LCSS	Batch	1D: 59	02	F	RunNo: 8	358				
Prep Date: 1/30/2013 .	Analysis D	ate: 1/	31/2013	. 8	SeqNo: 2	41456	Units: mg/K	ζg		
Analyte	Result	PQL	SPK value	SPK Ref Val	%REC	LowLimit	HighLimit	%RPD	RPDLimit	Qual
Diesel Range Organics (DRO)	48	10	50.00	0	96.1	47.4	122	-		
Surr: DNOP	4.9		5.000		98.1	72.4	120			

Qualifiers:

- Value exceeds Maximum Contaminant Level.
- E Value above quantitation range
- J Analyte detected below quantitation limits
- P Sample pH greater than 2

- B Analyte detected in the associated Method Blank
- H Holding times for preparation or analysis exceeded
- ND Not Detected at the Reporting Limit
- R RPD outside accepted recovery limits

Page 3 of 9

Hall Environmental Analysis Laboratory, Inc.

WO#:

1301920 *04-Feb-13*

Client:

Animas Environmental Services

Project:	COP Ute	#12									
Sample ID	MB-5894	SampT	ype: Mi	BLK	Tes	tCode: E	PA Method	8015B: Gaso	line Rang	je .	
Client ID:	PBS	Batch	1D: 58	94	·	RunNo: 8	360				
Prep Date:	1/29/2013	Analysis D	ate: 1	/30/2013	Ş	SeqNo: 2	41161	Units: mg/K	(g		
Analyte		Result	PQL	SPK value	SPK Ref Val	%REC	LowLimit	HighLimit	%RPD	RPDLimit	Qual
Gasoline Rang Surr: BFB	e Organics (GRO)	ND 990	5.0	1000		99.5	. 84	116			
Sample ID	LCS-5894	SampT	ype: LC	es es	Tes	tCode: El	PA Method	8015B: Gaso	line Rang	je	
Client ID:	LCSS .	, Batch	ID: 58	94	F	RunNo: 8	360			•	
Prep Date:	1/29/2013	Analysis D	ate: 1	/30/2013		SeqNo: 2	41162	Units: mg/K	(g		
Analyte		Result	PQL	SPK value	SPK Ref Val	%REC	LowLimit	HighLimit	%RPD	. RPDLimit	Qual
Ū	e Organics (GRO)	26	5.0	25.00	0	104	74	117			
Surr: BFB		1000		1000		104	84	116			
Sample ID	5ML RB	SampT	ype: Mi	BLK	Tes	tCode: El	PA Method	8015B: Gaso	line Rang	e	
Client ID:	PBS	Batch	ID: R	3391	F	RunNo: 8	391				
Prep Date:		Analysis D	ate: 1	/31/2013	S	SeqNo: 2	41924	Units: %RE	С		
Analyte		Result	PQL	SPK value	SPK Ref Val	%REC	LowLimit	HighLimit	%RPD	RPDLimit	Qual
Surr. BFB		1000		1000		102	84	116			
Sample ID	2.5UG GRO LCSB	SampT	ype: LC	s	Tes	tCode: El	PA Method	8015B: Gaso	line Rang	e	
Client ID:	LCSS	Batch	ID: R8	3391	F	RunNo: 8	391				
Prep Date:		Analysis D	ate: 1/	/31/2013	S	SeqNo: 24	41925	Units: %RE	C .		
Analyte		Result	PQL	SPK value	SPK Ref Val	%REC	LowLimit	HighLimit	%RPD	RPDLimit	Qual
Surr: BFB		1100		1000		108	84	116			

Qualifiers:

- Value exceeds Maximum Contaminant Level.
- E Value above quantitation range
- J Analyte detected below quantitation limits
- P Sample pH greater than 2

- B Analyte detected in the associated Method Blank
- H Holding times for preparation or analysis exceeded
- ND Not Detected at the Reporting Limit
- R RPD outside accepted recovery limits

Page 4 of 9

Hall Environmental Analysis Laboratory, Inc.

WO#:

1301920 04-Feb-13

Client:

Animas Environmental Services

Sample ID MB-5894	Samp	Гуре: М Е	BLK	Tes	tCode: E	PA Method	8021B: Vola	iles		
Client ID: PBS	Batc	h ID: 58	94	F	RunNo: 8	360	•			
Prep Date: 1/29/2013	Analysis [Date: 1/	30/2013	5	SeqNo: 2	41166	Units: mg/K	g		
Analyte	Result	PQL.	SPK value	SPK Ref Val	%REC	LowLimit	HighLimit	%RPD	RPDLimit	Qual
Benzene	ND	0.050								
Toluene .	ND	0.050					• •			
Ethylbenzene	0.0055	0.050								J
Xylenes, Total	0.019	0.10		•						J
Surr: 4-Bromofluorobenzene	1.1		1.000		111	80	120			
Sample ID LCS-5894	Samp	Гуре: L C	s	Tes	tCode: El	PA Method	8021B: Volat	iles		
Client ID: LCSS	Batc	h ID: 58 :	94	F	RunNo: 8	360				
Prep Date: 1/29/2013	Analysis [Date: 1/	30/2013	Ş	SeqNo: 2	41167	Units: mg/K	g	•	
Analyte	Result	PQL	SPK value	SPK Ref Val	%REC	LowLimit	HighLimit	%RPD	RPDĹimit	Qual
Benzene	1.0	0.050	1.000	0	104	80	120			
Toluene	1.0	0.050	1.000	0	103	80	120			
Ethylbenzene	1.0	0.050	1.000	. 0	104	80	120			
Xylenes, Total	3.1	0.10	3.000	0	104	80	120			
Surr: 4-Bromofluorobenzene	1.1		1.000		114	80	120			

Qualifiers:

- Value exceeds Maximum Contaminant Level.
- E Value above quantitation range
- J Analyte detected below quantitation limits
- Sample pH greater than 2

- Analyte detected in the associated Method Blank
- Н Holding times for preparation or analysis exceeded
- ND Not Detected at the Reporting Limit
- RPD outside accepted recovery limits

Page 5 of 9

Hall Environmental Analysis Laboratory, Inc.

WO#: 1301920

04-Feb-13

Client:

Animas Environmental Services

Project:

COP Ute #12

Sample ID mb-5906	Samp ⁻	Гуре: МЕ	BLK	Tes	tCode: El	PA Method	8270C: PAHs	i	* 4	
Client ID: PBS	Batc	h ID: 59	06	F	RunNo: 8	390		.•		
Prep Date: 1/30/2013	Analysis [Date: 1/	31/2013	9	SeqNo: 2	41908	Units: mg/K	g	•	
Analyte	Result	PQL	SPK value	SPK Ref Val	%REC	LowLimit	HighLimit	%RPD	RPDLimit	Qual
Naphthalene	, ND	0.020							•	
1-Methylnaphthalene	ND	0.020								
2-Methylnaphthalene	ND	0.020								
Acenaphthylene	ND	0.020					J.			
Acenaphthene	ND	0.020								
Fluorene .	ND	0.020				•				
Phenanthrene	ND	0.020								
Anthracene	ND	0.020						,		
luoranthene	ND	0.020						•		
yrene	ND	0.020								
Benz(a)anthracene	ND	0.020								
Chrysene	ND	0.020	•					•		
Benzo(b)fluoranthene	ND	0.020								
Benzo(k)fluoranthene	0.0063	0.020								J
Benzo(a)pyrene	ND	0.020								
Dibenz(a,h)anthracene	ND	0.020							`	
Benzo(g,h,i)perylene	ND	0.020								
ndeno(1,2,3-cd)pyrene	ND	0.020	*		•					
Surr: Benzo(e)pyrene	0.35		0.3300		106	44.9	129			
Surr: N-hexadecane	1.4		1.460		94.2	45.4	126	·		
Sample ID Ics-5906	Samp	Type: LC	s	Tes	tCode: El	PA Method	8270C: PAHs			
Client ID: LCSS	· Batc	h ID: . 59	06	F	RunNo: 8	390				
Prep Date: 1/30/2013	Analysis [Date: 1/	31/2013	5	SeqNo: 2	41910	Units: mg/K	g	•	
Analyte .	Result	PQL	SPK value	SPK Ref Val	%REC	LowLimit	HighLimit	%RPD	RPDLimit	Qual
Naphthalene	0.35	0.020	0.3300	0	105	52	107			
I Mathada anhthalana	0.25	0.000	0.3300	Λ	106	517	110			

Client ID: LCSS	· Batcl	n ID: . 59	06	F	RunNo: 8	390				
Prep Date: 1/30/2013	Analysis E	Date: 1/	31/2013	9	SeqNo: 2	41910	Units: mg/K	.g	•	
Analyte .	Result	PQL	SPK value	SPK Ref Val	%REC	LowLimit	HighLimit	%RPD	RPDLimit	Qual
Naphthalene	0.35	0.020	0.3300	0	105	52	107			
1-Methylnaphthalene	0.35	0.020	0.3300	0	106	54.7	. 112			
2-Methylnaphthalene	0.35	0:020	0.3300	0	107	50.2	112			
Acenaphthylene	0.37	0.020	0.3300	0	112	53.3	111			S
Acenaphthene	0.38	0.020	0.3300	0	114	50	120			
Fluorene	0.37	0.020	0.3300	0	112	50.8	115			
Phenanthrene	0.39	0.020	0.3300	0	119	54.1	124			
Anthracene	0.38	0.020	0.3300	0	116	53.9	117			
Fluoranthene	0.40	0.020	0.3300	0	120	54.5	112			S
Pyrene	0.39	0.020	0.3300	0	117	51:2	113			S
Benz(a)anthracene	0.39	0.020	0.3300	0	118	54.9	109			S
Chrysene .	0.36	0.020	0.3300	0	110	49	112			
Benzo(b)fluoranthene	0.37	0.020	0.3300	0	113	58.2	118			
Benzo(k)fluoranthene	0.37	0.020	0.3300	0	112	53.5	118			
Benzo(a)pyrene	. 0.36	0.020	0.3300	0	109	50.1	118			

Qualifiers:

- Value exceeds Maximum Contaminant Level.
- E Value above quantitation range
- J Analyte detected below quantitation limits
- P Sample pH greater than 2

- B Analyte detected in the associated Method Blank
- H Holding times for preparation or analysis exceeded
- ND Not Detected at the Reporting Limit
- R RPD outside accepted recovery limits

Page 6 of 9

Hall Environmental Analysis Laboratory, Inc.

WO#:

1301920 *04-Feb-13*

Client:

Animas Environmental Services

Project:

COP Ute #12

Sample ID Ics-5906	Samp ⁻	Type: LC	S	Tes	tCode: El	PA Method	8270C: PAH:	s ,	
Client ID: LCSS	Batc	h ID: 59	06	F	RunNo: 8	390			
Prep Date: 1/30/2013	Analysis [Date: 1 /	31/2013	. 8	SeqNo: 2	41910	Units: mg/F	(g	
Analyte	Result	PQL	SPK value	SPK Ref Val	%REC	LowLimit	HighLimit	%RPD . RPDLimit	Qual
Dibenz(a,h)anthracene	0.37	0.020	0.3300	0	113	59.5	113		S
Benzo(g,h,i)perylene	0.39	0.020	0.3300	0	118	56.5	117		S
Indeno(1,2,3-cd)pyrene	0.36	0.020	0.3300	0	110	58.5	114		
Surr: Benzo(e)pyrene	0.54		0.6600		81.7	44.9	129		
Surr: N-hexadecane	2.4	•	2.920		81.3	45.4	126		,

Qualifiers:

- Value exceeds Maximum Contaminant Level.
- E Value above quantitation range
- J Analyte detected below quantitation limits
- P Sample pH greater than 2

- B Analyte detected in the associated Method Blank
- H Holding times for preparation or analysis exceeded
- ND Not Detected at the Reporting Limit
- R RPD outside accepted recovery limits

Page 7 of 9

Hall Environmental Analysis Laboratory, Inc.

WO#:

1301920

04-Feb-13

Client:

Animas Environmental Services

Project:

COP Ute #12

Sample ID MB-5905

SampType: MBLK

TestCode: EPA Method 7471: Mercury

Client ID:

PBS

Batch ID: 5905

RunNo: 8362

Prep Date: 1/30/2013 Analysis Date: 1/31/2013

PQL

SeqNo: 241248

Units: mg/kg

HighLimit

RPDLimit %RPD

Qual

Analyte Mercury

ND 0.033

Sample ID LCS-5905

LCSS

1/30/2013

SampType: LCS

TestCode: EPA Method 7471: Mercury

Batch ID: 5905

RunNo: 8362

Prep Date:

Analysis Date: 1/31/2013

SeqNo: 241249 %REC

Units: mg/kg

%RPD **RPDLimit**

Analyte

Client ID:

PQL

SPK value SPK Ref Val

99.1

Result

0.1667

HighLimit

Mercury

0.17

Result

0.033

0

SPK value SPK Ref Val %REC LowLimit

Qual

Qualifiers:

Value exceeds Maximum Contaminant Level.

Value above quantitation range

Analyte detected below quantitation limits

Sample pH greater than 2

В Analyte detected in the associated Method Blank

Н Holding times for preparation or analysis exceeded

Not Detected at the Reporting Limit ND

R

RPD outside accepted recovery limits

Page 8 of 9

Hall Environmental Analysis Laboratory, Inc.

WO#:

1301920

04-Feb-13

Client:

Animas Environmental Services

Project:

COP Ute #12

Sample ID MB-5899	Sam	рТуре: Мі	BLK	Tes	tCode: El	PA Method	6010B: Soil	Metals		
Client ID: PBS	Ва	tch ID: 58	99	F	RunNo: 8	364				•
Prep Date: 1/30/201	3 Analysis	Date: 1/	/31/2013	. 8	SeqNo: 2	41288	Units: mg/K	(g		
Analyte	Result	PQL	SPK value	SPK Ref Val	%REC	LowLimit	HighLimit	%RPD	RPDLimit	Qual
Arsenic ·	ND	2.5								
Barium	ND	0.10								
Cadmium	ND	0.10		•			-			
Chromium	ND	0.30								
Copper ·	ND	0.30								
Lead .	· ND	0.25						,		
Nickel ·	. ND	0.50								
Selenium	· ND	2.5								•
Silver	ND	0.25		•						
Zinc	ND	2.5								

Sample ID LCS-5899	SampT	ype: LC	S	Tes	tCode: El	PA Method	6010B: Soil	Metals			
Client ID: LCSS	Batch	1D: 58	99	F	RunNo: 8	364					
Prep Date: 1/30/2013	Analysis D	ate: 1/	31/2013	. 8	SeqNo: 2	41289	Units: mg/h	(g			
Analyte	Result	PQL	SPK value	SPK Ref Val	%REC	LowLimit	HighLimit	%RPD	RPDLimit	Qual	
Arsenic ·	26	2.5	25.00	0	104	80	120				
Barium	27	0.10	25.00	0	107	80	120				
Cadmium	26	0.10	25.00	0	104	80	120				
Chromium	26	0.30	25.00	0	105	80	120				
Copper	27	0.30	25.00	0	110	.80	120				
Lead	26	0.25	25.00	0	104	80	120				
Nickel	25	0.50	25.00	0	101	80	120				
Selenium	25	2.5	25.00	0	99.9	80	120				
Silver	5.1	0.25	. 5.000	0	103	80	120		,	-	
Zinc	26	. 2.5	25.00	0	105	80	120				

Qualifiers:

- Value exceeds Maximum Contaminant Level.
- E Value above quantitation range
- J Analyte detected below quantitation limits
- P Sample pH greater than 2

- B Analyte detected in the associated Method Blank
- H Holding times for preparation or analysis exceeded
- ND Not Detected at the Reporting Limit
- R RPD outside accepted recovery limits

Page 9 of 9



Hall Environmental Analysis Laboratory 4901 Hawkins NE Albuquerque, NM 8710! TEL: 505-345-3975 FAX: 505-345-410', Website: www.hallenvironmental.com

Sample Log-In Check List

00 1 1/- 01/0	Work Order Number: 1301920
Received by/date: ///6- 6//29//3	
Logged By: Anne Thorne 1/29/2013 10:20:00 A	
Completed By: Anne Thorne 1/29/2013	ann II
Reviewed By:	3
Chain of Custody	
1 Were seals intact?	Yes ☐ No ☐ Not Present ☑
2. Is Chain of Custody complete?	Yes ☑ No ☐ Not Present ☐
3. How was the sample delivered?	Courier
5. Their was the sample delivered?	<u>commit</u>
<u>Log In</u>	
4. Coolers are present? (see 19. for cooler specific information)	Yes ☑ No ☐ NA ☐
E. Was an attempt made to cool the complet?	Yes ☑ No ☐ NA ☐
5. Was an attempt made to cool the samples?	IES EL NO LI IEN LI
6. Were all samples received at a temperature of >0° C to 6.0°C	Yes 🗹 No 🗌 NA 🗍
O. 115.5 am outriples recorded at a temperature of 20 0 to 0.0 0	100 🖼 110 💻
7 Sample(s) in proper container(s)?	Yes ☑ No □
8 Sufficient sample volume for indicated test(s)?	Yes ☑ No □
Are samples (except VOA and ONG) properly preserved?	Yes ☑ No □
10. Was preservative added to bottles?	Yes No V NA
10	
11. VOA vials have zero headspace?	Yes 🗌 No 🗌 No VOA Vials 🗹
12. Were any sample containers received broken?	Yes No 🗹
13. Does paperwork match bottle labels?	Yes ✓ No ☐ # of preserved bottles checked
(Note discrepancies on chain of custody)	for pH:
14, Are matrices correctly identified on Chain of Custody?	Yes ✓ No ☐ (<2 or >12 unless noted)
15. Is it clear what analyses were requested?	Yes No Adjusted?
16. Were all holding times able to be met?	Yes V No
(If no, notify customer for authorization.)	Checked by:
Special Handling (if applicable)	
17. Was client notified of all discrepancies with this order?	Yes No No NA 🗹
Person Notified: Date	
By Whom: Via:	eMail Phone Fax In Person
Regarding:	
Client Instructions:	
18. Additional remarks:	
10, Additional felitaties.	
19. Cooler Information	•
Cooler No Temp C Condition Seal Intact Seal No	Seal Date Signed By
1 1.0 Good Yes	

C	hain-	of-Cu	stody	Record	Turn-Around	Time:	mo.	W Kesult	S		in.	ı.	I AL			AI W	TT RC	· ^	ai e	ar e	NT	'.AA. B	
Client:	thin	nas E	hviron	mental	☐ Standard	Rush	Sde	w Kesult Hollis]	-	= .											R	1
2	••	es L			Project Name	ż.		0			機器					ironr							
Mailing	Address:	624	5 Co1	nanche	COP U	te#12				490	01 H									'109			
Fav	Mina		JM 87		Project #:				l	Te	el. 50	5-34	5-39	975	F	ax :	505-	345-	410	7			
Phone #	# 6°	5 5	14228	-	1																		
email or			7 (Project Mana	ger:	,				_												
QA/QC F	Package:		□ Level 4	(Full Validation)	Du	atson			TMB's (8021)	Gas or	O/MF			SIMS)		PO4,SC	PCB's	•		1-016			
Accredi				······································		Lamema	N		8	F	ğ			802		Q Q	082					.	
	٩P	☐ Othe	г		On Ice:	DAYESTA	INO. 5		F	<u> </u>	2	86	4.	82		3,7	3/8		₹	1			ا ای
□ EDD	(Type)_				Sample Tem	eleiraturie (1)	(),	and a second	H	BE	<u>ō</u>	4	d 5	ò	tals	ž.	ides	7	9	Cobell			ځ
Date	Time	Matrix	Sampl	e Request ID	Container Type and #	Preservative Type	Service Control	ALING THE	BTEX + MTBE	BTEX + MTBE + TPH (Gas only)	TPH 8015B (GRO / DRO / MRO)	TPH (Method 418.1)	EDB (Method 504.1)	PAH's (8310 or 8270	RCRA 8 Metals	Anions (F,CI,NO ₃ ,NO ₂ ,PO ₄ ,SO ₄)	8081 Pesticides / 8082	8260B (VOA)	8270 (Semi-VOA)	Colorado			Air Bubbles (Y or N)
1-25-13	1645	Soil	Sc-	ì	3-802			-001												X			T
																				\bigcap			T
	- <u></u>			· · · · · · · · · · · · · · · · · · ·		· ·		·													\dashv	+	+
			···																	-	\neg	-	+-
							·- •						-							\vdash		+	+-
									-								i			-	+	+	+-
•——		 -		· · · · · · · · · · · · · · · · · · ·		<u> </u>															$-\!\!\!+$	+	┼
		``						· · · · · · · · · · · · · · · · · · ·													\dashv		-
									ļ	ļ,				\dashv									┦
							····													Ш			4_
						ļ			_				_										
												.											
			_																				
Date:	Time:	Relinquish	ed by:		Received by:	1	Date // /	Time	Ren	nark	s:B	ฟ	70 C	oni	αδ	Phil	lips	Š	7				
28 13 Date: 28 13	1456 Time:	Relinquish	1 1	Item (Received by:	- Welt	L 128/13 Date	11056 Time	- loo	; ;a:1		•						Ner orde	: G red l	ARK Ti.C	Ecl rysl Tal	D al foya	, -
1 C 1 675.	necessary,	samples subi		nvironmental may be subc	contracted to other a	ccredited laboratorie	es. This serve	es as notice of this									ly nota	ted or	the a	nalytica	al report	<u> </u>	





Hall Environmental Analysis Laboratory 4901 Hawkins NE - Albuquerque, NM 87109 TEL: 505-345-3975 FAX: 505-345-4107

Website: www.hallenvironmental.com

March 29, 2013

Debbie Watson
Animas Environmental Services
624 East Comanche
Farmington, NM 87401
TEL: (505) 486-4071

FAX

RE: CoP Ute #12 March 2013

OrderNo.: 1303459

Dear Debbie Watson:

Hall Environmental Analysis Laboratory received 3 sample(s) on 3/12/2013 for the analyses presented in the following report.

These were analyzed according to EPA procedures or equivalent. To access our accredited tests please go to www.hallenvironmental.com or the state specific web sites. See the sample checklist and/or the Chain of Custody for information regarding the sample receipt temperature and preservation. Data qualifiers or a narrative will be provided if the sample analysis or analytical quality control parameters require a flag. All samples are reported as received unless otherwise indicated. Lab measurement of analytes considered field parameters that require analysis within 15 minutes of sampling such as pH and residual chlorine are qualified as being analyzed outside of the recommended holding time.

Please don't hesitate to contact HEAL for any additional information or clarifications.

Sincerely,

Andy Freeman

Laboratory Manager

4901 Hawkins NE

Albuquerque, NM 87109:

Hall Environmental Analysis Laboratory, Inc.

Matrix: SOIL

Lab Order 1303459

Date Reported: 3/29/2013

CLIENT: Animas Environmental Services

1303459-001

Client Sample ID: SC-1 SC-3 Irc

Project: CoP Ute #12 March 2013

Lab ID:

Collection Date: 3/8/2013 2:25:00 PM

Received Date: 3/12/2013 9:53:00 AM

Analyses	Result	MDL	RL	Qual	Units	-	DF Date Analyzed
EPA METHOD 8015B: DIESEL RANGE (ORGANICS						Analyst: MMD
Diesel Range Organics (DRO)	53	6.4	10		mg/Kg	1	3/22/2013 11:40:14 PM
Motor Oil Range Organics (MRO)	ND	52	52		mg/Kg	1	3/22/2013 11:40:14 PM
Surr: DNOP	96.6	0	72.4-120		%REC	1	3/22/2013 11:40:14 PM
PA METHOD 300.0: ANIONS							Analyst: JRR
Chloride	2100	7.8	75		mg/Kg	50	3/15/2013 12:06:57 PM
PA METHOD 7471: MERCURY					•		Analyst: TMG
Mercury	0.0079	0.0016	0.033	J	mg/kg	1	3/18/2013 10:35:17 AM
PA METHOD 6010B: SOIL METALS	•						Analyst: ELS
Arsenic	ND	3.1	12		mg/Kg	5	3/14/2013 10:03:29 AM
Barium	190	0.30	0.50		mg/Kg	5	3/14/2013 10:03:29 AM
Cadmium	ND	0.14	0.50		mg/Kg	5	3/14/2013 10:03:29 AM
Chromium	6.4	0.59	1.5		mg/Kg	5	3/14/2013 10:03:29 AM
Copper	10	1.2	1.5		mg/Kg	5	3/14/2013 10:03:29 AM
Lead	4.4	1.1	1.2		mg/Kg	5	3/14/2013 10:03:29 AM
Nickel	5.0	0.83	2.5		· mg/Kg	5	3/14/2013 10:03:29 AM
Selenium	ND	7.0	12		mg/Kg	5	3/18/2013 11:46:30 AM
Silver	ND	0.18	1.2		mg/Kg	5	3/14/2013 10:03:29 AM
Zinc	. 37	5.0	12		mg/Kg	5	3/14/2013 10:03:29 AM
AR SOLUBLE CATIONS							Analyst: JLF
Calcium ·	330	0.49	1.0		mg/L	1	3/25/2013 9:28:00 AM
Magnesium	50	0.34	1.0		mg/L	1	3/25/2013 9:28:00 AM
Sodium	6700	0.88	1.0		mg/L	1	3/25/2013 9:28:00 AM
Sodium Adsorption Ratio	91	0	0		Ū	1	3/25/2013 9:28:00 AM
PA METHOD 8270C: PAHS							Analyst: JDC
Naphthalene	0.0047	0.0044	0.020	J	mg/Kg	1	3/14/2013 4:32:16 PM
Acenaphthene	ND	0.0058	0.020		mg/Kg	1	3/14/2013 4:32:16 PM
Fluorene	ND	0.0041	0.020		mg/Kg	1	3/14/2013 4:32:16 PM
Anthracene .	ND	0.0032	0.020		mg/Kg	, 1	3/14/2013 4:32:16 PM
Fluoranthene	0.0043	0.0036	0.020	J	mg/Kg	1	3/14/2013 4:32:16 PM
Pyrene	ND	0.0049	0.020		mg/Kg	1	3/14/2013 4:32:16 PM
Benz(a)anthracene	ND	0.0057	0.020		mg/Kg	1	3/14/2013 4:32:16 PM
Chrysene	ND	. 0.0038	0.020		mg/Kg	1	3/14/2013 4:32:16 PM
Benzo(b)fluoranthene	ND	0.0048	0.020		mg/Kg	1	3/14/2013 4:32:16 PM
Benzo(k)fluoranthene	ND .	0.0058	0.020	1	mg/Kg	1	3/14/2013 4:32:16 PM
Benzo(a)pyrene	ND	0.0039	0.020		mg/Kg	1	3/14/2013 4:32:16 PM
Dibenz(a,h)anthracene	ND	0.0039	0.020		mg/Kg	1	3/14/2013 4:32:16 PM
Indeno(1,2,3-cd)pyrene	ND	0.0079	0.020		mg/Kg	1	3/14/2013 4:32:16 PM
Surr: Benzo(e)pyrene	106	0	44.9-129		%REC	1	3/14/2013 4:32:16 PM
Surr: N-hexadecane	204	0	45.4-126	s	%REC	1	3/14/2013 4:32:16 PM

- Value exceeds Maximum Contaminant Level.
- E Value above quantitation range
- J Analyte detected below quantitation limits
- P Sample pH greater than 2
- RL Reporting Detection Limit

- B Analyte detected in the associated Method Blank
- H Holding times for preparation or analysis exceeded
- ND Not Detected at the Reporting Limit
- R RPD outside accepted recovery limits
- S Spike Recovery outside accepted recovery limits Page 1 of 17

Analytical Report

Lab Order 1303459

Date Reported: 3/29/2013

Hall Environmental Analysis Laboratory, Inc.

Matrix: SOIL

CLIENT: Animas Environmental Services

*CoP Ute #12 March 2013 .

Lab ID: 1303459-001

Project:

Client Sample ID: SC-1 SC-3 lrc

Collection Date: 3/8/2013 2:25:00 PM

Received Date: 3/12/2013 9:53:00 AM

Analyses	Result	MDL	RL	Qual Units		DF	Date Analyzed	,
EPA METHOD 8260B: VOLATILES SI	HORT LIST						Analyst: RAA	
Benzene	ND	0.0019	0.047	mg/Kg	1	3/1	5/2013 2:33:16 PM	•
Toluene	ND	0.0023	0.047	mg/Kg	1	3/1	5/2013 2:33:16 PM	
Ethylbenzene .	ND	0.0019	.0.047	mg/Kg	1	3/1	5/2013 2:33:16 PM	
Xylenes, Total	ND	0.024	0.093	mg/Kg	1	3/1	5/2013 2:33:16 PM	
Surr: 1,2-Dichloroethane-d4	, 85.7	0	70-130	%REC	1	3/1	5/2013 2:33:16 PM	
Surr: 4-Bromofluorobenzene	83.6	0	70-130	%REC	1	3/1	5/2013 2:33:16 PM	
Surr: Dibromofluoromethane	91.2	0	70-130	%REC	1.	3/1	5/2013 2:33:16 PM	
Surr: Toluene-d8	104	0	70-130	%REC	1	3/1	5/2013 2:33:16 PM	
EPA METHOD 8015B MOD: GASOLIN	NE RANGE						Analyst: RAA	
Gasoline Range Organics (GRO)	ND	0.82	4.7	mg/Kg	1	3/1	5/2013 2:33:16 PM	
Surr: BFB	83.6	0	70-130	%REC	1	3/1	5/2013 2:33:16 PM	
CONDUCTANCE					,		Analyst: TAF	
Specific Conductance	5000	0	1.0	μmhos/c	1	3/1	5/2013 7:16:00 PM	

- Value exceeds Maximum Contaminant Level.
- Value above quantitation range
- Analyte detected below quantitation limits J
- P Sample pH greater than 2
- Reporting Detection Limit

- Analyte detected in the associated Method Blank В
- Н Holding times for preparation or analysis exceeded
- ND Not Detected at the Reporting Limit
- RPD outside accepted recovery limits R
- Spike Recovery outside accepted recovery limits 2 of 17

Hall Environmental Analysis Laboratory, Inc.

Date Reported: 3/29/2013

CLIENT: Animas Environmental Services

Project: CoP Ute #12 March 2013

Lab ID:

1303459-002 **Matrix:** SOIL

Client Sample ID: SC-2 SC-4 lrc
Collection Date: 3/8/2013 2:29:00 PM

Received Date: 3/12/2013 9:53:00 AM

Analyses	Result	MDL	RL	Qual	Units	ļ	OF Date Analyzed
EPA METHOD 8015B: DIESEL RANGE (ORGANICS						Analyst: MMD
Diesel Range Organics (DRO)	ND	6.3	10	•	mg/Kg	1	3/23/2013 1:02:07 AM
Motor Oil Range Organics (MRO)	ND	51	51		mg/Kg	1	3/23/2013 1:02:07 AM
Surr: DNOP	99.7	0	72.4-120		%REC	1	3/23/2013 1:02:07 AM
PA METHOD 300.0: ANIONS							Analyst: JRR
Chloride	130	3.1	. 30		mg/Kg	20	3/14/2013 12:35:18 PM
PA METHOD 7471: MERCURY							Analyst: TMG
Mercury	0.043	0.0016	0.033		mg/kg	1	3/18/2013 10:37:08 AM
PA METHOD 6010B: SOIL METALS			•				Analyst: JLF
Arsenic	ND	3.1	12	•	mg/Kg	5	3/18/2013 11:48:51 AM
Barium	130	0.30	0.50		mg/Kg	5	3/14/2013 10:20:11 AM
Cadmium	ND.	0.14	0.50		mg/Kg	5	3/14/2013 10:20:11 AM
Chromium .	7.7	0.59	1.5		mg/Kg	5	3/14/2013 10:20:11 AM
Copper	9.5	1.2	1.5		mg/Kg	5	3/14/2013 10:20:11 AM
Lead	9.1	1.1	1.2		mg/Kg	5	3/18/2013 11:48:51 AM
Nickel	7.6	0.83	2.5		mg/Kg	5	3/14/2013 10:20:11 AM
Selenium -	ND	7.0	12	•	mg/Kg	·5	3/18/2013 11:48:51 AM
Silver	ND	0.18	1.2		mg/Kg	5	3/14/2013 10:20:11 AM
Zinc	44	5.0	. 12		mg/Kg	5	3/18/2013 11:48:51 AM
AR SOLUBLE CATIONS					•		Analyst: JLF
Calcium .	540	0.49	1.0		mg/L	1	3/25/2013 9:28:00 AM
Magnesium	330	0.34	1.0		mg/L	1	3/25/2013 9:28:00 AM
Sodium	370	0.88	1.0		mg/L	1	3/25/2013 9:28:00 AM
Sodium Adsorption Ratio	3.0	0	0		J	1	3/25/2013 9:28:00 AM
PA METHOD 8270C: PAHS							Analyst: JDC
Naphthalene ·	0.0047	0.0044	0.020	J	mg/Kg	1	3/14/2013 5:42:06 PM
Acenaphthene	ND	0.0058	0.020		mg/Kg	1	3/14/2013 5:42:06 PM
Fluorene	ND	0.0041	0.020		mg/Kg	1	3/14/2013 5:42:06 PM
Anthracene	· ND	0.0032	0.020		mg/Kg	1	3/14/2013 5:42:06 PM
Fluoranthene	0.0037	0.0036	0.020	J	mg/Kg	1	3/14/2013 5:42:06 PM
Pyrene	ND	0.0049	0.020		mg/Kg	1	3/14/2013 5:42:06 PM
Benz(a)anthracene	ND ·	0.0057	0.020	·	mg/Kg	1	3/14/2013 5:42:06 PM
Chrysene	ND	0.0038	0.020		mg/Kg	1	3/14/2013 5:42:06 PM
Benzo(b)fluoranthene	0.0084	0.0048	0.020	J _.	mg/Kg	1	3/14/2013 5:42:06 PM
Benzo(k)fluoranthene	ND	0.0058	0.020		mg/Kg	1	3/14/2013 5:42:06 PM
Benzo(a)pyrene	ND	0.0039	0.020	-	mg/Kg	1	3/14/2013 5:42:06 PM
Dibenz(a,h)anthracene	ND	0.0039	0.020		mg/Kg	1 '	3/14/2013 5:42:06 PM
Indeno(1,2,3-cd)pyrene	ND	0.0079	0.020		mg/Kg	1	3/14/2013 5:42:06 PM
Surr: Benzo(e)pyrene	123	0	44.9-129		%REC	1	3/14/2013 5:42:06 PM
Surr: N-hexadecane	124	0	45.4-126		%REC	1	3/14/2013 5:42:06 PM

- * Value exceeds Maximum Contaminant Level.
- E Value above quantitation range
- J Analyte detected below quantitation limits
- P Sample pH greater than 2
- RL Reporting Detection Limit

- B Analyte detected in the associated Method Blank
- H Holding times for preparation or analysis exceeded
- ND Not Detected at the Reporting Limit
- R RPD outside accepted recovery limits
- S Spike Recovery outside accepted recovery limits 3 of 17

Analytical Report

Lab Order 1303459

Date Reported: 3/29/2013

Hall Environmental Analysis Laboratory, Inc.

Matrix: SOIL

CLIENT: Animas Environmental Services

Project: CoP Ute #12 March 2013

Lab ID: 1303459-002

Client Sample 1D: SC-2 SC-4 Irc

Collection Date: 3/8/2013 2:29:00 PM

Received Date: 3/12/2013 9:53:00 AM

Analyses	Result	MDL	RL	Qual Units		DF Date Analyzed	
EPA METHOD 8260B: VOLATILES SI	HORT LIST					Analyst: RAA	
Benzene	ND	0.0019	0.047	mg/Kg	1	3/15/2013 5:40:09 AM	
Toluene	ND	0.0023	0.047	mg/Kg	1	3/15/2013 5:40:09 AM	
Ethylbenzene	ND	0.0020	0.047	mg/Kg	1	3/15/2013 5:40:09 AM	
Xylenes, Total	. ND	0.024	0.093	mg/Kg	1	3/15/2013 5;40:09 AM	
Surr: 1,2-Dichloroethane-d4	85.2	0	70-130	%REC	1	3/15/2013 5:40:09 AM	
Surr: 4-Bromofluorobenzene	91.9	0	70-130	%REC	1	3/15/2013 5:40:09 AM	
Surr: Dibromofluoromethane	93.7	0	70-130	%REC	1	3/15/2013 5:40:09 AM	_
Surr: Toluene-d8	99.6	. 0	70-130	%REC	1 .	3/15/2013 5:40:09 AM	
EPA METHOD 8015B MOD: GASOLIN	IE RANGE			•		Analyst: RAA	
Gasoline Range Organics (GRO)	ND ,	0.82	4.7	mg/Kg	1	3/15/2013 5:40:09 AM	
Surr: BFB	91.9	0	70-130	%REC	1	3/15/2013 5:40:09 AM	
CONDUCTANCE						Analyst: TAF	
Specific Conductance	1900	0	1.0	` μmhos/c	1 ,	3/15/2013 7:16:00 PM	•

- Value exceeds Maximum Contaminant Level.
- E Value above quantitation range
- J Analyte detected below quantitation limits
- P Sample pH greater than 2
- RL Reporting Detection Limit

- B' Analyte detected in the associated Method Blank
- H Holding times for preparation or analysis exceeded
- ND Not Detected at the Reporting Limit
- R RPD outside accepted recovery limits
 - Spike Recovery outside accepted recovery limits 4 of 17

Hall Environmental Analysis Laboratory, Inc.

Date Reported: 3/29/2013

CLIENT: Animas Environmental Services

Project: CoP Ute #12 March 2013

Lab ID:

1303459-003 Matrix: SOIL Client Sample ID: SC-3 SC-5 Irc

Collection Date: 3/8/2013 2:35:00 PM

Received Date: 3/12/2013 9:53:00 AM

Analyses	Result	MDL	RL	. Qual	Units]	DF Date Analyzed
EPA METHOD 8015B: DIESEL RANGE	ORGANICS						Analyst: MMD
Diesel Range Organics (DRO)	850	6.3	. 10		mg/Kg	1	3/23/2013 1:29:21 AM
Motor Oil Range Organics (MRO)	ND	-51	51		mg/Kg	1	3/23/2013 1:29:21 AM
Surr: DNOP	113	0	72.4-120		%REC	1	3/23/2013 1:29:21 AM
EPA METHOD 300.0: ANIONS	•						Analyst: JRR
Chloride	1900	7.8	75		mg/Kg	50	3/15/2013 12:19:21 PM
EPA METHOD 7471: MERCURY							Analyst: TMG
Mercury	0.0063	0.0016	0.033	J	mg/kg	1	3/18/2013 10:38:51 AM
EPA METHOD 6010B: SOIL METALS							Analyst: JLF
Arsenic	ND	3.1	12		mg/Kg	5	3/18/2013 11:58:13 AM
Barium	130	0.30	0.50		mg/Kg	5	3/14/2013 10:32:11 AM
Cadmium	. ND	0.14	0.50		mg/Kg ·	5	3/14/2013 10:32:11 AM
Chromium	5.2	0.59	1.5	٠	mg/Kg	5	3/14/2013 10:32:11 AM .
Copper	9.7	1.2	1.5		mg/Kg	5	3/14/2013 10:32:11 AM
Lead	5.4	1.1	1.2		mg/Kg	5	3/18/2013 11:58:13 AM
Nickel	4.4	0.83	2.5		mg/Kg	5	3/14/2013 10:32:11 AM
Selenium	, ND	7.0	12		mg/Kg	5	3/18/2013 11:58:13 AM
Silver	, ND	0.18	1.3		mg/Kg	5	3/14/2013 10:32:11 AM
Zinc	28	5.0	12		mg/Kg	5	3/18/2013 11:58:13 AM
SAR SOLUBLE CATIONS	,		,				Analyst: JLF
Calcium	580	0.49	1.0		mg/L	1	3/25/2013 9:28:00 AM
Magnesium	67	0.34	1.0	•	mg/L	1	3/25/2013 9:28:00 AM
Sodium	5700	0.88	1.0		mg/L	1	3/25/2013 9:28:00 AM
Sodium Adsorption Ratio	60	0	0			1	3/25/2013 9:28:00 AM
EPA METHOD 8270C: PAHS							Analyst: JDC
Naphthalene	.0.56	0.043	.0.20		mg/Kg	10	3/15/2013 11:33:06 PM
Acenaphthene	0.31	0.058	0.20		mg/Kg	10	3/15/2013 11:33:06 PM
Fluorene	0.65	0.041	0.20		mg/Kg	10	3/15/2013 11:33:06 PM
Anthracene	ND	0.0032	0.020		mg/Kg	1	3/14/2013 6:05:21 PM
Fluoranthene	0.051	0.0036	0.020		mg/Kg	1	3/14/2013 6:05:21 PM
Pyrene	0.054	0.0049	0.020		mg/Kg	1	3/14/2013 6:05:21 PM
Benz(a)anthracene	0.023	0.0057	0.020		mg/Kg	1	3/14/2013 6:05:21 PM
Chrysene	0.023	0.0038	0.020		mg/Kg	1	3/14/2013 6:05:21 PM
Benzo(b)fluoranthene	0.037	0.0047	0.020		mg/Kg	1	3/14/2013 6:05:21 PM
Benzo(k)fluoranthene	0.010	0.0058	0.020	J	mg/Kg	. 1	3/14/2013 6:05:21 PM
Benzo(a)pyrene	0.021	0.0039	0.020		mg/Kg	1	3/14/2013 6:05:21 PM
Dibenz(a,h)anthracene	ND	0.0039	0.020		mg/Kg	1	3/14/2013 6:05:21 PM
Indeno(1,2,3-cd)pyrene	ND	0.0078	0.020	~	mg/Kg	1	3/14/2013 6:05:21 PM
Surr: Benzo(e)pyrene	102	0	44.9-129		%REC	1	3/14/2013 6:05:21 PM
Surr: N-hexadecane	0	0	45.4-126	S	%REC	10	3/15/2013 11:33:06 PM

- Value exceeds Maximum Contaminant Level.
- E Value above quantitation range
- Analyte detected below quantitation limits
- Sample pH greater than 2
- Reporting Detection Limit

- Analyte detected in the associated Method Blank В
- Holding times for preparation or analysis exceeded Η
- ND Not Detected at the Reporting Limit
- RPD outside accepted recovery limits R
- Spike Recovery outside accepted recovery limits

Lab Order 1303459

Date Reported: 3/29/2013

Hall Environmental Analysis Laboratory, Inc.

Matrix: SOLL

CLIENT: Animas Environmental Services

Project: CoP Ute #12 March 2013

Lab ID: 1303459-003

Client Sample ID: SC-3 SC-5 lrc

Collection Date: 3/8/2013 2:35:00 PM

Received Date: 3/12/2013 9:53:00 AM

Analyses	Result	MDL	RL	Qual	Units]	DF Date Analyzed
EPA METHOD 8260B: VOLATILES S	HORT LIST						Analyst: RAA
Benzene	ND	0.019	0.47		mg/Kg	10	3/15/2013 6:08:02 AM
Toluene	ND	0.023	0.47		mg/Kg	10	3/15/2013 6:08:02 AM
Ethylbenzene	0.14	0.020	0.47	J	mg/Kg	10	3/15/2013 6:08:02 AM
Xylenes, Total	5.7	0.24	0.94		mg/Kg	10	3/15/2013 6:08:02 AM
Surr: 1,2-Dichloroethane-d4	90.7	0	70-130		%REC	10	3/15/2013 6:08:02 AM
Surr: 4-Bromofluorobenzene	119	0	70-130		%REC	10	3/15/2013 6:08:02 AM
Surr: Dibromofluoromethane	93.9	0	70-130		%REC	10	3/15/2013 6:08:02 AM
Surr: Toluene-d8	91.8	0	70-130		%REC	10	3/15/2013 6:08:02 AM
EPA METHOD 8015B MOD: GASOLII	NE RANGE						Analyst: RAA
Gasoline Range Organics (GRO)	580	8.2	47		mg/Kg	10	3/15/2013 6:08:02 AM
Surr: BFB	119	0	70-130		%REC	10	3/15/2013 6:08:02 AM
CONDUCTANCE	-						Analyst: TAF
Specific Conductance	4200	0	1.0		µmhos/c	1	3/15/2013 7:16:00 PM

- Value exceeds Maximum Contaminant Level.
- E Value above quantitation range
- J Analyte detected below quantitation limits
- P Sample pH greater than 2
- RL Reporting Detection Limit

- B Analyte detected in the associated Method Blank
- H Holding times for preparation or analysis exceeded
- ND Not Detected at the Reporting Limit
- R RPD outside accepted recovery limits
- S Spike Recovery outside accepted recovery limits 6 of 17



WOURT ABJOURNING

12065 Lebanon Rd. Mt. Juliet, TN 37122 (615) 758-5858 1-800-767-5859 Fax (615) 758-5859

Tax I.D. 62-0814289

Est. 1970

REPORT OF ANALYSIS

Anne Thorne Hall Environmental Analysis Laborat 4901 Hawkins NE Albuquerque, NM 87109

Date Received Description

13, 2013

ESC Sample # :

March 20, 2013

L624607-01

Site ID :

Sample ID

1303459-001B SC-1 SC-3 Irc

March

Project # :

Collected By : Collection Date :

03/08/13 14:25

Parameter		Result	Det. Limit	Units	Method	Date	Dil.
Chromium, Hexavalent		BDL	2.0	mg/kg	3060A/7196A	03/15/13	1
ORP		140		mV	2580 B-2011	03/15/13	1
рН	,	8.7		su	9045D	03/20/13	1 .

BDL - Below Detection Limit
Det. Limit - Practical Quantitation Limit(PQL)

Note:

The reported analytical results relate only to the sample submitted.

This report shall not be reproduced, except in full, without the written approval from ESC.

Reported: 03/20/13 16:36 Printed: 03/20/13 16:37 L624607-01 (PH) - 8.7023.9c



MOURIEMBEOFICHOICE

12065 Lebanon Rd: Mt. Juliet, TN 37122 (615) 758-5858 1-800-767-5859 Fax (615) 758-5859

Tax I.D. 62-0814289

Est. 1970

REPORT OF ANALYSIS

Anne Thorne Hall Environmental Analysis Laborat 4901 Hawkins NE Albuquerque, NM 87109

March 20, 2013

ESC Sample # :

L624607-02

Date Received Description

March 13, 2013

Sample ID

1303459-002B SC-2 SC-4 lrc

Site ID : Project #:

Collected By

Collection Date:

03/08/13 14:29

		1					
Parameter	Result	Det. Limit	Units	Method	Date	Dil.	_
Chromium, Hexavalent	BDL	50.	mg/kg	3060A/7196A	03/15/13	25	
ORP	140		mV	2580 B-2011	03/15/13	1	
рн	7.9		su	9045D	03/20/13	1.	

BDL - Below Detection Limit Det. Limit - Practical Quantitation Limit(PQL)

The reported analytical results relate only to the sample submitted. This report shall not be reproduced, except in full, without the written approval from ESC.

Reported: 03/20/13 16:36 Printed: 03/20/13 16:37 L624607-02 (PH) - 7.9022.6c L624607-02 (CR6) - diluted due to sample color



MOURALINE OF CHOICE

12065 Lebanon Rd. Mt. Juliet, TN 37122 (615) 758-5858 1-800-767-5859 Fax (615) 758-5859

Tax I.D. 62-0814289

Est. 1970

REPORT OF ANALYSIS

Anne Thorne Hall Environmental Analysis Laborat

4901 Hawkins NE Albuquerque, NM 87109

March 20, 2013

13, 2013 March

ESC Sample # :

L624607-03

Date Received Description

Site ID :

Sample ID

1303459-003в sc-3 SC-5 lrc

Project # :

Collected By : Collection Date :

03/08/13 14:35

Parameter	Result	Det. Limit	Units	Method	Date	Dil.	
Chromium, Hexavalent	BDL	2.0	mg/kg.	3060A/7196A	03/15/13	1	
ORP	. 140	•	wV	2580 B-2011	03/15/13	1	
рĦ	8.4		su	9045D	03/20/13	1	

BDL - Below Detection Limit Det. Limit - Practical Quantitation Limit(PQL) Note: The reported analytical results relate only to the sample submitted. This report shall not be reproduced, except in full, without the written approval from ESC.

Reported: 03/20/13 16:36 Printed: 03/20/13 16:37 L624607-03 (PH) - 8.4022.1c



MOURBLA'ENORACIHOLCIE

Hall Environmental Analysis Laboratory

Anne Thorne
4901 Hawkins NE

Albuquerque, NM 87109

Quality Assurance Report Level II

L624607

12065 Lebanon Rd. Mt. Juliet, TN 37122 (615) 758-5858 1-800-767-5859 Fax (615) 758-5859

Tax I.D. 62-0814289

Est. 1970

March 20, 2013

Analyte	Result	Labora Unita	atory Blank	· Rec	Limit	Batch Date	Analyzed
Chromium, Hexavalent	< 2	· mg/kc				WG650764 03/1	
CITOM 2 dialy no Act of Cita			· · · · ·				
Analyte	Units	Result	plicate Duplicate	RPD	Limit	Ref Samp	Batch
Chromium, Hexavalent Chromium, Hexavalent	mg/kg mg/kg	0.1.0	(<u>0.5</u> (1.2)	0	20	L624154-06 L624323-06	WG65076 WG65076
ORP	mV mV	0. 110.	0 110.	0 0.913	20	L624261-01 L624670-01	√ WG65079 WG65079
рн	su su	5.30 8.70	7.70 8.70	36.4* 0.115		L624682-01 L625356-02	WG65172 WG65172
Analyte	Units	Laboratory Known Val	Control Sa	mple esult	% Rec	Limit	Batch
Chromium, Hexavalent	.mg/kg	218	225		103.	80-120	WG65076
ORP	mV su	228 5.7	225 5.7		98.7	95.6-104. 98.25-101.75	WG65079 WG65172
	5	Laboratory Cont	col Sample	Duplicate			
Analyte	********	Result Ref	€Re	.c	Limit	RPD Limit	Batch
Chromium, Hexavalent	mg/kg	220. 225	i. <u>1</u> 01		80-120	2.25 20	WG65076
DRP CANANA (1985) - HAZER SANA (1986) - LANG (1986) SH	mV su	226. 225 5.69 5.7	31 TO 3 STEE		95.6-104. 98.25-101.7	0.443 20	WG65079
911	_5u		ik Spike	<u></u>	30.23 101.7	70.170	
Analyte	Units		f Res TV	% Rec	Limit	Ref Samp	Batch
hromium, Hexavalent	mg/kg	17.8	20	89.0	75-12	L624320-06	WG65076
	Units	Matrix Sp	ike Duplica *Rec	te. Limit	RPD	Limit Ref Samp	Batch

Batch number /Run number / Sample number cross reference

WG650764: R2582297: L624607-01 02 03 WG650793: R2582518: L624607-01 02 03 WG651729: R2589617: L624607-01 02 03

 ^{*} Calculations are performed prior to rounding of reported values.
 * Performance of this Analyte is outside of established criteria.
 For additional information, please see Attachment A 'List of Analytes with QC Qualifiers.'

Hall Environmental Analysis Laboratory, Inc.

WO#: 1303459

29-Mar-13

Client:

Animas Environmental Services

Project:

CoP Ute #12 March 2013

Sample ID MB-6485

SampType: MBLK

TestCode: EPA Method 300.0: Anions

Client ID:

PBS

Batch ID: 6485

RunNo: 9186

Prep Date: 3/14/2013

Analysis Date: 3/14/2013

SeqNo: 261163

Units: mg/Kg

Analyte Chloride

Result **PQL** ND 1.5

%REC LowLimit

HighLimit

RPDLimit

SampType: LCS

Analysis Date: 3/14/2013

PQL

TestCode: EPA Method 300.0: Anions

Sample ID LCS-6485 Client ID: LCSS

Prep Date:

3/14/2013

Batch ID: 6485

RunNo: 9186

SeqNo: 261164

Units: mg/Kg

%RPD

Analyte

Result

15.00

92.1

110

RPDLimit

Qual

Chloride

SPK value SPK Ref Val

SPK value SPK Ref Val

14

1.5

%REC

LowLimit

HighLimit

Qualifiers:

Value exceeds Maximum Contaminant Level.

E Value above quantitation range

Analyte detected below quantitation limits

P Sample pH greater than 2

Reporting Detection Limit

В Analyte detected in the associated Method Blank

Holding times for preparation or analysis exceeded Н

ND Not Detected at the Reporting Limit

RPD outside accepted recovery limits R Spike Recovery outside accepted recovery limits Page 7 of 17

Hall Environmental Analysis Laboratory, Inc.

WO#:

1303459

29-Mar-13

Client:

Animas Environmental Services

Project:

CoP Ute #12 March 2013

Project: CoP Ute	#12 March	2013	· · · · · · · · · · · · · · · · · · ·			······································				
Sample ID MB-6604	SampTy	pe: ME	BLK	Tes	tCode: Ef	PA Method	8015B: Diese	el Range (Organics	
Client ID: PBS	Batch	ID: 66	04	F	RunNo: 9:	311				
Prep Date: 3/21/2013	Analysis Da	te: 3/	21/2013	5	SeqNo: 26	65889	Units: mg/K	(g		
Analyte	Result	PQL	SPK value	SPK Ref Val	%REC	LowLimit	HighLimit	%RPD	RPDLimit	Qual
Diesel Range Organics (DRO)	ND	10								
Motor Oil Range Organics (MRO)	ND	50	40.00		400	70.4	100		•	0
Surr: DNOP	12		10.00		122	72.4	. 120			S .
Sample ID LCS-6604	SampTy	pe: LC	s	Tes	tCode: EF	² A Method	8015B: Diese	el Range C	Organics	
Client ID: LCSS	Batch I	ID: 66	04	F	RunNo: 93	311		•		
Prep Date: 3/21/2013	Analysis Da	te: 3/	21/2013	` 8	SeqNo: 26	3 5890	Units: mg/K	(g		•
Analyte	Result	PQL	SPK value	SPK Ref Val	%REC	LowLimit	HighLimit	%RPD	RPDLimit	Qual
Diesel Range Organics (DRO)	49	10	50.00	0	97.2	47.4	122			
Surr: DNOP ·	5.0		5.000		101	72.4	120			
Sample ID MB-6604	SampTy	pe: ME	BLK	Tes	tCode: EF	A Method	8015B: Diese	el Range C	Organics	
Client ID: PBS	Batch I	ID: 66	04	F	RunNo: 93	345				
Prep Date: 3/21/2013	Analysis Da	te: 3/	22/2013		SeqNo: 26	67512	Units: mg/K	(g		
Analyte	Result	PQL	SPK value	SPK Ref Val	%REC	LowLimit	HighLimit	%RPD	RPDLimit	Qual
Diesel Range Organics (DRO)	ND	10								
Motor Oil Range Organics (MRO)	ND	50								
Surr: DNOP	9.7		10.00		96.8	72.4	120			
Sample ID LCS-6604	SampTy	pe: LC	s	Tes	tCode: EF	A Method	8015B: Diese	el Range C	Organics	
Client ID: LCSS	Batch I	D: 66	04	F	RunNo: 93	345				
Prep Date: 3/21/2013	Analysis Da	te: 3/	22/2013	S	SeqNo: 26	67513	Units: mg/K	ίg		
Analyte	Result	PQL	SPK value	SPK Ref Val	%REC	LowLimit	HighLimit	%RPD	RPDLimit	Qual
Diesel Range Organics (DRO)	54	10	50.00	0	107	47.4	122			
Surr: DNOP	5.2		5.000		104	72.4	120			
Sample ID 1303459-001AMS	S SampTy	pe: MS	3	Tes	tCode: EF	A Method	8015B: Diese	el Range (Organics	
Client ID: SC-1	. Batch I	D: 66	04	F	RunNo: 93	345				
Prep Date: 3/21/2013	Analysis Da	te: 3/	23/2013	S	SeqNo: 26	67554	Units: mg/K	ξg		
Analyte	Result	PQL	SPK value	SPK Ref Val	%REC	LowLimit	HighLimit	%RPD	RPDLimit	Qual
Diesel Range Organics (DRO)	100	10	51.98	53.38	90.1	12.6	148			

Qualifiers:

- * Value exceeds Maximum Contaminant Level.
- E Value above quantitation range
- J Analyte detected below quantitation limits
- P Sample pH greater than 2
- RL Reporting Detection Limit

- B Analyte detected in the associated Method Blank
- H Holding times for preparation or analysis exceeded
- ND Not Detected at the Reporting Limit
- R RPD outside accepted recovery limits
- S Spike Recovery outside accepted recovery limits

Page 8 of 17

Hall Environmental Analysis Laboratory, Inc.

WO#:

1303459 29-Mar-13

Client:

Anima's Environmental Services

Project:

CoP Ute #12 March 2013

Sample ID 1303459-001AMSD

SampType: MSD

TestCode: EPA Method 8015B: Diesel Range Organics

Client ID: So

SC-1

Batch ID: 6604

RunNo: 9345

Prep Date: 3/21/2013

Analysis Date: 3/23/2013

SeqNo: 267557

Units: mg/Kg

Analyte Result PQL SPK value SPK Ref Val %REC LowLimit HighLimit %RPD **RPDLimit** Qual Diesel Range Organics (DRO) 120 10 50.10 53.38 12.6 18.4 22.5 134 148 Surr: DNOP 5.6 5.010 112 72.4 120 0 0

Qualifiers:

- Value exceeds Maximum Contaminant Level.
- E Value above quantitation range
- J Analyte detected below quantitation limits
- P Sample pH greater than 2
- RL Reporting Detection Limit

- B Analyte detected in the associated Method Blank
- H Holding times for preparation or analysis exceeded
- ND Not Detected at the Reporting Limit
- R RPD outside accepted recovery limits
- S Spike Recovery outside accepted recovery limits

1,0,0

Page 9 of 17

Hall Environmental Analysis Laboratory, Inc.

WO#: 1303459

29-Mar-13

Client:

Animas Environmental Services

Project:

CoP Ute #12 March 2013

Sample ID mb-6438	Samp	Type: ME	BLK	Tes	tCode: El	PA Method	8260B: Volat	tiles Shor	t List	
Client ID: PBS	Bato	h ID: 64	38	F	RunNo: 9	181				
Prep Date: 3/12/2013	Analysis (Date: 3/	14/2013	S	SeqNo: 2	61864	Units: mg/K	(g		•
Analyte	Result	PQL	SPK value	SPK Ref Val	%REC	LowLimit	HighLimit	%RPD	RPDLimit	Qual
Benzene	0.0046	0.050								J
Toluene	0.0051	0.050								J
Ethylbenzene	ND	0.050								
Xylenes, Total	ND	0.10								
Surr: 1,2-Dichloroethane-d4	0.43		0.5000		86.3	70	130			
Surr: 4-Bromofluorobenzene	0.45		0.5000		90.3	70	130			
Surr: Dibromofluoromethane	0.47		0.5000		93.1	70	130			
Surr: Toluene-d8	0.51	٠.	0.5000	•	101	70	130	_		
Sample ID Ics-6438	Samp	Type: LC	s	Tes	tCode: E	PA Method	8260B: Volat	tiles Shor	t List	
Client ID: LCSS	Bato	h ID: 64	38	F	RunNo: 9	181				
Prep Date: 3/12/2013	Analysis [Date: 3/	14/2013	9	SeqNo: 2	61865	Units: mg/K	(g		
Amobile	D II	501	0014	00K D-41/-1	W DE0			0/ DDD	DDDI	

Client ID: LCSS	Batc	h ID: 64	38	F	RunNo: 9	181					
Prep Date: 3/12/2013	Analysis [Date: 3/	14/2013	S	SeqNo: 2	61865	Units: mg/K	(g			
Analyte	Result	PQL	SPK value	SPK Ref Val	%REC	LowLimit	HighLimit	%RPD	RPDLimit	Qual	
Benzene	0.96	0.050	1.000	0	96.3	70	130				
Toluene	1.0	0.050	1.000	0	101	80	120		•		
Surr: 1,2-Dichtoroethane-d4	0.45		0.5000		89.7	70	130				
Surr: 4-Bromofluorobenzene	0.45		0.5000		89.4	70	130				
Surr: Dibromofluoromethane	0.46		0.5000		92.2	70	130				
Surr: Toluene-d8	0.51		0.5000		101	70	130				

Qualifiers:

- * Value exceeds Maximum Contaminant Level.
- E Value above quantitation range
- J Analyte detected below quantitation limits
- P Sample pH greater than 2
- RL Reporting Detection Limit

- B Analyte detected in the associated Method Blank
- H Holding times for preparation or analysis exceeded
- ND Not Detected at the Reporting Limit
- R RPD outside accepted recovery limits
- S Spike Recovery outside accepted recovery limits

Page 10 of 17

Hall Environmental Analysis Laboratory, Inc.

WO#: 1303

1303459 29-Mar-13

Client:

Animas Environmental Services

Project:

CoP Ute #12 March 2013

Sample ID mb-6463	Samp	Type: M	BLK	Tes	tCode: E	PA Method	8270C: PAH:	5		
Client ID: PBS	Batc	h ID: 64	63	F	RunNo: 9	179				
Prep Date: 3/13/2013	Analysis [Date: 3/	14/2013	S	SeqNo: 2	61627	Units: mg/K	(g		-
Analyte .	Result	PQL	SPK value	SPK Ref Val	%REC	LowLimit	HighLimit	%RPD	RPDLimit	Qual
Naphthalene	ND	0.020								
1-Methylnaphthalene	ND	0.020								
2-Methylnaphthalene	ND	0.020								
Acenaphthylene	ND	0.020								
Acenaphthene	ND	0.020								
Fluorene	ND	0.020								
Phenanthrene	0.0037	0.020						•		J
Anthracene	ND	0.020								
Fluoranthene	ND	0.020								
Pyrene	ND	0.020								
Benz(a)anthracene	ND	0.020								
Chrysene	ND	0.020					•			
Benzo(b)fluoranthene	ND	0.020								
Benzo(k)fluoranthene	ND	0.020								
Benzo(a)pyrene	ND	0.020							•	
Dibenz(a,h)anthracene	ND	0.020							_	
Benzo(g,h,i)perylene	ND	0.020								
Indeno(1,2,3-cd)pyrene	ПЛ	0.020			*					
Surr: Benzo(e)pyrene	0.36		0.3300		110	44.9	129			
Surr: N-hexadecane	1.5		1.460		100	45.4	126			•
Sample ID Ics-6463	Samp	Type: LC	s	Tes	tCode: E	PA Method	8270C: PAH	<u></u>		
								•		

Sample ID Ics-6463	Samp	ype: LC:	5	res	(Code: E	PA Wethod	8270C: PAHS	· .		
Client ID: LCSS	Batc	h ID: 646	3	F	RunNo: 9	179				
Prep Date: 3/13/2013	Analysis [Date: 3/1	14/2013		SeqNo: 2	61628	Units: mg/K	g		
Analyte	Result	PQL ·	SPK value	SPK Ref Val	%REC	LowLimit	HighLimit	%RPD	RPDLimit	Qual
Naphthalene	0.29	0.020	0.3300	0	87.0	52	107			
1-Methylnaphthalene	0.31	0.020	0.3300	0	93.8	54.7	112			
2-Methylnaphthalene	0.32	0.020	0.3300	0	97.5	50.2	112			
Acenaphthylene	0.30	0.020	0.3300	0	91.9	53.3	111			
Acenaphthene .	0.28	0.020	0.3300	0	83.8	. 50	120			
Fluorene	0.29	0.020	0.3300	0	89.2	50.8	115		•	
Phenanthrene	0.29	0.020	0.3300	0	86.7	54.1	124			
Anthracene	0.31	0.020	0.3300	0	93.6	53.9	117			
Fluoranthene	0.27	0.020	0.3300	0	81.9	54.5	112	•		
Pyrene	0.29	0.020	0.3300	. 0	88.8	51.2	113			
Benz(a)anthracene	0.31	0.020	0.3300	0	92.5	54.9	109			
Chrysene	0.28	0.020	0.3300	. 0	83.8	49	112			
Benzo(b)fluoranthene	0.32	0.020	0.3300	0	98.0	58.2	118		•	
Benzo(k)fluoranthene	0.29	0.020	0.3300	Ō	87.2	53.5	118			
•										

Qualifiers:

- * Value exceeds Maximum Contaminant Level.
- E Value above quantitation range
- J Analyte detected below quantitation limits
- P Sample pH greater than 2
- RL Reporting Detection Limit

- B Analyte detected in the associated Method Blank
- H Holding times for preparation or analysis exceeded
- ND Not Detected at the Reporting Limit
- R RPD outside accepted recovery limits -
- S Spike Recovery outside accepted recovery limits

Page 11 of 17

Hall Environmental Analysis Laboratory, Inc.

WO#: 1303459

29-Mar-13

Client:

Animas Environmental Services

Project:

CoP Ute #12 March 2013

Sample ID Ics-6463	Sampl	SampType: LCS			TestCode: EPA Method 8270C: PAHs								
Client ID: LCSS	Batcl	Batch ID: 6463			RunNo: 9179							•	
Prep Date: 3/13/2013	Analysis [Analysis Date: 3/14/2013			SeqNo: 261628					Units: mg/Kg			
Analyte ,	Result	PQL	SPŘ value	SPK F	Ref Val	%REC	Low	Limit	HighLimit	%RPD	RPDLimit	Qual	
Benzo(a)pyrene	0.29	0.020	0.3300		0	89.1		50.1	118				
Dibenz(a,h)anthracene	0.33	0.020	0.3300		0	101		59.5	113				
Benzo(g,h,i)perylene	0.32	0.020	0.3300	•	0	95.8		56.5	117				
Indeno(1,2,3-cd)pyrene	. 0.32	0.020	0.3300	•	0	97.8	•	58.5	114				
Surr: Benzo(e)pyrene	0.33		0.3300			98.7		44.9	129				
Surr: N-hexadecane	1.5		1.460			102		45.4	126				

Sample ID 1303459-001Ams	Sampī	ype: M S	3	Tes	tCode: El	PA Method	8270C: PAHs			
Client ID: SC-1	Batcl	n ID: 64	63	· F	RunNo: 9	179				
Prep Date: 3/13/2013	Analysis E	Date: 3/	14/2013	S	SeqNo: 2	61633	Units: mg/K	g		
Analyte	Result	PQL	SPK value	SPK Ref Val	%REC	LowLimit	HighLimit	%RPD	RPDLimit	Qual
Naphthalene	0.31	0.020	0.3290	0.004664	91.6	55.7	95.1			
1-Methylnaphthalene	0.34	0.020	0.3290	0	104	60.8	100			S .
2-Methylnaphthalene	0.35	0.020	0.3290	0.006662	105	58.1	98.5 .			S
Acenaphthylene	0.30	0.020	0.3290	0	92.4	56.5	101			
Acenaphthene	0.31	0.020	0.3290	0	93.4	57	. 107 —			
Fluorene	0.30	0.020	0.3290	0	91.3	61.6	100			
Phenanthrene	0.33	0.020	0.3290	. 0	102	68.5	115			
Anthracene	0.33	0.020	0.3290	0	100	62.5	117			
Fluoranthene	0.33	0.020	0.3290	0.004330	99.9	59.5	112			
Pyrene .	0.33	0.020	0.3290	0	101	55.3	109			
Benz(a)anthracene	0.34	0.020	0.3290	0	103	52.3	115			
Chrysene	0.30	0.020	0.3290	0	91.5	52.3	113			
Benzo(b)fluoranthene	0.36	0.020	0.3290	0	109	47.1	125		•	
Benzo(k)fluoranthene	0.29	0.020	0.3290	Ó	89.6	46.9	125			
Benzo(a)pyrene	0.31	0.020	0.3290	, 0	93.9	55.9	115			
Dibenz(a,h)anthracene	0.37	0.020	0.3290	. 0	112	59.4	112			
Benzo(g,h,i)perylene	0.34	0.020	0.3290	0	103	50.2	120			
Indeno(1,2,3-cd)pyrene	0.35	0.020	0.3290	0	106	54.2	118			
Surr: Benzo(e)pyrene	0.37		0.3290		112	44.9	129			
Surr: N-hexadecane	3.7		1.456		256	45.4	126			Ś

Sample ID 1303459-001Amsc	I Samp1	Гуре: МS	SD	Tes						
Client ID: SC-1	Batc	h ID: 64	63	F	RunNo: 9	179				
Prep Date: 3/13/2013	Analysis [Date: 3/	14/2013	8	SeqNo: 2	61634	Units: mg/F	⟨g ·		
Analyte	Result	PQL	SPK value	SPK Ref Val	%REC	LowLimit	HighLimit	%RPD	RPDLimit	Qual
Naphthalene	0.30	0.020	0.3306	0.004664	88.6	55.7	95.1	2.85	20	
1-Methylnaphthalene	0.33	0.020	0.3306	0	101	60.8	100	3.18	20	S

Qualifiers:

* Value exceeds Maximum Contaminant Level.

E Value above quantitation range

J Analyte detected below quantitation limits

P Sample pH greater than 2

RL Reporting Detection Limit

B' Analyte detected in the associated Method Blank

H Holding times for preparation or analysis exceeded

ND Not Detected at the Reporting LimitR RPD outside accepted recovery limits

R RPD outside accepted recovery limits
 S Spike Recovery outside accepted recovery limits

Page 12 of 17

Hall Environmental Analysis Laboratory, Inc.

WO#: 1303459

29-Mar-13

Client:

Animas Environmental Services

Project:

CoP Ute #12 March 2013

Sample ID 1303459-001Ams	d SampT	ype: MS	SD	Tes	tCode: EI	PA Method	8270C: PAH	\$		
Client ID: SC-1	Batcl	h ID: 64	63	F	RunNo: 9	179				
Prep Date: 3/13/2013	Analysis D	Date: 3/	14/2013	S	SeqNo: 2	61634	Units: mg/K	(g	•	
Analyte	Result	PQL	SPK value	SPK Ref Val	%REC	LowLimit	HighLimit	%RPD	RPDLimit	Qual
2-Methylnaphthalene	0.35	0.020	0.3306	0.006662	105	58.1	98.5	0.655	20	S
Acenaphthylene	0.33	0.020	0.3306	0	99.3	56.5	101	7.63	20	
Acenaphthene	0.32	0.020	0.3306	0	96.6	57	107	3.76	20	
Fluorene	0.33	0.020	0.3306	0	99.5	61.6	100	9.04	20	
Phenanthrene	0.33	0.020	. 0.3306	0	98.8	68.5	115	2.55	20	
Anthracene	0.33	0.020	0.3306	0	98.7	62.5	117	1.26	20	
Fluoranthene	0.33	0.020	0.3306	0.004330	98.7	59.5	112	0.738	20	
Pyrene ·	. 0.33	0.020	0.3306	0	98.5	55.3	109	2.36	· 20	
Benz(a)anthracene	0.34	0.020	0.3306	0	102	52.3	115	0.619	20	
Chrysene .	0.30	0.020	0.3306	0	89.6	52.3	113	1.65	20	
Benzo(b)fluoranthene	0.34	0.020	0.3306	0	104	47.1	125	3.99	20	
Benzo(k)fluoranthene	0.29	0.020	0.3306	0	88.6	46.9	125	0.667	20	
Benzo(a)pyrene	0.32	0.020	0.3306	0	95.7	55.9	115	2.28	20	
Dibenz(a,h)anthracene	0.36	0.020	0.3306	0	108	59.4	112	3.40	20	
Benzo(g,h,i)perylene	0.33	0.020	0.3306	0	99.8	50.2	120	2.33	20	
Indeno(1,2,3-cd)pyrene	0.34	0.020	0.3306	0	104	54.2	118	1.45	20	
Surr: Benzo(e)pyrene	0.37		0.3306		112	44.9	129	0	0.	
Surr: N-hexadecane	4.2		1.462		287	45.4	126	0	0	S

Qualifiers:

- * Value exceeds Maximum Contaminant Level.
- E Value above quantitation range
- J Analyte detected below quantitation limits
- P Sample pH greater than 2
- RL Reporting Detection Limit

- B Analyte detected in the associated Method Blank
- H Holding times for preparation or analysis exceeded
- ND Not Detected at the Reporting Limit
- R RPD outside accepted recovery limitsS Spike Recovery outside accepted recovery limits

Page 13 of 17

Hall Environmental Analysis Laboratory, Inc.

WO#: 1303459 29-Mar-13

Client:

Animas Environmental Services

Project:

CoP Ute #12 March 2013

Sample ID 1303551-001ADUP

Sample ID 1303459-001ADUP

SampType: DUP

TestCode: CONDUCTANCE

Client ID: BatchQC

Batch ID: R9219

RunNo: 9219

Prep Date:

Analysis Date: 3/15/2013

SeqNo: 262182

· Units: µmhos/cm

Analyte

PQL Result

SPK value SPK Ref Val %REC LowLimit

HighLimit

Specific Conductance

1300 1.0

%RPD **RPDLimit** Qual 11.1 20

TestCode: CONDUCTANCE

Client ID: SC-1 SampType: DUP

RunNo: 9219

Units: µmhos/cm

Prep Date:

Batch ID: R9219 Analysis Date: 3/15/2013

SeqNo: **262208**

Analyte

5000

PQL

SPK value SPK Ref Val %REC

Qual

LowLimit

HighLimit

Specific Conductance

1.0

%RPD

20

Qualifiers:

Value exceeds Maximum Contaminant Level.

Е Value above quantitation range

Analyte detected below quantitation limits ė Sample pH greater than 2

Reporting Detection Limit

Analyte detected in the associated Method Blank

Holding times for preparation or analysis exceeded Н

Not Detected at the Reporting Limit ND

RPD outside accepted recovery limits Spike Recovery outside accepted recovery limits Page 14 of 17

Hall Environmental Analysis Laboratory, Inc.

WO#:

1303459 29-Mar-13

Client:

Animas Environmental Services

Project:

CoP Ute #12 March 2013

Sample ID MB-6458	SampT	ype: ME	BLK	Tes	tCode: El	PA Method	6010B: Soil	Metals		
Client ID: PBS	Batch	n ID: 64	58	F	RunNo: 9	189				
Prep Date: 3/13/2013	Analysis D	Date: 3/	14/2013	9	SeqNo: 2	61278	Units: mg/k	(g		
Analyte	Result	PQL	SPK value	SPK Ref Val	%REC	LowLimit	HighLimit	%RPD	RPDLimit	Qual
Arsenic	ND	2.5						•		
Barium	ND	0.10								
Cadmium	ND	0.10		•						
Chromium	ND	0.30				•				
Copper	. ND	0.30								
Lead	ND	0.25								
Nickel '	ND	0.50						,		
Silver	ND	0.25								
Zinc	. ND	2.5								

Sample ID	LCS-6458	Samp	Type: LC	S	Tes	tCode: El	PA Method	6010B: Soil	Metals		
Client ID:	LCSS	Batc	h ID: 64 :	58	F	RunNo: 9	189				
Prep Date:	3/13/2013	Analysis [Date: 3/	14/2013		SeqNo: 2	61279	Units: mg/k	(g		÷
Analyte		Result	PQL	SPK value	SPK Ref Val	%REC	LowLimit	HighLimit	%RPD	RPDLimit	Qual
Arsenic		26	2.5	25.00	0	105	80	120			
Barium		25	0.10	25.00	0	101	. 80	120			
Cadmium		25	0.10	25.00	0	101	80	120		•	•
Chromium		26	0.30	25.00	0	102	80	120			
Copper		26	0.30	25.00	0	104	80	120			
Lead	•	25	0.25	25.00	0	98.9	80	120			
Nickel		24	0.50	25.00	0	97.9	80	120			
Silver		5.1	0.25	5.000	0	102	80	120			
Zinc `		26	2.5	25.00	0	102	80	120			

Sample ID 1303459-003AMS	SampT	уре: МЅ	;	Tes	tCode: El	PA Method	6010B: Soil	Metals		
Client ID: SC-3	Batch	ID: 645	58	F	RunNo: 9	189				
Prep Date: 3/13/2013	Analysis D	ate: 3/	14/2013	5	SeqNo: 2	61310	Units: mg/F	(g		
Analyte	Result	PQL.	SPK value	SPK Ref Val	%REC	LowLimit	HighLimit	%RPD	RPDLimit	Qual
Barium	170	0.50	23.95	129.8	187	75	125			S
Cadmium	24	0.50	23.95	0	102	75	125		•	
Chromium	33	1.5	23.95	5.195	114	75	125			
Copper	32	1.5	23.95	9.731	93.4	75	125			
Nickel .	28	2.5	23.95	4.415	100	75	125			
Silver	4.9	1.2	4.790	0	102	75	125			

Qualifiers:

* Value exceeds Maximum Contaminant Level.

E Value above quantitation range

J . Analyte detected below quantitation limits

P Sample pH greater than 2

RL Reporting Detection Limit

B Analyte detected in the associated Method Blank

H Holding times for preparation or analysis exceeded

ND Not Detected at the Reporting Limit

R RPD outside accepted recovery limits

S. Spike Recovery outside accepted recovery limits

Page 15 of 17

Hall Environmental Analysis Laboratory, Inc.

WO#: 1303459

29-Mar-13

Client:

Animas Environmental Services

Project:	CoP Ute #			vices							
Sample ID	1303459-003AMSE) SampT	ype: MS	SD .	Test	tCode: El	PA Method	6010B: Soil	Metals		
Client ID:	SC-3	Batch	1D: 64	58	· R	RunNo: 9	189				
Prep Date:	3/13/2013	Analysis D	ate: 3/	14/2013	S	SeqNo: 20	61311	Units: mg//	⟨ g		
Analyte		Result	PQL	SPK value	SPK Ref Val	%REC	LowLimit	HighLimit	%RPD	RPDLimit	Qual
Barium		210	0.50	23.90	129.8	325	75	125	17.2	20	, S
Cadmium		25	0.50	23.90	0	103	75	125	1.03	20	
Chromium		32	1.5	23.90	5.195	111	75	125	3.02	20	
Copper		32	1.5	23.90	9.731	93.6	75 75	125	0.0322	20	
Nickel		29	2.5	23.90	4.415	101	. 75	125	0.422	20	
Silver		4.8	1.2	4.781	. 0	100	75 	125	2.61	20	-
Sample ID	MB-6458	SampT	ype: ME	BLK	Test	tCode: Ef	PA Method	6010B: Soil	Metals		
Client ID:	PBS	Batch	n ID: 64	58	Ŗ	RunNo: 9	239				
Prep Date:	3/13/2013	Analysis D	ate: 3/	18/2013	S	SeqNo: 20	63002	Units: mg/l	(g		
Analyte		Result	PQL	SPK value	SPK Ref Val	%REC	LowLimit	HighLimit	%RPD	RPDLimit	Qual
Selenium		ND	2.5								
Sample ID	LCS-6458	SampT	ype: LC	S	Tes	tCode: El	PA Method	6010B: Soil	Metals	· · · · · · · · · · · · · · · · · · ·	*
Client ID:	LCSS	Batch	1D: 64	58	R	RunNo: 9	239				
Prep Date:	3/13/2013	Analysis D	ate: 3/	18/2013	S	SeqNo: 20	63003	Units: mg/h	K g		
Analyte		Result	PQL	SPK value	SPK Ref Val	%REC	LowLimit	HighLimit	%RPD	RPDLimit	Qual
Selenium ·		24	2.5	25.00	0	94.1	80	120			
Sample ID	1303459-003AMS	SampT	ype: MS		Tes	tCode: EI	PA Method	6010B: Soil	Metals		
Client ID:	SC-3	Batch	n ID: 64	58	F	RunNo: 9	239				
Prep Date:	3/13/2013	Analysis D)ate: 3/	18/2013	S	SeqNo: 2	63561	Units: mg/l	√ g		,
Analyte		Result	PQL	SPK value	SPK Ref Val	%REC	LowLimit	HighLimit	%RPD	RPDLimit	Qual
Arsenic		31	12	23.95	0	131	75	125			S
Lead		29	1.2	23.95	0	123	75	125		,	
Selenium		. 23	12	23.95	0	98.1	75	125			
Zinc		63	12	23.95	0	261	75 ———	125		,	S
Sample ID	1303459-003AMSE) SampT	ype: MS	SD	Tes	tCode: El	PA Method	6010B: Soil	Metals		
Client ID:	SC-3	Batch	n ID: 64 :	58	F	RunNo: 9	239	•			
Prep Date:	3/13/2013	Analysis D	Pate: 3/	18/2013	9	SeqNo: 2	63562	Units: mg/l	≺g		
Analyte		Result	PQL	SPK value	SPK Ref Val	%REC	LowLimit	HighLimit	%RPD	RPDLimit	Qual
Arsenic		26	12	23.90	0	107	75	125	20.3	20	·R
		30	1.2	23.90	0	125	75	125	1.68	20	S
Lead		•									
Lead Selenium		21	12	23.90	0	87.6 247	75 75	125 125	11.4 5.77	20 20	S

Qualifiers:

- * Value exceeds Maximum Contaminant Level.
- E Value above quantitation range
- J Analyte detected below quantitation limits
- P Sample pH greater than 2
- RL Reporting Detection Limit

- B Analyte detected in the associated Method Blank
- H Holding times for preparation or analysis exceeded
- ND Not Detected at the Reporting Limit
- R RPD outside accepted recovery limits
- S Spike Recovery outside accepted recovery limits

Page 16 of 17

Hall Environmental Analysis Laboratory, Inc.

WO#:

1303459

29-Mar-13

Client:

Animas Environmental Services

Project:

CoP Ute #12 March 2013

Sample ID mb-6438	Samp	Гуре: ,М.	BLK	Tes	Code: Ef	PA Method	8015B Mod:	Gasoline	Range	
Client ID: PBS	Batc	h ID: 64	38	, R	tunNo: 9	181				
Prep Date: 3/12/2013	Analysis [Date: 3/	14/2013		eqNo: 20	61843	Units: mg/k	ζg		
Analyte	Result	PQL	SPK value	SPK Ref Val	%REC	LowLimit	HighLimit	%RPD	RPDLimit	Qual
Gasoline Range Organics (GRO)	1.1	5.0			,					J
Surr: BFB	450		500.0		90.3	. 70	130			
Sample ID LCS-6438	Samp	Type: LC	:S	Tes	Code: El	PA Method	8015B Mod:	Gasoline	Range	
Client ID: LCSS	Batc	h ID: 64	38	. F	tunNo: 9	181	•			

		9	Units: mg/Kg	844	eqNo: 26	S	14/2013	ate: 3/	Analysis D	rep Date: 3/12/2013
imit Qual	RPDLimit	%RPD	HighLimit	LowLimit	%REC	SPK Ref Val	SPK value	PQL	Result	nalyte
			137	74.6	95.9	.0	25.00	5.0	24	asoline Range Organics (GRO)
			130	70	87.2		500.0		440	Surr: BFB
=			130	70	87.2		500.0		440	Surr: BFB

Sample ID 1303408-005	AMS SampT	Type: MS	;	Test	tCode: El	PA Method	8015B Mod:	Gasoline	Range	
Client ID: BatchQC	Batcl	h ID: 64	38	R	RunNo: 9	181				
Prep Date: 3/12/2013	Analysis [Date: 3 /	15/2013	S	SeqNo: 2	61857	Units: mg/F	(g		
Analyte	Result	PQL	SPK value	SPK Ref Val	%REC	LowLimit	HighLimit	%RPD	RPDLimit	Qual
Gasoline Range Organics (GRO)) 23	4.8	24.13	1.017	90.7	50.3	148			
Surr: BFB	420		482.6		86.3	70	130			

Sample ID 1303408-005AWS	υ Samp i	ype: ws	5D	res	(Code: El	PA Method	SOLDR Mod:	Gasonne	Range	
Client ID: BatchQC	Batch	ID: 64	38	· F	RunNo: 9	181				•
Prep Date: 3/12/2013	Analysis D	ate: 3/	15/2013	S	SeqNo: 2	61858	Units: mg/K	(g		
Analyte	Result	PQL	SPK value	SPK Ref Val	%REC	LowLimit	HighLimit	%RPD	RPDLimit	Qual
Gasoline Range Organics (GRO)	23	4.8	24.15	1.017	89.5	50.3	148	1.22	20	
Surr: BFB	420		483.1		86.6	70	130	0	0	

Qualifiers:

- * Value exceeds Maximum Contaminant Level.
- E Value above quantitation range
- J · Analyte detected below quantitation limits
- P Sample pH greater than 2
- RL Reporting Detection Limit

- B Analyte detected in the associated Method Blank
- H Holding times for preparation or analysis exceeded
- ND Not Detected at the Reporting Limit
- R RPD outside accepted recovery limits
- S. Spike Recovery outside accepted recovery limits

Page 17 of 17



Hall Environmental Analysis Laborator) 4901 Hawkins NE Albuquergue, NM 87105

TEL: 505-345-3975 FAX: 505-345-410; Website: www.hallenvironmental.com

Sample Log-In Check List

Client Name: Animas Environmental Work Order Number: 1303459 03/12/13 Received by/date Michelle Cours Logged By: Michelle Garcia 3/12/2013 9:53:00 AM Completed By: Michelle Garcla 3/12/2013 11:47:33 AM Reviewed By: Chain of Custody Yes 🗌 No 🗍 Not Present 1. Were seals intact? Yes 🗹 No 🗌 Not Present 2. Is Chain of Custody complete? 3. How was the sample delivered? Courier Log In Yes 🗹 No 🗌 NA 🗆 4. Coolers are present? (see 19. for cooler specific information) Yes 🗹 No 🗌 NA 🗌 5. Was an attempt made to cool the samples? NA 🗌 Yes 🗹 No 🗌 6. Were all samples received at a temperature of >0° C to 6.0°C Yes V No 🗌 7 Sample(s) in proper container(s)? Yes 🗹 No 🗌 8. Sufficient sample volume for indicated test(s)? Yes 🗹 No 🗌 9. Are samples (except VOA and ONG) properly preserved? 10. Was preservative added to bottles? Yes 🗌 No 🗹 NA 🗌 Yes 🗌 No 🗀 No VOA Vials 🗹 11. VOA vials have zero headspace? Yes 🗆 No 🗹 12. Were any sample containers received broken? # of preserved Yes 🗹 No 🗌 13. Does paperwork match bottle labels? bottles checked (Note discrepancies on chain of custody) for pH: Yes 🗹 No 🗌 (<2 or >12 unless noted) 14. Are matrices correctly identified on Chain of Custody? Adjusted? Yes 🗹 No 🗌 15. Is it clear what analyses were requested? Yes 🗹 No 🗌 16. Were all holding times able to be met? (If no, notify customer for authorization.) Checked by: Special Handling (if applicable) 17. Was client notified of all discrepancies with this order? Yes 🗌 No 🔲 NA 🗹 Person Notified: Date: By Whom: Via: eMall Phone Fax In Person Regarding: Client Instructions: 18 Additional remarks: 19. Cooler Information Cooler No | Temp °C | Condition | Seal Intact | Seal No | Good

			stody Record	Turn-Around	Time:				87		AL	LE	NV	/IF	10	NF	ИE	NTA	AL	
Client:	Animas	Enul	conmental Services							A	NA ww.h	LYS	5IS	S L	AE	30				7
Mailing	Address	Le 24	E. Comanche	COP Ute	#12 Marc	h 2013		49	01 H		s NE						109			
<u>Farn</u>	aing ton	NM	87401	Project #:	,						5-3975		ах							
		-564-	2281	D				3, 2, 2, 2,				100	2 2 2 2 2	Ven	uesi					
email o	r Fax#: Package:			Project Mana	ger)21)	+ TPH (Gas only)	Siese				SO ₄	B's			- 15al			
⊠ Stan	-		□ Level 4 (Full Validation)	D. Watso	n		+ TMB's (8021)	(Gas	3as/[Po4	2 PC			910			
Accredi		- Oth		Sampler: H.	Woods/	D. Watson	TMB	тРН) Bi	=	를 <u>로</u>		,N00	808			عا			E
□ NEL		LI Othe	r	Of the state of				+ + +	801	1418	1504 PA	als	Nog	les /		QA	Table			(Y or N)
Date	Time	Matrix	Sample Request ID		Preservative Type		BTEX + MTBE	BTEX + MTBE	TPH Method 8015B (Gas/Diesel)	TPH (Method 418.1)	EDB (Method 504.1) 8310 (PNA or PAH)	RCRA 8 Met	Anions (F,C)NO3,NO2,PO4,SO4)	8081 Pesticides / 8082 PCB	8260B (VOA)	8270 (Semi-VOA)	Cogec		-	Air Bubbles (
3/8/13	1425	Soil	SC-1	3-4.02		-001							X				X			
	1429		Sc-2	3-402		-002							*				X			
3/8/13	1435	Soil	Sc-3	3-402		-003							X				X			
							<u> </u>		_											<u> </u>
							<u> </u>				_						_			_
							1		_					\dashv			-	_	\bot	┼
							-		\dashv	_		-			_	_	\dashv		+	+
				,			╫	-,	-	-		-		\dashv	\dashv		+	+	+-	-
				-			+			-+		╁			\dashv			+	╁╌	\dagger
							1			_				T				1	\top	T
Date:	Time:	Relinquishe	the M. Woods	Received by:	1/01/2	Date Time 3/11/13 / 1636	Ren	narks	5: B 1796	ill .	to Cr	No CI	Ph O	llip	is red b	~ ~_: (2rys	tal 7	<u>م</u> کہ	
Date:	Time:	Relinquish		Received by:	03/12	Date Time	Us	er (1 a: 1	3 D: G/	Rido ARR	rd La ECD	Pez				Ų	- ن		٠,٠٠٠	J ⁴



Hall Environmental Analysis Laboratory 4901 Hawkins NE Albuquerque, NM 87109 TEL: 505-345-3975 FAX: 505-345-4107 Website: www.hallenvironmental.com

May 31, 2013

Debbie Watson Animas Environmental 624 East Comanche Farmington, NM 87401 TEL: (505) 486-4071

FAX

RE: COP Ute #12

OrderNo.: 1305949

Dear Debbie Watson:

Hall Environmental Analysis Laboratory received 1 sample(s) on 5/23/2013 for the analyses presented in the following report.

These were analyzed according to EPA procedures or equivalent. To access our accredited tests please go to www.hallenvironmental.com or the state specific web sites. In order to properly interpret your results it is imperative that you review this report in its entirety. See the sample checklist and/or the Chain of Custody for information regarding the sample receipt temperature and preservation. Data qualifiers or a narrative will be provided if the sample analysis or analytical quality control parameters require a flag. When necessary, data qualifers are provided on both the sample analysis report and the QC summary report, both sections should be reviewed. All samples are reported, as received, unless otherwise indicated. Lab measurement of analytes considered field parameters that require analysis within 15 minutes of sampling such as pH and residual chlorine are qualified as being analyzed outside of the recommended holding time.

Please don't hesitate to contact HEAL for any additional information or clarifications.

Sincerely,

Andy Freeman

Laboratory Manager

4901 Hawkins NE

Albuquerque, NM 87109

Analytical Report

Lab Order 1305949

Date Reported: 5/31/2013

Hall Environmental Analysis Laboratory, Inc.

CLIENT: Animas Environmental

Client Sample ID: SC-1 SC-21 Irc

Project: COP Ute #12

Collection Date: 5/22/2013 9:35:00 AM

Lab ID: 1305949-001

Matrix: SOIL Received Date: 5/23/2013 10:00:00 AM

Analyses	Result	MDL	RL	Qual	Units	DF	Date Analyzed	Batch ID
EPA METHOD 8015D: DIESEL RANGE C	RGANICS						Analyst: JME	
Diesel Range Organics (DRO)	22	6.2	10		mg/Kg	1	5/24/2013 3:21:28 PM	7579
Motor Oil Range Organics (MRO)	ND	- 50	50	•	mg/Kg	1	5/24/2013 3:21:28 PM	7579
Surr: DNOP	92.3	0	63-147	÷.	%REC	1	5/24/2013 3:21:28 PM	7579
EPA METHOD 8015D: GASOLINE RANG	E						Analyst: DAM	
Gasoline Range Organics (GRO)	ND	0.91	4.7		mg/Kg	1	5/24/2013 10:07:18 PM	7587
Surr: BFB	95.7	0	80-120		%REC	1	5/24/2013 10:07:18 PM	7587
EPA METHOD 8021B: VOLATILES							Analyst: DAM	·
Benzene	ND	0.0029	0.047		mg/Kg	1	5/24/2013 10:07:18 PM	7587
Toluene	ND	0.0030	0.047		mg/Kg	1	5/24/2013 10:07:18 PM	7587
Ethylbenzene	- ND	0.0033	0.047		mg/Kg	1	5/24/2013 10:07:18 PM	7587
Xylenes; Total	0.014	0.011	0.094	J	mg/Kg	1	5/24/2013 10:07:18 PM	7587
Surr: 4-Bromofluorobenzene	101	0	80-120		%REC	1	5/24/2013 10:07:18 ⁻ PM	7587
EPA METHOD 7471: MERCURY							Analyst: IDC	
Mercury	0.036	0.0016	0.033		mg/kg	1	5/29/2013 11:45:42 AM	7635
EPA METHOD 6010B: SOIL METALS							Analyst: ELS	
Arsenic	4.0	1.3	5.0	J	mg/Kg	2	5/29/2013 7:45:22 AM	7618
Barium	200	0.30	0.49		mg/Kg	5	5/29/2013 8:28:20 AM	7618
Cadmium	ND	0.054	0.20		mg/Kg	2	5/29/2013 7:45:22 AM	[.] 7618
Chromium	8.5	0.24	0.60		mg/Kg	2	5/29/2013 7:45:22 AM	7618
· Copper	11	0.46	0.60		mg/Kg	2	5/29/2013 7:45:22 AM	7618
Lead .	7.7	0.44	0.50		mg/Kg	2 .	5/29/2013 7:45:22 AM	7618
Nickel .	9.1	0.33	1.0		mg/Kg	2	5/29/2013 7:45:22 AM	7618
Selenium	ND	2.8	5.0		mg/Kg	2	5/29/2013 7:45:22 AM	7618
Silver	ND	0.071	0.50		mg/Kg	2	5/29/2013 7:45:22 AM	7618
Zinc	47	2.0	5.0		mg/Kg	2	5/29/2013 7:45:22 AM	7618
SAR SOLUBLE CATIONS							Analyst: JLF	
Calcium	່ 190	0.49	1.0		mg/L	1	5/29/2013 12:56:00 PM	7628
Magnesium	64	0.34	1.0		mg/L	1	5/29/2013 12:56:00 PM	7628
Sodium	2100.	0.88	1.0		mg/L	1	5/29/2013 12:56:00 PM	7628
Sodium Adsorption Ratio	34	0	0			1	5/29/2013 12:56:00 PM	7628
EPA METHOD 8270C: PAHS							Analyst: JDC	•
Naphthalene	ND	0.0043	0.020		mg/Kg	1	5/28/2013 9:13:43 PM	7613
Acenaphthene	ND	0.0057	0.020		mg/Kg	1	5/28/2013 9:13:43 PM	7613
Fluorene	ND	0.0041	0.020		mg/Kg	1	5/28/2013 9:13:43 PM	7613
Anthracene	ND	0.0031	0.020		mg/Kg	1	5/28/2013 9:13:43 PM	7613
Fluoranthene	ND	0.0035	0.020		mg/Kg	1	5/28/2013 9:13:43 PM	7613
Pyrene	ND	0.0048	0.020		mg/Kg	1	5/28/2013 9:13:43 PM	7613

Refer to the QC Summary report and sample login checklist for flagged QC data and preservation information.

Qualifiers:

- * Value exceeds Maximum Contaminant Level.
- E Value above quantitation range
- J Analyte detected below quantitation limits
- P Sample pH greater than 2 for VOA and TOC only.
- RL Reporting Detection Limit

- B Analyte detected in the associated Method Blank
- H Holding times for preparation or analysis exceeded
- ND Not Detected at the Reporting Limit
- R RPD outside accepted recovery limits
- S Spike Recovery outside accepted recovery limits

Page 1 of 10

Analytical Report

Lab Order 1305949

Date Reported: 5/31/2013

Hall Environmental Analysis Laboratory, Inc.

Matrix: SOIL

CLIENT: Animas Environmental

Project: COP Ute #12

Lab ID:

1305949-001

Client Sample 1D: SC-1 SC-21 Irc

Collection Date: 5/22/2013 9:35:00 AM

Received Date: 5/23/2013 10:00:00 AM

Analyses	Result	MDL	RL	Qual ·	Units	DF	Date Analyzed	Batch ID
EPA METHOD 8270C: PAHS							Analyst: JDC	
Benz(a)anthracene	ND	0.0057	0.020		mg/Kg	1	5/28/2013 9:13:43 PM	7613
Chrysene	ND	0.0038	0.020		mg/Kg	1 .	5/28/2013 9:13:43 PM	7613
Benzo(b)fluoranthene	0.012	0.0047	0.020	j ´	mg/Kg	· 1	5/28/2013 9:13:43 PM	7613
Benzo(k)fluoranthene	0.0083	0.0058	0.020	j	mg/Kg	1	5/28/2013 9:13:43 PM	7613
Benzo(a)pyrene	ND	0.0039	0.020		mg/Kg	1	5/28/2013 9:13:43 PM	7613
Dibenz(a,h)anthracene	ND	0.0039	0.020		mg/Kg	1	5/28/2013 9:13:43 PM	7613
Indeno(1,2,3-cd)pyrene	ND	0.0078	0.020		mg/Kg	1	5/28/2013 9:13:43 PM	7613
Surr: Benzo(e)pyrene	86.0	0	54.9-125		%REC	1	5/28/2013 9:13:43 PM	7613
Surr: N-hexadecane	84.6	. 0	54.7-111		%REC	1	5/28/2013 9:13:43 PM	7613
CONDUCTANCE							Analyst: JML	
Specific Conductance	2400	0	1.0		µmhos/c	1	5/30/2013 4:41:00 PM	R10980

Refer to the QC Summary report and sample login checklist for flagged QC data and preservation information.

Qualifiers:

- Value exceeds Maximum Contaminant Level.
- Value above quantitation range
- J · Analyte detected below quantitation limits
- P Sample pH greater than 2 for VOA and TOC only.
- RL Reporting Detection Limit

- B Analyte detected in the associated Method Blank
- H Holding times for preparation or analysis exceeded
- ND Not Detected at the Reporting Limit
- R RPD outside accepted recovery limits
 - Spike Recovery outside accepted recovery limits

Page 2 of 10



MOUR LAUSTOFICHTOTICE

12065 Lebanon Rd. Mt. Juliet, TN 37122 (615) 758-5858 1-800-767-5859 Fax (615) 758-5859

Tax I.D. 62-0814289

Est. 1970

REPORT OF ANALYSIS

Anne Thorne Hall Environmental Analysis Laborat 4901 Hawkins NE Albuquerque, NM 87109

May 30, 2013

ESC Sample # :

L637642-01

Date Received Description

24, 2013

May

Site ID :

Sample ID

1305949-001B SC-1 SC-21 Irc

Project # :

Collected By

Collection Date :

05/22/13 09:35

Parameter	Result	Det. Limit	Units	Method	Date	Dil.
Chromium, Hexavalent	BDL	10.	mg/kg	3060A/7196A	05/28/13	5 .
ORP	230		mV .	2580 B-2011	05/28/13	1
рН	8.8		su	9045D	05/29/13	1

BDL - Below Detection Limit Det. Limit - Practical Quantitation Limit(PQL)

Note:

The reported analytical results relate only to the sample submitted. This report shall not be reproduced, except in full, without the written approval from ESC.

Reported: 05/30/13 10:11 Printed: 05/30/13 10:12 L637642-01 (CR6) - diluted due to sample color L637642-01 (PH) - 8.8021.6c



MOUR CABLOIDECTOLO

Ball Environmental Analysis Laboratory Anne Thorne 4901 Hawkins NE

Albuquerque, NM 87109

12065 Lebanon Rd. Mt. Juliet, TN 37122 (615) 758-5858 1-800-767-5859 Fax (615) 758-5859

Tax I.D. 62-0814289

Est. 1970

Quality Assurance Report Level II

L637642

May 30, 2013

		Lal	porator	Blank					
Analyte	Result	וט	nits	₺ Rec		Limit	Bat	ch Dat	e Analyzed
Chromium, Hexavalent	< :2	in	g/kg			<u> </u>	₩G(63011 05/	<u>/28/13</u> 13:55
		•	Duplic	ate					
Analyte	Units	Result		licate	RPD	Limit	Re	f Samp	Batch
Chromium, Hexavalent Chromium, Hexavalent	mg/kg mg/kg	16.0 5.80	13. 7.		18.2 22.2*	20		37431-01 36947-01	WG663011 WG663011
ORP CONTROL OF THE CO	mV mV	180. 440.	160 440		11.8 0	20 20		37268-01 37431-01	WG662957 WG662957
DH HG	su su	8.00 · . 7.50	7.5		0.757 0.133	1		37174-18 37174-21	WG663557 WG663557
				trol Samp	ole l				
Analyte	Units	Known	Val	Res	sult	% Rec	Lin	it	Batch
Chromium/Hexavalent	mg/kg	146		148.	erina disersi s Cialifati aliasi	.101	/ 80	120	WG663011
ORP	mV ·	228		223.		97.8	95.	6-104.	WG662957
рн	su	5.79		5.80		100.	98.	3-101.7	WG663557
		aboratory (<u> </u>			
Analyte	Units		Ref	Rec	ipilicate,	Limit	RPD	Limit	Batch
Chromium, Hexavalent	mg/kg	140.	148.	9610		80-120	5.56	20	WG663011
ORP	mV	221.	223.	97.0		95.6-104.	0.901	20	WG662957
рН	su	5.80	5.80	100.		98.3-101.7	0	20	WG663557
	50					3013 1011			
Analyte	Units	MS Res	fatrix S Ref Re		% Rec	Limit	Ref	Samp	Batch
Chromium, Hexavalent	mg/kg	5.20	V o . , V.	. 20	5.20*	75-125	L63	7164÷01	WG663011
				Duplicate					
Analyte	Units		ef	Rec	Limit	RPD	Limit Ref	Samp	Batch
Chromium, Hexavalent	mg/kg	6.12 5	.20	6.12*	75-125	16.3	20 L63	7164-01	√WG663011

Batch number /Run number / Sample number cross reference

WG663011: R2685421: L637642-01 WG662957: R2685740: L637642-01 WG663557: R2687740: L637642-01

 $^{\ ^{\}star}$ $\ ^{\star}$ Calculations are performed prior to rounding of reported values.

^{*} Performance of this Analyte is outside of established criteria.
For additional information, please see Attachment A 'List of Analytes with QC Qualifiers.'

Hall Environmental Analysis Laboratory, Inc.

WO#: 1305949

Page 3 of 10

31-May-13

Client:

Animas Environmental

	Environmental								
Project: COP Ute	:#12 ,								
Sample ID MB-7579	SampType: Mi	BLK	Test	tCode: EF	A Method	8015D: Diese	el Range C	rganics	
Client ID: PBS	, Batch ID: 75	79	R	lunNo: 10	810	•			
Prep Date: 5/23/2013	Analysis Date: 5/	23/2013	S	SeqNo: 30	6110	Units: mg/K	g		
Analyte	Result PQL	SPK value	SPK Ref Val	%REC	LowLimit	HighLimit	%RPD	RPDLimit	Qual
Diesel Range Organics (DRO)	ND 10								
Motor Oil Range Organics (MRO) .	ND 50	10.00		400		4.47			
Surr: DNOP .	10 	10.00		102	63	147			
Sample ID LCS-7579	SampType: LC	s	Tes	tCode: EF	PA Method	8015D: Diese	l Range C	Organics	
Client ID: LCSS	Batch ID: 75	79	F	lunNo: 10	810				
Prep Date: 5/23/2013	Analysis Date: 5/	23/2013	S	SeqNo: 30	06204	Units: mg/K	g		
Analyte	Result PQL	SPK value	SPK Ref Val	%REC	LowLimit	HighLimit	%RPD	RPDLimit	Qual
Diesel Range Organics (DRO)	44 10	. 50.00	0	87.1	77.1	128			
Surr: DNOP	5.9	5.000		119	63	147			
Sample ID 1305873-001AMS	SampType: MS		Tes	tCode: EF	A Method	8015D: Diese	l Range C	Organics	
Client ID: BatchQC	Batch ID: 75	60	R	RunNo: 10	862				
Prep Date: 5/22/2013	Analysis Date: 5/	24/2013	S	SeqNo: 30	7309	Units: %RE	D .		
Analyte	Result PQL	SPK value	SPK Ref Val	%REC	LowLimit	HighLimit	%RPD	RPDLimit	Qual
Surr. DNOP	5.1	4.965		103	63	147			
Sample ID 1305873-001AMS	D SampType: Ms	SD	Tes	tCode: EF	A Method	8015D: Diese	l Range C	rganics	
Client ID: BatchQC	Batch ID: 75	60	, F	RunNo: 10	862				
Prep Date: 5/22/2013	Analysis Date: 5	24/2013	S	SeqNo: 30	7310	Units: %RE	С		
Analyte	Result PQL	SPK value	SPK Ref Val	%REC	LowLimit	HighLimit	%RPD	RPDLimit	Qual
Surr. DNOP	5.2	5.030	<u>.</u>	103	63	147	0	0	
Sample ID 1305918-001AMS	SampType: MS	-	Tes	tCode: EF	A Method	8015D: Diese	l Range C	Organics	
Client ID: BatchQC	Batch ID: 75			RunNo: 10			J		
Prep Date: 5/23/2013	Analysis Date: 5	/28/2013	8	SeqNo: 30	7884	Units: mg/K	g		
Analyte	Result PQL	SPK value	SPK Ref Val	%REC	LowLimit	HighLimit	%RPD	RPDLimit	Qual
Diesel Range Organics (DRO)	42 20	49.85	0	83.6	61.3	138			
Surr: DNOP	6.6	4.985		132	63	147			
Sample ID 1305918-001AMS	D SampType: M:	SD	Tes	tCode: EF	PA Method	8015D: Diese	el Range C	Organics	
Client ID: BatchQC	Batch ID: 75	79	F	RunNo: 10	0884				•
Prep Date: 5/23/2013	Analysis Date: 5	/28/2013	9	SeqNo: 30	7885	Units: mg/K	g		
Analyte	Result PQL	SPK value	SPK Ref Val	%REC	LowLimit	HighLimit	%RPD	RPDLimit	Qual
Diesel Range Organics (DRO)	44 20	49.70	0	89.4	61.3	138	6.38	20	
Surr: DNOP	6.5	4.970		130	63	147	0	0	

Qualifiers:

- * Value exceeds Maximum Contaminant Level.
- E Value above quantitation range
- J Analyte detected below quantitation limits
- P Sample pH greater than 2 for VOA and TOC only.
- RL Reporting Detection Limit

- B Analyte detected in the associated Method Blank
- H Holding times for preparation or analysis exceeded
- ND Not Detected at the Reporting Limit
- R RPD outside accepted recovery limits
- S Spike Recovery outside accepted recovery limits

Hall Environmental Analysis Laboratory, Inc.

WO#:

1305949

31-May-13

Client:

Animas Environmental

Project: COP Ut	e#12			· · · · · · · · · · · · · · · · · · ·						
Sample ID MB-7587	SampTy	pe: ME	BLK	Tes	tÇode: El	PA Method	8015D: Gaso	oline Rang	е	
Client ID: PBS	Batch	ID: 75	87	F	RunNo: 1	0880				
Prep Date: , 5/23/2013	Analysis Da	ite: 5/	24/2013	S	SeqNo: 3	07514	Units: mg/F	(g		
Analyte	Result	PQL	SPK value	SPK Ref Val	%REC	LowLimit	HighLimit	%RPD	RPDLimit	Qual
Gasoline Range Organics (GRO)	ND	5.0								
Surr: BFB	960		1000		96.0	80	120	··		,
Sample ID LCS-7587	SampTy	pe: LC	s	Tes	tCode: El	PA Method	8015D: Gaso	oline Rang	е	
Client ID: LCSS	Batch	ID: 75	87	. F	RunNo: 1	0880				
Prep Date: 5/23/2013	Analysis Da	ite: 5/	24/2013		SeqNo: 3	07516	Units: mg/h	(g		
Analyte	Result	PQL	SPK value	SPK Ref Val	%REC	LowLimit	HighLimit	%RPD	RPDLimit	Qual
Gasoline Range Organics (GRO)	27	5.0	25.00	0	109	62.6	136			
Surr: BFB	1000	•	1000		101	80	120		· — · · · · · · · · · · · · · · · · · ·	·····
Sample ID 1305949-001AMS	SampTy	pe: MS	3	Tes	tCode: El	PA Method	8015D: Gaso	oline Rang	e	
Client ID: SC-1	, Batch	ID: 75	87	F	RunNo: 1	0880				
Prep Date: 5/23/2013	Analysis Da	ite: 5/	24/2013	S	SeqNo: 3	07518	Units: mg/h	(g		
Analyte	Result	PQL	SPK value	SPK Ref Val	%REC	LowLimit	HighLimit	%RPD	RPDLimit	Qual
Gasoline Range Organics (GRO)	34	4.6	23.23	0	148	70	130			S
Surr: BFB	1100		929.4		122	80	120		<u> </u>	S
Sample ID 1305949-001AMS	D SampTy	pe: MS	GE C	Tes	Code: El	PA Method	8015D: Gaso	oline Rang	e	
Client ID: SC-1	Batch	ID: 75	87	F	RunNo: 1	0880				
Prep Date: 5/23/2013	Analysis Da	ite: 5/	24/2013	. 5	SeqNo: 3	07519	Units: mg/F	(g		•
Analyte	Result	PQL	SPK value	SPK Ref Val	%REC	LowLimit	HighLimit	%RPD	RPDLimit	Qual
Gasoline Range Organics (GRO)	30	4.6	23:21	0	129	70	130	14.2	22.1	
Surr: BFB	1100		928.5		117	80	120	0	0	*

Qualifiers:

- Value exceeds Maximum Contaminant Level.
- Value above quantitation range
- Analyte detected below quantitation limits
- Sample pH greater than 2 for VOA and TOC only.
- Reporting Detection Limit

- Analyte detected in the associated Method Blank
- Holding times for preparation or analysis exceeded Η
- ND Not Detected at the Reporting Limit
- RPD outside accepted recovery limits R
- Spike Recovery outside accepted recovery limits

Page 4 of 10

Hall Environmental Analysis Laboratory, Inc.

WO#: 1305949

31-May-13

Client:

Animas Environmental

Project:	COP Ute	#12									
Sample ID	MB-7587	Samp1	ype: ME	BLK	Tes	tCode: E	PA Method	8021B: Vola	tiles		
Client ID:	PBS	Batcl	n ID: 75	87	F	RunNo: 1	0880				•
	5/23/2013	Analysis D				SeqNo: 3		Units: mg/l	< g	•	
Analyte '		Result	PQL	SPK value	SPK Ref Val	%REC	LowLimit	HighLimit	%RPD	RPDLimit	Qual
Benzene		ND	0.050								
Toluene		0.0087	0.050								J
Ethylbenzene		ND	0.050					•			
Xylenes, Total		0.015	0.10				•				J
Surr: 4-Brom	ofluorobenzene	1.0		1.000		101	80	120			
Sample ID	LCS-7587	SampT	ype: LC	Ś	Tes	tCode: E	PA Method	8021B: Vola	tiles		
Client ID:	LCSS	Batch	n ID: 75	87	F	RunNo: 1	0880				1
Prep Date:	5/23/2013	Analysis E)ate: 5 /	24/2013	8	SeqNo: 3	07480	Units: mg/l	〈 g		
Analyte		Result	PQL	SPK value	SPK Ref Val	%REC	LowLimit	HighLimit	%RPD	RPDLimit	Qual
Benzene	-5	1.1	0.050	1.000	0	110	80	120			
Toluene		1.1	0.050	1.000	0	109	. 80	120			
Ethylbenzene		1.1	0.050	1.000	0	108	80	120			
Xylenes, Total		3.3	0.10	3.000	ر0	109	80	120			
Surr: 4-Brom	ofluorobenzene	1.0		1.000		103	80	120			
Sample ID	1305949-001AMS	SampT	ype: MS	;	Tes	tCode: El	PA Method	8021B: Volạ	tiles		
Client ID:	SC-1	Batch	n ID: 75 8	87	F	RunNo: 1	0880				
Prep Date:	5/23/2013	Analysis D	ate: 5/	24/2013	8	SeqNo: 3	07481	Units: mg/h	⟨ g		
Analyte	_	Result	PQL	SPK value	SPK Ref Val	%REC	LowLimit	HighLimit	%RPD	RPDLimit	Qual
Benzene		1.2	0.046	0.9294	0	. 125	67.2	113		-	S
Toluene .	٠	1.1	0.046	0.9294	0	123	62.1	116			S
Ethylbenzene		1.2	0.046	0.9294	0	127	67.9	127			
Xylenes, Total		3.5	0.093	2.788	0.01401	126	60.6	134			
Surr: 4-Brom	nofluorobenzene	0.98		0.9294	·	105	80	120		· · · · · · · · · · · · · · · · · · ·	
Sample ID	1305949-001AMSI) SampT	ype: MS	SD.	Tes	tCode: El	PA Method	8021B: Vola	tiles		
Client ID:	SC-1	Batcl	D: 75	87	F	RunNo: 1	0880				
Prep Date:	5/23/2013	Analysis D	ate: 5/	24/2013		SeqNo: 3	07482	Units: mg/h	(g	•	· · .
Analyte		Result	PQL	SPK value	SPK Ref Val	%REC	LowLimit	HighLimit	%RPD	RPDLimit	Qual
Benzene		1.1	0.046	0.9285	0	123	67.2	113	2.14	14.3	S.
Toluene		1.1	0.046	0.9285	0	120	62.1	116	2.57	15.9	S
Ethylbenzene		1.1	0.046	0.9285	0	123	67.9	127	3.05	14.4	
Xylenes, Total		3.5	0.093	2.786	0.01401.	124	60.6	, 134	2.14	12.6	
Surr: 4-Brom	ofluorobenzene	0.98		0.9285		105	80	120	0	0	

Qualifiers:

- * Value exceeds Maximum Contaminant Level.
- E Value above quantitation range
- J Analyte detected below quantitation limits
- P Sample pH greater than 2 for VOA and TOC only.
- RL Reporting Detection Limit

- B Analyte detected in the associated Method Blank
- H Holding times for preparation or analysis exceeded
- ND Not Detected at the Reporting Limit
- R RPD outside accepted recovery limits
- S Spike Recovery outside accepted recovery limits

Page 5 of 10

Hall Environmental Analysis Laboratory, Inc.

WO#:

1305949

31-May-13

Client:

Animas Environmental

Project:

COP Ute #12

Sample ID mb-7613	Samp ⁻	Туре: МЕ	зьк	Tes	tCode: E	PA Method	8270C: PAH			
Client ID: PBS	· Batc	h ID: 76	13	F	RunNo: 1	0909			•	
Prep Date: 5/27/2013	Analysis [Date: 5/	28/2013	S	SeqNo: 3	08398	Units: mg/K	.g		
Analyte	Result	PQL	SPK value	SPK Ref Val	%REC	LowLimit	HighLimit	%RPD	RPDLimit	Qual
Naphthalene	ND	0.020								
Acenaphthene	ND	0.020								
Fluorene	ND	0.020								
Anthracene	ND	0.020								
Fluoranthene	ND	0.020							•	
Pyrene	ND.	0.020								
Benz(a)anthracene	ND	0.020								
Chrysene	. ND	0.020								
Benzo(b)fluoranthene	ND	0.020								
Benzo(k)fluoranthene	ND	0.020		•						
Benzo(a)pyrene	ND	0.020								
Dibenz(a,h)anthracene	ND	0.020								
Indeno(1,2,3-cd)pyrene	ND	0.020								
Surr: Benzo(e)pyrene	0.33		0.3300		99.6	54.9	125			
Surr: N-hexadecane	1.4		1.460		93.7	54.7	111			
Sample ID Ics-7613	Samp	Гуре: LC	S	Tes	tCode: E	PA Method	8270C: PAHs	- 		
Client ID: LCSS	Batc	h ID: 76	13	F	RunNo: 1	0909				
Prep Date: 5/27/2013	Analysis [Date: 5 /	28/2013	, 9	SeqNo: 3	08399	Units: mg/K	g		
Analyte	Result	PQL	SPK value	SPK Ref Val	%REC	LowLimit	HighLimit	%RPD	RPDLimit	Qual
Naphthalene	0.31	0.020	0.3300	0	93.8	42.5	118			
Acenaphthene	0.31	0.020	0.3300	0	92.9	47.5	125			
Fluorene	0.31	0.020	0.3300	0	93.4	49.1	120			
Anthracene	0.31	0.020	0.3300	0	94.4	42.9	130			
Fluoranthene	0.30	0.020	0.3300	0	91.5	37	134			
Pyrene	0.31	0.020	0.3300	0	94.4	46.4	126			
Benz(a)anthracene	0.32	0.020	0.3300	0	97.9	50.6	126			
Chrysene	0.30	0.020	0.3300	0	90.3	36.8	123			
Benzo(b)fluoranthene	0.33	0.020	0.3300	0 ,	101	47.2	130			•
Benzo(k)fluoranthene	0.29	0.020	0.3300	0	87.0	40	122	•		
Benzo(a)pyrene	0.29	0.020	0.3300	0	86.5	44	118			
Dibenz(a,h)anthracene	0.34	0.020	0.3300	0	102	53.3	131			

Qualifiers:

Indeno(1,2,3-cd)pyrene

Surr: Benzo(e)pyrene

Surr: N-hexadecane

* Value exceeds Maximum Contaminant Level.

0.33

0.32

1.3

0.020

0.3300

0.3300

1.460

- E Value above quantitation range
- J Analyte detected below quantitation limits
- P Sample pH greater than 2 for VOA and TOC only.
- RL Reporting Detection Limit

- B Analyte detected in the associated Method Blank
- H Holding times for preparation or analysis exceeded

52

54.9

54.7

126

125

111

ND Not Detected at the Reporting Limit

99.8

95.6

91.7

- R RPD outside accepted recovery limits
- S Spike Recovery outside accepted recovery limits

Page 6 of 10

Hall Environmental Analysis Laboratory, Inc.

WO#: 1305949

31-May-13

Client:

Animas Environmental

Project:

COP Ute #12

Sample ID 1305572-012Ams	SampType: MS TestCode: EPA Method 8270C: PAHs									
Client ID: BatchQC	Batch	ID: 76	13	F	RunNo: 10	0909				4
Prep Date: 5/27/2013	Analysis D	ate: 5/	28/2013	8	SeqNo: 3	08410	Units: mg/F	(g		
Analyte	Result	PQL	SPK value	SPK Ref Val	%REC	LowLimit	HighLimit	%RPD	RPDLimit	Qual
Acenaphthene	0.27	0.020	0.3314	0	82.2	50.2	114			
Fluorene	0.32	0.020	0.3314	0.06576	76.7	55.3	107			
Anthracene	0.26	0.020	0.3314	0.	79.8	54.9	116			
Fluoranthene	0.28	0.020	0.3314	0.01694	79.6	55.2	119			
Pyrene	0.35	0.020	0.3314	0.03122	95.1	60.2	115			
Benz(a)anthracene	0.30	0.020	0.3314	0.006310	88.6	61.9	120			
Chrysene	0.30	0.020	0.3314	0.007307	87.7	42.5	117			
Benzo(b)fluoranthene	0.35	0.020	0.3314	0.007971	- 102	57.4	124		•	
Benzo(k)fluoranthene	0.29	0.020	0.3314	0.006642	86.9	52.6	107			
Benzo(a)pyrene	0.26	0.020	0.3314	0	78.5	55.7	106			
Dibenz(a,h)anthracene	0.34	0.020	0.3314	0	102	51.8	130	1		
Indeno(1,2,3-cd)pyrene	0.32	0.020	0.3314	0	96.3	56.8	120			
Surr: Benzo(e)pyrene	0.34		0.3314		103	54.9	125			
Surr: N-hexadecane	1.4		1.466		92.4	54.7	111			

Sample ID 1305572-012Ams	SampType: MSD TestCode: EPA Method 8270C: PAHs									
Client ID: BatchQC	Batch	ID: 76	13	F	RunNo: 1	0909				
Prep Date: 5/27/2013	Analysis D	ate: 5/	28/2013	5	SeqNo: 3	08411	Units: mg/k	(g	•	
Analyte	Result	PQL	SPK value	SPK Ref Val	%REC	LowLimit	HighLimit	%RPD	RPDLimit	Qual
Acenaphthene	0.32	0.020	0.3310	0.	96.4	50.2	114	15.7	20.5	
Fluorene	0.37	0.020	0.3310	0.06576	92.8	55.3	107	15.2	20	
Anthracene	0.33	0.020	0.3310	0	98.4	54.9	116	20.7	26.6	
Fluoranthene	0.36	0.020	0.3310	0.01694	103	55.2	119	24.2	23.7	R
Pyrene	0.38	0.020	0.3310	0.03122	104	60.2	115	8.38	29.3	
Benz(a)anthracene	0.35	0.020	0.3310	0.006310	104	61.9	120	15.6	25.4	
Chrysene	0.32	0.020	0.3310	0.007307	95.5	42.5	117	8.16	27.6	
Benzo(b)fluoranthene	0.44	0.020	0.3310	0.007971	130	57.4	124	23.1	20	SR
Benzo(k)fluoranthene	0.34	0.020	0.3310	0.006642	102	52.6	107	15.5	31.3	
Benzo(a)pyrene	0.33	0.020	0.3310	0	99.3	55.7	106	23.3	22.1	R
Dibenz(a,h)anthracene	0.42	0.020	0.3310	0	127	51.8	130	21.7	21.2	R
Indeno(1,2,3-cd)pyrene	0.41	0.020	0.3310	0	123	56.8	120	24.5	20.4	SR
Surr: Benzo(e)pyrene	0.40		0.3310		121	54.9	125	0	0	
Surr: N-hexadecane	1.6		1.464		106	54.7	111	0	0	

Qualifiers:

- * Value exceeds Maximum Contaminant Level.
- E Value above quantitation range
- J Analyte detected below quantitation limits
- P Sample pH greater than 2 for VOA and TOC only.
- RL Reporting Detection Limit

- B Analyte detected in the associated Method Blank
- H Holding times for preparation or analysis exceeded
- ND Not Detected at the Reporting Limit
- R RPD outside accepted recovery limits
- S Spike Recovery outside accepted recovery limits

-Page 7 of 10

Hall Environmental Analysis Laboratory, Inc.

WO#:

1305949

31-May-13

Client:

Animas Environmental

Project:

COP Ute #12

Sample ID 1305A05-003ADUP

SampType: DUP

TestCode: CONDUCTANCE

Client ID: Prep Date: BatchQC

Batch ID: R10980

RunNo: 10980

Analysis Date: 5/30/2013 SeqNo: 310454

Units: umhos/cm

Analyte

Result

PQL

SPK value SPK Ref Val %REC LowLimit

%RPD

RPDLimit

Qual.

HighLimit

Specific Conductance

5000 1.0 2.94

20

Qualifiers:

Value exceeds Maximum Contaminant Level.

Е Value above quantitation range

Analyte detected below quantitation limits

Sample pH greater than 2 for VOA and TOC only.

RLReporting Detection Limit Analyte detected in the associated Method Blank

Н Holding times for preparation or analysis exceeded

Not Detected at the Reporting Limit ND

RPD outside accepted recovery limits R Spike Recovery outside accepted recovery limits Page 8 of 10

Hall Environmental Analysis Laboratory, Inc.

WO#:

1305949

31-May-13

Client:

Animas Environmental

Project:

COP Ute #12

Sample ID MB-7635

SampType: MBLK

TestCode: EPA Method 7471: Mercury

Client ID: PBS

Batch ID: 7635

PQL

RunNo: 10928

Prep Date:

5/28/2013

Result

Analysis Date: 5/29/2013

SeqNo: 309005

Units: mg/kg HighLimit

%RPD

%RPD

RPDLimit

Analyte Mercury

ND 0.033

Sample ID LCS-7635

SampType: LCS

TestCode: EPA Method 7471: Mercury

Client ID: LCSS

Batch ID: 7635

RunNo: 10928

Prep Date: 5/28/2013 Analysis Date: 5/29/2013

Units: mg/kg

SeqNo: 309006

Analyte

Client ID:

Prep Date:

Result

PQL

SPK value SPK Ref Val %REC

SPK value SPK Ref Val %REC LowLimit

HighLimit LowLimit

RPDLimit

Qual

Mercury

0.17

0.033 0.1667

104

80 120

Sample ID 1305837-011AMS

SampType: ms

Result

0.17

TestCode: EPA Method 7471: Mercury

RunNo: 10928

Units: mg/kg

Analyte

BatchQC 5/28/2013 Batch ID: 7635

Analysis Date: 5/29/2013

SeqNo: 309020

PQL

%REC

LowLimit

HighLimit

%RPD **RPDLimit**

0.033

SPK value SPK Ref Val 0.002587 0.1658

100

125

Qual

Mercury

Client ID:

Prep Date:

Sample ID 1305837-011AMSD BatchQC

SampType: msd

TestCode: EPA Method 7471: Mercury

RunNo: 10928

Qual

Analyte

5/28/2013

Batch ID: 7635

Analysis Date: 5/29/2013

SeqNo: 309021

.Units: mg/kg

%RPD

RPDLimit

Mercury

Result **PQL** 0.033 0.17

SPK value SPK Ref Val 0.1649 0.002587

%REC LowLimit 102

HighLimit 125

1.34

20

Qualifiers:

Value exceeds Maximum Contaminant Level.

Ε Value above quantitation range

Analyte detected below quantitation limits

P Sample pH greater than 2 for VOA and TOC only. Reporting Detection Limit

Analyte detected in the associated Method Blank В

Spike Recovery outside accepted recovery limits

Η Holding times for preparation or analysis exceeded ND Not Detected at the Reporting Limit

RPD outside accepted recovery limits R

Page 9 of 10

RL

Hall Environmental Analysis Laboratory, Inc.

WO#: 1305949

31-May-13

Client:

Animas Environmental

Project:

COP Ute #12 .

Sample ID LCS-7618	Sampī	Type: LC	s	Tes	tCode: El	PA Method	6010B: Soil	Metals		
Client ID: LCSS	Batch	h ID: 76	18	. F	RunNo: 1	0919				
Prep Date: 5/28/2013	Analysis D	Date: 5/	29/2013	S	SeqNo: 3	08671	Units: mg/K	(g		
Analyte	Result	PQL	SPK value	SPK Ref Val	%REC	LowLimit	HighLimit	%RPD	RPDLimit	Qual
Arsenic	25	2.5	25.00	0	99.7	80	120			•
Barium	24	0.10	25.00	- 0	. 95.2	80	120			
Cadmium	23	0.10	25.00	0	93.8	80	120			
Chromium	24	0.30	25.00	0	95.6	80	120			
Copper	25	0.30	25.00	0	98.6	80	120			
Lead	. 23	0.25	25.00	0	93.9	80	120			
Nickel	23	0.50	25.00	0	91.2	80	120			
Selenium	22	2.5	25.00	0	87.3	80	120		•	
Silver	5.0	0.25	5.000	0	99.2	8,0	120			
Zinc	23	2.5	· 25.00	0	93.5	80	120			

Sample ID MB-7618	SampT	ype: ME	3LK	Test	tCode: El	Metals				
Client ID: PBS	Batch	ID: 76	18	, R	RunNo: 1	0919	•			
Prep Date: 5/28/2013	Analysis D	ate: 5/	29/2013	S	SeqNo: 3	08678	Units: mg/K	.g	•	
Analyte	Result	PQL	SPK value	SPK Ref Val	%REC	LowLimit	HighLimit	%RPD	RPDLimit	Qual
Arsenic	ND	2.5								
Barium	. ND	0.10								
Cadmium	ND	0.10								
Chromium	ND	0.30								
Copper	ND	0.30								
Lead	ND	0.25								
Nickel	ND	0.50					•			
Selenium	. ND	2.5					·			
Silver	ND	0.25	•							
Zinc	, ND	2.5								

Qualifiers:

- * Value exceeds Maximum Contaminant Level.
- E Value above quantitation range
- J Analyte detected below quantitation limits
- P Sample pH greater than 2 for VOA and TOC only.
- RL Reporting Detection Limit

- B Analyte detected in the associated Method Blank
- H Holding times for preparation or analysis exceeded
- ND Not Detected at the Reporting Limit
- R RPD outside accepted recovery limits
- S Spike Recovery outside accepted recovery limits

Page 10 of 10



Hall Environmental Analysis Laboratory 4901 Hawkins NE Albuquerque, NM 87105

TEL: 505-345-3975 FAX: 505-345-410; Website: www.hallenvironmental.com

Sample Log-In Check List

Client Name: Animas Environmental	Work Order Number	r. 1305949		RcptNo:	1
Received by/date:	05/23/13				
Logged By: Lindsey Mangin	5/23/2013 10:00:00 A	M	Julytho		
Completed By: Lindsay Mangin	5/23/2013 10:38:57 A	M	Speedy Allego		
Reviewed By:	15/7×/761	3			
Chain of Custody	27-2/400		•		
1. Custody seals intact on sample bottles?		Yes 🗌	No 🗆	Not Present 🗹	•
2. Is Chain of Custody complete?	•	Yes 🗹	No 🗌	Not Present	
3. How was the sample delivered?		Courier	•		•
<u>Log In</u>					
4. Was an attempt made to cool the samples?		Yes 🗹	No 🗆	na 🗆	
5. Were all samples received at a temperature of	of '>0° C to 6.0°C	Yes 🗹	No 🔲	NA 🗆	
6. Sample(s) in proper container(s)?	•	Yes 🗹	No 🗌		
7. Sufficient sample volume for indicated test(s)	?	Yes 🗹	No 🗆	•	
8. Are samples (except VOA and ONG) properly		Yes 🗹	No 🗆		
9. Was preservative added to bottles?	•	Yes 🗌	No 🗹	NA 🗆	· '
10.VOA vials have zero headspace?	,	Yes 🗌	No 🗆	No VOA Vials 🗹	
11. Were any sample containers received broker	1?	Yes 🗆	No 🗹 [
			:	# of preserved bottles checked	
12.Does paperwork match bottle labels?		Yes 🗹	No 🗆	for pH:	>12 unless noted)
(Note discrepancies on chain of custody) 13. Are matrices correctly identified on Chain of C	Custody?	Yes 🗹	No □	Adjusted?	> 12 dilless holody
14. Is it clear what analyses were requested?		Yes 🗹	No 🗆		
15. Were all holding times able to be met? (If no, notify customer for authorization.)		Yes 🗹	No □	Checked by:	
,					
Special Handling (if applicable)					
16. Was client notified of all discrepancies with the	is order?	Yes 🗌	No 🗆	NA 🗹	1
Person Notified:	Date:		a particular of the second		
By Whom:	Via:	eMail	Phone 🗌 Fax	In Person	
Regarding:	The second defense of Automorphisms		Set the settlement to be settled as a		
Client Instructions:	and a loss of the state of the	o succession and a second		seem a sheet transition of the	
17. Additional remarks:					
18. Cooler Information Cooler No Temp C Condition Section 1.1 Good Yes	al Intact Seal No	Seal Date	Signed By		

·											٠	**								
Client:	Anima Service	us Eni	uronmental E. Comanche	Tum-Around ☐ Standard Project Name ☐ Project #:		, 5 day + 1	++			A Iawki		LY haller	SI:	S L men ierqu	tal.co	3 (O om M 87	R /	NT		-
email or	Fax#: Package:	5-564	- 2 28 \ □ Level 4 (Full Validation)	Project Mana	-			+ TMB's (8021) + TPH (Gas only)				Ana (SIMIS)	_	_	ües		Table			
Accredi	tation AP	□ Othe	r		erajure			MTBE + TMB's MTBE + TPH (TPH 8015B (GRO / DRO / MRO)	TPH (Method 418.1)	04.1)	8270	Anions (F,CI,NO ₃ ,NO ₂ ,PO ₄ ,SO ₄)	8081 Pesticides / 8082	VOA)	8270 (Semi-VOA)	910-1 Soils			Air Bubbles (Y or N)
Date 5/22/13	Time 9:35	Matrix So\\	Sample Request ID	Container Type and #	Preservative Type	-001	经经验	BTEX + MTBE BTEX + MTBE	трн 80	TPH (Me	EDB (M	PAH'S (8310 or	Anions (8081 Pe	8260B (VOA)	8270 (S	つかの) ×			Air Bubb
																			+	
							· .					 							 	1
Date: 5/23/13 Date:	Time:	Relinquish Relinquish	ey Unden	Received by:	Waste	Date Time 5/23/13 420 Date Time	,	Remark	. <u>-</u>	3ill	to	Con	000	Phi	llip	S				
5/23/13	45	Chru	milited to Hall Environmental may be sub-	1 1	ocredited laboratori	123/13/00		·		ub-con	racted o	lata will	be clea	irly not	ated or	n the a	nalytic	al repoi	 rt.	