

District I
1625 N. French Dr., Hobbs, NM 88240
District II
1301 W. Grand Avenue, Artesia, NM 88210
District III
1000 Rio Brazos Road, Aztec, NM 87410
District IV
1220 S. St. Francis Dr., Santa Fe, NM 87505

State of New Mexico
Energy Minerals and Natural Resources
Department
Oil Conservation Division
1220 South St. Francis Dr.
Santa Fe, NM 87505

Form C-144
July 21, 2008

For temporary pits, closed-loop systems, and below-grade tanks, submit to the appropriate NMOCD District Office.
For permanent pits and exceptions submit to the Santa Fe Environmental Bureau office and provide a copy to the appropriate NMOCD District Office.

2009 JAN 20 PM 1 49

Pit, Closed-Loop System, Below-Grade Tank, or
Proposed Alternative Method Permit or Closure Plan Application

Type of action: ☐ Permit of a pit, closed-loop system, below-grade tank, or proposed alternative method
Existing BGT ☒ Closure of a pit, closed-loop system, below-grade tank, or proposed alternative method
☒ Modification to an existing permit
☐ Closure plan only submitted for an existing permitted or non-permitted pit, closed-loop system, below-grade tank, or proposed alternative method

Instructions: Please submit one application (Form C-144) per individual pit, closed-loop system, below-grade tank or alternative request

Please be advised that approval of this request does not relieve the operator of liability should operations result in pollution of surface water, ground water or the environment. Nor does approval relieve the operator of its responsibility to comply with any other applicable governmental authority's rules, regulations or ordinances.

1.
Operator: XTO Energy, Inc. OGRID #: 5380
Address: #382 County Road 3100, Aztec, NM 87410
Facility or well name: Mccoy Gas Com D #1E
API Number: 30-045-24873 OCD Permit Number: _____
U/L or Qtr/Qtr E Section 28 Township 30N Range 12W County: San Juan
Center of Proposed Design: Latitude 36.78668 Longitude 108.10751 NAD: ☐ 1927 ☒ 1983
Surface Owner: ☐ Federal ☐ State ☒ Private ☐ Tribal Trust or Indian Allotment

2.
☐ **Pit:** Subsection F or G of 19.15.17.11 NMAC
Temporary: ☐ Drilling ☐ Workover
☐ Permanent ☐ Emergency ☐ Cavitation ☐ P&A
☐ Lined ☐ Unlined Liner type: Thickness _____ mil ☐ LLDPE ☐ HDPE ☐ PVC ☐ Other _____
☐ String-Reinforced
Liner Seams: ☐ Welded ☐ Factory ☐ Other _____ Volume: _____ bbl Dimensions: L _____ x W _____ x D _____

RCVD OCT 29 '13
OIL CONS. DIV.
DIST. 3

3.
☐ **Closed-loop System:** Subsection H of 19.15.17.11 NMAC
Type of Operation: ☐ P&A ☐ Drilling a new well ☐ Workover or Drilling (Applies to activities which require prior approval of a permit or notice of intent)
☐ Drying Pad ☐ Above Ground Steel Tanks ☐ Haul-off Bins ☐ Other _____
☐ Lined ☐ Unlined Liner type: Thickness _____ mil ☐ LLDPE ☐ HDPE ☐ PVC ☐ Other _____
Liner Seams: ☐ Welded ☐ Factory ☐ Other _____

4.
☒ **Below-grade tank:** Subsection I of 19.15.17.11 NMAC
Volume: 120 bbl Type of fluid: Produced Water
Tank Construction material: Steel
☐ Secondary containment with leak detection ☐ Visible sidewalls, liner, 6-inch lift and automatic overflow shut-off
☐ Visible sidewalls and liner ☐ Visible sidewalls only ☒ Other Visible sidewalls, vaulted, automatic high-level shut off, no liner
Liner type: Thickness _____ mil ☐ HDPE ☐ PVC ☐ Other _____

5.
☐ **Alternative Method:**
Submittal of an exception request is required. Exceptions must be submitted to the Santa Fe Environmental Bureau office for consideration of approval.

6. **Fencing:** Subsection D of 19.15.17.11 NMAC (*Applies to permanent pits, temporary pits, and below-grade tanks*)

- ☐ Chain link, six feet in height, two strands of barbed wire at top (*Required if located within 1000 feet of a permanent residence, school, hospital, institution or church*)
- ☐ Four foot height, four strands of barbed wire evenly spaced between one and four feet
- ☒ Alternate. Please specify Four foot height, steel mesh field fence (hogwire) with pipe top railing

7. **Netting:** Subsection E of 19.15.17.11 NMAC (*Applies to permanent pits and permanent open top tanks*)

- ☐ Screen ☐ Netting ☒ Other Expanded metal or solid vaulted top
- ☐ Monthly inspections (If netting or screening is not physically feasible)

8. **Signs:** Subsection C of 19.15.17.11 NMAC

- ☐ 12"x 24", 2" lettering, providing Operator's name, site location, and emergency telephone numbers
- ☒ Signed in compliance with 19.15.3.103 NMAC

9. **Administrative Approvals and Exceptions:**
Justifications and/or demonstrations of equivalency are required. Please refer to 19.15.17 NMAC for guidance.

Please check a box if one or more of the following is requested, if not leave blank:

- ☐ Administrative approval(s): Requests must be submitted to the appropriate division district or the Santa Fe Environmental Bureau office for consideration of approval.
- ☐ Exception(s): Requests must be submitted to the Santa Fe Environmental Bureau office for consideration of approval.

10. **Siting Criteria (regarding permitting):** 19.15.17.10 NMAC

Instructions: The applicant must demonstrate compliance for each siting criteria below in the application. Recommendations of acceptable source material are provided below. Requests regarding changes to certain siting criteria may require administrative approval from the appropriate district office or may be considered an exception which must be submitted to the Santa Fe Environmental Bureau office for consideration of approval. Applicant must attach justification for request. Please refer to 19.15.17.10 NMAC for guidance. Siting criteria does not apply to drying pads or above-grade tanks associated with a closed-loop system.

Ground water is less than 50 feet below the bottom of the temporary pit, permanent pit, or below-grade tank. - NM Office of the State Engineer - iWATERS database search; USGS; Data obtained from nearby wells	<input checked="" type="checkbox"/> Yes <input type="checkbox"/> No
Within 300 feet of a continuously flowing watercourse, or 200 feet of any other significant watercourse or lakebed, sinkhole, or playa lake (measured from the ordinary high-water mark). - Topographic map; Visual inspection (certification) of the proposed site	<input type="checkbox"/> Yes <input checked="" type="checkbox"/> No
Within 300 feet from a permanent residence, school, hospital, institution, or church in existence at the time of initial application. (Applies to temporary, emergency, or cavitation pits and below-grade tanks) - Visual inspection (certification) of the proposed site; Aerial photo; Satellite image	<input type="checkbox"/> Yes <input checked="" type="checkbox"/> No <input type="checkbox"/> NA
Within 1000 feet from a permanent residence, school, hospital, institution, or church in existence at the time of initial application. (Applies to permanent pits) - Visual inspection (certification) of the proposed site; Aerial photo; Satellite image	<input type="checkbox"/> Yes <input type="checkbox"/> No <input checked="" type="checkbox"/> NA
Within 500 horizontal feet of a private, domestic fresh water well or spring that less than five households use for domestic or stock watering purposes, or within 1000 horizontal feet of any other fresh water well or spring, in existence at the time of initial application. - NM Office of the State Engineer - iWATERS database search; Visual inspection (certification) of the proposed site	<input checked="" type="checkbox"/> Yes <input type="checkbox"/> No
Within incorporated municipal boundaries or within a defined municipal fresh water well field covered under a municipal ordinance adopted pursuant to NMSA 1978, Section 3-27-3, as amended. - Written confirmation or verification from the municipality; Written approval obtained from the municipality	<input type="checkbox"/> Yes <input checked="" type="checkbox"/> No
Within 500 feet of a wetland. - US Fish and Wildlife Wetland Identification map; Topographic map; Visual inspection (certification) of the proposed site	<input type="checkbox"/> Yes <input checked="" type="checkbox"/> No
Within the area overlying a subsurface mine. - Written confirmation or verification or map from the NM EMNRD-Mining and Mineral Division	<input type="checkbox"/> Yes <input checked="" type="checkbox"/> No
Within an unstable area. - Engineering measures incorporated into the design; NM Bureau of Geology & Mineral Resources; USGS; NM Geological Society; Topographic map	<input type="checkbox"/> Yes <input checked="" type="checkbox"/> No
Within a 100-year floodplain. - FEMA map	<input type="checkbox"/> Yes <input checked="" type="checkbox"/> No

11. **Temporary Pits, Emergency Pits, and Below-grade Tanks Permit Application Attachment Checklist:** Subsection B of 19.15.17.9 NMAC
Instructions: Each of the following items must be attached to the application. Please indicate, by a check mark in the box, that the documents are attached.

☒ Hydrogeologic Report (Below-grade Tanks) - based upon the requirements of Paragraph (4) of Subsection B of 19.15.17.9 NMAC
☐ Hydrogeologic Data (Temporary and Emergency Pits) - based upon the requirements of Paragraph (2) of Subsection B of 19.15.17.9 NMAC
☒ Siting Criteria Compliance Demonstrations - based upon the appropriate requirements of 19.15.17.10 NMAC
☒ Design Plan - based upon the appropriate requirements of 19.15.17.11 NMAC
☒ Operating and Maintenance Plan - based upon the appropriate requirements of 19.15.17.12 NMAC
☒ Closure Plan (Please complete Boxes 14 through 18, if applicable) - based upon the appropriate requirements of Subsection C of 19.15.17.9 NMAC and 19.15.17.13 NMAC

☐ Previously Approved Design (attach copy of design) API Number: _____ or Permit Number: _____

12. **Closed-loop Systems Permit Application Attachment Checklist:** Subsection B of 19.15.17.9 NMAC
Instructions: Each of the following items must be attached to the application. Please indicate, by a check mark in the box, that the documents are attached.

☐ Geologic and Hydrogeologic Data (only for on-site closure) - based upon the requirements of Paragraph (3) of Subsection B of 19.15.17.9
☐ Siting Criteria Compliance Demonstrations (only for on-site closure) - based upon the appropriate requirements of 19.15.17.10 NMAC
☐ Design Plan - based upon the appropriate requirements of 19.15.17.11 NMAC
☐ Operating and Maintenance Plan - based upon the appropriate requirements of 19.15.17.12 NMAC
☐ Closure Plan (Please complete Boxes 14 through 18, if applicable) - based upon the appropriate requirements of Subsection C of 19.15.17.9 NMAC and 19.15.17.13 NMAC

☐ Previously Approved Design (attach copy of design) API Number: _____

☐ Previously Approved Operating and Maintenance Plan API Number: _____ (Applies only to closed-loop system that use above ground steel tanks or haul-off bins and propose to implement waste removal for closure)

13. **Permanent Pits Permit Application Checklist:** Subsection B of 19.15.17.9 NMAC
Instructions: Each of the following items must be attached to the application. Please indicate, by a check mark in the box, that the documents are attached.

☐ Hydrogeologic Report - based upon the requirements of Paragraph (1) of Subsection B of 19.15.17.9 NMAC
☐ Siting Criteria Compliance Demonstrations - based upon the appropriate requirements of 19.15.17.10 NMAC
☐ Climatological Factors Assessment
☐ Certified Engineering Design Plans - based upon the appropriate requirements of 19.15.17.11 NMAC
☐ Dike Protection and Structural Integrity Design - based upon the appropriate requirements of 19.15.17.11 NMAC
☐ Leak Detection Design - based upon the appropriate requirements of 19.15.17.11 NMAC
☐ Liner Specifications and Compatibility Assessment - based upon the appropriate requirements of 19.15.17.11 NMAC
☐ Quality Control/Quality Assurance Construction and Installation Plan
☐ Operating and Maintenance Plan - based upon the appropriate requirements of 19.15.17.12 NMAC
☐ Freeboard and Overtopping Prevention Plan - based upon the appropriate requirements of 19.15.17.11 NMAC
☐ Nuisance or Hazardous Odors, including H₂S, Prevention Plan
☐ Emergency Response Plan
☐ Oil Field Waste Stream Characterization
☐ Monitoring and Inspection Plan
☐ Erosion Control Plan
☐ Closure Plan - based upon the appropriate requirements of Subsection C of 19.15.17.9 NMAC and 19.15.17.13 NMAC

14. **Proposed Closure:** 19.15.17.13 NMAC
Instructions: Please complete the applicable boxes, Boxes 14 through 18, in regards to the proposed closure plan.

Type: ☐ Drilling ☐ Workover ☐ Emergency ☐ Cavitation ☐ P&A ☐ Permanent Pit ☒ Below-grade Tank ☐ Closed-loop System
☐ Alternative

Proposed Closure Method: ☒ Waste Excavation and Removal
☐ Waste Removal (Closed-loop systems only)
☐ On-site Closure Method (Only for temporary pits and closed-loop systems)
☐ In-place Burial ☐ On-site Trench Burial
☐ Alternative Closure Method (Exceptions must be submitted to the Santa Fe Environmental Bureau for consideration)

15. **Waste Excavation and Removal Closure Plan Checklist:** (19.15.17.13 NMAC) **Instructions:** Each of the following items must be attached to the closure plan. Please indicate, by a check mark in the box, that the documents are attached.

☒ Protocols and Procedures - based upon the appropriate requirements of 19.15.17.13 NMAC
☒ Confirmation Sampling Plan (if applicable) - based upon the appropriate requirements of Subsection F of 19.15.17.13 NMAC
☒ Disposal Facility Name and Permit Number (for liquids, drilling fluids and drill cuttings)
☒ Soil Backfill and Cover Design Specifications - based upon the appropriate requirements of Subsection H of 19.15.17.13 NMAC
☒ Re-vegetation Plan - based upon the appropriate requirements of Subsection I of 19.15.17.13 NMAC
☒ Site Reclamation Plan - based upon the appropriate requirements of Subsection G of 19.15.17.13 NMAC

16. **Waste Removal Closure For Closed-loop Systems That Utilize Above Ground Steel Tanks or Haul-off Bins Only:** (19.15.17.13.D NMAC)

Instructions: Please indentify the facility or facilities for the disposal of liquids, drilling fluids and drill cuttings. Use attachment if more than two facilities are required.

Disposal Facility Name: _____ Disposal Facility Permit Number: _____

Disposal Facility Name: _____ Disposal Facility Permit Number: _____

Will any of the proposed closed-loop system operations and associated activities occur on or in areas that *will not* be used for future service and operations?

☐ Yes (If yes, please provide the information below) ☐ No

Required for impacted areas which will not be used for future service and operations:

☐ Soil Backfill and Cover Design Specifications - based upon the appropriate requirements of Subsection H of 19.15.17.13 NMAC

☐ Re-vegetation Plan - based upon the appropriate requirements of Subsection I of 19.15.17.13 NMAC

☐ Site Reclamation Plan - based upon the appropriate requirements of Subsection G of 19.15.17.13 NMAC

17. **Siting Criteria (regarding on-site closure methods only):** 19.15.17.10 NMAC

Instructions: Each siting criteria requires a demonstration of compliance in the closure plan. Recommendations of acceptable source material are provided below. Requests regarding changes to certain siting criteria may require administrative approval from the appropriate district office or may be considered an exception which must be submitted to the Santa Fe Environmental Bureau office for consideration of approval. Justifications and/or demonstrations of equivalency are required. Please refer to 19.15.17.10 NMAC for guidance.

Ground water is less than 50 feet below the bottom of the buried waste. - NM Office of the State Engineer - iWATERS database search; USGS; Data obtained from nearby wells	<input type="checkbox"/> Yes <input type="checkbox"/> No <input type="checkbox"/> NA
Ground water is between 50 and 100 feet below the bottom of the buried waste - NM Office of the State Engineer - iWATERS database search; USGS; Data obtained from nearby wells	<input type="checkbox"/> Yes <input type="checkbox"/> No <input type="checkbox"/> NA
Ground water is more than 100 feet below the bottom of the buried waste. - NM Office of the State Engineer - iWATERS database search; USGS; Data obtained from nearby wells	<input type="checkbox"/> Yes <input type="checkbox"/> No <input type="checkbox"/> NA
Within 300 feet of a continuously flowing watercourse, or 200 feet of any other significant watercourse or lakebed, sinkhole, or playa lake (measured from the ordinary high-water mark). - Topographic map; Visual inspection (certification) of the proposed site	<input type="checkbox"/> Yes <input type="checkbox"/> No
Within 300 feet from a permanent residence, school, hospital, institution, or church in existence at the time of initial application. - Visual inspection (certification) of the proposed site; Aerial photo; Satellite image	<input type="checkbox"/> Yes <input type="checkbox"/> No
Within 500 horizontal feet of a private, domestic fresh water well or spring that less than five households use for domestic or stock watering purposes, or within 1000 horizontal feet of any other fresh water well or spring, in existence at the time of initial application. - NM Office of the State Engineer - iWATERS database; Visual inspection (certification) of the proposed site	<input type="checkbox"/> Yes <input type="checkbox"/> No
Within incorporated municipal boundaries or within a defined municipal fresh water well field covered under a municipal ordinance adopted pursuant to NMSA 1978, Section 3-27-3, as amended. - Written confirmation or verification from the municipality; Written approval obtained from the municipality	<input type="checkbox"/> Yes <input type="checkbox"/> No
Within 500 feet of a wetland. - US Fish and Wildlife Wetland Identification map; Topographic map; Visual inspection (certification) of the proposed site	<input type="checkbox"/> Yes <input type="checkbox"/> No
Within the area overlying a subsurface mine. - Written confirmation or verification or map from the NM EMNRD-Mining and Mineral Division	<input type="checkbox"/> Yes <input type="checkbox"/> No
Within an unstable area. - Engineering measures incorporated into the design; NM Bureau of Geology & Mineral Resources; USGS; NM Geological Society; Topographic map	<input type="checkbox"/> Yes <input type="checkbox"/> No
Within a 100-year floodplain. - FEMA map	<input type="checkbox"/> Yes <input type="checkbox"/> No

18. **On-Site Closure Plan Checklist:** (19.15.17.13 NMAC) **Instructions:** Each of the following items must be attached to the closure plan. Please indicate, by a check mark in the box, that the documents are attached.

- ☐ Siting Criteria Compliance Demonstrations - based upon the appropriate requirements of 19.15.17.10 NMAC
- ☐ Proof of Surface Owner Notice - based upon the appropriate requirements of Subsection F of 19.15.17.13 NMAC
- ☐ Construction/Design Plan of Burial Trench (if applicable) based upon the appropriate requirements of 19.15.17.11 NMAC
- ☐ Construction/Design Plan of Temporary Pit (for in-place burial of a drying pad) - based upon the appropriate requirements of 19.15.17.11 NMAC
- ☐ Protocols and Procedures - based upon the appropriate requirements of 19.15.17.13 NMAC
- ☐ Confirmation Sampling Plan (if applicable) - based upon the appropriate requirements of Subsection F of 19.15.17.13 NMAC
- ☐ Waste Material Sampling Plan - based upon the appropriate requirements of Subsection F of 19.15.17.13 NMAC
- ☐ Disposal Facility Name and Permit Number (for liquids, drilling fluids and drill cuttings or in case on-site closure standards cannot be achieved)
- ☐ Soil Cover Design - based upon the appropriate requirements of Subsection H of 19.15.17.13 NMAC
- ☐ Re-vegetation Plan - based upon the appropriate requirements of Subsection I of 19.15.17.13 NMAC
- ☐ Site Reclamation Plan - based upon the appropriate requirements of Subsection G of 19.15.17.13 NMAC

19.

Operator Application Certification:

I hereby certify that the information submitted with this application is true, accurate and complete to the best of my knowledge and belief.

Name (Print): Kim Champlin Title: Environmental Representative

Signature: Kim Champlin Date: 01/14/2009

e-mail address: kim_champlin@xtoenergy.com Telephone: (505) 333-3100

20.

OCD Approval: ☐ Permit Application (including closure plan) ☒ Closure Plan (only) ☐ Other Conditions (see attachment)

OCD Representative Signature: [Signature] Approval Date: 10/10/13

Title: Senior Hydrologist Compliance Officer
OCD Permit Number: _____

21.

Closure Report (required within 60 days of closure completion): Subsection K of 19.15.17.13 NMAC

Instructions: Operators are required to obtain an approved closure plan prior to implementing any closure activities and submitting the closure report. The closure report is required to be submitted to the division within 60 days of the completion of the closure activities. Please do not complete this section of the form until an approved closure plan has been obtained and the closure activities have been completed.

☒ Closure Completion Date: 10/11/13

22.

Closure Method:

☒ Waste Excavation and Removal ☐ On-Site Closure Method ☐ Alternative Closure Method ☐ Waste Removal (Closed-loop systems only)
☐ If different from approved plan, please explain.

23.

Closure Report Regarding Waste Removal Closure For Closed-loop Systems That Utilize Above Ground Steel Tanks or Haul-off Bins Only:

Instructions: Please identify the facility or facilities for where the liquids, drilling fluids and drill cuttings were disposed. Use attachment if more than two facilities were utilized.

Disposal Facility Name: _____ Disposal Facility Permit Number: _____

Disposal Facility Name: _____ Disposal Facility Permit Number: _____

Were the closed-loop system operations and associated activities performed on or in areas that will not be used for future service and operations?

☐ Yes (If yes, please demonstrate compliance to the items below) ☐ No

Required for impacted areas which will not be used for future service and operations:

- ☐ Site Reclamation (Photo Documentation)
☐ Soil Backfilling and Cover Installation
☐ Re-vegetation Application Rates and Seeding Technique

24.

Closure Report Attachment Checklist: *Instructions: Each of the following items must be attached to the closure report. Please indicate, by a check mark in the box, that the documents are attached.*

- ☒ Proof of Closure Notice (surface owner and division)
☐ Proof of Deed Notice (required for on-site closure)
☐ Plot Plan (for on-site closures and temporary pits)
☒ Confirmation Sampling Analytical Results (if applicable)
☐ Waste Material Sampling Analytical Results (required for on-site closure)
☐ Disposal Facility Name and Permit Number
☒ Soil Backfilling and Cover Installation
☒ Re-vegetation Application Rates and Seeding Technique
☒ Site Reclamation (Photo Documentation)

On-site Closure Location: Latitude _____ Longitude _____ NAD: ☐ 1927 ☐ 1983

25.

Operator Closure Certification:

I hereby certify that the information and attachments submitted with this closure report is true, accurate and complete to the best of my knowledge and belief. I also certify that the closure complies with all applicable closure requirements and conditions specified in the approved closure plan.

Name (Print): KURT HOEKSTRA Title: ENVIRONMENTAL COORDINATOR

Signature: Kurt Hoekstra Date: 10/11/13

e-mail address: KURT_HOEKSTRA@xtoenergy.com Telephone: 505-333-3100

District I
1625 N. French Dr., Hobbs, NM 88240
District II
1301 W. Grand Avenue, Artesia, NM 88210
District III
1000 Rio Brazos Road, Aztec, NM 87410
District IV
1220 S. St. Francis Dr., Santa Fe, NM 87505

State of New Mexico
Energy Minerals and Natural Resources

Oil Conservation Division
1220 South St. Francis Dr.
Santa Fe, NM 87505

Form C-141
Revised October 10, 2003

Submit 2 Copies to appropriate
District Office in accordance
with Rule 116 on back
side of form

Release Notification and Corrective Action

OPERATOR

☐ Initial Report ☒ Final Report

Name of Company: XTO Energy, Inc.	Contact: Kurt Hoekstra
Address: 382 Road 3100, Aztec, New Mexico 87410	Telephone No.: (505) 333-3100
Facility Name: McCoy Gas Com D # 1E (30-045-24873)	Facility Type: Gas Well (Basin Dakota)

Surface Owner: Private	Mineral Owner:	Lease No: Fee
------------------------	----------------	---------------

LOCATION OF RELEASE

Unit Letter E	Section 28	Township 30N	Range 12W	Feet from the 1600	North/South Line FNL	Feet from the 1230	East/West Line FWL	County San Juan
------------------	---------------	-----------------	--------------	-----------------------	-------------------------	-----------------------	-----------------------	--------------------

Latitude: 36.78668 Longitude: -108.10751

NATURE OF RELEASE


Type of Release: N/A	Volume of Release: N/A	Volume Recovered: N/A
Source of Release: N/A	Date and Hour of Occurrence: N/A	Date and Hour of Discovery: N/A
Was Immediate Notice Given? <input type="checkbox"/> Yes <input type="checkbox"/> No <input checked="" type="checkbox"/> Not Required	If YES, To Whom?	
By Whom?	Date and Hour	
Was a Watercourse Reached? <input type="checkbox"/> Yes <input checked="" type="checkbox"/> No	If YES, Volume Impacting the Watercourse.	
If a Watercourse was Impacted, Describe Fully.*		

Describe Cause of Problem and Remedial Action Taken.*The below grade tank was removed at the McCoy Gas Com D # 1E well site due to facility upgrades at the well site. The BGT cellar beneath the BGT was sampled for TPH via USEPA Method 8015 and 418.1, for BTEX via USEPA Method 8021, and for total chlorides. The sample returned results below the 'pit rule' standards of 100 ppm TPH, 10 ppm benzene, 50 ppm total BTEX, and 600 ppm for chlorides, confirming that a release has not occurred at this location.

Describe Area Affected and Cleanup Action Taken.* No release has been confirmed for this location, and no further action is required.

I hereby certify that the information given above is true and complete to the best of my knowledge and understand that pursuant to NMOCD rules and regulations all operators are required to report and/or file certain release notifications and perform corrective actions for releases which may endanger public health or the environment. The acceptance of a C-141 report by the NMOCD marked as "Final Report" does not relieve the operator of liability should their operations have failed to adequately investigate and remediate contamination that pose a threat to ground water, surface water, human health or the environment. In addition, NMOCD acceptance of a C-141 report does not relieve the operator of responsibility for compliance with any other federal, state, or local laws and/or regulations.

OIL CONSERVATION DIVISION

Signature: 	Approved by District Supervisor:	
Printed Name: Kurt Hoekstra		
Title: Environmental Coordinator	Approval Date:	Expiration Date:
E-mail Address: Kurt_Hoekstra@xtoenergy.com	Conditions of Approval:	
Date: 10-11-2013 Phone: 505-333-3100	Attached <input type="checkbox"/>	

XTO Energy Inc. San Juan Basin Below Grade Tank Closure Report

Lease Name: McCoy Gas Com D # 1E

API No.: 30-045-24873

Description: Unit E, Section 28, Township 30N, Range 12W, San Juan County

In accordance with Rule 19.15.17.13 NMAC the following information describes the closure requirements of below-grade tanks on XTO Energy Inc. (XTO) locations. This is XTO's standard procedure for all below-grade tanks. A separate plan will be submitted for any below-grade tank which does not conform to this plan.

General Plan

1. XTO will close below-grade tanks within the time periods provided in 19.15.17.13 NMAC, or by an earlier date that the division requires because of imminent danger to fresh water, public health or the environment.
Closure Date is October 11, 2013
2. XTO will close a below-grade tank that does not meet the requirements of Paragraphs (1) through (4) of Subsection I of 19.15.17.11 NMAC or is not included in Paragraph (5) of Subsection I of 19.15.17.11 NMAC within five years after June 16, 2008, if not retrofitted to comply with Paragraphs (1) through (4) of Subsection I of 19.15.17.11 NMAC.
Closure Date is October 11, 2013
3. XTO will close a permitted below-grade tank within 60 days of cessation of the below-grade tank's operation or as required by the transitional provisions of Subsection B of 19.15.17.17 NMAC in accordance with a closure plan that the appropriate division district office approves. The closure report will be filed on form C-144.
Required C-144 Form is attached to this document.
4. XTO will remove liquids and sludge from below-grade tanks prior to implementing a closure method and will dispose of the liquids and sludge in a division-approved facility. Approved facilities and waste streams include:
 - Envirotech Permit No. NM01-0011 and IEI Permit No. NM 01-0010B
 - Soil contaminated by exempt petroleum hydrocarbons
 - Produced sand, pit sludge and contaminated bottoms from storage of exempt wastes
 - Basin Disposal Permit No. NM01-005
 - Produced water**All liquids and sludge were removed from the tank prior to closure activities.**
5. XTO will remove the below-grade tank and dispose of it in a division approved facility or recycle, reuse, or reclaim it in a manner that the appropriate division district office approves.
XTO has removed the below grade tank, and will dispose of it at a division approved facility, or recycle, reclaim or reuse it in a manner that is approved by the division.

6. XTO will remove any on-site equipment associated with a below-grade tank unless the equipment is required for some other purpose.

All equipment will remain on location for the continued production of oil and gas.

7. XTO will test the soils beneath the below-grade tank to determine whether a release has occurred. At a minimum 5 point composite sample will be collected along with individual grab samples from any area that is wet, discolored or showing other evidence of a release. Samples will be analyzed for BTEX, TPH and chlorides to demonstrate that the benzene concentration, as determined by EPA SW-846 methods 8021B or 8260B or EPA method that the division approves, does not exceed 0.2 mg/kg; total BTEX concentration, as determined by EPA SW-846 methods 8021B or 8260B or other EPA method that the division approves, does not exceed 50 mg/kg; the TPH concentration, as determined by EPA method 418.1 or other EPA method that the division approves, does not exceed 100mg/kg; and the chloride concentration, as determined by EPA method 300.1 or other EPA method that the division approves, does not exceed 250 mg/kg, or the background concentration, whichever is greater. XTO will notify the division of its results on form C-141.

A composite sample was taken of the pit using sampling tools and all samples tested per Subsection B of 19.15.17.1 3(B)(1)(b). (Sample results attached).

Components	Test Method	Limit (mg/Kg)	Results (mg/Kg)
Benzene	EPA SW-846 8021B or 8260B	10	< 0.0028 mg/kg
BTEX	EPA SW-846 8021B or 8260B	50	< 0.042 mg/kg
TPH	EPA SW-846 418.1	100	24 mg/kg
Chlorides	EPA 300.1	600	< 11 mg/kg
Chlorides Backfill Material	EPA 300.1	600	10.2 mg/kg

8. If XTO or the division determines that a release has occurred, XTO will comply with 19.15.3.116 NMAC and 19.15.1.19NMAC as appropriate.
No release has been confirmed at this site.
9. If the sampling program demonstrates that a release has not occurred or that any release does not exceed the concentrations specified in Paragraph (4) of Subsection E of 19.15.17.13 NMAC, XTO will backfill the excavation with compacted, non-waste containing, earthen material; construct a division prescribed soil cover; recontour and re-vegetate the site.
The pit cellar was backfilled using compacted, non-waste containing earthen material, with a division prescribed soil cover.
10. Notice of Closure operations will be given to the Aztec Division District III office between 72 hours and one week prior to the start of closure activities via email or verbally.
The notification will include the following:
- Operator's name
 - Well Name and API Number
 - Location by Unit Letter, Section, Township, and Range

Written notification was provided to Mr. Brandon Powell with the Aztec office of the OCD via email on October 4th, 2013; see attached email printout. Verbal notification was also given on October 4th, 2013 at approximately 8:30 am. by phone.

The surface owner shall be notified of XTO's proposal to close the BGT as per the approved closure plan using certified mail, return receipt requested.

The surface owner was notified on October 4th, 2013; see attached letter and return receipt

11. Re-contouring of location will match fit, shape, line, form and texture of the surrounding area. Re-shaping will include drainage control, prevent ponding, and prevent erosion. Natural drainages will be unimpeded and water bars and/or silt traps will be placed in areas where needed to prevent erosion on a large scale. Final re-contour shall have a uniform appearance with smooth surface, fitting the natural landscape.
The location will be recontoured to match the above specifications after the well has been P & A'd.
12. A minimum of 4 feet of cover shall be achieved and the cover shall include 1 foot of suitable material to establish vegetation at the site, or the background thickness of topsoil, whichever is greater.
The site has been backfilled to match these specifications.
13. XTO will seed the disturbed areas the first growing season after the operator closes the pit. Seeding will be accomplished via drilling on the contour whenever practical or by other division-approved methods. BLM or Forest Service stipulated seed mixes will be used on federal lands. Vegetative cover will equal 70% of the native perennial vegetative cover (un-impacted) consisting of at least three native plant species, including at least one grass, but not including noxious weeds, and maintain that cover through two successive growing seasons. Repeat seeding or planting will be continued until successful vegetative growth occurs.
The location will be reclaimed pursuant to surface owner specifications.
14. All closure activities will include proper documentation and be available for review upon request and will be submitted in closure report form to OCD within 60 days of closure of the below-grade tank. Closure report will be filed on form C-144 and incorporate the following:
 - i. Proof of closure notice to division and surface owner; **attached**
 - ii. Details on capping and covering, where applicable; **per OCD Specifications**
 - iii. Inspection reports; **attached**
 - iv. Confirmation sampling analytical results; **attached**
 - v. Disposal facility name(s) and permit number(s); **see above**
 - vi. Soil backfilling and cover installation; **per OCD Specifications**
 - vii. Re-vegetation application rates and seeding techniques, (or approved alternative to re-vegetation requirements if applicable); **Per surface owner specifications**
 - viii. Photo documentation of the site reclamation. **attached**

U.S. Postal Service™
CERTIFIED MAIL™ RECEIPT
 (Domestic Mail Only; No Insurance Coverage Provided)

For delivery information visit our website at www.usps.com

FARMINGTON NM 87499

Postage	\$ 0.46
Certified Fee	\$3.10
Return Receipt Fee (Endorsement Required)	\$2.55
Restricted Delivery Fee (Endorsement Required)	\$0.00
Total Postage & Fees	\$ 6.11

0410
08
Postmark
OCT 04 2013
10/04/2013
USPS

Sent To
Northbrook Enterprises
 Street, Apt. No.,
 or PO Box No. **Attn: Val Jolley, P.O. Box 2364**
 City, State, ZIP+4 **Farmington, NM 87499 KH**

PS Form 3800, August 2006 See Reverse for Instructions

7012 1010 0002 9433 4995

SENDER: COMPLETE THIS SECTION		COMPLETE THIS SECTION ON DELIVERY	
<p>■ Complete items 1, 2, and 3. Also complete item 4 if Restricted Delivery is desired.</p> <p>■ Print your name and address on the reverse so that we can return the card to you.</p> <p>■ Attach this card to the back of the mailpiece, or on the front if space permits.</p>		<p>A. Signature <input checked="" type="checkbox"/> <i>[Signature]</i> <input type="checkbox"/> Agent <input type="checkbox"/> Addressee</p> <p>B. Received by (Printed Name) _____ C. Date of Delivery _____</p>	
<p>1. Article Addressed to:</p> <p>Northbrook Enterprises Attn: Val Jolley P.O. Box 2364 Farmington, NM 87499</p>		<p>D. Is delivery address different from item 1? <input type="checkbox"/> Yes <input type="checkbox"/> No If YES, enter delivery address below: _____</p>	
<p>2. Article Number (Transfer from service label) 7012 1010 0002 9433 4995</p>		<p>3. Service Type <input checked="" type="checkbox"/> Certified Mail <input checked="" type="checkbox"/> Express Mail <input type="checkbox"/> Registered <input type="checkbox"/> Return Receipt for Merchandise <input type="checkbox"/> Insured Mail <input type="checkbox"/> C.O.D.</p>	
<p>PS Form 3811, February 2004</p>		<p>4. Restricted Delivery? (Extra Fee) <input type="checkbox"/> Yes</p> <p>Domestic Return Receipt 102595-02-M-1540</p>	

Hoekstra, Kurt

From: Hoekstra, Kurt
Sent: Friday, October 04, 2013 8:16 AM
To: Brandon Powell (brandon.powell@state.nm.us)
Subject: BGT Closures McCoy GC D # 1E , Baca GC A # 1

Brandon,

Please accept this email as the required notification for BGT closure activities at the McCoy Gas Com D # 1E well site (API # 30-045-24873) located in Unit E, Section 28, Township 30N, Range 12W, San Juan County, New Mexico. This below grade tank is being closed due to facility upgrades at this well site. Thank you for your time in regards to this matter.

Please accept this email as the required notification for BGT closure activities at the Baca Gas Com A # 1 well site (API# 30-045-26110) located in Unit H, Section 26, Township 29N, Range 10W, San Juan County, New Mexico. This below grade tank is being closed due to facility upgrades at this well site. Thank you for your time in regards to this matter.

Kurt Hoekstra
EHS Coordinator
XTO Energy
505-333-3202 Office
505-486-9543 Cell
Kurt.Hoekstra@xtoenergy.com

October 4th, 2013

Northbrook Enterprises,
Attn: Val Jolley
P O Box 2364
Farmington, NM 87499

Re: McCoy Gas Com D # 1E API # 30-045-24873


Unit E, Section 28, Township 30N, Range 12W, San Juan County, New Mexico

Val Jolley ,

This submittal is pursuant to Rule 19.15.17.13 requiring operators to notify surface owners of the closure of a below grade tank pit. XTO Energy, Inc. (XTO) is hereby providing written documentation of our proposal to close the below grade tank pit associated with the above mentioned well site by excavation and removal.

Should you have questions or require additional information, please feel free to contact me at your convenience at (505) 333-3100. Thank you for your time in regards to this matter.

Respectfully Submitted,

A handwritten signature in black ink, appearing to read "Kurt Hoekstra", written in a cursive style.

Kurt Hoekstra

Environmental Coordinator
XTO Energy, Inc.
Western Division



Analytical Report

Report Summary

Client: XTO Energy Inc.

Chain Of Custody Number: 0423

Samples Received: 10/4/2013 11:55:00AM

Job Number: 98031-0528

Work Order: P310017

Project Name/Location: McCoy GCD #1E

Entire Report Reviewed By:

A handwritten signature in black ink, appearing to read 'Tim Cain', is written over a horizontal line.

Date: 10/7/13

Tim Cain, Laboratory Manager

The results in this report apply to the samples submitted to Envirotech's Analytical Laboratory and were analyzed in accordance with the chain of custody document supplied by you, the client, and as such are for your exclusive use only. The results in this report are based on the sample as received unless otherwise noted. Partial or incomplete reproduction of this report is prohibited, unless approved by Envirotech, Inc. If you have any questions regarding this analytical report, please don't hesitate to contact Envirotech's Laboratory Staff.



XTO Energy Inc.
382 CR 3100
Aztec NM, 87410

Project Name: McCoy GCD #1E
Project Number: 98031-0528
Project Manager: James McDaniel

Reported:
07-Oct-13 11:33

Analytical Report for Samples

Client Sample ID	Lab Sample ID	Matrix	Sampled	Received	Container
BGT Cellar	P310017-01A	Soil	10/04/13	10/04/13	Glass Jar, 4 oz.

Partial or incomplete reproduction of this report is prohibited, unless approved by Envirotech, Inc.

5796 US Highway 64, Farmington, NM 87401

Three Springs • 65 Mercado Street, Suite 115, Durango, CO 81301

Ph (505) 632-0615 Fx (505) 632-1865

Ph (970) 259-0615 Fr (800) 362-1879

envirotech-inc.com
laboratory@envirotech-inc.com



XTO Energy Inc.
382 CR 3100
Aztec NM, 87410

Project Name: McCoy GCD #1E
Project Number: 98031-0528
Project Manager: James McDaniel

Reported:
07-Oct-13 11:33

BGT Cellar
P310017-01 (Solid)

Analyte	Result	Reporting		Units	Dilution	Batch	Prepared	Analyzed	Method	Notes
		Limit								

Total Petroleum Hydrocarbons by 418.1

Total Petroleum Hydrocarbons	24.0	20.0	mg/kg	1	1341004	10/07/13	10/07/13	EPA 418.1		
------------------------------	------	------	-------	---	---------	----------	----------	-----------	--	--

Partial or incomplete reproduction of this report is prohibited, unless approved by Envirotech, Inc.

5796 US Highway 64, Farmington, NM 87401

Three Springs • 65 Mercado Street, Suite 115, Durango, CO 81301

Ph (505) 632-0615 Fx (505) 632-1865

Ph (970) 259-0615 Fr (800) 362-1879

envirotech-inc.com
laboratory@envirotech-inc.com



XTO Energy Inc.	Project Name:	McCoy GCD #1E	Reported: 07-Oct-13 11:33
382 CR 3100	Project Number:	98031-0528	
Aztec NM, 87410	Project Manager:	James McDaniel	

Total Petroleum Hydrocarbons by 418.1 - Quality Control

Envirotech Analytical Laboratory

Analyte	Result	Reporting Limit	Units	Spike Level	Source Result	%REC	%REC Limits	RPD	RPD Limit	Notes
---------	--------	--------------------	-------	----------------	------------------	------	----------------	-----	--------------	-------

Batch 1341004 - 418 Freon Extraction

Blank (1341004-BLK1)

Prepared & Analyzed: 07-Oct-13

Total Petroleum Hydrocarbons	ND	19.9	mg/kg							
------------------------------	----	------	-------	--	--	--	--	--	--	--

Duplicate (1341004-DUP1)

Source: P310017-01

Prepared & Analyzed: 07-Oct-13

Total Petroleum Hydrocarbons	28.0	20.0	mg/kg		24.0			15.5	30	
------------------------------	------	------	-------	--	------	--	--	------	----	--

Matrix Spike (1341004-MS1)

Source: P310017-01

Prepared & Analyzed: 07-Oct-13

Total Petroleum Hydrocarbons	514		mg/L	500	6.00	102	80-120			
------------------------------	-----	--	------	-----	------	-----	--------	--	--	--

Partial or incomplete reproduction of this report is prohibited, unless approved by Envirotech, Inc.

5796 US Highway 64, Farmington, NM 87401

Ph (505) 632-0615 Fx (505) 632-1865

Three Springs • 65 Mercado Street, Suite 115, Durango, CO 81301

Ph (970) 259-0615 Fr (800) 362-1879

envirotech-inc.com
laboratory@envirotech-inc.com



XTO Energy Inc.
382 CR 3100
Aztec NM, 87410

Project Name: McCoy GCD #1E
Project Number: 98031-0528
Project Manager: James McDaniel

Reported:
07-Oct-13 11:33

Notes and Definitions

DET Analyte DETECTED
ND Analyte NOT DETECTED at or above the reporting limit
NR Not Reported
dry Sample results reported on a dry weight basis
RPD Relative Percent Difference

Partial or incomplete reproduction of this report is prohibited, unless approved by Envirotech, Inc.

5796 US Highway 64, Farmington, NM 87401

Three Springs • 65 Mercado Street, Suite 115, Durango, CO 81301

Ph (505) 632-0615 Fx (505) 632-1865

Ph (970) 259-0615 Fr (800) 362-1879

envirotech-inc.com
laboratory@envirotech-inc.com



12065 Lebanon Rd.
Mt. Juliet, TN 37122
(615) 758-5858
1-800-767-5859
Fax (615) 758-5859

Tax I.D. 62-0814289

Est. 1970

Kurt Hoekstra
XTO Energy - San Juan Division
382 County Road 3100
Aztec, NM 87410

Report Summary

Wednesday October 09, 2013

Report Number: L661628

Samples Received: 10/05/13

Client Project:

Description: McCoy GC D #1E

The analytical results in this report are based upon information supplied by you, the client, and are for your exclusive use. If you have any questions regarding this data package, please do not hesitate to call.

Entire Report Reviewed By:

Daphne Richards , ESC Representative

Laboratory Certification Numbers

A2LA - 1461-01, AIHA - 100789, AL - 40660, CA - 01157CA, CT - PH-0197,
FL - E87487, GA - 923, IN - C-TN-01, KY - 90010, KYUST - 0016,
NC - ENV375/DW21704/BIO041, ND - R-140, NJ - TN002, NJ NELAP - TN002,
SC - 84004, TN - 2006, VA - 460132, WV - 233, AZ - 0612,
MN - 047-999-395, NY - 11742, WI - 998093910, NV - TN000032011-1,
TX - T104704245-11-3, OK - 9915, PA - 68-02979, IA Lab #364

Accreditation is only applicable to the test methods specified on each scope of accreditation held by ESC Lab Sciences.

Note: The use of the preparatory EPA Method 3511 is not approved or endorsed by the CA ELAP.

This report may not be reproduced, except in full, without written approval from ESC Lab Sciences. Where applicable, sampling conducted by ESC is performed per guidance provided in laboratory standard operating procedures: 060302, 060303, and 060304.



12065 Lebanon Rd.
Mt. Juliet, TN 37122
(615) 758-5858
1-800-767-5859
Fax (615) 758-5859

Tax I.D. 62-0814289

Est. 1970

REPORT OF ANALYSIS

October 09, 2013

Kurt Hoekstra
XTO Energy - San Juan Division
382 County Road 3100
Aztec, NM 87410

ESC Sample # : L661628-01

Date Received : October 05, 2013
Description : McCoy GC D #1E

Site ID :

Sample ID : FARKH-100413-1245

Project # :

Collected By : Kurt Hoekstra
Collection Date : 10/04/13 12:45

Parameter	Dry Result	Det. Limit	Units	Method	Date	Dil.
Chloride	BDL	11.	mg/kg	9056	10/08/13	1
Total Solids	89.4	0.100	%	2540 G-2011	10/07/13	1
Benzene	BDL	0.0028	mg/kg	8021/8015	10/05/13	5
Toluene	BDL	0.028	mg/kg	8021/8015	10/05/13	5
Ethylbenzene	BDL	0.0028	mg/kg	8021/8015	10/05/13	5
Total Xylene	BDL	0.0084	mg/kg	8021/8015	10/05/13	5
TPH (GC/FID) Low Fraction	BDL	0.56	mg/kg	GRO	10/05/13	5
Surrogate Recovery-%						
a,a,a-Trifluorotoluene(FID)	100.		% Rec.	8021/8015	10/05/13	5
a,a,a-Trifluorotoluene(PID)	104.		% Rec.	8021/8015	10/05/13	5
TPH (GC/FID) High Fraction	BDL	4.5	mg/kg	3546/DRO	10/07/13	1
Surrogate recovery(%)						
o-Terphenyl	60.1		% Rec.	3546/DRO	10/07/13	1

Results listed are dry weight basis.

BDL - Below Detection Limit

Det. Limit - Practical Quantitation Limit(PQL)

Note:

This report shall not be reproduced, except in full, without the written approval from ESC.

The reported analytical results relate only to the sample submitted

Reported: 10/09/13 11:47 Printed: 10/09/13 11:47

Summary of Remarks For Samples Printed
10/09/13 at 11:47:59

TSR Signing Reports: 288
R2 - Rush: Next Day

Domestic Water Well Sampling-see L609759 Lobato for tests EDD's on ALL projects email James,
Kurt and Logan all reports

Sample: L661628-01 Account: XTORNM Received: 10/05/13 09:00 Due Date: 10/08/13 00:00 RPT Date: 10/09/13 11:47



12065 Lebanon Rd.
Mt. Juliet, TN 37122
(615) 758-5858
1-800-767-5859
Fax (615) 758-5859

Tax I.D. 62-0814289

Est. 1970

XTO Energy - San Juan Division
Kurt Hoekstra
382 County Road 3100

Quality Assurance Report
Level II

Aztec, NM 87410

L661628

October 09, 2013

Analyte	Result	Laboratory Blank Units	% Rec	Limit	Batch	Date Analyzed
Benzene	< .0005	mg/kg			WG685617	10/05/13 18:51
Ethylbenzene	< .0005	mg/kg			WG685617	10/05/13 18:51
Toluene	< .005	mg/kg			WG685617	10/05/13 18:51
TPH (GC/FID) Low Fraction	< .1	mg/kg			WG685617	10/05/13 18:51
Total Xylene	< .0015	mg/kg			WG685617	10/05/13 18:51
a,a,a-Trifluorotoluene(FID)		% Rec.	100.0	59-128	WG685617	10/05/13 18:51
a,a,a-Trifluorotoluene(PID)		% Rec.	104.0	54-144	WG685617	10/05/13 18:51
Total Solids	< .1	%			WG685614	10/07/13 12:35
TPH (GC/FID) High Fraction	< 4	mg/kg			WG685603	10/07/13 17:08
o-Terphenyl		% Rec.	64.30	50-150	WG685603	10/07/13 17:08
Chloride	< 10	mg/kg			WG685756	10/08/13 17:36

Analyte	Units	Duplicate Result	RPD	Limit	Ref Samp	Batch
Total Solids	%	91.7	92.2	0.542	5	L661608-07
Chloride	mg/kg	0.0	0.0	0.0	20	L661628-01

Analyte	Units	Laboratory Control Sample Known Val	Result	% Rec	Limit	Batch
Benzene	mg/kg	.05	0.0588	118.	70-130	WG685617
Ethylbenzene	mg/kg	.05	0.0593	119.	70-130	WG685617
Toluene	mg/kg	.05	0.0609	122.	70-130	WG685617
Total Xylene	mg/kg	.15	0.174	116.	70-130	WG685617
a,a,a-Trifluorotoluene(PID)				104.0	54-144	WG685617
TPH (GC/FID) Low Fraction	mg/kg	5.5	5.68	103.	63.5-137	WG685617
a,a,a-Trifluorotoluene(FID)				105.0	59-128	WG685617
Total Solids	%	50	50.1	100.	85-115	WG685614
TPH (GC/FID) High Fraction	mg/kg	60	39.4	65.7	50-150	WG685603
o-Terphenyl				67.30	50-150	WG685603
Chloride	mg/kg	200	207.	104.	80-120	WG685756

Analyte	Units	Laboratory Control Sample Result	Ref	%Rec	Limit	RPD	Limit	Batch
Benzene	mg/kg	0.0609	0.0588	122.	70-130	3.42	20	WG685617
Ethylbenzene	mg/kg	0.0618	0.0593	124.	70-130	4.17	20	WG685617
Toluene	mg/kg	0.0631	0.0609	126.	70-130	3.50	20	WG685617
Total Xylene	mg/kg	0.182	0.174	121.	70-130	4.29	20	WG685617
a,a,a-Trifluorotoluene(PID)				104.0	54-144			WG685617
TPH (GC/FID) Low Fraction	mg/kg	5.65	5.68	103.	63.5-137	0.470	20	WG685617
a,a,a-Trifluorotoluene(FID)				105.0	59-128			WG685617

* Performance of this Analyte is outside of established criteria.
For additional information, please see Attachment A 'List of Analytes with QC Qualifiers.'



YOUR LAB OF CHOICE

XTO Energy - San Juan Division
Kurt Hoekstra
382 County Road 3100

Aztec, NM 87410

Quality Assurance Report
Level II

L661628

12065 Lebanon Rd.
Mt. Juliet, TN 37122
(615) 758-5858
1-800-767-5859
Fax (615) 758-5859

Tax I.D. 62-0614289

Est. 1970

October 09, 2013

Analyte	Units	Laboratory Control		Sample Duplicate		Limit	RPD	Limit	Batch
		Result	Ref	%Rec					
TPH (GC/FID) High Fraction o-Terphenyl	mg/kg	46.6	39.4	78.0 79.10		50-150 50-150	16.7	20	WG685603 WG685603
Chloride	mg/kg	216.	207.	108.		80-120	4.26	20	WG685756

Analyte	Units	MS Res	Matrix Spike		% Rec	Limit	Ref Samp	Batch
			Ref Res	TV				
Benzene	mg/kg	0.266	0.000179	.05	110.	49.7-127	L661628-01	WG685617
Ethylbenzene	mg/kg	0.266	0.0	.05	110.	40.8-141	L661628-01	WG685617
Toluene	mg/kg	0.269	0.000435	.05	110.	49.8-132	L661628-01	WG685617
Total Xylene	mg/kg	0.781	0.000614	.15	100.	41.2-140	L661628-01	WG685617
a,a,a-Trifluorotoluene(PID)					103.0	54-144		WG685617
TPH (GC/FID) Low Fraction	mg/kg	23.0	0.0924	5.5	83.0	28.5-138	L661628-01	WG685617
a,a,a-Trifluorotoluene(FID)					104.0	59-128		WG685617
TPH (GC/FID) High Fraction o-Terphenyl	mg/kg	136.	133.	60	5.50* 58.70	50-150 50-150	L661192-02	WG685603 WG685603
Chloride	mg/kg	565.	54.0	500	100.	80-120	L661831-03	WG685756

Analyte	Units	MSD	Matrix Spike Duplicate		Limit	RPD	Limit	Ref Samp	Batch
			Ref	%Rec					
Benzene	mg/kg	0.271	0.266	108.	49.7-127	2.05	23.5	L661628-01	WG685617
Ethylbenzene	mg/kg	0.269	0.266	108.	40.8-141	1.19	23.8	L661628-01	WG685617
Toluene	mg/kg	0.267	0.269	107.	49.8-132	0.810	23.5	L661628-01	WG685617
Total Xylene	mg/kg	0.792	0.781	105.	41.2-140	1.38	23.7	L661628-01	WG685617
a,a,a-Trifluorotoluene(PID)				104.0	54-144				WG685617
TPH (GC/FID) Low Fraction	mg/kg	24.4	23.0	88.3	28.5-138	5.92	23.6	L661628-01	WG685617
a,a,a-Trifluorotoluene(FID)				104.0	59-128				WG685617
TPH (GC/FID) High Fraction o-Terphenyl	mg/kg	131.	136.	0* 53.30	50-150 50-150	3.70	20	L661192-02	WG685603 WG685603
Chloride	mg/kg	566.	565.	102.	80-120	0.177	20	L661831-03	WG685756

Batch number /Run number / Sample number cross reference

WG685617: R2836800: L661628-01
WG685614: R2837284: L661628-01
WG685603: R2837746: L661628-01
WG685756: R2838165: L661628-01

* * Calculations are performed prior to rounding of reported values.

* Performance of this Analyte is outside of established criteria.

For additional information, please see Attachment A 'List of Analytes with QC Qualifiers.'



YOUR LAB OF CHOICE

XTO Energy - San Juan Division
Kurt Hoekstra
382 County Road 3100

Aztec, NM 87410

Quality Assurance Report
Level II

L661628

12065 Lebanon Rd.
Mt. Juliet, TN 37122
(615) 758-5858
1-800-767-5859
Fax (615) 758-5859

Tax I.D. 62-0814289

Est. 1970

October 09, 2013

The data package includes a summary of the analytic results of the quality control samples required by the SW-846 or CWA methods. The quality control samples include a method blank, a laboratory control sample, and the matrix spike/matrix spike duplicate analysis. If a target parameter is outside the method limits, every sample that is effected is flagged with the appropriate qualifier in Appendix B of the analytic report.

Method Blank - an aliquot of reagent water carried through the entire analytic process. The method blank results indicate if any possible contamination exposure during the sample handling, digestion or extraction process, and analysis. Concentrations of target analytes above the reporting limit in the method blank are qualified with the "B" qualifier.

Laboratory Control Sample - is a sample of known concentration that is carried through the digestion/extraction and analysis process. The percent recovery, expressed as a percentage of the theoretical concentration, has statistical control limits indicating that the analytic process is "in control". If a target analyte is outside the control limits for the laboratory control sample or any other control sample, the parameter is flagged with a "J4" qualifier for all effected samples.

Matrix Spike and Matrix Spike Duplicate - is two aliquots of an environmental sample that is spiked with known concentrations of target analytes. The percent recovery of the target analytes also has statistical control limits. If any recoveries that are outside the method control limits, the sample that was selected for matrix spike/matrix spike duplicate analysis is flagged with either a "J5" or a "J6". The relative percent difference (%RPD) between the matrix spike and the matrix spike duplicate recoveries is all calculated. If the RPD is above the method limit, the effected samples are flagged with a "J3" qualifier.

* Sample ID will be the office and sampler-date-military time FARJM-MMDDYY-1200

5547 0240.3169

0422



Analytical Report

Report Summary

Client: XTO Energy Inc.

Chain Of Custody Number: 0428

Samples Received: 10/8/2013 1:45:00PM

Job Number: 98031-0528

Work Order: P310028

Project Name/Location: McCoy Gas Com D #1E

Entire Report Reviewed By:

A handwritten signature in black ink, appearing to read 'Tim Cain', is written over a horizontal line.

Date: 10/10/13

Tim Cain, Laboratory Manager

Supplement to analytical report generated on: 10/10/13 8:38 am

The results in this report apply to the samples submitted to Envirotech's Analytical Laboratory and were analyzed in accordance with the chain of custody document supplied by you, the client, and as such are for your exclusive use only. The results in this report are based on the sample as received unless otherwise noted. Partial or incomplete reproduction of this report is prohibited, unless approved by Envirotech, Inc. If you have any questions regarding this analytical report, please don't hesitate to contact Envirotech's Laboratory Staff.



XTO Energy Inc.
382 CR 3100
Aztec NM, 87410

Project Name: McCoy Gas Com D #1E
Project Number: 98031-0528
Project Manager: James McDaniel

Reported:
10-Oct-13 08:40

Analytical Report for Samples

Client Sample ID	Lab Sample ID	Matrix	Sampled	Received	Container
Backfill Soil	P310028-01A	Soil	10/08/13	10/08/13	Glass Jar, 4 oz.

Partial or incomplete reproduction of this report is prohibited, unless approved by Envirotech, Inc.

5796 US Highway 64, Farmington, NM 87401

Three Springs • 65 Mercado Street, Suite 115, Durango, CO 81301

Ph (505) 632-0615 Fx (505) 632-1865

Ph (970) 259-0615 Fr (800) 362-1879

envirotech-inc.com
laboratory@envirotech-inc.com



XTO Energy Inc.
382 CR 3100
Aztec NM, 87410

Project Name: McCoy Gas Com D #1E
Project Number: 98031-0528
Project Manager: James McDaniel

Reported:
10-Oct-13 08:40

Backfill Soil
P310028-01 (Solid)

Analyte	Result	Reporting		Units	Dilution	Batch	Prepared	Analyzed	Method	Notes
		Limit								
Cation/Anion Analysis										
Chloride	10.2	9.90	mg/kg	1	1341021	10/09/13	10/09/13	EPA 300.0		

Partial or incomplete reproduction of this report is prohibited, unless approved by Envirotech, Inc.

5796 US Highway 64, Farmington, NM 87401

Three Springs - 65 Mercado Street, Suite 115, Durango, CO 81301

Ph (505) 632-0615 Fx (505) 632-1865

Ph (970) 259-0615 Fr (800) 362-1879

envirotech-inc.com
laboratory@envirotech-inc.com



XTO Energy Inc. 382 CR 3100 Aztec NM, 87410	Project Name: McCoy Gas Com D #1E Project Number: 98031-0528 Project Manager: James McDaniel	Reported: 10-Oct-13 08:40
---	--	------------------------------

Cation/Anion Analysis - Quality Control

Envirotech Analytical Laboratory

Analyte	Result	Reporting Limit	Units	Spike Level	Source Result	%REC	%REC Limits	RPD	RPD Limit	Notes
Batch 1341021 - Anion Extraction EPA 300.0										
Blank (1341021-BLK1)				Prepared & Analyzed: 09-Oct-13						
Chloride	ND	9.85	mg/kg							
LCS (1341021-BS1)				Prepared & Analyzed: 09-Oct-13						
Chloride	511	9.88	mg/kg	494		103	90-110			
Matrix Spike (1341021-MS1)				Source: P310014-01 Prepared & Analyzed: 09-Oct-13						
Chloride	518	9.86	mg/kg	493	ND	105	80-120			
Matrix Spike Dup (1341021-MSD1)				Source: P310014-01 Prepared & Analyzed: 09-Oct-13						
Chloride	514	9.86	mg/kg	493	ND	104	80-120	0.753	20	

Partial or incomplete reproduction of this report is prohibited, unless approved by Envirotech, Inc.

5796 US Highway 64, Farmington, NM 87401

Three Springs • 65 Mercado Street, Suite 115, Durango, CO 81301

Ph (505) 632-0615 Fx (505) 632-1865

Ph (970) 259-0615 Fr (800) 362-1879

envirotech-inc.com

laboratory@envirotech-inc.com



XTO Energy Inc.
382 CR 3100
Aztec NM, 87410

Project Name: McCoy Gas Com D #1E
Project Number: 98031-0528
Project Manager: James McDaniel

Reported:
10-Oct-13 08:40

Notes and Definitions

DET Analyte DETECTED
ND Analyte NOT DETECTED at or above the reporting limit
NR Not Reported
dry Sample results reported on a dry weight basis
RPD Relative Percent Difference

Partial or incomplete reproduction of this report is prohibited, unless approved by Envirotech, Inc.

5796 US Highway 64, Farmington, NM 87401

Three Springs • 65 Mercado Street, Suite 115, Durango, CO 81301

Ph (505) 632-0615 Fx (505) 632-1865

Ph (970) 259-0615 Fr (800) 362-1879

envirotech-inc.com
laboratory@envirotech-inc.com



XTO
ENERGY
Western Division

* Sample ID will be the office and sampler-date-military time FARJM-MMDDYY-1200



Well Below Tank Inspection Report

10/11/2013

Division Denver
Dates -
06/01/2008 - 10/11/2013
Type Route Stop
Type Value M

RouteName	StopName	Pumper	Foreman	WellName	APIWellNumber	Section	Range	Township			
DEN NM Run 85	MCCOY GAS COM D 01	Jensen, Dustin	Durham, Ken	MCCOY GC D 01E	3004524873	28	12W	30N			
InspectorName	Inspection Date	Inspection Time	Visible Liner Tears	VisibleTankLeak Overflow	Collection OfSurfaceRun	Visible LayerOil	Visible Leak	Freeboard EstFT	PitLocation	PitType	Notes
mg	08/22/2008	09:00	No	No	No	Yes	No	4			
mg	09/13/2008	08:00	No	No	No	Yes	No	4			
AC	10/02/2008	08:00	No	No	No	Yes	No	2			
AC	11/12/2008	08:00	No	No	No	Yes	No	4			
AC	12/29/2008	08:00	No	No	No	Yes	No	4			
AC	01/26/2009	08:00	No	No	No	Yes	No	4			
AC	02/18/2009	08:00	No	No	No	Yes	No	3	Well Water	Below Ground	
LIBBEY REED	03/09/2009	11:00	No	No	No	Yes	No	3	Well Water	Below G PIT	OK
AC	04/08/2009	11:00	No	No	No	Yes	No	3	Well Water	Below G PIT	OK
AC	05/11/2009	11:00	No	No	No	Yes	No	3	Well Water	Below G PIT	OK
AC	06/24/2009	11:00	No	No	No	Yes	No	3	Well Water	Below G PIT	OK
AC	12/22/2010	11:00	No	No	No	Yes	No	3	Well Water	Below G PIT	OK
AC	01/20/2011	11:00	No	No	No	Yes	No	3	Well Water	Below G PIT	OK
JT	05/09/2011	02:00	No	No	No	Yes	No	2	Well Water	Below Ground	
JT	8/23/2011	1:00	No	No	No	No	No		1 Well Water	Below Ground	
JT	8/24/2011	1:00	No	No	No	No	No		1 Well Water	Below Ground	
JT	9/28/2011	9:00	No	No	No	No	No		1 Well Water	Below Ground	
JT	11/17/2011	2:00	No	No	No	No	No		1 Well Water	Below Ground	
JT	12/20/2011	2:00	No	No	No	No	No		1 Well Water	Below Ground	
JT	1/23/2012	2:00	No	No	No	No	No		1 Well Water	Below Ground	
JT	2/27/2012	2:00	No	No	No	No	No		1 Well Water	Below Ground	
JT	3/29/2012	2:00	No	No	No	No	No		1 Well Water	Below Ground	
JT	4/30/2012	2:00	No	No	No	No	No		2 Well Water	Below Ground	
JT	5/29/2012	2:00	No	No	No	No	No		2 Well Water	Below Ground	
JT	6/29/2012	2:00	No	No	No	No	No		2 Well Water	Below Ground	
JT	7/26/2012	2:00	No	No	No	No	No		2 Well Water	Below Ground	
JT	8/23/2012	2:05	No	No	No	No	No		2 Well Water	Below Ground	
JT	9/25/2012	2:05	No	No	No	No	No		2 Well Water	Below Ground	
JT	10/25/2012	2:05	No	No	No	No	No		2 Well Water	Below Ground	
JT	11/27/2012	2:05	No	No	No	No	No		2 Well Water	Below Ground	
JT	12/24/2012	2:05	No	No	No	No	No		1 Well Water	Below Ground	
Dj	1/31/2013	2:05	No	No	No	No	No		1 Well Water	Below Ground	
Dj	2/28/2013	2:05	No	No	No	No	No		1 Well Water	Below Ground	
Dj	3/28/2013	2:05	No	No	No	No	No		1 Well Water	Below Ground	
Dj	4/30/2013	8:00	No	No	No	No	No		1 Well Water	Below Ground	
Dj	5/28/2013	1:10	No	No	No	No	No		1 Well Water	Below Ground	
Dj	6/27/2013	9:00	No	No	No	No	No		1 Well Water	Below Ground	
Dj	7/31/2013	9:00	No	No	No	No	No		1 Well Water	Below Ground	
Dj	9/30/2013	11:00	No	No	No	No	No		1 Well Water	Below Ground	



Regulatory Contact Form

XTO Contact Kurt Hoekstra


Well Site McCoy Gas Com D # 1E **API** 30-045-24873

Regulatory Agency NMOCD **Date** 10-4-2013

Agent Contacted Brandon Powell **Media (** Phone Call **/ Email / Letter)**

Notes: Required verbal notification for BGT closure activities

Agency Response Required? (Yes / No)





#382 County Road 3100, Aztec, NM 87410

Phone: (505)333-3100

Fax: (505)333-3280

COVER SHEET

RCVD NOV 1 '13
OIL CONS. DIV.
DIST. 3

Date: 10-31-2013

TO: Jonathan Kelly NMOCD

From: Kurt Hoekstra

Phone: (505) 333-3100

Fax: (505) 333-3280

RE: Correction to McCoy Gas Com D # 1E BGT Closure Report

Number of pages including cover sheet: 3

Message:

Hello Jonathan per our conversation on 10-30-2013 I am enclosing the corrected C-141. I changed the 600 ppm chlorides to 250 ppm for the closure standard. The closure report on page (2) I changed the chlorides limit from 600 ppm to 250 ppm, and removed the chloride backfill results .If there are any other issues please let me know.

Kurt Hoekstra
EHS Coordinator
XTO Energy
505-333-3202 Office
505-486-9543 Cell
Kurt_Hoekstra@xtoenergy.com

District I
1625 N. French Dr., Hobbs, NM 88240
District II
1301 W. Grand Avenue, Artesia, NM 88210
District III
1000 Rio Brazos Road, Aztec, NM 87410
District IV
1220 S. St. Francis Dr., Santa Fe, NM 87505

State of New Mexico
Energy Minerals and Natural Resources
Oil Conservation Division
1220 South St. Francis Dr.
Santa Fe, NM 87505

Form C-141
Revised October 10, 2003

Submit 2 Copies to appropriate
District Office in accordance
with Rule 116 on back
side of form

Release Notification and Corrective Action

OPERATOR

☐ Initial Report ☒ Final Report

Name of Company: XTO Energy, Inc.	Contact: Kurt Hoekstra
Address: 382 Road 3100, Aztec, New Mexico 87410	Telephone No.: (505) 333-3100
Facility Name: McCoy Gas Com D # 1E (30-045-24873)	Facility Type: Gas Well (Basin Dakota)

Surface Owner: Private	Mineral Owner:	Lease No: Fee
------------------------	----------------	---------------

LOCATION OF RELEASE

Unit Letter E	Section 28	Township 30N	Range 12W	Feet from the 1600	North/South Line FNL	Feet from the 1230	East/West Line FWL	County San Juan
------------------	---------------	-----------------	--------------	-----------------------	-------------------------	-----------------------	-----------------------	--------------------

Latitude: 36.78668 Longitude: -108.10751

NATURE OF RELEASE

Type of Release: N/A	Volume of Release: N/A	Volume Recovered: N/A
Source of Release: N/A	Date and Hour of Occurrence: N/A	Date and Hour of Discovery: N/A
Was Immediate Notice Given? <input type="checkbox"/> Yes <input type="checkbox"/> No <input checked="" type="checkbox"/> Not Required	If YES, To Whom?	
By Whom?	Date and Hour	RCVD NOV 1 '13
Was a Watercourse Reached? <input type="checkbox"/> Yes <input checked="" type="checkbox"/> No	If YES, Volume Impacting the Watercourse. OIL CONS. DIV. DIST. 3	

If a Watercourse was Impacted, Describe Fully.*

Describe Cause of Problem and Remedial Action Taken.* The below grade tank was removed at the McCoy Gas Com D # 1E well site due to facility upgrades at the well site. The BGT cellar beneath the BGT was sampled for TPH via USEPA Method 8015 and 418.1, for BTEX via USEPA Method 8021, and for total chlorides. The sample returned results below the 'pit rule' standards of 100 ppm TPH, 10 ppm benzene, 50 ppm total BTEX, and 250 ppm for chlorides, confirming that a release has not occurred at this location.

Describe Area Affected and Cleanup Action Taken.* No release has been confirmed for this location, and no further action is required.

I hereby certify that the information given above is true and complete to the best of my knowledge and understand that pursuant to NMOCD rules and regulations all operators are required to report and/or file certain release notifications and perform corrective actions for releases which may endanger public health or the environment. The acceptance of a C-141 report by the NMOCD marked as "Final Report" does not relieve the operator of liability should their operations have failed to adequately investigate and remediate contamination that pose a threat to ground water, surface water, human health or the environment. In addition, NMOCD acceptance of a C-141 report does not relieve the operator of responsibility for compliance with any other federal, state, or local laws and/or regulations.

OIL CONSERVATION DIVISION

Signature:



Approved by District Supervisor:

Printed Name: Kurt Hoekstra

Title: Environmental Coordinator

Approval Date:

Expiration Date:

E-mail Address: Kurt.Hoekstra@xtoenergy.com

Conditions of Approval:

Attached ☐

Date: 10-11-2013

Phone: 505-333-3100

6. XTO will remove any on-site equipment associated with a below-grade tank unless the equipment is required for some other purpose.

All equipment will remain on location for the continued production of oil and gas.

7. XTO will test the soils beneath the below-grade tank to determine whether a release has occurred. At a minimum 5 point composite sample will be collected along with individual grab samples from any area that is wet, discolored or showing other evidence of a release. Samples will be analyzed for BTEX, TPH and chlorides to demonstrate that the benzene concentration, as determined by EPA SW-846 methods 8021B or 8260B or EPA method that the division approves, does not exceed 0.2 mg/kg; total BTEX concentration, as determined by EPA SW-846 methods 8021B or 8260B or other EPA method that the division approves, does not exceed 50 mg/kg; the TPH concentration, as determined by EPA method 418.1 or other EPA method that the division approves, does not exceed 100mg/kg; and the chloride concentration, as determined by EPA method 300.1 or other EPA method that the division approves, does not exceed 250 mg/kg, or the background concentration, whichever is greater. XTO will notify the division of its results on form C-141.

A composite sample was taken of the pit using sampling tools and all samples tested per Subsection B of 19.15.17.1 3(B)(1)(b). (Sample results attached).

Components	Test Method	Limit (mg/Kg)	Results (mg/Kg)
Benzene	EPA SW-846 8021B or 8260B	10	< 0.0028 mg/kg
BTEX	EPA SW-846 8021B or 8260B	50	< 0.042 mg/kg
TPH	EPA SW-846 418.1	100	24 mg/kg
Chlorides	EPA 300.1	250	< 11 mg/kg

8. If XTO or the division determines that a release has occurred, XTO will comply with 19.15.3.116 NMAC and 19.15.1.19NMAC as appropriate.
No release has been confirmed at this site.

9. If the sampling program demonstrates that a release has not occurred or that any release does not exceed the concentrations specified in Paragraph (4) of Subsection E of 19.15.17.13 NMAC, XTO will backfill the excavation with compacted, non-waste containing, earthen material; construct a division prescribed soil cover; recontour and re-vegetate the site.
The pit cellar was backfilled using compacted, non-waste containing earthen material, with a division prescribed soil cover.

10. Notice of Closure operations will be given to the Aztec Division District III office between 72 hours and one week prior to the start of closure activities via email or verbally.
The notification will include the following:
- Operator's name
 - Well Name and API Number
 - Location by Unit Letter, Section, Township, and Range

Written notification was provided to Mr. Brandon Powell with the Aztec office of the OCD via email on October 4th, 2013; see attached email printout. Verbal notification was also given on October 4th, 2013 at approximately 8:30 am. by phone.