

UNITED STATES
DEPARTMENT OF THE INTERIOR
BUREAU OF LAND MANAGEMENT

CONFIDENTIAL

FORM APPROVED
OMB NO. 1004-0137
Expires: October 31, 2014

WELL COMPLETION OR RECOMPLETION REPORT AND LOG

5. Lease Serial No.
NMNM 112955

a. Type of Well Oil Well Gas Well Dry Other
b. Type of Completion: New Well Work Over Deepen Plug Back Diff. Res.

6. If Indian, Allottee or Tribe Name

2. Name of Operator
Encana Oil & Gas (USA) Inc.

7. Unit or CA Agreement Name and No.
Report To Lease
Escrito M07-2409 01H

3. Address 370 17th Street, Suite 1700
Denver, CO 80202 ATTN: AMANDA CAVOTO

9. API Well No.
30-045-35435 - 0051

4. Location of Well (Report location clearly and in accordance with Federal requirements)*
At surface 1026' FSL and 503' FWL Sec 7 T24N R9W
At top prod. interval reported below 1981' FSL and 437' FEL Sec 12 T24N R10W
At total depth 1976' FSL and 340' FWL Sec 12 T24N R10W

10. Field and Pool or Exploratory
Bisti Lower-Gallup
11. Sec., T., R., M., on Block and Survey or Area Sec 7, T24N, R9W

12. County or Parish San Juan
13. State NM

14. Date Spudded 06/19/2013
15. Date T.D. Reached 06/30/2013
16. Date Completed 08/27/2013
 D & A Ready to Prod.

17. Elevations (DF, RKB, RT, GL)*
6910' GL

18. Total Depth: MD 10955'
TVD 5529'

20. Depth Bridge Plug Set: MD 6589'
TVD 5543'

21. Type Electric & Other Mechanical Logs Run (Submit copy of each)
NONE

22. Was well cored? No Yes (Submit analysis)
Was DST run? No Yes (Submit report)
Directional Survey? No Yes (Submit copy)

23. Casing and Liner Record (Report all strings set in well)

Hole Size	Size/Grade	Wt. (#/ft.)	Top (MD)	Bottom (MD)	Stage Cementer Depth	No. of Sks. & Type of Cement	Slurry Vol. (BBL)	Cement Top*	Amount Pulled
12.25"	9.625"/J55	36	Surface	510'	N/A	224sks Type III	55	Surface (Cir)	N/A
8.75"	7"/J55	26	Surface	6176'	2118'	550sks Prem Lt	209	Surface (Cir)	N/A
"	"	"	"	"	"	200sks Type III	49	"	"
6.125"	4.5"/SB80	11.6	5972'	10951'	N/A	N/A*	N/A	N/A	N/A

24. Tubing Record

Size	Depth Set (MD)	Packer Depth (MD)	Size	Depth Set (MD)	Packer Depth (MD)	Size	Depth Set (MD)	Packer Depth (MD)
2.875"	6200'	Nipple at 5306'						

25. Producing Intervals

Formation	Top	Bottom	Perforated Interval	Size	No. Holes	Perf. Status
A) Gallup	6278	10,955	6619'-10880'	0.4"	612	Open
B)						
C)						
D)						

27. Acid, Fracture, Treatment, Cement Squeeze, etc.

Depth Interval	Amount and Type of Material
6619'-10880'	Please see attached Hydraulic Fracturing Fluid Component Information Disclosure.

28. Production - Interval A

Date First Produced	Test Date	Hours Tested	Test Production	Oil BBL	Gas MCF	Water BBL	Oil Gravity Corr. API	Gas Gravity	Production Method
8/25/13	9/8/13	24	→	373	2880	521	unknown	unknown	Flowback
Choke Size	Tbg. Press. Flwg. SI	Csg. Press.	24 Hr. Rate	Oil BBL	Gas MCF	Water BBL	Gas/Oil Ratio	Well Status	
28/64	500	809	→	373	2880	521	5528 cuft/bbl	Flowing	

28a. Production - Interval B

Date First Produced	Test Date	Hours Tested	Test Production	Oil BBL	Gas MCF	Water BBL	Oil Gravity Corr. API	Gas Gravity	Production Method
			→						
Choke Size	Tbg. Press. Flwg. SI	Csg. Press.	24 Hr. Rate	Oil BBL	Gas MCF	Water BBL	Gas/Oil Ratio	Well Status	
			→						

*(See instructions and spaces for additional data on page 2)

RECEIVED
SEP 11 2013
Farmington Field Office
Oil and Management

RCVD SEP 19 '13
OIL CONS. DIV.
DIST. 3

ACCEPTED FOR RECORD
SEP 11 2013

NMOCDA

FARMINGTON FIELD OFFICE
BY William Tambekou

28b. Production - Interval C

Date First Produced	Test Date	Hours Tested	Test Production →	Oil BBL	Gas MCF	Water BBL	Oil Gravity Corr. API	Gas Gravity	Production Method
Choke Size	Tbg. Press. Flwg. SI	Csg. Press.	24 Hr. Rate →	Oil BBL	Gas MCF	Water BBL	Gas/Oil Ratio	Well Status	

28c. Production - Interval D

Date First Produced	Test Date	Hours Tested	Test Production →	Oil BBL	Gas MCF	Water BBL	Oil Gravity Corr. API	Gas Gravity	Production Method
Choke Size	Tbg. Press. Flwg. SI	Csg. Press.	24 Hr. Rate →	Oil BBL	Gas MCF	Water BBL	Gas/Oil Ratio	Well Status	

29. Disposition of Gas (Solid, used for fuel, vented, etc.)
Flared

30. Summary of Porous Zones (Include Aquifers):

Show all important zones of porosity and contents thereof: Cored intervals and all drill-stem tests, including depth interval tested, cushion used, time tool open, flowing and shut-in pressures and recoveries.

31. Formation (Log) Markers

Fruitland Coal 1511', Pictured Cliffs 1778', Lewis Shale 1932', Cliffhouse Sandstone 2586', Menefee 3306', Point Lookout 4233', Mancos 4445', Gallup 5256'

Formation	Top	Bottom	Descriptions, Contents, etc.	Name	Top
					Meas. Depth
Gallup	5256'	5566'	Oil, Gas	Gallup	5244'

32. Additional remarks (include plugging procedure):

*Set 18 external swellable casing packers for isolation of production string at the following depths: (1) 10,675.77 (2) 10,448.38 (3) 10,176.51 (4) 9,914.86 (5) 9,648.99 (6) 9,385.18 (7) 9,118.79 (8) 8,858.32 (9) 8,592.96 (10) 8,370.79 (11) 8,106.62 (12) 7,844.06 (13) 7,582.66 (14) 7,320.98 (15) 7,060.73 (16) 6,799.12 (17) 6,537.62 (18) 6,278.30.

33. Indicate which items have been attached by placing a check in the appropriate boxes:

- Electrical/Mechanical Logs (1 full set req'd.)
 Geologic Report
 DST Report
 Directional Survey
 Sundry Notice for plugging and cement verification
 Core Analysis
 Other: Lithology Record, Hydraulic Frac Fluid Disclosure

34. I hereby certify that the foregoing and attached information is complete and correct as determined from all available records (see attached instructions)*

Name (please print) Amanda Cavoto Title Engineering Technologist
 Signature *Amanda Cavoto* Date 9/10/13

Title 18 U.S.C. Section 1001 and Title 43 U.S.C. Section 1212, make it a crime for any person knowingly and willfully to make to any department or agency of the United States any false, fictitious or fraudulent statements or representations as to any matter within its jurisdiction.

INSTRUCTIONS

This form is to be filed with the appropriate District Office of the Division not later than 20 days after the completion of any newly-drilled or deepened well and not later than 60 days after completion of closure. When submitted as a completion report, this shall be accompanied by one copy of all electrical and radio-activity logs run on the well and a summary of all special tests conducted, including drill stem tests. All depths reported shall be measured depths. In the case of directionally drilled wells, true vertical depths shall also be reported. For multiple completions, items 11, 12 and 26-31 shall be reported for each zone.

INDICATE FORMATION TOPS IN CONFORMANCE WITH GEOGRAPHICAL SECTION OF STATE

Southeastern New Mexico		Northwestern New Mexico	
T. Anhy	T. Canyon	T. Ojo Alamo 948'	T. Penn A"
T. Salt	T. Strawn	T. Kirtland 1131'	T. Penn. "B"
B. Salt	T. Atoka	T. Fruitland 1511'	T. Penn. "C"
T. Yates	T. Miss	T. Pictured Cliffs 1778'	T. Penn. "D"
T. 7 Rivers	T. Devonian	T. Cliff House 2586'	T. Leadville
T. Queen	T. Silurian	T. Menefee 3306'	T. Madison
T. Grayburg	T. Montoya	T. Point Lookout 4233'	T. Elbert
T. San Andres	T. Simpson	T. Mancos 4445'	T. McCracken
T. Glorieta	T. McKee	T. Gallup 5226'	T. Ignacio Otzte
T. Paddock	T. Ellenburger	Base Greenhorn	T. Granite
T. Blinebry	T. Gr. Wash	T. Dakota	
T. Tubb	T. Delaware Sand	T. Morrison	
T. Drinkard	T. Bone Springs	T. Todilto	
T. Abo	T.	T. Entrada	
T. Wolfcamp	T.	T. Wingate	
T. Penn	T.	T. Chinle	
T. Cisco (Bough C)	T.	T. Permian	

OIL OR GAS SANDS OR ZONES

No. 1, from.....5226'.....to.....5546'.....
 No. 2, from.....to.....
 No. 3, from.....to.....
 No. 4, from.....to.....

IMPORTANT WATER SANDS

Include data on rate of water inflow and elevation to which water rose in hole.

No. 1, from.....to.....feet.....
 No. 2, from.....to.....feet.....
 No. 3, from.....to.....feet.....

LITHOLOGY RECORD (Attach additional sheet if necessary)

From	To	Thickness In Feet	Lithology	From	To	Thickness In Feet	Lithology
0	1131'	1131'	Tertiary non-marine clastics (Sandstone, Siltstone, Shale); braided/anastomosing fluvial, alluvial plain setting, volcanoclastic sediments				
1131	1778'	647'	Cretaceous Coastal plain meandering fluvial sandstones, overbank floodplain mudstones, well developed coal (FRLD)				
1778	3306'	1,528'	Regressive nearshore marine sandstone (PCCF), marine shale (Lewis SH), transgressive nearshore marine sandstone (CLCH/Chacra)				
3306	4233'	927'	Coastal plain non-marine (Menefee) meandering fluvial sandstone, overbank floodplain mudstone (carbonaceous shale), minor coal				
4233	4445'	212'	Regressive, progradational near-shore marine shoreface sandstone (PNLK)				
4445	5226'	781'	Marine Shale/Siltstone (MNCS) and submarine sandstone (GLLP);				