Form C-144 Revised June 6, 2013

District I 1625 N. French Dr., Hobbs, NM 88240 District II 811 S. First St., Artesia, NM 88210 District III 1000 Rio Brazos Road, Aztec, NM 87410 <u>District IV</u> 1220 S. St. Francis Dr., Santa Fe, NM 87505

State of New Mexico Energy Minerals and Natural Resources Department Oil Conservation Division 1220 South St. Francis Dr. Santa Fe NM 87505

For temporary pits, below-grade tanks, and multi-well fluid management pits, submit to the appropriate NMOCD District Office.

For permanent pits submit to the Santa Fe Environmental Bureau office and provide a copy to the appropriate NMOCD District Office.

Sumu 10, 1111 07505 to the appropriate 1111005 biother officer
Pit, Below-Grade Tank, or Proposed Alternative Method Permit or Closure Plan Application
Type of action: Below grade tank registration Permit of a pit or proposed alternative method Closure of a pit, below-grade tank, or proposed alternative method Modification to an existing permit/or registration Closure plan only submitted for an existing permitted or non-permitted pit, below-grade tank, or proposed alternative method
Instructions: Please submit one application (Form C-144) per individual pit, below-grade tank or alternative request
Please be advised that approval of this request does not relieve the operator of liability should operations result in pollution of surface water, ground water or the environment. Nor does approval relieve the operator of its responsibility to comply with any other applicable governmental authority's rules, regulations or ordinances.
Operator: Burlington Resources Oil & Gas Company LP OGRID#: 14538
Address: PO BOX 4289, Farmington, NM 87499
Facility or well name: San Juan 27-4 Unit 123P
API Number: 30-039-30591 OCD Permit Number:
U/L or Qtr/Qtr J (NWSE) Section 7 Township 27N Range 4W County: Rio Arriba
Center of Proposed Design: Latitude 36.585914 °N Longitude 107.291311 °W NAD: □1927 ⋈ 1983
Surface Owner: M Federal M State Private Tribal Trust or Indian Allotment
☑ Pit: Subsection F, G or J of 19.15.17.11 NMAC This Closure was found during our internal audit, please see attached explanation. Temporary: ☑ Drilling ☐ Workover ☐ Permanent ☐ Emergency ☐ Cavitation ☐ P&A ☐ Multi-Well Fluid Management Low Chloride Drilling Fluid ☒ yes ☐ no ☒ Lined ☐ Unlined Liner type: Thickness _ 20mil ☒ LLDPE ☐ PVC ☐ Other ☒ String-Reinforced Liner Seams: ☒ Welded ☒ Factory ☐ Other Volume:7700bbl _ Dimensions: L120'x x W _55'x D _12'
3. Delow-grade tank: Subsection I of 19.15.17.11 NMAC RCVD DEC 5 '13
Volume:bbl Type of fluid: OIL CONS. DIV.
Tank Construction material: Metal DIST. 3
Secondary containment with leak detection Visible sidewalls, liner, 6-inch lift and automatic overflow shut-off
☐ Visible sidewalls and liner ☐ Visible sidewalls only ☐ Other
Liner type: Thickness mil
4. Alternative Method: Submittal of an exception request is required. Exceptions must be submitted to the Santa Fe Environmental Bureau office for consideration of approval.
s, Fencing: Subsection D of 19.15.17.11 NMAC (Applies to permanent pits, temporary pits, and below-grade tanks) Chain link, six feet in height, two strands of barbed wire at top (Required if located within 1000 feet of a permanent residence, school, hospital, institution or church) Four foot height, four strands of barbed wire evenly spaced between one and four feet

Page 1 of 6 33 10

☐ Alternate. Please specify_

Netting: Subsection E of 19.15.17.11 NMAC (Applies to permanent pits and permanent open top tanks) Screen Netting Other	
Monthly inspections (If netting or screening is not physically feasible)	
7. Signs: Subsection C of 19.15.17.11 NMAC □ 12"x 24", 2" lettering, providing Operator's name, site location, and emergency telephone numbers □ Signed in compliance with 19.15.16.8 NMAC	
Variances and Exceptions: Justifications and/or demonstrations of equivalency are required. Please refer to 19.15.17 NMAC for guidance. Please check a box if one or more of the following is requested, if not leave blank: Variance(s): Requests must be submitted to the appropriate division district for consideration of approval. Exception(s): Requests must be submitted to the Santa Fe Environmental Bureau office for consideration of approval.	
9. Siting Criteria (regarding permitting): 19.15.17.10 NMAC Instructions: The applicant must demonstrate compliance for each siting criteria below in the application. Recommendations of acceptant are provided below. Siting criteria does not apply to drying pads or above-grade tanks.	otable source
General siting	
Ground water is less than 25 feet below the bottom of a low chloride temporary pit or below-grade tank. - □ NM Office of the State Engineer - iWATERS database search; □ USGS; ☑ Data obtained from nearby wells	☐ Yes ☐ No ☐ NA
Ground water is less than 50 feet below the bottom of a Temporary pit, permanent pit, or Multi-Well Fluid Management pit. NM Office of the State Engineer - iWATERS database search; USGS; Data obtained from nearby wells	Yes No
Within incorporated municipal boundaries or within a defined municipal fresh water well field covered under a municipal ordinance adopted pursuant to NMSA 1978, Section 3-27-3, as amended. (Does not apply to below grade tanks) - Written confirmation or verification from the municipality; Written approval obtained from the municipality	☐ Yes ☐ No
Within the area overlying a subsurface mine. (Does not apply to below grade tanks) - Written confirmation or verification or map from the NM EMNRD-Mining and Mineral Division	☐ Yes ☐ No
Within an unstable area. (Does not apply to below grade tanks) - Engineering measures incorporated into the design; NM Bureau of Geology & Mineral Resources; USGS; NM Geological Society; Topographic map	☐ Yes ☐ No
Within a 100-year floodplain. (Does not apply to below grade tanks) - FEMA map	Yes No
Below Grade Tanks	
Within 100 feet of a continuously flowing watercourse, significant watercourse, lake bed, sinkhole, wetland or playa lake (measured from the ordinary high-water mark). - Topographic map; Visual inspection (certification) of the proposed site	☐ Yes ☐ No
Within 200 horizontal feet of a spring or a fresh water well used for public or livestock consumption;. - NM Office of the State Engineer - iWATERS database search; Visual inspection (certification) of the proposed site	☐ Yes ☐ No
Temporary Pit using Low Chloride Drilling Fluid (maximum chloride content 15,000 mg/liter)	
Within 100 feet of a continuously flowing watercourse, or any other significant watercourse or within 200 feet of any lakebed, sinkhole, or playa lake (measured from the ordinary high-water mark). (Applies to low chloride temporary pits.) - Topographic map; Visual inspection (certification) of the proposed site	Yes No
Within 300 feet from a occupied permanent residence, school, hospital, institution, or church in existence at the time of initial	Yes No
 application. Visual inspection (certification) of the proposed site; Aerial photo; Satellite image 	
Within 200 horizontal feet of a spring or a private, domestic fresh water well used by less than five households for domestic or stock watering purposes, or 300feet of any other fresh water well or spring, in existence at the time of the initial application. NM Office of the State Engineer - iWATERS database search; Visual inspection (certification) of the proposed site	☐ Yes ☐ No

 Within 100 feet of a wetland. US Fish and Wildlife Wetland Identification map; Topographic map; Visual inspection (certification) of the proposed site 	☐ Yes ☐ No							
Temporary Pit Non-low chloride drilling fluid								
Within 300 feet of a continuously flowing watercourse, or any other significant watercourse, or within 200 feet of any lakebed, sinkhole, or playa lake (measured from the ordinary high-water mark). - Topographic map; Visual inspection (certification) of the proposed site	☐ Yes ☐ No							
Within 300 feet from a permanent residence, school, hospital, institution, or church in existence at the time of initial application. - Visual inspection (certification) of the proposed site; Aerial photo; Satellite image								
Within 500 horizontal feet of a spring or a private, domestic fresh water well used by less than five households for domestic or stock watering purposes, or 1000 feet of any other fresh water well or spring, in the existence at the time of the initial application; - NM Office of the State Engineer - iWATERS database search; Visual inspection (certification) of the proposed site	Yes No							
Within 300 feet of a wetland. - US Fish and Wildlife Wetland Identification map; Topographic map; Visual inspection (certification) of the proposed site	☐ Yes ☐ No							
Permanent Pit or Multi-Well Fluid Management Pit								
Within 300 feet of a continuously flowing watercourse, or 200 feet of any other significant watercourse, or lakebed, sinkhole, or playa lake (measured from the ordinary high-water mark).								
- Topographic map; Visual inspection (certification) of the proposed site	☐ Yes ☐ No							
Within 1000 feet from a permanent residence, school, hospital, institution, or church in existence at the time of initial application. - Visual inspection (certification) of the proposed site; Aerial photo; Satellite image								
Within 500 horizontal feet of a spring or a fresh water well used for domestic or stock watering purposes, in existence at the time of initial application.								
- NM Office of the State Engineer - iWATERS database search; Visual inspection (certification) of the proposed site	Yes No							
Within 500 feet of a wetland. - US Fish and Wildlife Wetland Identification map; Topographic map; Visual inspection (certification) of the proposed site	☐ Yes ☐ No							
Temporary Pits, Emergency Pits, and Below-grade Tanks Permit Application Attachment Checklist: Subsection B of 19.15.17.9 N Instructions: Each of the following items must be attached to the application. Please indicate, by a check mark in the box, that the docattached.								
Hydrogeologic Report (Below-grade Tanks) - based upon the requirements of Paragraph (4) of Subsection B of 19.15.17.9 NMAC Hydrogeologic Data (Temporary and Emergency Pits) - based upon the requirements of Paragraph (2) of Subsection B of 19.15.17.9 Siting Criteria Compliance Demonstrations - based upon the appropriate requirements of 19.15.17.10 NMAC Design Plan - based upon the appropriate requirements of 19.15.17.11 NMAC Operating and Maintenance Plan - based upon the appropriate requirements of 19.15.17.12 NMAC Closure Plan (Please complete Boxes 14 through 18, if applicable) - based upon the appropriate requirements of Subsection C of 19. and 19.15.17.13 NMAC	15.17.9 NMAC							
Previously Approved Design (attach copy of design) API Number: or Permit Number:								
Multi-Well Fluid Management Pit Checklist: Subsection B of 19.15.17.9 NMAC Instructions: Each of the following items must be attached to the application. Please indicate, by a check mark in the box, that the document of the following items must be attached to the application. Please indicate, by a check mark in the box, that the document of the following items must be attached. Design Plan - based upon the appropriate requirements of 19.15.17.11 NMAC Operating and Maintenance Plan - based upon the appropriate requirements of 19.15.17.12 NMAC A List of wells with approved application for permit to drill associated with the pit. Closure Plan (Please complete Boxes 14 through 18, if applicable) - based upon the appropriate requirements of Subsection C of 19 and 19.15.17.13 NMAC Hydrogeologic Data - based upon the requirements of Paragraph (4) of Subsection B of 19.15.17.9 NMAC Siting Criteria Compliance Demonstrations - based upon the appropriate requirements of 19.15.17.10 NMAC Previously Approved Design (attach copy of design) API Number: or Permit Number:	.15.17.9 NMAC							

Permanent Pits Permit Application Checklist: Subsection B of 19.15.17.9 NMAC							
Instructions: Each of the following items must be attached to the application. Please indicate, by a check mark in the box, that the attached. Hydrogeologic Report - based upon the requirements of Paragraph (1) of Subsection B of 19.15.17.9 NMAC Siting Criteria Compliance Demonstrations - based upon the appropriate requirements of 19.15.17.10 NMAC Climatological Factors Assessment Certified Engineering Design Plans - based upon the appropriate requirements of 19.15.17.11 NMAC Dike Protection and Structural Integrity Design - based upon the appropriate requirements of 19.15.17.11 NMAC Leak Detection Design - based upon the appropriate requirements of 19.15.17.11 NMAC Liner Specifications and Compatibility Assessment - based upon the appropriate requirements of 19.15.17.11 NMAC Quality Control/Quality Assurance Construction and Installation Plan Operating and Maintenance Plan - based upon the appropriate requirements of 19.15.17.12 NMAC Freeboard and Overtopping Prevention Plan - based upon the appropriate requirements of 19.15.17.11 NMAC Nuisance or Hazardous Odors, including H ₂ S, Prevention Plan Emergency Response Plan Oil Field Waste Stream Characterization Monitoring and Inspection Plan Erosion Control Plan Closure Plan - based upon the appropriate requirements of Subsection C of 19.15.17.9 NMAC and 19.15.17.13 NMAC	aocuments are						
13. Proposed Closure: 19.15.17.13 NMAC Instructions: Please complete the applicable boxes, Boxes 14 through 18, in regards to the proposed closure plan.							
Type: Drilling Workover Emergency Cavitation P&A Permanent Pit Below-grade Tank Multi-well F	luid Management Pit						
☐ Alternative Proposed Closure Method: ☐ Waste Excavation and Removal ☐ Waste Removal (Closed-loop systems only) ☐ On-site Closure Method (Only for temporary pits and closed-loop systems) ☐ In-place Burial ☐ On-site Trench Burial ☐ Alternative Closure Method							
Waste Excavation and Removal Closure Plan Checklist: (19.15.17.13 NMAC) Instructions: Each of the following items must be closure plan. Please indicate, by a check mark in the box, that the documents are attached. □ Protocols and Procedures - based upon the appropriate requirements of 19.15.17.13 NMAC □ Confirmation Sampling Plan (if applicable) - based upon the appropriate requirements of Subsection C of 19.15.17.13 NMAC □ Disposal Facility Name and Permit Number (for liquids, drilling fluids and drill cuttings) □ Soil Backfill and Cover Design Specifications - based upon the appropriate requirements of Subsection H of 19.15.17.13 NMAC □ Re-vegetation Plan - based upon the appropriate requirements of Subsection H of 19.15.17.13 NMAC							
15. Siting Criteria (regarding on-site closure methods only): 19.15.17.10 NMAC Instructions: Each siting criteria requires a demonstration of compliance in the closure plan. Recommendations of acceptable south provided below. Requests regarding changes to certain siting criteria require justifications and/or demonstrations of equivalency. I 19.15,17.10 NMAC for guidance.							
Ground water is less than 25 feet below the bottom of the buried waste. - NM Office of the State Engineer - iWATERS database search; USGS; Data obtained from nearby wells	☐ Yes ☐ No ☐ NA						
Ground water is between 25-50 feet below the bottom of the buried waste - NM Office of the State Engineer - iWATERS database search; USGS; Data obtained from nearby wells	☐ Yes ☐ No ☐ NA						
Ground water is more than 100 feet below the bottom of the buried waste. - NM Office of the State Engineer - iWATERS database search; USGS; Data obtained from nearby wells	Yes No						
Within 100 feet of a continuously flowing watercourse, or 200 feet of any other significant watercourse, lakebed, sinkhole, or playa ake (measured from the ordinary high-water mark). - Topographic map; Visual inspection (certification) of the proposed site							
Vithin 300 feet from a permanent residence, school, hospital, institution, or church in existence at the time of initial application. - Visual inspection (certification) of the proposed site; Aerial photo; Satellite image □ Yes □ No							
Vithin 300 horizontal feet of a private, domestic fresh water well or spring used for domestic or stock watering purposes, in existence the time of initial application. - NM Office of the State Engineer - iWATERS database; Visual inspection (certification) of the proposed site							
Written confirmation or verification from the municipality; Written approval obtained from the municipality	☐ Yes ☐ No						
Within 300 feet of a wetland. US Fish and Wildlife Wetland Identification map; Topographic map; Visual inspection (certification) of the proposed site	☐ Yes ☐ No						
Within incorporated municipal boundaries or within a defined municipal fresh water well field covered under a municipal ordinance							

adopted pursuant to NMSA 1978, Section 3-27-3, as amended. - Written confirmation or verification from the municipality; Written approval obtained from the municipality Yes										
Within the area overlying a subsurface mine. - Written confirmation or verification or map from the NM EMNRD-Mining and Mineral Division	☐ Yes ☐ No									
Within an unstable area. - Engineering measures incorporated into the design; NM Bureau of Geology & Mineral Resources; USGS; NM Geological Society; Topographic map										
Within a 100-year floodplain FEMA map										
16.										
On-Site Closure Plan Checklist: (19.15.17.13 NMAC) Instructions: Each of the following items must be attached to the closure plan. Please indicate, by a check mark in the box, that the documents are attached. Siting Criteria Compliance Demonstrations - based upon the appropriate requirements of 19.15.17.10 NMAC Proof of Surface Owner Notice - based upon the appropriate requirements of Subsection E of 19.15.17.13 NMAC Construction/Design Plan of Burial Trench (if applicable) based upon the appropriate requirements of Subsection K of 19.15.17.11 NMAC Construction/Design Plan of Temporary Pit (for in-place burial of a drying pad) - based upon the appropriate requirements of 19.15.17.13 NMAC Protocols and Procedures - based upon the appropriate requirements of 19.15.17.13 NMAC Confirmation Sampling Plan (if applicable) - based upon the appropriate requirements of 19.15.17.13 NMAC Waste Material Sampling Plan - based upon the appropriate requirements of 19.15.17.13 NMAC Sicil Cover Design - based upon the appropriate requirements of Subsection H of 19.15.17.13 NMAC Re-vegetation Plan - based upon the appropriate requirements of Subsection H of 19.15.17.13 NMAC Site Reclamation Plan - based upon the appropriate requirements of Subsection H of 19.15.17.13 NMAC										
Operator Application Certification: I hereby certify that the information submitted with this application is true, accurate and complete to the best of my knowledge and believed.	ief.									
Name (Print): Title:										
Signature: Date:										
e-mail address: Telephone:										
18.										
OCD Approval: ☐ Permit Application (including closure plan) ☐ Closure Plan (only)-☐ OCD Conditions (see attachment)	la >									
OCD Representative Signature: Approval Date: Approval Date:	<i>1</i> ∞13									
\sim 11 \sim 711 \sim	1 <u>8013</u>									
OCD Representative Signature: Approval Date: Approval Date:										
OCD Representative Signature: Title: OCD Permit Number: OCD Permit Number: 19. Closure Report (required within 60 days of closure completion): 19.15.17.13 NMAC Instructions: Operators are required to obtain an approved closure plan prior to implementing any closure activities and submitting The closure report is required to be submitted to the division within 60 days of the completion of the closure activities. Please do not										
OCD Representative Signature: Title: OCD Permit Number: OCD Permit Number: Closure Report (required within 60 days of closure completion): 19.15.17.13 NMAC Instructions: Operators are required to obtain an approved closure plan prior to implementing any closure activities and submitting The closure report is required to be submitted to the division within 60 days of the completion of the closure activities. Please do not section of the form until an approved closure plan has been obtained and the closure activities have been completed.	complete this									

Operator Closure Certification:	
I hereby certify that the information and attachments submitted with this closure report belief. I also certify that the closure complies with all applicable closure requirements	
Name (Print): Kenny Davis	Title: Staff Regulatory Technician
Signature:	Date: 12/4/13
e-mail address: kenny.r.davis@conocophillips.com	Telephone: 505-599-4045

Burlington Resources Oil Gas Company, LP San Juan Basin Closure Report

Lease Name: SAN JUAN 27-4 UNIT 123P

API No.: 30-0039-30591

In accordance with Rule 19.15.17.13 NMAC the following information describes the closure of the temporary pit referenced above. All proper documentation regarding closure activities is being included with the C-144. The temporary pit for this location was constructed and location drilled before June 16, 2008 (effective date for Rule 19.15.17). While closure of the temporary pit did fall within the rule some dates for submittals are after the rig release date.

- Details on Capping and Covering, where applicable. (See report)
- Plot Plan (Pit Diagram) (Included as an attachment)
- Inspection Reports (Included as an attachment)
- Sampling Results (Included as an attachment)
- C-105 (Included as an attachment)
- C-141 (Included as an attachment)
- Copy of Deed Notice will be filed with County Clerk (Not required on Federal, State, or Tribal land as stated by FAQ dated October 30, 2008)

General Plan:

1. All free standing liquids will be removed at the start of the pit closure process from the pit and disposed of in a division—approved facility or recycle, reuse or reclaim the liquids in a manner that the appropriate division district office approves.

All recovered liquids were disposed of at Basin Disposal (Permit #NM-01-005) any sludge or soil required to be removed to facilitate closure was hauled to Envirotech Land Farm (Permit #NM-01-011) and JFJ Landfarm % IEI (Permit #NM-01-0010B).

2. The surface owner shall be notified of BR's closing of the temporary pit as per the approved closure plan using certified mail, return receipt requested.

The closure process notification to the landowner was sent via email. (See Attached)(Well located on FederalLand, certified mail is not required for Federal Land per BLM/OCD MOU.)

3. Within 6 months of the Rig Off status occurring BR will ensure that temporary pits are closed, re-contoured, and reseeded. This condition was met within the allowed time frame.

PARTIAL DIG AND HAUL

- 4. Notice of Closure will be given to the Aztec Division office between 72 hours and one week of closure via email, or verbally. The notification of closure will include the following:
 - i. Operator's name
 - ii. Location by Unit Letter, Section, Township, and Range. Well name and API number.

Notification is attached.

5. As a partial dig & haul, some contents of the temporary pit will be excavated and hauled to the Envirotech Land Farm located 16 miles south of Bloomfield on Angel Peak Road, CR 7175. Permit #NM-01-0011.

Pit contents that were excavated were hauled to Envirotech Land Farm (Permit #NM-01-0011).

6. A five point composite sample will be taken of the pit using sampling tools and all samples tested per Subsection B of 19.15.17.13(B)(1)(b). In the event that the criteria are not met, all contents will be handled per Subparagraph (a) of Paragraph (1) of Subsection B of 19.15.17.13 i.e., Dig and haul.

A five point composite sample was taken from the soil beneath the pit to conclude if a release had occurred using sampling tools and all samples tested per Subsection B of 19.15.17.1 3(B)(1)(b). (Sample results attached).

Components	Tests Method	Limit (mg/Kg)	Results
Benzene	EPA SW-846 8021B or 8260B	0.2	3.3 ug/kg
BTEX	EPA SW-846 8021B or 8260B	50	113 ug/kG
TPH	EPA SW-846 418.1	2500	240mg/kg
GRO/DRO	EPA SW-846 8015M	500	0.7 mg/Kg
Chlorides	EPA 300.1	1000/500	60 mg/L

7. Upon testing standards being passed, the pit area will be backfilled with compacted, non-waste containing, earthen material. The cover shall include one foot of suitable material to establish vegetation at the site, or the background thickness of topsoil, whichever is greater.

The pit area passed testing standards. The pit area was then backfilled with compacted, non-waste containing, earthen material. The cover included one foot of suitable material to establish vegetation at the site.

8. Re-contouring of location will match fit, shape, line, form and texture of the surrounding. Re-shaping will include drainage control, prevent ponding, and prevent erosion. Natural drainages will be unimpeded and water bars and/or silt traps will be place in areas where needed to prevent erosion on a large scale. Final recontour shall have a uniform appearance with smooth surface, fitting the natural landscape.

The pit area was re-contoured to match fit, shape, line, form and texture of the surrounding area. Reshaping included drainage control, to prevent ponding and erosion. Natural drainages were unimpeded and water bars and/or silt traps were placed in areas where needed to prevent erosion on a large scale. Final recontour has a uniform appearance with smooth surface, fitting the natural landscape.

9. Notification will be sent to OCD when the reclaimed area is seeded.

Provision 13 was accomplished through complying with Forest seeding requirements as allowed by the BLM/OCD MOU.

10. BR shall seed the disturbed areas the first growing season after the operator closes the pit. Seeding will be accomplished via drilling on the contour whenever practical or by other division-approved methods. BLM or Forest Service stipulated seed mixes will used on federal lands. Vegetative cover will equal 70% of the native perennial vegetative cover (un-impacted) consisting of at least three native plant species, including at least one grass, but not including noxious weeds, and maintain that cover through two successive growing seasons. Repeat seeding or planting will be continued until successful vegetative growth occurs.

Provision 14 was accomplished through complying with Forest seeding requirements as allowed by the BLM/OCD MOU.

11. The temporary pit will be located with a steel marker, no less than four inches in diameter, cemented in a hole three feet deep in the center of the onsite burial upon the abandonment of all the wells on the pad. The

marker will be flush with the ground to allow access of the active well pad and for safety concerns. The marker will include a threaded collar to be used for future abandonment. The top of the marker will contain a welded steel 12" square plate that indicates the onsite burial of the temporary pit. The plate will be easily removable and a four foot tall riser will be threaded into the top of the collar marker and welded around the base with the operator's information at the time of all wells on the pad are abandoned. The operator's information will include the following: Operator Name, Lease Name, Well Name and number, Unit Number, Section, Township, Range and an indicator that the marker is an onsite burial location.

* See following Page. JX 12/11/2013

The San Juan 27-4 Unit 123P Pit closure was a partial dig & haul. The Pit Marker was installed to comply with part 11 of the pit closure summary. Photo of the pit marker is enclosed.

OIL CONS. DIV DIST. 3
DEC 1 1 2013

Tafoya, Crystal

From:

Tafoya, Crystal

Sent:

Monday, October 27, 2008 4:33 PM

To:

'mark_kelly@nm.blm.gov'

Cc:

'jimmy_dickerson@nm.blm.gov'; 'jreidinger@fs.fed.us'

Subject:

Surface Owner Notification

The following list of locations will have a temporary pit that will be closed on-site. Please let me know if you have any questions.

San Juan 30-6 Unit 1M
San Juan 28-6 Unit 208N
San Juan 27-4 Unit 123P
McClanahan 3S
San Juan 27-4 Unit 46G
San Juan 28-5 Unit 78N

Thank you,

Crystal L. Tafoya
Regulatory Technician
ConocoPhillips Company
San Juan Business Unit
Phone: (505) 226-0227

Phone: (505) 326-9837

Email: Crystal.Tafoya@conocophillips.com

DISTRICT I: 1625 N: French Dr., Hobbs, N.M. 68240 State of New Mexico Energy, Minerals & Natural Resources Department Form C-102 Revised October 12, 2005

DISTRICT II 1301 West Grand Avenue, Artesia, N.M. 88210

OIL CONSERVATION DIVISION 1220 South St. Francis Dr. Santa Fe, NM 87505 Submit to Appropriate District Office State Lease - 4 Copies Fee Lease - 3 Copies

DISTRICT III 1000 Rio Brazos Rd., Aztec, N.M. 87410>

AMENDED REPORT

DISTRICT IV 1220 S. St. Francis: Dr., Santa Fe, NM 87505

WELL LOCATION AND ACREAGE DEDICATION PLAT

API Number	Pool Code	Pool Name BASIN DAKOTA/BLANCO MESAVERDE				
Property Code	·	Property Name • Well UAN 27-4 UNIT 12				
OGRID No.	Operator Name BURLINGTON RESOURCES OIL AND GAS COMPANY LP					

¹⁰ Surface Location

UL or lot no.	Section	Township	Range	Lot Idn	Feet, from the	North/South line	Peet from the	East/West line	County
1	7	27-N	4W		2065 ^{*.}	SOUTH	2515	EAST	RIO ARRIBA


¹¹ Bottom Hole Location If Different From Surface

-	UL or lot no.	Section	Township	Range	Lot Idn	Feet from the	North/South line	Feet from the	East/West line	County
	G	7	27-N	4-W		1735.	NORTH	2375'	EAST	RIO ARRIBA
Ī	Dedicated Acres	9		13 Joint or	lofill _.	16 Consolidation C	ode	15 Order No.		
	320.	00	•							

NO ALLOWABLE WILL BE ASSIGNED TO THIS COMPLETION UNTIL ALL INTERESTS HAVE BEEN CONSOLIDATED

OR A NON-STANDARD UNIT HAS BEEN APPROVED BY THE DIVISION

16 OR A NON-STA	NUARD UNIT HAS I	BEEN APPROVED BY	THE DIVISION
S. 89' 31' 32' 5239.25'	1735	3F-080673	17 OPERATOR CERTIFICATION I hereby certify that the information contained herein is true and complete to the best of my knowledge and belief, and that this organization either owns a working interest or unlessed mineral interest in the tand including the proposed bottom hole location or has a right to drill this well at this location pursuant to a contract with an owner of such a mineral or a working interest, or to a voluntary pooling agreement or a compilisory pooling order herestofore entered by the division.
BOTTOM HOLE LAT: 36 35.4048' N. LONG: 107.17.4192' W. NAD 1927 LAT: 36.590090' N. LONG: 107.290919' W. NAD 1983.	воттом ноле	2375' N G 52	Signature Printed Name
SURFACE LAT: 36'35.1534' N. LONG: 107'17.4422' W. NAD 1927' LAT: 36.585899' N. LONG: 107.291303' W. NAD 1983	SURPACE	2515'	18 SURVEYOR CERTIFICATION I hereby certify that the well location about on this plus as plotted from field notes of actual curveys made by rise or under my supervision, and that the same is true and correct to the best of my belter. Date of Survey
S 88 16' 36" 5247.80'	2065		Signature and Soul of The Language Surveyor: 15703 15703 PROFESBOR Cordificatio Number 15703



District 1
1625 N. French Dr., Hobbs, NM 88240
District II
1301 W. Grand Avenue, Artesia, NM 88210
District III
1000 Rio Brazos Road, Aztec, NM 87410
District IV
1220 S. St. Francis Dr., Santa Fe, NM 87505

State of New Mexico Energy Minerals and Natural Resources

Oil Conservation Division 1220 South St. Francis Dr. Santa Fe, NM 87505 Form C-141 Revised October 10, 2003

Submit 2 Copies to appropriate District Office in accordance with Rule 116 on back side of form

Release Notification and Corrective Action OPERATOR Initial Report Final Report

Name of Company BURLINGTON RESOURES OIL & GAS COMPANY LP						Contact Jamie Goodwin					
Address 340	01 East 30	th St, Farming	gton, NM	·	7	Telephone N	No.(505) 326-97	84			
Facility Nar	me: SAN J	IUAN 27-4 U	JNIT 123	3P	I	Facility Type: Gas Well					
Surface Ow	ner FORI	EST		. Mineral Ow	ner F	er FEDERAL Lease No.SF-080673					
		•		LOCAT	ΓΙΟΝ	OF REI	LEASE				
Unit Letter J	Section 7	Township 27N	Range 4W	Feet from the	North/S	South Line	Feet from the	East/W	est Line	County RIO ARRIBA	
Latitude 36.585914 Longitude 107.291311											
				NATU	JRE (OF RELI	EASE				
		sure Summary	/				Release N/A			Recovered N/A	
Source of Re						····	our of Occurrence	e N/A	Date and	Hour of Discovery N/A	
Was Immedia	ate Notice (_	Yes 🗀	No 🛛 Not Req	uired	If YES, To N/A	Whom?				
By Whom? N	N/A					Date and H	our N/A				
Was a Water		ched?	_	_		1	lume Impacting the	he Water	rcourse.		
N/A	A			∐ No		N/A					
If a Watercou N/A	urse was Im	pacted, Descri	be Fully.*								
Describe Cau N/A	use of Probl	em and Remed	dial Action	n Taken.*						• •	
Describe Are N/A	ea Affected	and Cleanup A	Action Tak	en.*							
I hereby certify that the information given above is true and complete to the best of my knowledge and understand that pursuant to NMOCD rules and regulations all operators are required to report and/or file certain release notifications and perform corrective actions for releases which may endanger public health or the environment. The acceptance of a C-141 report by the NMOCD marked as "Final Report" does not relieve the operator of liability should their operations have failed to adequately investigate and remediate contamination that pose a threat to ground water, surface water, human health or the environment. In addition, NMOCD acceptance of a C-141 report does not relieve the operator of responsibility for compliance with any other federal, state, or local laws and/or regulations.											
Signature:	∞	·,	7000 7000	duri					<u>ATION</u>	DIVISION	
Printed Name	el Jamie G	oodwin				Approved by	District Superviso	or: 			
Title: Regula	atory Tech.				1	Approval Dat	e:	E	Expiration	Date:	
E-mail Addre	ess: jamie.l.	goodwin@cor	nocophillip	os.com	(Conditions of	Approval:			Attached	
		(505) 326-978									
Attach Addi	tional Sha	ate If Necess	aru								



EPA METHOD 8015 Modified Nonhalogenated Volatile Organics Total Petroleum Hydrocarbons

O	.	Danis at He	00445 4074
Client:	Burlington	Project #:	92115-1271
Sample ID:	Back-Ground	Date Reported:	06-24-11
Laboratory Number:	58626	Sampled:	06-23-11
Chain of Custody No:	11970	Date Received:	06-23-11
Sample Matrix:	Soil	Date Extracted:	06-23-11
Preservative:	Cool	Date Analyzed:	06-24-11
Condition:	Intact	Analysis Requested:	8015 TPH

Parameter	Concentration (mg/Kg)	Det. Limit (mg/Kg)
Gasoline Range (C5 - C10)	ND	0.2
Diesel Range (C10 - C28)	ND	0.1
Total Petroleum Hydrocarbons	ND	

ND - Parameter not detected at the stated detection limit.

References:

Method 8015B, Nonhalogenated Volatile Organics, Test Methods for Evaluating Solid

Waste, SW-846, USEPA, December 1996.

Comments:

S.J. 27-4 #123P

Review



EPA METHOD 8015 Modified Nonhalogenated Volatile Organics **Total Petroleum Hydrocarbons**

Client:	Burlington	Project #:	92115-1271
Sample ID:	Reserve Pit	Date Reported:	06-24-11
Laboratory Number:	58627	Sampled:	06-23-11
Chain of Custody No:	11970	Date Received:	06-23-11
Sample Matrix:	Soil	Date Extracted:	06-23-11
Preservative:	Cool	Date Analyzed:	06-24-11
Condition:	Intact	Analysis Requested:	8015 TPH

Parameter	Concentration (mg/Kg)	Det. Limit (mg/Kg)
Gasoline Range (C5 - C10)	ND	0.2
Diesel Range (C10 - C28)	0.7	0.1
Total Petroleum Hydrocarbons	0.7	

ND - Parameter not detected at the stated detection limit.

References:

Method 8015B, Nonhalogenated Volatile Organics, Test Methods for Evaluating Solid

Waste, SW-846, USEPA, December 1996.

Comments:

S.J. 27-4 #123P

Review



EPA Method 8015 Modified Nonhalogenated Volatile Organics **Total Petroleum Hydrocarbons**

Quality Assurance Report

Client:	QA/QC	Project #:	N/A
Sample ID:	06-24-11 QA/QC	Date Reported:	06-24-11
Laboratory Number:	58626	Date Sampled:	N/A
Sample Matrix:	Methylene Chloride	Date Received:	N/A
Preservative:	N/A	Date Analyzed:	06-24-11
Condition:	N/A	Analysis Requested:	TPH

	I-Cal Date	I-Cal RF	C-Cal RF	. Difference	Accept Range
Gasoline Range C5 - C10	06/24/11	9.996E+02	1.000E+03	0.04%	0 - 15%
Diesel Range C10 - C28	06/24/11	9.996E+02	1.000E+03	0.04%	0 - 15%

Blank Conc. (mg/L : mg/Kg)	Concentration	Detection Limit
Gasoline Range C5 - C10	4.1	0.2
Diesel Range C10 - C28	1.7	0.1

Duplicate Conc. (mg/Kg)	Sample	Duplicate	% Difference	Range
Gasoline Range C5 - C10	ND :	ND	0.00%	0 - 30%
Diesel Range C10 - C28	ND	ND	0.00%	0 - 30%

Spike Conc. (mg/Kg)	Sample	Spike Added	್ರ Spike Result	% Recovery	. Accept. Range	
Gasoline Range C5 - C10	ND	250	245	97.9%	75 - 125% ·	
Diesel Range C10 - C28	ND	250	243	97.2%	75 - 125%	

ND - Parameter not detected at the stated detection limit.

References:

Method 8015B, Nonhalogenated Volatile Organics, Test Methods for Evaluating Solid

SW-846, USEPA, December 1996.

Comments:

QA/QC for Samples 58626-58629

5796 US Highway 64, Farmington, NM 87401



EPA METHOD 8021 AROMATIC VOLATILE ORGANICS

		Dilution:	10
Condition:	Intact	Analysis Requested:	BTEX
Preservative:	Cool	Date Extracted:	06-23-11
Sample Matrix:	Soil	Date Analyzed:	06-24-11
Chain of Custody:	11970	Date Received:	06-23-11
Laboratory Number:	58626	Date Sampled:	06-23-11
Sample ID:	Back-Ground	Date Reported:	06-24-11
Client:	Burlington	Project #:	92115-1271

Parameter	Concentration (ug/Kg)	Det. Limit (ug/Kg)	
_			

Benzene	ND	0.9
Toluene	ND	1.0
Ethylbenzene	.ND	1.0
p,m-Xylene	ND	1.2
o-Xylene	ND	0.9
•		

ND - Parameter not detected at the stated detection limit.

Surrogate Recoveries:	Parameter	Percent Recovery
	Fluorobenzene	83.2 %
	1,4-difluorobenzene	93.1 % .
	Bromochlorobenzene	87.9 %

References:

Total BTEX

Method 5030B, Purge-and-Trap, Test Methods for Evaluating Solid Waste, SW-846, USEPA,

ND

December 1996.

Method 8021B, Aromatic Volatile Organics, Test Methods for Evaluating Solid Waste, SW-846,

USEPA, December 1996.

Comments:

S.J. 27-4 #123P



EPA METHOD 8021 AROMATIC VOLATILE ORGANICS

Client:	Burlington	Project #:	92115-1271
Sample ID:	Reserve Pit	Date Reported:	06-24-11
Laboratory Number:	58627	Date Sampled:	06-23-11
Chain of Custody:	11970	Date Received:	06-23-11
Sample Matrix:	Soil	Date Analyzed:	06-24-11
Preservative:	Cool	Date Extracted:	06-23-11
Condition:	Intact	Analysis Requested:	BTEX
		Dilution:	10

Parameter	Concentration (ug/Kg)	Det. Limit (ug/Kg)						
Danzana	2.0							
Benzene	3.3	0.9						
Toluene	35.9	1.0						
Ethylbenzene	5.1	1.0						
p,m-Xylene	51.5	1.2						
o-Xylene	17.2	0.9						
Total BTEX	113							

ND - Parameter not detected at the stated detection limit.

Surrogate Recoveries:	Parameter	Percent Recovery
	Fluorobenzene	84.3 %
	1,4-difluorobenzene	91.1 %
	Bromochlorobenzene	114 %

References:

Method 5030B, Purge-and-Trap, Test Methods for Evaluating Solid Waste, SW-846, USEPA,

December 1996.

Method 8021B, Aromatic Volatile Organics, Test Methods for Evaluating Solid Waste, SW-846,

USEPA, December 1996.

Comments:

S.J. 27-4 #123P

Analyst



EPA METHOD 8021 AROMATIC VOLATILE ORGANICS

Client:	N/A	1	Project #:		N/A
Sample ID:	0624BBLK QA/Q0	3	Date Reported:		06-24-11
_aboratory Number:	58626		Date Sampled:		N/A
Sample Matrix:	Soil		Date Received:		N/A
Preservative:	. N/A		Date Analyzed:		06-24-11
Condition:	N/A .		Analysis:		BTEX
			Dilution:		10
Calibration and	(a) I-Cal RF. (c)		%Diff	Blank	Delect
Calibration) and Detection: Limits (ug/L), Benzene	I-Cal RF	C-Cal RF: Accept: Rang	%Diff e 0 : 15%	Cônc	Detect Limit
Detection Limits (ug/L)	4.0482E+006	C_Cal RF Accept- Rang 4.0563E+006	%Dfff 6 0 2 15% 0.2% 0.2%	Blank Conc ND ND	Detect
: <u>Detection: Limits (uig/L)</u> Benzene Foluene		C-Cal RF: Accept: Rang	0.2%	Conc.	Detect Limit
Detection Limits (ug/L)	4.0482E+006 4.1452E+006	C-Cal RF 	%Diff e 0 215% 0.2% 0.2%	Conc ND ND	Detect Limit 0.1 0.1

Duplicate Conc. (ug/Kg)	Sample Du	olicate	%Diff	Accept Range	Detect Limit
Benzene	ND	ND	0.0%	0 - 30%	0.9
Toluene	ND	ND	0.0%	0 - 30%	1.0
Ethylbenzene	ND	ND	0.0%	0 - 30%	1.0
p,m-Xylene	ND	ND	0.0%	0 - 30%	1.2
o-Xylene	ND	ND	0.0%	0 - 30%	0.9

Spike Conc. (ug/Kg)	Sample Amo	unt Spiked Spil	ed Sample %	Recovery	Accept Range	্র
Benzene	ND	500	523 ·	105%	39 - 150	
Toluene	ND	500	528	106%	46 - 148	
Ethylbenzene	ND	500	525	105%	32 - 160	
p,m-Xylene	ND	1000	1,050	105%	46 - 148	
o-Xylene	ND	500	529	106%	46 - 148	

ND - Parameter not detected at the stated detection limit.

Dilution: Spike and spiked sample concentration represent a dilution proportional to sample dilution.

References:

Method 5030B, Purge-and-Trap, Test Methods for Evaluating Solid Waste, SW-846, USEPA,

December 1996.

Method 8021B, Aromatic and Halogenated Volatilles by Gas Chromatography Using Photoionization and/or Electrolytic Conductivity Detectors, SW-846, USEPA December 1996.

Comments:

QA/QC for Samples 58626-58629, 58621



EPA METHOD 418.1 TOTAL PETROLEUM HYDROCARBONS

Client:	Burlington	Project #:	92115-1271
Sample ID:	Back-Ground	Date Reported:	06/24/11
Laboratory Number:	58626	Date Sampled:	06/23/11
Chain of Custody No:	11970	Date Received:	06/23/11
Sample Matrix:	Soil	Date Extracted:	06/24/11
Preservative:	Cool	Date Analyzed:	06/24/11
Condition:	Intact	Analysis Needed:	TPH-418.1

		Det.
	Concentration	Limit
Parameter	(mg/kg)	(mg/kg)

Total Petroleum Hydrocarbons

26.8

5.6

ND = Parameter not detected at the stated detection limit.

References:

Method 418.1, Petroleum Hydrocarbons, Total Recoverable, Chemical Analysis of Water

and Waste, USEPA Storet No. 4551, 1978.

Comments:

S.J. 27-4 #123P



EPA METHOD 418.1 TOTAL PETROLEUM HYDROCARBONS

Client:	Burlington	Project #:	92115-1271
Sample ID:	Reserve Pit	Date Reported:	06/24/11
Laboratory Number:	58627	Date Sampled:	06/23/11
Chain of Custody No:	11970	Date Received:	06/23/11
Sample Matrix:	Soil	Date Extracted:	06/24/11
Preservative:	Cool	Date Analyzed:	06/24/11
Condition:	Intact	Analysis Needed:	TPH-418.1

		Det.
	Concentration	Limit
Parameter	(mg/kg)	(mg/kg)

Total Petroleum Hydrocarbons

240

5.6

ND = Parameter not detected at the stated detection limit.

References:

Method 418.1, Petroleum Hydrocarbons, Total Recoverable, Chemical Analysis of Water

and Waste, USEPA Storet No. 4551, 1978.

S.J. 27-4 #123P Comments:

Review

5796 US Highway 64, Farmington, NM 87401



EPA METHOD 418.1 TOTAL PETROLEUM HYDROCARBONS **QUALITY ASSURANCE REPORT**

Client:

QA/QC

Project #:

N/A

Sample ID:

QA/QC

Date Reported:

06/24/11

Laboratory Number:

06-24-TPH.QA/QC 58626

Date Sampled:

N/A

TPH

Sample Matrix:

Freon-113

Date Analyzed:

06/24/11

Preservative:

Condition:

N/A N/A Date Extracted:

06/24/11

l-Cal Date C-Cal Date I-Cal RF:

Analysis Needed:

Calibration

06/14/11

C-Cal RF: ,% Difference Accept Range

06/24/11

1,760

1,670

5.1%

+/- 10%

Blank Conc. (mg/Kg)

Concentration

Detection Limit

TPH

ND

5.6

Duplicate Conc. (mg/Kg

Sample

Duplicate % Difference Accept. Range

TPH

26.8

24.0

10.4% +/- 30%

Spike Conc. (mg/Kg) Sample Spike Added Spike Result % Recovery Accept Range TPH 26.8 2,000 1,760 86.8% 80 - 120%

ND = Parameter not detected at the stated detection limit.

References:

Method 418.1, Petroleum Hydrocarbons, Total Recoverable, Chemical Analysis of Water

and Waste, USEPA Storet No. 4551, 1978.

Comments:

QA/QC for Samples 58626-58629



Chloride

Client:

Burlington

Project #:

92115-1271

Sample ID:

Back-Ground

Date Reported:

06/24/11

Lab ID#:

58626

Date Sampled:

Sample Matrix:

Soil

06/23/11

Date Received:

06/23/11

Preservative:

Cool

Date Analyzed:

06/24/11

Condition:

Intact

Chain of Custody:

11970

Parameter

Concentration (mg/Kg)

Total Chloride

30

Reference:

U.S.E.P.A., 4500B, "Methods for Chemical Analysis of Water and Wastes", 1983. Standard Methods For The Examination of Water And Waste Water", 18th ed., 1992.

Comments:

S.J. 27-4 #123P



Chloride

Client:

Burlington

Project #:

92115-1271

Sample ID:

Reserve Pit

Date Reported:

06/24/11

Lab ID#:

58627

Sample Matrix:

Soil

Date Sampled:

06/23/11

Date Received:

06/23/11

Preservative:

Cool

Date Analyzed:

06/24/11

Condition:

Intact

Chain of Custody:

11970

Parameter

Concentration (mg/Kg)

Total Chloride

60

Reference:

U.S.E.P.A., 4500B, "Methods for Chemical Analysis of Water and Wastes", 1983. Standard Methods For The Examination of Water And Waste Water", 18th ed., 1992.

Comments:

S.J. 27-4 #123P

5796 US Highway 64, Farmington, NM 87401

Review

Submit To Appropriate District Office Two Copies State of New Mexico													rm C-							
District I	ict I N. French Dr Hobbs, NM 88240 Energy, Minerals and Natu							tural R	es	sources	ļ	1 11/17 1	A DY	NIC				luly 17,	2008	
District II 1301 W. Grand Ave				Oil Conservation Division								1. WELL API NO. 30-039-30591								
District III												ı	2. Type of Le					~		
1000 Rio Brazos Re District IV	d., Aztec, N	M 874	110				20 South St				r .		☐ STATE ☐ FEE ☒ FED/INDIAN 3. State Oil & Gas Lease No.							
1220 S. St. Francis Dr., Santa Fe. NM 87505 Santa Fe, NM 87505							SF-080673		Lease	NO.										
WELL COMPLETION OR RECOMPLETION REPORT AND LOG									Ŧ,											
4. Reason for file													5. Lease Nam				nent Na	ine		
☐ COMPLET	ION REP	ORT	(Fill in bo	xes#1	through	#31 f	or State and Fee	wells	only)				6. Well Numb		-4 U	NI.I.				
C-144 CLOS #33; attach this a	nd the plat											'or	123P							
	WELL [] wo	RKOVER		EEPENI	NG	□PLUGBAC	< 🗆 1	DIFFER	EN	T RESERV	OIR								
8. Name of Open		ν Λ :	l Con C	amn	anu I 1	D)							9. OGRID 14538							
Burlington R 10. Address of O		SOI	Gasc	omp	any, D								11. Pool name	or V	/ildcat					
PO Box 4298, Fa	nnington,	NM 8	87499																	
12.Location	Unit Ltr		Section	1	Township		Range	Lot		\exists	Feet from the	he	N/S Line	Fcc	t from	the	E/W I	Line	County	
Surface:		_						ļ		4		!					ļ			
BH: 13. Date Spudded	1 14 15	eta T I	D. Reache		15 Date	Dia	Released				Data Commi		(Danderta Dan			117	Elauat	dana (DI	and RK	
13. Date spudde	14. 0	ate 1.1	D. Reacile	.	6/08/20		Reicased		1	10.	Date Compi	ctec	l (Ready to Prod	iuce)			, Elevai F, GR, c		and KK	ь,
18. Total Measur	ed Depth	of We	11		19. Plug	Bac	k Measured Dep	oth	2	20.	Was Directi	iona	il Survey Made	?	21.	Туре	Electr	ic and O	ther Logs	Run
22. Producing In	terval(s), o	f this	completio	n - To	p, Botton	n, Na	me	_							<u> </u>					
23.				-	C	AS	ING REC	ORI	D (Re	pc	ort all str	in	gs set in w	ell)						
CASING SI	ZE	V	VEIGHT I	B./FT			DEPTH SET	\Box			LE SIZE		CEMENTIN		COR	D	AN	MOUNT	PULLE	5
							············	_					 			+				
													<u> </u>			+				
		_			-		· · · · · · · · · · · · · · · · · · ·	\dashv					 			+				
SIZE	TOP			вотг		LINE	ER RECORD SACKS CEM	FNT	SCRE	EN		25. SIZ			NG R			PACK	ER SET	
312.6	1:0.			5011	<u> </u>		BACKS CEM	2111	JOKE	LIV		312	J-E-	+-	, CI 111	<u>JL1</u>		TACK	LKOLI	
26. Perforation	record (ii	nterva	l, size, and	numb	er)						D, SHOT, NTERVAL		ACTURE, CE						···	
									DEFT		NIERVAL		AMOUNTA	שואט	KIND	WA	LKIAL	JOSED		
							<u></u>													
28. Date First Produc	ation		Pro	dustin	n Mathad	(Fig	wing, gas lift, p				TION		Well Status	· /Pr	od or	Short	<u>.</u>			
Date Plat i loddi	MOH			duction	ii ivicinod	1 (1 10	wing, gus tijt, p	umpm	g - 512c i	11716	туре ритру	,	Wen Status	. (1 10	, ii. 0, i	J, (41-))			
Date of Test	Hours	Teste	ed	Choke	e Size		Prod'n For Test Period		Oil - E	3b1		Ga	s - MCF	ľ	Vater -	Вы.		Gas - (Oil Ratio	
Flow Tubing Press.	Casin	g Pres	ssure	Calcu Hour	lated 24- Rate		Oil - Bbl.		G _i	as -	MCF		Water - Bbl.		Oil	Grav	vity - A	PI - (Cor	r.)	
29. Disposition of	f Gas (So	d. use	ed for fuel,	ventea	l, etc.)									30.	Test V	Vitnes	ssed By			
31. List Attachm	ents													L						
32. If a temporar	y pit was i	used a	the well,	attach	a plat wi	th th	e location of the	tempo	orary pit	i.				_						
33. If an on-site	ourial was	used	at the well	, repor	rt the exac	et loc	ation of the on-	site bu	rial:											
N/A DIG &	HAUL				Latitu	de 3	6.585765°N	Long	itude 10	07.2	291181°W	NA	D □ 1927 ⊠1	983		-,			ſ	
I hereby certi	fy that t	he in	formatic	n she 	•	Prin	ited							oj my	kno	wied Hi	ige an	u veire, S	i	
Signature	()V~	رب د ۱ د	(COC	Citi			ne Jamie Go	oaw	ın l	ıtıe	t. Keguii	alOl	ry recn.	ושכו	.c Ø	, ,	-1.0	_		
E-mail Address jamie.l.goodwin@conocophillips.com																				

.

ConocoPhillips

Revised 11/4/10
Office Use Only:
Subtask
DSM
Folder

Goodwin, Jamie L

From:

Payne, Wendy F

Sent:

Monday, July 02, 2012 12:20 PM

To:

(Brandon Powell@state.nm.us); GRP:SJBU Regulatory; Jonathan Kelly;

(ipuepke@cimarronsvc.com); Eli (Cimarron) (eliv@cimarronsvc.com); James (Cimarron) (jwood@cimarronsvc.com); Mark Kelly; Randy McKee; Robert Switzer; Sherrie Landon; Bassing, Kendal R.; Dee, Harry P; Eric Smith (sconsulting.eric@gmail.com); Faver Norman; Fred Martinez; Lowe, Terry; McCarty Jr, Chuck R; Payne, Wendy F; Peter, Dan J; Smith, Mike W; Spearman, Bobby E; Steve McGlasson; Tally, Ethel; Becker, Joey W; Bowker, Terry D; Brant Fourr; Frost, Ryan M; Goosey, Paul P; Gordon Chenault; Green, Cary J; GRP:SJBU Production Leads; Hockett, Christy R; Bassing, Kendal R.; Kennedy, Jim R; Leboeuf, Davin J; Lopez, Richard A; Nelson, Garry D; O'Nan, Mike J.; Peace, James T; Poulson, Mark E; Schaaphok, Bill; Smith, Randall O; Spearman, Bobby E; Stamets, Steve A; Thibodeaux, Gordon A; Eddie; Quintana Tony (tquintana@flintenergy.com); Barton, Austin; Blakley, Mac; Coats, Nathan W; Farrell, Juanita R; Maxwell, Mary Alice; McWilliams, Peggy L; Rhoads,

Travis P (Finney Land Co.); Saiz, Kooper K; Seabolt, Elmo F; Thompson, Trev

Cc:

Subject:

Ritte

Finish Reclamation Notice: San Juan 27-4 Unit 123P (Area 25 * Run 555)

Importance:

High

Attachments:

San Juan 27-4 Unit 123P.pdf

JD Ritter Construction will move a tractor to the **San Juan 27-4 Unit 123P** to finish the reclamation process on **Wednesday, July 11, 2013**. Please contact Norm Faver (320-0670) if you have questions or need further assistance. The pit was close 7/2011.



San Juan 27-4 Jnit 123P.pdf (3...

Burlington Resources Well - Network # 10227077 - Activity code D250 - PO:Kaitlw Rio Arriba County, NM

San Juan 27-4 Unit 123P - Forest

Onsite: John Reidinger 10-2-07 Twin: San Juan 27-4 Unit 5N (existing) 2075' FSL, 2515' FEL Sec.7, T27N, R4W

Unit Letter " J "

Lease # SF-080673 BH: SWNE Sec.7, T27N, R4W

Latitude: 36° 35' 09" N (NAD 83) Longitude: 107° 17' 29" W (NAD 83)

Elevation:6908'

Total Acres Disturbed: 3.03 acres

Access Road: n/a API # 30-039-30591 Within city limits: NO

Pit Lined: YES

NOTE: Arch monitoring IS required on this location. (WCRM - 326-7420)

Wendy Payne ConocoPhillips-SJBU 505-326-9533


Wendy.F.Payne@conocophillips.com

ConocoPhillips


Reclamation Form:				
Date: 10-5-12				
Well Name: <u>S 3</u>	27-4	1237		
Footages: <u>2075</u>	FSL, 2:	SISFEL	Unit Letter:	
Section: <u>7</u> , T- <u>27</u> -	N, R- <u>L\</u> -V	, County: <u>R</u>	<u> </u>	NM
Reclamation Contractor:	Ritte	۲	·	
Reclamation Start Date:			·	·
Reclamation Complete D	ate: <u></u>	~12		
Road Completion Date:	•			
Seeding Date:	9-26	-12_		
**PIT MARKER STATUS	(When Requ	ired): Picture of	Marker set nee	ded
MARKER PLACED :	7-20-	12		_(DATE)
LATATUDE:	36	35.147		
LONGITUDE:	107	17.472	·	
Pit Manifold removed	Fall à	2011		_(DATE)
Construction Inspector:	Norm	an Faver	Date: 10	-5-12
Inspector Signature:	Thomas	Faw		·
Office Use Only: Subtask 🗸	DSM	Folder	Pictures _	
Device of C(4.4/2042				

BURLINGION BESOURCES

SAN JUAN 27-4 UNIT #123P
LATITUDE 36° 35 MIN 09 SEC N (NAD83)
LONGITUDE 107° 17 MIN 29 SEC W (NAD 83)
UNIT J SEC 7 T27N RO4W
BH: SWNE SEC 7 T27N RO4W
2075' FSL 2515' FEL / API#30-039-30591
LEASE# SF-080673 ELEV. 6908'
RIO ARRIBA COUNTY, NEW MEXICO
EMERGENCY ONTACT: 1-505-324-5170







				· · · · ·		· · · · · · · · · · · · · · · · · · ·	 	 		•
_	WELL NAME: San Juan 27-4 Unit 123P	OPEN PIT INSPECTION FORM					ConocoPhillips			
	INSPECTOR DATE	E. Perry 05/13/11	E. Perry 05/23/11	E. Perry 05/31/11	E. Perry 06/06/11	E. Perry 06/13/11	E. Perry 06/16/11	E. Perry 06/23/11	E. Perry 06/30/11	E. Perry 07/07/11
*Please request for pit extention after 26 weeks PIT STATUS		Week 1 Drilled Completed Clean-Up	Week 2 Drilled Completed Clean-Up	Week 3 Drilled Completed Clean-Up	Week 4 ☑ Drifled ☐ Completed ☐ Clean-Up	Week 5 Drilled Completed Clean-Up	Week 6 Drilled Completed Clean-Up	Week 7 Drilled Completed Clean-Up	Week 8 Uprilled Completed Clean-Up	Week 9 ☑ Drilled ☐ Completed ☐ Clean-Up
LOCATION	Is the location marked with the proper flagging? (Const. Zone, poles, pipelines, etc.)	☑ Yes ☐ No	☑ Yes ☐ No	☑ Yes ☐ No	☑ Yes ☐ No	☑ Yes ☐ No	☑ Yes ☐ No	☑ Yes ☐ No	☑ Yes 🗌 No	Yes 🗍 No
7001	Is the temporary well sign on location and visible from access road?	☑ Yes ☐ No	☑ Yes ☐ No	☑ Yes 🔲 No	☑ Yes ☐ No	☑ Yes 🗌 No ·	☑ Yes ☐ No	☑ Yes 🗌 No	☑ Yes ☐ No	☐ Yes ☐ No
	Is the access road in good driving condition? (deep ruts, bladed)	☑ Yes ☐ No	☑ Yes ☐ No .	✓ Yes 🗌 No	☑ Yes 🗌 No	☑ Yes □ No	☑ Yes ☐ No	☑ Yes ☐ No	☑ Yes □ No	☐ Yes ☐ No
	Are the culverts free from debris or any object preventing flow?	✓ Yes 🗌 No	☑ Yes ☐ No	☑ Yes ☐ No	✓ Yes 🗌 No	✓ Yes 🗌 No	☑ Yes ☐ No	☑ Yes ☐ No	☑ Yes ☐ No	☐ Yes ☐ No
	is the top of the location bladed and in good operating condition?	☑ Yes ☐ No	☑ Yes ☐ No	☑ Yes 🗌 No	✓ Yes 🗌 No	☑ Yes 🔲 No	☑ Yes ☐ No	☑ Yes 🗌 No	☑ Yes ☐ No	Yes No
ANCE	Is the fence stock-proof? (fences tight, barbed wire, fence clips in place?	☑ Yes ☐ No	☑ Yes ☐ No	☐ Yes ☑ No	☐ Yes ☑ Na	☐ Yes ☑ No	☐ Yes ☑ No	☑ Yes ☐ No .	✓ Yes ☐ No	Yes No
COMPLIANCE	is the pit liner in good operating condition? (no tears, up-rooting corners, etc.)	☑ Yes ☐ No	✓ Yes □ No	☑ Yes ☐ No	☑ Yes ☐ No	☑ Yes ☐ No	☑ Yes ☐ No	☑ Yes ☐ No	☑ Yes ☐ No	☐ Yes ☐ No
	Is the the location free from trash, oil stains and other materials? (cables, pipe threads, etc.) Does the pit contain two feet of free board? (check	☑ Yes ☐ No	☑ Yes ☐ No	☑ Yes ☐ No	☑ Yes ☐ No	☑ Yes ☐ No	☑ Yes ☐ No	☑ Yes ☐ No	✓ Yes □ No	Yes No
NVIRONMENTAL	the water levels)	✓ Yes □ No	☑ Yes ☐ No	☑ Yes ☐ No	Yes No	☑ Yes ☐ No	☑ Yes ☐ No	☑ Yes ☐ No	✓ Yes No	Yes No
VIRO	Is there any standing water on the blow pit?	☐ Yes ☑ No	☐ Yes ☑ No	☐ Yes ☑ No	☐ Yes ☑ No	☐ Yes ☑ No	☐ Yes ☑ No	☐ Yes ☑ No	Yes 🖸 No	Yes No
1 2	Are the pits free of trash and oil? Are there diversion ditches around the pits for	☑ Yes ☐ No	☑ Yes □ No	☑ Yes ☐ No	✓ Yes □ No	☑ Yes ☐ No	☑ Yes □ No	✓ Yes □ No	✓ Yes □ No	Yes No
	natural drainage?	☐ Yes ☑ No	Yes 🗹 No	☐ Yes ☑ No	☐ Yes ☑ No	☑ Yes ☐ No	☑ Yes □ No	☑ Yes ☐ No	✓ Yes □ No	Yes No
	Is there a Manifold on location? Is the Manifold free of leaks? Are the hoses in	☑ Yes ☐ No	☑ Yes ☐ No	☑ Yes □ No	☑ Yes ☐ No	☑ Yes ☐ No	✓ Yes □ No	☑ Yes ☐ No	Yes No	Yes No
0	good condition?	☑ Yes ☐ No	☑ Yes □ No	☑ Yes ☐ No	☑ Yes □ No	☑ Yes ☐ No	☑ Yes ☐ No	☑ Yes ☐ No	☑ Yes □ No	☐ Yes ☐ No
ŏ°	Was the OCD contacted?	☐ Yes ☑ No	☐ Yes ☑ No	☐ Yes ☑ No	Yes 🛭 No	Yes 🗹 No	Yes 🗹 No	☐ Yes ☑ No	Yes 🗹 No	Yes No
-	PICTURE TAKEN	☐ Yes ☑ No	Yes 🗸 No	☐ Yes ☑ No	Yes 🗸 No	☐ Yes ☑ No	☐ Yes ☑ No	☐ Yes ☑ No	Yes No	Yes No
		No Diversion Dilch	No Diversion Ditch	Fence down for Rig on Loc, No Diversion Ditch	Fence down for Drilling Rig	Trash and Parrfin in Pit	Fence Loose	ОК	ОК	PIT CLOSED

;