District I
1625 N. French Dr., Hobbs, NM 88240
District II
1301 W. Grand Avenue, Artesia, NM 88210
District III
1000 Rio Brazos Road, Aztec, NM 87410
District IV
1220 S. St. Francis Dr., Santa Fe, NM 87505

State of New Mexico Energy Minerals and Natural Resources

Oil Conservation Division 1220 South St. Francis Dr. Santa Fe, NM 87505 Form C-144 June 1, 2004

For drilling and production facilities, submit to appropriate NMOCD District Office. For downstream facilities, submit to Santa Fe

Pit or Below-Grade Tank Registration or Closure

Is pit or below-grade tank covered by a "general plan"? Yes 🗵 No 🗆

Type of action: Registration of a pit or below-grade tank □ Closure of a pit or below-grade tank ☒

Operator: Burlington Resources Tel Address: 3401 East 30th Street, Farmington, New Mexico, 87402	lephone: (505) 326-9841 e-mail a	address: <u>LHasely@br-i</u>	nc.com
Facility or well name: Reid A SRC 1 API #: 300-	45120430000 U/L or Otr/Otr A Sec 13 T	029N R 010W	
County: San Juan Latitude N36 43.772	Longitude W107 49.856 NAD: 1927	☑ 1983 □	
Surface Owner: Federal ⊠ State ☐ Private ☐ Indian ☐			
Pit Type: Drilling Production Disposal Workover Emergency Lined Unlined Liner type: Synthetic Thicknessmil Clay Pit Volumebbl	Below-grade tank Volume: _95_bbl Type of fluid: Produced Water and Incidental Oil Construction material: _Fiberglass Double-walled, with leak detection? Yes □ If not, explain why not. No - Tank was installed prior to Rule 50.		
Depth to ground water (vertical distance from bottom of pit to seasonal high water elevation of ground water.)	Less than 50 feet 50 feet or more, but less than 100 feet 100 feet or more	(20 points) (10 points) (0 points)	10
Wellhead protection area: (Less than 200 feet from a private domestic water source, or less than 1000 feet from all other water sources.)	Yes No	(20 points) (0 points)	0
Distance to surface water: (horizontal distance to all wetlands, playas, irrigation canals, ditches, and perennial and ephemeral watercourses.)	Less than 200 feet 200 feet or more, but less than 1000 feet 1000 feet or more	(20 points) (10 points) (0 points)	0
	Ranking Score (Total Points)		10
If this is a pit closure: (1) Attach a diagram of the facility showing onsite box if your are burying in place) onsite □ offsite □ If offsite remediation start date and end date. (4) Groundwater encountered: (5) Attach soil sample results and a diagram of sample locations and	e, name of facility (3) Attach a general desorbox No \boxtimes Yes \square If yes, show depth below ground sur	cription of remedial acti	on taken including
Additional Comments:			OCT 2005
Pit Location – 45 feet ,180 degrees from the wellhead.		6	RECEIVED
Soil sample collected 3 feet below bottom of tank. Soils tested c	elean and no soil remediation was required. Lab an	alysis attached.	DIL CONS. DIV.
		(E)	
I hereby certify that the information above is true and complete to the below-grade tank has been/will be constructed or closed according approved plan \Box .			
Date: <u>10/ 02/05</u>	6111 B		
Printed Name/Title <u>Ed Hasely, Environmental Advisor</u> Signat Your certification and NMOCD approval of this application/closure	does not relieve the operator of liability should the		
ground water or otherwise endanger public health or environment. Nederal, state, or local laws and/or regulations.	Nor does it reneve the operator of its responsibility		. •
Approval: OFPUTY OIL & GAS INSPECTOR, DIST.		Date 0	CT 0 6 200





EPA METHOD 8015 Modified Nonhalogenated Volatile Organics Total Petroleum Hydrocarbons

Reid A SRC 1

Client:	Burlington Resources	Project #:	92115-001-001
Sample ID:	Reid 5 RC 1	Date Reported:	10-04-04
Laboratory Number:	30762 Sec 5	Date Sampled:	09-30-04
Chain of Custody No:	. 13005	Date Received:	09-30-04
Sample Matrix:	Soil	Date Extracted:	10-01-04
Preservative:	Cool	Date Analyzed:	10-04-04
Condition:	Cool and Intact	Analysis Requested:	8015 TPH

Parameter	Concentration (mg/Kg)	Det. Limit (mg/Kg)
Gasoline Range (C5 - C10)	ND	0.2
Diesel Range (C10 - C28)	ND	0.1
Total Petroleum Hydrocarbons	ND	0.2

ND - Parameter not detected at the stated detection limit.

References:

Method 8015B, Nonhalogenated Volatile Organics, Test Methods for Evaluating Solid Waste,

SW-846, USEPA, December 1996.

Comments:

Area 2.

DID=2.6

Analyst C. Cycum

Review Malter