<u>District I.</u> 1625 N. French Dr., Hobbs, NM 88240 District II 1301 W. Grand Avenue, Artesia, NM 88210 District III
1000 Rio Brazos Road, Aztec, NM 87410 **District IV** 1220 S. St. Francis Dr., Santa Fe, NM 87505

State of New Mexico **Energy Minerals and Natural Resources**

Form C-144

June 1, 2004

Oil Conservation Division 1220 South St. Francis Dr. Santa Fe, NM 87505

For drilling and production facilities, submit to appropriate NMOCD District Office.

For downstream facilities, submit to Santa Fe office

Pit or Below-Grade Tank Registration or Closure Is pit or below-grade tank covered by a "general plan"? Yes No

Type of action: Registration of a pit or below-grade tank Closure of a pit or below-grade tank					
	(505) 326-9841 e-mail address: <u>LF</u>	iasely@br-inc.com			
Address: 3401 East 30th Street, Farmington, New Mexico, 87402	I. 4. 20020242410000 II/I on	OtriOtra I Son II T 20N D 6W			
		Qtr/Qtr <u>L</u> Sec <u>11 T 30N R 6W</u>			
County: Rio Arriba Latitude 36.82509 Longitude -107.43702 NAD: 1927 ☑ 1983 ☐					
Surface Owner: Federal State Private Indian	Ta:				
Pit	Below-grade tank				
Type: Drilling Production Disposal	Volume: 40 bbl Type of fluid: Produced Water and Incidental Oil				
Workover Emergency	Construction material: Fiberglass				
Lined Unlined	Double-walled, with leak detection? Yes If not,	, explain why not.			
Liner type: Synthetic Thicknessmil Clay	No. Tank in place prior to Rule 50.				
Pit Volumebbl		1.00			
Depth to ground water (vertical distance from bottom of pit to seasonal	Less than 50 feet	(20 points)			
high water elevation of ground water.)	50 feet or more, but less than 100 feet	(10 points)			
	100 feet or more	(0 points) 20			
Wellhead protection area: (Less than 200 feet from a private domestic	Yes	(20 points)			
water source, or less than 1000 feet from all other water sources.)	No	(0 points) 0			
water source, or less take 1000 for from all other water sources.)	Less than 200 feet	(20 maints)			
Distance to surface water: (horizontal distance to all wetlands, playas,	200 feet or more, but less than 1000 feet	(20 points)			
irrigation canals, ditches, and perennial and ephemeral watercourses.)	, '	(10 points)			
	1000 feet or more	(0 points) 10			
	Ranking Score (Total Points)	30			
If this is a pit closure: (1) Attach a diagram of the facility showing the pit	s relationship to other equipment and tanks. (2) Indica	te disposal location: (check the onsite box if			
your are burying in place) onsite [] If offsite, name of facility (3) Attach a general description of remedial action taken including remediation start date and end					
date. (4) Groundwater encountered: No 🖾 Yes 🗌 If yes, show depth below ground surface					
(5) Attach soil sample results and a diagram of sample locations and excava		20 20 28 29 20			
	tions.	A			
Additional Comments:		25 8ED (3)			
The soils tested clean and no soil remediation was required.		SEP 2005			
		RECEIVED 5			
		CALCONS. DIV. O)			
		101.3			
		19/CL 11/19			
I however consider that the information above in two and complete to the host	of my brounded and belief I foutborn and for the the	20 8 3 3 N			
I hereby certify that the information above is true and complete to the best of my knowledge and belief. I further certify that the above-described pit or below-grade tank has been/will be constructed or closed according to NMOCD guidelines , a general permit , or an (attached) alternative OCD-approved plan .					
Date: 9/27/05 5 11/1 B					
Printed Name/Title Mr. Ed Hasely, Environmental Advisor Signature					
Your certification and NMOCD approval of this application/closure does not otherwise endanger public health or the environment. Nor does it relieve to regulations.	not relieve the operator of liability should the contents of the operator of its responsibility for compliance with an	of the pit or tank contaminate ground water or ny other federal, state, or local laws and/or			
Printed Name/Title Signature Signature Date:					

ENVIROTECH INC. REMONSHITE RESOURCES PASSINGTON TO REMONSHITE RESOURCES PASSINGTON THE MARKET PROPERTY. FIELD REPORT: CLOSURE VERIFICATION PAGE NO:		T.	NI TID OFFICE	· Tara				
FIELD REPORT: CLOSURE VERIFICATION PAGE NO: 1 of 1 LOCATION: NAME SAN JULY 30-16 WELL 8: 4/33 PIT: QUAD/UNIT L SEC: 11 TRP JON RNG. LW PM. MAPT CHT. A. ST AM QUEFINSHED ALS IN QUEFINSHED QUEFI		£.	NVIRUIECH	INC.		LOCA	TION NO]:
LOCATION: NAME SON JULY 30-L WELL #: 433 PIT: QUAD/UNIT: L SEC: 11 TWP 30N RNG: LW PM: MAMPY CNITTANN'ST. MM DTR/FDDIAGE 1920'S LITS' W CONTRACTOR: LO-R EXCAVATION APPROX FT. x FT. x FT. DEEP CUBIC YARDAGE: DISPOSAL FACILITY: NAME REMEDIATION METHOD: LAND USE: LEASE: NM 06233 FORMATION: FIELD NOTES & REMARKS: PIT LOCATED APPROXIMATELY 82' FT. 745' FROM WELLHEAD DEPTH TO GROUNDWATER ZO NEAREST VATER SOURCE: O NEAREST SURFACE VATER: 10 NHOCCO RANKING SCORE 30 NHOCD TPH CLOSURE STD 100 PPH SOIL AND EXCAVATION DESCRIPTION: No visible as above of contraction probable. FIELD 4181 CALCULATIONS TIME SAMPLE ID. LAB NO: WEIGHT (g) ML. RECOND DILUTION READING CALC. PDM AST LAB SAMPLES SAMPLE ID. LAB NO: WEIGHT (g) ML. RECOND DILUTION READING CALC. PDM RESULTS PIT PROFILE AST LAB SAMPLES SAMPLE ID. LAB NO: PROPER PIT PROFILE PIT PROFILE SAMPLE ID. LAB NO: PROPER SAMPLE ID. LAB NO: PROPER PIT PROFILE AST LAB SAMPLES SAMPLE ID. LAB NO: PROPER ANALYSIS INC. AST LAB SAMPLES SAMPLES SAMPLES ANALYSIS INC.	Kesourcus		5796 U.S. HIGHWAY 6 ARMINGTON, NEW MEXI	4-3014 CO 87401			C.O.C. NE):
QUAD/UNIT: L SEC: 11 TWP: 30N RNG: LW PM MARCH CNT. MARCH ST. AM OTR/FOOTAGE: 1826'S 1175' PW CONTRACTOR: L6-R EXCAVATION APPROX FT. x FT. x FT. DEEP. CUBIC YARDAGE: 6 DISPOSAL FACILITY: NIA REMEDIATION METHOD: LAND USE: LEASE: NM- 06233 FORMATION: FIELD NOTES & REMARKS: PIT LOCATED APPROXIMATELY 82' FT. 245° FROM WELLHEAD DEPTH TO GROUNDWATER 20 NEAREST VATER SOURCE: 0 NEAREST SURFACE VATER: 10 NAMEDO RANKING SCORE: 30 NANOCO TPH CLUSURE STD 100 PPH SOIL AND EXCAVATION DESCRIPTION: PIT ABANDONED STEEL TANK INSTALLED NO VISION SITE. OFT PIT PERIMETER OVM RESULTS PILD 418.1 CALCULATIONS TIME SAMPLE ID. LAB NO: WEIGHT (g) mL FREON DILUTION READING CALC ppm THE SAMPLE ID. LAB NO: WEIGHT (g) mL FREON DILUTION READING CALC ppm RESULTS OFT PIT PERIMETER OVM RESULTS PIT PROFILE SAMPLE ID. LAB SAMPLES AMANTOSE THEE SAMPLES AMANTOSE THEE AMANTOSE THEE OVER THE PROFILE DATE OF THE PROFILE TO SAMPLE ID. LAB SAMPLES SAMPLE ID. LAB SAMPLES AMANTOSE THEE AMANTOSE THEE OVER THE PROFILE TO SECONDARY AND THE PROFILE TO SAMPLE ID. LAB SAMPLES THE AMANTOSE THEE OVER THE PROFILE TO SECONDARY AND THE PROFILE TO SAMPLE ID. LAB SAMPLES THE AMANTOSE THEE THE AMANTOSE THEE OVER THE PROFILE IN THE PROFILE TO SAMPLE ID. LAB SAMPLES THE AMANTOSE THEE OVER THE PROFILE IN TARKEN AND THE PROFILE TO SAMPLE ID. LAB SAMPLES THE AMANTOSE THEE OVER THE PROFILE IN TARKEN AND THE PROFILE TO SAMPLE ID. LAB SAMPLES THE AMANTOSE THEE OVER THE PROFILE IN TARKEN AND THE PROFILE TO SAMPLE ID. LAB SAMPLES THE AMANTOSE THEE TO SAMPLE ID. LAB SAMPLES THE AMANTOSE THE PROFILE THE PROFILE IN TARKEN AND THE PROFILE TO SAMPLE ID. LAB S	FIELD REPOR	RT: CLOS	SURE VE	ERIFIC	ATION	PAGE	No:!	of
EXCAVATION APPROX FT. x FT. x FT. DEEP. CUBIC YARDAGE: EXCAVATION APPROX FT. x FT. x FT. DEEP. CUBIC YARDAGE: DISPOSAL FACILITY: LAND USE: LEASE: NM 06233 FORMATION: FIELD NOTES & REMARKS: PIT LOCATED APPROXIMATELY 82 FT. 245 FROM WELLHEAT DEPTH TO GROUNDWATER: 20 NEAREST VATER SDURCE: O NEAREST SURFACE VATER: 10 NOCCO RANKING SCORE: 30 NHOOD THE CLOSURE STD 100 PPH SOIL AND EXCAVATION DESCRIPTION: FIELD 4181 CALCULATIONS TIME SAMPLE 1D. LAB NO: WEIGHT (9) ml. FREON DILUTION READING CALC PPM FOR SITE. FIELD 4181 CALCULATIONS TIME SAMPLE 1D. LAB NO: WEIGHT (9) ml. FREON DILUTION READING CALC PPM FIELD 4181 CALCULATIONS TIME SAMPLE 1D. LAB NO: WEIGHT (9) ml. FREON DILUTION READING CALC PPM FIELD 4181 CALCULATIONS FIELD 4181 CALCULATIONS FIELD 4181 CALCULATIONS FIELD 4181 CALCULATIONS TIME SAMPLE 1D. LAB NO: WEIGHT (9) ml. FREON DILUTION READING CALC PPM FOR SITE OF PROPERTY	LOCATION: NAME: San Juan 30-6 WELL #: 433 PIT:			DATE S	DATE STARTED: 9805 DATE FINISHED: 9805			
DISPOSAL FACILITY: N/A REMEDIATION METHOD: LAND USE: LEASE: N/M OL233 FORMATION: FIELD NOTES & REMARKS: PIT LOCATED APPROXIMATELY 82' FT. 245° FROM WELLHEAD DEPTH TO GROUNDVATER 20 NEAREST VATER SOURCE: O NEAREST SURFACE VATER: 10 NMOCD RANKING SCORE: 30 NMOCD TPH CLOSURE STD 100 PPM CHECK ONE: PIT ABANDONED PIT ABANDONED STEEL TANK INSTALLED No visible a abors of contemparation partial. No goil removed from eite. FIELD 418.1 CALCULATIONS TIME SAMPLE I.D. LAB NO: WEIGHT (9) Inc. FREON DILUTION READING CALC. ppm SCALE O FT PIT PERIMETER RESULTS PIT PROFILE AST LAB SAMPLES SAMPLE PROPRIESE PROPRIESE PROPRIESE SAMPLE PROPRIESE SAMPLE PROPRIESE SAMPLE PROPRIESE SAMP						ENVIROR SPECIAL	ENVIRONMENTAL SPECIALIST: MPM	
FIELD NOTES & REMARKS. PIT LOCATED APPROXIMATELY \$2' FT. 745° FROM WELLHEAT DEPTH TO GROUNDWATER 2D NEAREST WATER SOURCE: 0 NEAREST SURFACE WATER 10 NMOCD RANKING SCORE: 30 NMOCD TPH CLOSURE STD 100 PPH CHECK ONE: PIT ABANDIONED STEEL TANK INSTALLED No visible or obors of contamination protect. No soil removed from eite. FIELD 418.1 CALCULATIONS TIME SAMPLE I.D. LAB NO: WEIGHT (3) mt. FREON DILUTION READING CALC. ppm SCALE 1/47 3' Indoor 1 5 20 1 0.00// 9.712 O FT PIT PERIMETER OVM RESULTS SUBJECT AST LAB SAMPLES SAMPLE 10 190 1900 1900 1900 SCALE 13 1 1 1 1 1 1 1 1 1 1 1 1 1 1 1 1 1 1	EXCAVATION APPROX FT. x FT. DEEP. CUBIC YARDAGE: DISPOSAL FACILITY: REMEDIATION METHOD:							
SOIL AND EXCAVATION DESCRIPTION: No visible at abors of contamination process. FIELD 418.1 CALCULATIONS TIME SAMPLE I.D. LAB No: WEIGHT (g) ml. FREON DILUTION READING CALC. ppm SCALE 1(47) 3' July 1 5 20 1 0.00H 9.72 OFT PIT PERIMETER RESULTS PIT PROFILE SAMPLE PROJECT PO (ppm) AST LAB SAMPLES SAMPLES SAMPLES SAMPLES SAMPLES MALTYSIS TIME	FIELD NOTES & REMARKS: PIT LOCATED APPROXIMATELY 82' FT. 745° FROM WELLHEAD							
FIELD 418.1 CALCULATIONS TIME SAMPLE I.D. LAB NO: WEIGHT (g) mL. FREON DILUTION READING CALC. ppm SCALE 1/47 3' Indoor O FT PIT PERIMETER RESULTS PIT PROFILE SAMPLE PROPERTIES PROPOSENCE PRO (ppm) 13' Indoor O FT PSAMPLE PROPOSENCE PRO (ppm) 13' Indoor O FT AST LAB SAMPLES SAMPLE ANALYSIS TIME	SOIL AND EXCAVATION DESCRIPTION: ——PIT ABANDONED							
SCALE 1/47 3' July 1 5 20 1 0.00H 9.72 OFT PIT PERIMETER RESULTS PIT PROFILE SAMPLE PED MEADSPACE PO (Open) 1 3' July 2 3 4 5 3 4 5 4 5 AST LAB SAMPLES SAMPLE SAMPLES SAMPLE ANALYSIS TIME	t		FIEL	D 418.1 CAL	<u>CULATIONS</u>		-	
PIT PERIMETER OVM RESULTS PIT PROFILE SAMPLE PIC (ppm) 13'(a-lan) P Revised AST LAB SAMPLES SAMPLES SAMPLES ANALYSIS TIME	SCALE							
PIT PERIMETER OVM RESULTS PIT PROFILE SAMPLE PIC (ppm) 13'(a-lan) P Revised AST LAB SAMPLES SAMPLES SAMPLES ANALYSIS TIME								
1(30)		ETER		·	PIT	PRO	OFILE	
	F M	13 2 7 Roujsele 4	SAMPLE FISLD HE	ADSPACE ppm)				



EPA METHOD 418.1 TOTAL PETROLEUM HYDROCARBONS

Client:

Burlington Resources

Project #:

92115-021-117

Sample No.:

1

Date Reported:

9/8/2005

Sample ID:

Discrete, 3' Below BG Tank

Date Sampled:

9/8/2005

Sample Matrix:

Soil

Date Analyzed:

9/8/2005

Preservative:

Cool

Analysis Needed:

TPH-418.1

Condition:

Cool and Intact

		Det.
	Concentration	Limit
Parameter	(mg/kg)	(mg/kg)

Total Petroleum Hydrocarbons

9.71

5.0

ND = Parameter not detected at the stated detection limit.

References:

Method 418.1, Petroleum Hydrocarbons, Total Recoverable, Chemical Analysis of Water

and Waste, USEPA Storet No. 4551, 1978.

Comments:

San Juan 30-6 Unit 433

Analyst

POWOW