Form 3160-5 (March 2012)

UNITED STATES DEPARTMENT O


LECIVED

FORM APPROVED
OMB No. 1004-0137
Expires: October 31, 2014

	JUN 02	วกเ	MB No. 1004-0137	
DEPARTMENT OF THE INTERIOR	3011 02	- Z U	Expires: October 31, 2014	
BUREAU OF LAND MANAGEMENT			5. Lease Serial No.	
مدم. را محم	aminicion F	iskil	NMNM 112953	•
RY NOTICES AND REPORTS ON WELLS	S. ari and	3/0 ~ :s	6If-Indiana Allottee or Tribe Name	
RY NOTICES AND REPORTS ON WELLS	nter an	1812211	N/A	
(all Lien Form 2160-2 (APD) for such pre	anagala '			


Do not use this f	orm for proposals	ORTS ON WELLS GRANT to drill or to re-enter a APD) for such proposa	nn NA	Allottee or	Tribe Name	
SUBMIT IN TRIPLICATE – Other instructions on page 2.				7. If Unit of CA/Agreement, Name and/or No.		
1. Type of Well			N/A 8. Well Name	e and No.		
Gas well Other				7-2306 0°	1H	
Encana Oil & Gas (USA) Inc.			9. API Well 1 30-043-211	52 		
3a. Address 370 17th Street, Suite 1700 Denver, CO 80202		3b. Phone No. (include area of 720-876-5867	code) 10. Field and Counselors		xploratory Area akota	
4. Location of Well (Footage, Sec., T.,R.,M., or Survey Description) SHL: 1569' FNL and 199' FWL Section 27, T23N, R6W BHL: 695' FNL and 687' FWL Section 28, T23N, R6W			11. County of Sandoval C			
12. CHEC	K THE APPROPRIATE B	OX(ES) TO INDICATE NATU	RE OF NOTICE, REPORT	OR OTHE	R DATA	
TYPE OF SUBMISSION		Т	YPE OF ACTION		· · · · · · · · · · · · · · · · · · ·	
✓ Notice of Intent	Acidize Alter Casing	Deepen Fracture Treat	Production (Start/Re	esume)	Water Shut-Off Well Integrity	
Subsequent Report	Casing Repair	New Construction	Recomplete		OtherInstallation of Gas Lift	
Final Abandonment Notice	Change Plans Convert to Injection	Plug and Abandon Plug Back	☐ Temporarily Abando ☐ Water Disposal	on	Installation of Gas Lift	
determined that the site is ready for Encana Oil & Gas (USA) Inc. is requand the gas allocation procedure.	• ,	istall gas lift at the Lybrook E	27-2306 01H well. Attache			
				OIL	. CONS. DIV DIST. 3	
					JUN 2 3 2014	
					••	
14. I hereby certify that the foregoing is to	rue and correct. Name (Print	ed/Typed)				
Cristi Bauer		Title Operat	ions Technician			
Signature CRIST	BALLER	Date 05/30/2	2014			
	THIS SPACE	FOR FEDERAL OR S	TATE OFFICE USE	,		
Approved by Conditions of approval, if any, are attached that the applicant holds legal or equitable tentille the applicant to conduct operations	itle to those rights in the subje	Title es not warrant or certify ect lease which would Office	Petr. Eng.	Di	ate 6/18/16	

Title 18 U.S.C. Section 1001 and Title 43 U.S.C. Section 1212, make it a crime for any person knowingly and willfully to make to any department or agency of the United States any false, fictitious or fraudulent statements or representations as to any matter within its jurisdiction.




Attachment No. 5
Encana Oil & Gas (USA) Inc.
Lybrook Trunk Line #1, Gathering System
San Juan County, New Mexico
Amendment Dated May 15, 2014

Gas Measurement Allocation Procedure for Multi-Well Pads



Attachment No. 5
Encana Oil & Gas (USA) Inc.
Lybrook Trunk Line #1, Gathering System
Sandoval County, New Mexico
Amendment Dated May 15, 2014

Gas Measurement Allocation Procedure for Multi-Well Pads



Attachment No. 5 Encana Oil & Gas (USA) Inc. Lybrook Trunk Line #1, Gathering System Sandoval County, New Mexico Amendment Dated May 15, 2014

Base Data:

V = Gas Volume (MCF) from Custody Transfer Meter during allocation period (Enterprise Products Partners)

 X_x = Gas Volume (MCF) from Pad Allocation Meter during allocation period. (Encana)

R_x = Gas Volume (MCF) from Gas Return Meter at Well Pad (Encana)*

 $(X_x - R_x) = Gas Volume (MCF)$ for total Well Pad Production (Encana)

 $W_x = Gas Volume (MCF)$ from Wellhead Allocation Meter at individual wells during allocation period. (Encana)

WI_x = Gas Volume (MCF) from Well Injection Meter at individual wells during allocation period. (Encana)*

Y = Heating Value (BTU/scf) from Custody Transfer Meter during allocation period. (Enterprise Products Partners)

Z = Heating Value (BTU/scf) from individual Wellhead Allocation Meter and Well Injection Meter. (Encana)

Allocation Period is typically a calendar month and will be the same for all Well Pads and individual wells.

Well Pad Gas Production = A + B + C + D + E

A = Allocated Gas production off lease for Well Pad, MCF: $[(X_1-R_1)/((X_1-R_1)+(X_2-R_2)+(X_n-R_n))]*(V)$

Please note, gas production (MCF) for individual wells on a Well Pad is calculated using the formula: $[(W_1-WI_1)/((W_1-WI_1)+(W_2-WI_2)+(W_n-WI_n))]*(X_1-R_1)$

B = On lease fuel usage, MCF. Determined from equipment specification and operating conditions. This includes, but is not limited to, compression, vapor recovery unit (VRU) compression, burners, and pump jacks.

C = Lost and/or vented gas from well and/or lease equipment, MCF. Calculated using equipment and piping specifications and operating pressures.

D = Allocated fuel from gathering system equipment, MCF. The total fuel required to operate gathering system equipment will be allocated to the Well Pads benefiting from the equipment using allocation factors determined by $[(X_1-R_1)/((X_1-R_1)+(X_2-R_2)+(X_n-R_n))]$ and for individual wells using allocation factors determined by $[(W_1-WI_1)/((W_1-WI_1)+(W_2-WI_2)+(W_n-WI_n))]$.

Attachment No. 5 Encana Oil & Gas (USA) Inc. Lybrook Trunk Line #1, Gathering System Sandoval County, New Mexico Amendment Dated May 15, 2014

E = Allocated volume of gas lost and/or vented from the gathering system, gathering system equipment, condensate collection, and water collection in MCF. The total volume will be determined using industry accepted procedures the time of the loss. The total volumes lost and/or vented will be allocated to the Well Pads affected using factors determined by $[(X_1-R_1)/((X_1-R_1)+(X_2-R_2)+(X_n-R_n))]$, and for individual wells using factors determined by $[(W_1-W_1)/((W_1-W_1)+(W_2-W_1)+(W_n-W_1))]$.

Individual Well BTU's = $[[\{(W_n-WI_n)^*Z_n\}/\{SUM((W_n-WI_n)^*Z_n)\}]^*(V^*Y)^*1000]$ Individual well gas heating values to be determined in accordance with BLM regulations.

Attachment No. 5 Encana Oil & Gas (USA) Inc. Lybrook Trunk Line #1, Gathering System San Juan County, New Mexico Amendment Dated May 15, 2014

Base Data:

 V_1 = Gas Volume (MCF) from Custody Transfer Meter during allocation period (Enterprise)

V₂ = Gas Volume (MCF) from Custody Transfer Meter during allocation period (Williams)

 X_x = Gas Volume (MCF) from Pad Allocation Meter during allocation period. (Encana)

R_x = Gas Volume (MCF) from Gas Return Meter at Well Pad (Encana)*

 $(X_x - R_x) = Gas Volume (MCF) for total Well Pad Production (Encana)$

 W_x = Gas Volume (MCF) from Wellhead Allocation Meter at individual wells during allocation period. (Encana)

WI_x = Gas Volume (MCF) from Well Injection Meter at individual wells during allocation period. (Encana)*

Y₁ = Heating Value (BTU/scf) from Custody Transfer Meter during allocation period. (Enterprise)

Y₂ = Heating Value (BTU/scf) from Custody Transfer Meter during allocation period. (Williams)

Z = Heating Value (BTU/scf) from individual Wellhead Allocation Meter and Well Injection Meter. (Encana)

Allocation Period is typically a calendar month and will be the same for all Well Pads and individual wells.

Well Pad Gas Production = A + B + C + D + E

A = Allocated Gas production off lease for Well Pad, MCF: $[(X_1-R_1)/((X_1-R_1)+(X_2-R_2)+(X_0-R_0))]*(V_1+V_2)$

Please note, gas production (MCF) for individual wells on a Well Pad is calculated using the formula: $[(W_1-WI_1)/((W_1-WI_1)+(W_2-WI_2)+(W_n-WI_n))]*(X_1-R_1)$

B = On lease fuel usage, MCF. Determined from equipment specification and operating conditions. This includes, but is not limited to, compression, vapor recovery unit (VRU) compression, burners, and pump jacks.

C = Lost and/or vented gas from well and/or lease equipment, MCF. Calculated using equipment and piping specifications and operating pressures.

Attachment No. 5
Encana Oil & Gas (USA) Inc.
Lybrook Trunk Line #1, Gathering System
San Juan County, New Mexico
Amendment Dated May 15, 2014

D = Allocated fuel from gathering system equipment, MCF. The total fuel required to operate gathering system equipment will be allocated to the Well Pads benefiting from the equipment using allocation factors determined by $[(X_1-R_1)/((X_1-R_1)+(X_2-R_2)+(X_n-R_n))]$ and for individual wells using allocation factors determined by $[(W_1-WI_1)/((W_1-WI_1)+(W_2-WI_2)+(W_n-WI_n))]$.

E = Allocated volume of gas lost and/or vented from the gathering system, gathering system equipment, condensate collection, and water collection in MCF. The total volume will be determined using industry accepted procedures the time of the loss. The total volumes lost and/or vented will be allocated to the Well Pads affected using factors determined by $[(X_1-R_1)/((X_1-R_1)+(X_2-R_2)+(X_n-R_n))]$, and for individual wells using factors determined by $[(W_1-W_1)/((W_1-W_1)+(W_2-W_1)+(W_n-W_1))]$.

Individual Well BTU's = $[[\{(W_n-WI_n)^*Z_n\}/\{SUM((W_n-WI_n)^*Z_n)\}]^*(V_1^*Y_1+V_2^*Y_2)^*1000]$ Individual well gas heating values to be determined in accordance with BLM regulations.