

UNITED STATES
DEPARTMENT OF THE INTERIOR
BUREAU OF LAND MANAGEMENT

AUG 25 2014

FORM APPROVED
OMB No. 1004-0137
Expires: October 31, 2014**SUNDRY NOTICES AND REPORTS ON WELLS**
*Do not use this form for proposals to drill or to re-enter an abandoned well. Use Form 3160-3 (APD) for such proposals.*5. Lease Serial No.
NMNM123746. If Indian, Allottee or Tribe Name
N/A

ROUD SEP 30 '14

SUBMIT IN TRIPLICATE - Other instructions on page 2.

1. Type of Well

☒ Oil Well ☐ Gas Well ☐ Other

7. If Unit of CA/Agreement, Name and/or No.

N/A OIL CONS. DIV.

8. Well Name and No.
Escrito M27-2409 02H

DIST. 3

2. Name of Operator
Encana Oil & Gas (USA) Inc.9. API Well No.
30-045-354793a. Address
370 17th Street, Suite 1700 Denver, CO 802023b. Phone No. (include area code)
720-876-374010. Field and Pool or Exploratory Area
Bisti Lower-Gallup/Basin Mancos Gas4. Location of Well (Footage, Sec., T., R., M., or Survey Description)
SHL: 1255' FSL and 371' FWL Section 27, T24N, R9W
BHL: 880' FSL and 330' FWL Section 28, T24N, R10W11. County or Parish, State
San Juan County

12. CHECK THE APPROPRIATE BOX(ES) TO INDICATE NATURE OF NOTICE, REPORT OR OTHER DATA

TYPE OF SUBMISSION	TYPE OF ACTION			
☒ Notice of Intent	☐ Acidize	☐ Deepen	☐ Production (Start/Resume)	☐ Water Shut-Off
☐ Subsequent Report	☐ Alter Casing	☐ Fracture Treat	☐ Reclamation	☐ Well Integrity
☐ Final Abandonment Notice	☐ Casing Repair	☐ New Construction	☐ Recomplete	☒ Other Well Name Change
	☒ Change Plans	☐ Plug and Abandon	☐ Temporarily Abandon	
	☐ Convert to Injection	☐ Plug Back	☐ Water Disposal	

13. Describe Proposed or Completed Operation: Clearly state all pertinent details, including estimated starting date of any proposed work and approximate duration thereof. If the proposal is to deepen directionally or recompletable horizontally, give subsurface locations and measured and true vertical depths of all pertinent markers and zones. Attach the Bond under which the work will be performed or provide the Bond No. on file with BLM/BIA. Required subsequent reports must be filed within 30 days following completion of the involved operations. If the operation results in a multiple completion or recompletable in a new interval, a Form 3160-4 must be filed once testing has been completed. Final Abandonment Notices must be filed only after all requirements, including reclamation, have been completed and the operator has determined that the site is ready for final inspection.)

Encana Oil & Gas (USA) Inc. recently finalized the formation of a 9,135.51 acre Federal exploratory unit named the Nageezi Unit. The Nageezi Unit hearing occurred on May 29, 2014 at the New Mexico Oil Conservation Division in Santa Fe, in which, Encana requested an undivided unit be formed that would also encompass its own unique oil pool designation. Therefore, the Escrito M27-2409 02H well will now be a part of the Nageezi Unit. We are submitting this sundry and corresponding plat package to change the well name from the Escrito M27-2409 02H to the Nageezi Unit M27-2409 02H.

14. I hereby certify that the foregoing is true and correct. Name (Printed/Typed)

Rosalie Thim

Title Regulatory Analyst

Signature

Date

8/22/14

THIS SPACE FOR FEDERAL OR STATE OFFICE USE

Approved by

Title

L. E.

Date

8/26/14

Conditions of approval, if any, are attached. Approval of this notice does not warrant or certify that the applicant holds legal or equitable title to those rights in the subject lease which would entitle the applicant to conduct operations thereon.

Office

BLM-FED

Title 18 U.S.C. Section 1001 and Title 43 U.S.C. Section 1212, make it a crime for any person knowingly and willfully to make to any department or agency of the United States any false, fictitious or fraudulent statements or representations as to any matter within its jurisdiction.

(Instructions on page 2)

NMOCDA

District II
811 S. First Street, Artesia, NM 88210
Phone: (575) 748-1283 Fax: (575) 748-9720

District III
1000 Rio Brazos Road, Aztec, NM 87410
Phone: (505) 334-6178 Fax: (505) 334-6170

District IV
1220 S. St. Francis Drive, Santa Fe, NM 87505
Phone: (505) 476-3460 Fax: (505) 476-3462

OIL CONSERVATION DIVISION

1220 South St. Francis Drive
Santa Fe, NM 87505

Submit one copy to
Appropriate District Office

☒ AMENDED REPORT

AUG 25 2014

WELL LOCATION AND ACREAGE DEDICATION PLAT

*API Number 30-045-35479	*Pool Code 98080	*Pool Name NAGEEZI UNIT HZ. (OIL)
*Property Code 98080	*Property Name NAGEEZI UNIT M27-2409	*Well Number 02H
*UGRID No. 282327	*Operator Name ENCANA OIL & GAS (USA) INC.	*Elevation 6978

¹⁰ Surface Location

UL or lot no.	Section	Township	Range	Lot Idn	Feet from the	North/South line	Feet from the	East/West line	County
M	27	24N	9W		1255	SOUTH	371	WEST	SAN JUAN

¹¹ Bottom Hole Location If Different From Surface


UL or lot no.	Section	Township	Range	Lot Idn	Feet from the	North/South line	Feet from the	East/West line	County
M	28	24N	9W		880	SOUTH	330	WEST	SAN JUAN

¹² Dedicated Acres	320.0 Acres S/2 Section 28	¹³ Joint or Infill	¹⁴ Consolidation Code	¹⁵ Order No.	R-13856	9,135.51 Acres
-------------------------------	-------------------------------	-------------------------------	----------------------------------	-------------------------	---------	----------------

PCND SEP 30 '14

NO ALLOWABLE WILL BE ASSIGNED TO THIS COMPLETION UNTIL ALL INTERESTS HAVE BEEN CONSOLIDATED OR A NON-STANDARD UNIT HAS BEEN APPROVED BY THE DIVISION

OIL CONS. DIV.
DIST 2



END-OF-LATERAL
880' FSL 330' FWL
SECTION 28, T24N, R9W
LAT: 36.28015°N
LONG: 107.80161°W
DATUM: NAD1927

LAT: 36.28017°N
LONG: 107.80222°W
DATUM: NAD1983

POINT-OF-ENTRY
880' FSL 330' FEL
SECTION 28, T24N, R9W
LAT: 36.28023°N
LONG: 107.78593°W
DATUM: NAD1927

LAT: 36.28024°N
LONG: 107.78654°W
DATUM: NAD1983

SURFACE LOCATION
1255' FSL 371' FWL
SECTION 27, T24N, R9W
LAT: 36.28127°N
LONG: 107.78358°W
DATUM: NAD1927

LAT: 36.28128°N
LONG: 107.78419°W
DATUM: NAD1983

17 OPERATOR CERTIFICATION

I hereby certify that the information contained herein is true and complete to the best of my knowledge and belief, and that this organization either owns a working interest or unleased mineral interest in the land including the proposed bottom-hole location or has a right to drill this well at this location pursuant to a contract with an owner of such a mineral or working interest, or to a voluntary pooling agreement or a compulsory pooling order heretofore entered by the division.

Rosalie Thim 8/22/14
Signature Date
Printed Name
rosalie.thim@ancara.com
E-mail Address

18 SURVEYOR CERTIFICATION

I hereby certify that the well location shown on this plat was plotted from field notes of actual surveys made by me or under my supervision, and that the same is true and correct to the best of my belief.

Revised Date: AUGUST 11, 2014
Date of Survey: JULY 30, 2012

Signature and Seal of Professional Surveyor



JASON C. EDWARDS
Certificate Number 15269

District I
1625 N. French Drive, Hobbs, NM 88240
Phone: (575) 393-6161 Fax: (575) 393-0720

District II
811 S. First Street, Artesia, NM 88210
Phone: (575) 748-1283 Fax: (575) 748-9720

District III
1000 Rio Brazos Road, Aztec, NM 87410
Phone: (505) 334-6178 Fax: (505) 334-6170

District IV
1220 S. St. Francis Drive, Santa Fe, NM 87505
Phone: (505) 476-3460 Fax: (505) 476-3462


State of New Mexico
Energy, Minerals & Natural Resources Department

Form C-102
Revised August 1, 2011

Submit one copy to
Appropriate District Office

OIL CONSERVATION DIVISION
1220 South St. Francis Drive
Santa Fe, NM 87505

☐ AMENDED REPORT



END-OF-LATERAL
880' FSL 330' FWL
SECTION 28, T24N, R9W
LAT: 36.28015° N
LONG: 107.80161° W
DATUM: NAD1927

LAT: 36.28017° N
LONG: 107.80222° W
DATUM: NAD1983

POINT-OF-ENTRY
880' FSL 330' FWL
SECTION 27, T24N, R9W
LAT: 36.28023° N
LONG: 107.78593° W
DATUM: NAD1927


LAT: 36.28024° N
LONG: 107.78654° W
DATUM: NAD1983

SURFACE LOCATION
1255' FSL 371' FWL
SECTION 27, T24N, R9W
LAT: 36.28127° N
LONG: 107.78358° W
DATUM: NAD1927

LAT: 36.28128° N
LONG: 107.78419° W
DATUM: NAD1983

ROAD SEP 30 14
OIL CONS. DIV.
DIST. 3

ENCANA OIL & GAS (USA) INC. NAGEEZI UNIT M27-2409 02H
1255' FSL & 371' FWL, SECTION 27, T24N, R9W, NMPM
SAN JUAN COUNTY, NEW MEXICO ELEVATION: 6978'
LAT: 36.28128°N LONG: 107.78419°W DATUM: NAD1983



GRAPHIC SCALE 1"=80'

0 80 160

~ SURFACE OWNER ~

Bureau of Land Management


Steel T-Posts have been set to define the Edge of Disturbance limits which are 50' offset from the edge of the staked wellpad.

ENCANA OIL & GAS (USA) INC. NAGEEZI UNIT M27-2409 02H
 1255' FSL & 371' FWL, SECTION 27, T24N, R9W, NMPPM
 SAN JUAN COUNTY, NEW MEXICO ELEVATION: 6978'


HORIZONTAL SCALE 1"=50'

C/L


VERTICAL SCALE 1"=30'



C/L



C/L



CONTRACTOR SHOULD CONTACT ONE-CALL FOR LOCATION OF ANY MARKED OR UNMARKED UNDERGROUND UTILITIES OR PIPELINES ON WELLPAD AND/OR ACCESS ROAD AT LEAST TWO WORKING DAYS PRIOR TO CONSTRUCTION.

GRAPHIC SCALE 1"=1000'

A horizontal graphic scale bar with a black and white checkerboard pattern. It is marked with '0' at the left end, '1000' in the middle, and '2000' at the right end. Above the bar, the text 'GRAPHIC SCALE 1"=1000'' is printed.



SHEET 5 OF 7	CHECKED: JCE
FILENAME: 24927MG2	DRAWN BY: BMW

1255' FSL & 371' FWL, SECTION 27, T24N, R9W, N.M.P.M.
SAN JUAN COUNTY, NEW MEXICO



Directions from the Intersection of US Hwy 550 & US Hwy 64
in Bloomfield, NM to Encana Oil & Gas (USA) Inc. Nageezi Unit M27-2409 02H
1255' FSL & 371' FWL, Section 27, T24N, R9W, N.M.P.M., San Juan County, NM

Latitude: 36.28128°N Longitude: 107.78419°W Datum: NAD1983

From the intersection of US Hwy 550 & US Hwy 64 in Bloomfield, NM, travel Southerly on US Hwy 550 for 31.7 miles to Mile Marker 119.5;

Go right (South-westerly) for 0.4 miles to 4-way intersection;

Go straight (South-westerly) @ 4-way intersection for 0.1 miles to Nageezi Unit D34-2409 01H well access road on left-hand side of existing roadway which continues for 10,256.3' to fork in well access road;

Go straight (South-easterly) along Nageezi Unit D34-2409 01H proposed access for an additional 1454.3' to fork in proposed roadway;

Go left (North-easterly) for an additional 585.5' to staked Encana Nageezi Unit M27-2409 02H location.