1220 S. St. Francis Dr., Santa Fe, NM 87505

District IV

State of New Mexico Energy Minerals and Natural Resources

Form C-144 June 1, 2004

Oil Conservation Division 1220 South St. Francis Dr. Santa Fe, NM 87505 For drilling and production facilities, submit to appropriate NMOCD District Office.
For downstream facilities, submit to Santa Fe office

Pit or Below-Grade Tank Registration or Closure


	ered by a general plan ? Tes 🖭 No 🗀	
(WF3 CLOSURE) Type of action: Registration of a pit or below	w-grade tank Closure of a pit or below-grade tank	✓
Operator: BURLINGTON RESOURCES OIL & GAS CO Telephone:	e-mail address:	
Address: 801 CHERRY ST FORT WORTH, TX 76102		
Facility or well name: SADIE WEST #002 API #: 30-045-	$\frac{10617}{}$ U/L or Qtr/Qtr \underline{D} SEC	<u>21</u> T <u>31N</u> R <u>12W</u>
County: SAN JUAN Surface Owner: Federal ✓ State ☐ Private ☐ Indian ☐	258 Longitude -108.10797	NAD: 1927 ☑ 1983 □
Pit Type: Drilling Production ✓ Disposal Workover Emergency Lined Unlined ✓ Liner Type: Synthetic Thickness mil Clay Pit Volume 120 bbl	Below-grade tank Volume: bbl Type of fluid: Construction Material: Double-walled, with leak detection? Yes If not, ex	plain why not.
Depth to ground water (vertical distance from bottom of pit to seasonal high water elevation of ground water.)	Less than 50 feet 50 feet or more, but less than 100 feet 100 feet or more	(20 points) (10 points) 0 (0 points) -
Wellhead protection area: (Less than 200 feet from a private domestic water source, or less than 1000 feet from all other water sources.)	Yes No	(20 points) <u>0</u>
Distance to surface water: (Horizontal distance to all wetlands, playas, irrigation canals, ditches, and perennial and ephemeral watercourses.)	Less than 200 feet 200 feet to 1,000 feet Greater than 1,000 feet	(20 points) (10 points) <u>0</u> (0 points)
	Ranking Score (TOTAL POINTS):	<u>0</u>
If this is a pit closure: (1)Attach a diagram of the facility showing the pit's relonsite box if your are burying in place) onsite ✓ offsite ☐ If offsite, name action taken including remediation start date and end date. (4)Groundwater encou and attach sample results. (5)Attach soil sample results and a diagram of sample lead to the facility showing the pit's relonsite on the facility showing the pit's relonsite of	intered: No 🗹 Yes 🗌 If yes, show depth below g	round surfaceft.
I hereby certify that the information above is true and complete to the best of my		
tank has been/will be constructed or closed according to NMOCD guidelines	, a general permit , or an (attached) alternative OC	CD-approved plan
Date: 9/9/05 Printed Name/Title Mark Harvey for Williams Field Services Signature Mark Harvey for Williams Field Services Mark Harvey for Williams Mark Ha	gnature MIZJUG, FOR WPS	
Your certification and NMOCD approval of this application/closure does not relie or otherwise endanger public health or the environment. Nor does it relieve the o regulations.		
Approval: Printed Name/Tirestury OB. & GAS INSPECTOR, DIST. 43 Sign	Jens Dent Jul	OCT 12 2005

ADDENDUM TO OCD FORM C-144


Operator: BURLINGTON RESOURCES OIL & GAS COMPANY LP

Well Name: SADIE WEST #002 Meter: 34269

Facility Diagram:



Sampling Diagram:



API: 30-045-10617

Pit Dimensions

Length 15 Ft.

Width $\underline{15}$ Ft.

Depth 3 Ft.

Location of Pit Center

Latitude 36.88956

Longitude -108.10842

(NAD 1927)

Pit ID

342691

Pit Type

Glycol Dehydrator

Date Closure Started: 4/7/03

Closure Method:

Excavated, Blended, Treated Soil Returned

Date Closure Completed: 4/7/03

Bedrock Encountered?

Cubic Yards Excavated: 27

Vertical Extent of Equipment Reached ? \Box

Description Of Closure Action:

Contaminated soil was removed and treated then returned to the excavation following sampling of the walls and floor.

BEDROCK limited vertical excavation and/or prevented sampling. This condition limits deleterious environmental effects.

Pit Closure Sampling:

Sample ID	Sample Date	Head Space	BTEX Total (mg/kg)	Benzene (mg/kg)	TPH DRO (mg/kg)	Purpose	Location	Depth
110507APR03	4/7/03	78.6	0	0	0	EX Confirm	Flr	4
111007APR03	4/7/03	18.4	0	0	46	EX Confirm	Walls	4
140215MAY02	5/15/02		118.5	6.8	650	ASSESS		2



Pace Analytical Services, Inc.

9608 Loiret Blvd. Lenexa, KS 66219

Phone: 913.599.5665 Fax: 913.599.1759

Lab Project Number: 6058969

Client Project ID: N.M. PIT ASSESSMENTS 2002

Lab Sample No: 605138155 Client Sample ID: 140215502 Project Sample Number: 6058969-007

Date Collected: 05/15/02.14:02

Matrix: Soil

Date Received: 05/17/02 09:30

							200 1000 1000 00,27,0		
Parameters		<u>Units</u>	Report Limit	t Analyzed	d By	CAS No.	Qual	RegLmt	
GC Semivolatiles									
Total Extractable Hydrocarbons	Prep/Method:	0A2 / 0A2							
Mineral Spirits	ND	mg/kg	12.	05/23/02 03:	:47 WAW	•			
Jet Fuel	ND	mg/kg	12.	05/23/02 03:	:47 WAW				
Kerosene	ND .	mg/kg	12.	05/23/02 03:	:47 WAW				
Diesel Fuel	ND	mg/kg	12.	05/23/02 03:	:47 WAW	68334-30-5			
Fuel 011	ND	mg/kg	12.	05/23/02 03:	:47 WAW	68334-30-5			
Motor 0il	ND	mg/kg	12.	05/23/02 03:	:47 WAW				
Total Petroleum Hydrocarbons	650	mg/kg	12.	05/23/02 03:	:47 WAW		1		
n-Tetracosane (S)	121	%		05/23/02 03:	:47 WAW	646-31-1			
p-Terphenyl (S)	117	%		05/23/02 03:	:47 WAW	92-94-4		•	
Date Extracted			•	05/21/02					
Organics Prep									
Percent Moisture	Method:								
Percent Moisture	17.4	%		05/22/02	MIM				
GC Volatiles									
Aromatic Volatile Organics	Prep/Method:	EPA 5030	Medium Soil / E	EPA 8021					
Benzene	6800	ug/kg	1200	05/24/02 11:	:08	71-43-2			
Ethylbenzene	13000	ug/kg	1200	05/24/02 11:	:08	100-41-4			
Toluene	4700	ug/kg	1200	05/24/02 11:	:08	108-88-3			
Xylene (Total)	94000	ug/kg	3000	05/24/02 11:	:08	1330-20-7			
a,a,a-Trifluorotoluene (S)	24	%		05/24/02 11:		98-08-8	4.5.7		

Date: 05/31/02

Page: 7

REPORT OF LABORATORY ANALYSIS

This report shall not be reproduced, except in full, without the written consent of Pace Analytical Services, Inc.





Pace Analytical Services, Inc.

9608 Loiret Blvd. Lenexa, KS 66219

Phone: 913.599.5665 Fax: 913.599.1759

Lab Project Number: 6069637 Client Project ID: NM Pits

Lab Sample No: 606002301

Project Sample Number: 6069637-012

Date Collected: 04/07/03 11:10

	Saffin Building		Jece sample	Mumber . 0007037	012	vare collecte	u. 04/0	1/03 TT:TO
Client Sample ID: 111007APR03		•		Matrix: Soil		Date Receive	d: 04/1	8/03 11:07
<u>Parameters</u>	Results	Units	Report Limit	DF Analy	zed By	CAS No.	Oua 1	RegLmt
GC Semivolatiles	-							
Total Extractable Hydrocarbons	Prep/Method:	0A2 / 0A2						
Mineral Spirits	ND	mg/kg	12.	1.2 04/23/03	18:43 MIM		•	
Jet Fuel	ND	mg/kg	12.	1.2 04/23/03	18:43 MIM			
Kerosene	ND	mg/kg	12.	1.2 04/23/03	18:43 MIM			
Diesel Fuel	46.	mg/kg	12.	1.2 04/23/03	18:43 MIM	68334-30-5		
Fuel 011	ND	mg/kg	12.	1.2 04/23/03	18:43 MIM	68334-30-5		
Motor 0il	ND	mg/kg	12.	1.2 04/23/03	18:43 MIM			
n-Tetracosane (S)	88	%		1.0 04/23/03	18:43 MIM	646-31-1		
p-Terphenyl (S)	88	%		1.0 04/23/03	18:43 MIM	92-94-4		
Date Extracted	04/21/03			04/21/03				
Organics Prep								
Percent Moisture	Method: SM 2	540G						
Percent Moisture	15.4	%		1.0 04/22/03	МАМ		,	
GC Volatiles								
Aromatic Volatile Organics	Prep/Method:	EPA 5030 M	ledium Soil / EF	A 8021				
Benzene	ND	ug/kg	59.	1.2 04/24/03	17:10	71-43-2		
Ethylbenzene	ND	ug/kg	59.	1.2 04/24/03		100-41-4		
Toluene	ND	ug/kg	59.	1.2 04/24/03		108-88-3		
Xylene (Total)	ND	ug/kg	150	1.2 04/24/03		1330-20-7		
a,a,a-Trifluorotoluene (S)	97	%		1.0 04/24/03		98-08-8		

Date: 05/01/03

Page: 12 of 37

REPORT OF LABORATORY ANALYSIS

This report shall not be reproduced, except in full, without the written consent of Pace Analytical Services, Inc.





606002293

Lab Sample No:

Pace Analytical Services, Inc.

9608 Loiret Blvd. Lenexa, KS 66219

Phone: 913.599.5665 Fax: 913.599.1759

Lab Project Number: 6069637 Client Project ID: NM Pits

Project Sample Number: 6069637-011

Date Collected: 04/07/03 11:05 Date Received: 04/18/03 11:07

Parameters Results Units Report Limit DF Analyzed By CAS No.	Date Received: 04/18/03 11:07		
Total Extractable Hydrocarbons Prep/Method: OA2 / OA2 OA2	. Qual RegLmt		
Mineral Spirits ND mg/kg 12. 1.1 04/23/03 18:15 MIM Jet Fuel ND mg/kg 12. 1.1 04/23/03 18:15 MIM Kerosene ND mg/kg 12. 1.1 04/23/03 18:15 MIM Diesel Fuel ND mg/kg 12. 1.1 04/23/03 18:15 MIM 68334-30-10 MIM Fuel Otl ND mg/kg 12. 1.1 04/23/03 18:15 MIM 68334-30-10 MIM Motor Oil ND mg/kg 12. 1.1 04/23/03 18:15 MIM 68334-30-10 MIM ND mg/kg 12. 1.1 04/23/03 18:15 MIM 666-31-1 1.0 04/23/03 18:15 MIM 666-31-1 p-Terphenyl (S) 86 % 1.0 04/23/03 18:15 MIM 92-94-4 Date Extracted 04/21/03 04/21/03 04/21/03 Organics Prep Percent Moisture Method: SM 2540G 1.0 04/22/03 MAM GC Volatiles Aromatic Volatile Organics Prep/Method: EPA 5030 Medium Soil / EPA 8021 71-43-2 Benzene ND ug/kg 57. 1.1 04/24/03 16:41<			
Section Sect			
Kerosene ND mg/kg 12. 1.1 04/23/03 18:15 MIM Diesel fuel ND mg/kg 12. 1.1 04/23/03 18:15 MIM 68334-30-10 MIM Fuel 0il ND mg/kg 12. 1.1 04/23/03 18:15 MIM 68334-30-10 MIM Motor 0il ND mg/kg 12. 1.1 04/23/03 18:15 MIM 68334-30-10 MIM n-Tetracosane (S) 94 % 1.0 04/23/03 18:15 MIM 646-31-1 p-Terphenyl (S) 86 % 1.0 04/23/03 18:15 MIM 92-94-4 Date Extracted 04/21/03 04/21/03 04/21/03 Organics Prep Percent Moisture Method: SM 2540G 1.0 04/22/03 MAM GC Volatiles Aromatic Volatile Organics Prep/Method: EPA 5030 Medium Soil / EPA 8021 Benzene ND ug/kg 57. 1.1 04/24/03 16:41 71-43-2 Ethylbenzene ND ug/kg 57. 1.1 04/24/03 16:41 100-41-4 Toluene ND ug/kg 57. 1.1 04/24/03 16:41 108-88-3			
Diesel Fuel ND mg/kg 12. 1.1 04/23/03 18:15 MIM 68334-30- Fuel Oil ND mg/kg 12. 1.1 04/23/03 18:15 MIM 68334-30- Motor Oil ND mg/kg 12. 1.1 04/23/03 18:15 MIM 68334-30- Motor Oil ND mg/kg 12. 1.1 04/23/03 18:15 MIM 68334-30- Motor Oil ND mg/kg 12. 1.1 04/23/03 18:15 MIM 646-31-1 p-Terphenyl (S) 86 % 1.0 04/23/03 18:15 MIM 646-31-1 p-Terphenyl (S) 86 % 0.04/21/03 Organics Prep Percent Moisture Method: SM 2540G Percent Moisture 13.1 % 1.0 04/22/03 MAM GC Volatiles Aromatic Volatile Organics Prep/Method: EPA 5030 Medium Soil / EPA 8021 Benzene ND ug/kg 57. 1.1 04/24/03 16:41 71-43-2 Ethylbenzene ND ug/kg 57. 1.1 04/24/03 16:41 100-41-4 Toluene ND ug/kg 57. 1.1 04/24/03 16:41 100-41-4			
Fuel Oil ND mg/kg 12. 1.1 04/23/03 18:15 MIM 68334-30-Motor Oil ND mg/kg 12. 1.1 04/23/03 18:15 MIM 68334-30-Motor Oil ND mg/kg 12. 1.1 04/23/03 18:15 MIM 646-31-1 p-Terphenyl (S) 86 % 1.0 04/23/03 18:15 MIM 92-94-4 Date Extracted 04/21/03 04/21/03 Organics Prep Percent Moisture Method: SM 2540G Percent Moisture 13.1 % 1.0 04/22/03 MAM GC Volatiles Aromatic Volatile Organics Prep/Method: EPA 5030 Medium Soil / EPA 8021 Benzene ND ug/kg 57. 1.1 04/24/03 16:41 71-43-2 Ethylbenzene ND ug/kg 57. 1.1 04/24/03 16:41 100-41-4 Toluene ND ug/kg 57. 1.1 04/24/03 16:41 100-41-4			
Motor Oil ND mg/kg 12. 1.1 04/23/03 18:15 MIM n-Tetracosane (S) 94 % 1.0 04/23/03 18:15 MIM 646-31-1 p-Terphenyl (S) 86 % 1.0 04/23/03 18:15 MIM 92-94-4 Date Extracted 04/21/03 04/21/03 04/21/03 Organics Prep Percent Moisture Method: SM 2540G 1.0 04/22/03 MAM Percent Moisture 13.1 % 1.0 04/22/03 MAM GC Volatiles Aromatic Volatile Organics Prep/Method: EPA 5030 Medium Soil / EPA 8021 Benzene ND ug/kg 57. 1.1 04/24/03 16:41 71-43-2 Ethylbenzene ND ug/kg 57. 1.1 04/24/03 16:41 100-41-4 Toluene ND ug/kg 57. 1.1 04/24/03 16:41 108-88-3	-5		
n-Tetracosane (S) 94 % 1.0 04/23/03 18:15 MIM 646-31-1 p-Terphenyl (S) 86 % 1.0 04/23/03 18:15 MIM 92-94-4 Date Extracted 04/21/03 04/21/03 Organics Prep Percent Moisture Method: SM 2540G Percent Moisture 13.1 % 1.0 04/22/03 MAM MAM GC Volatiles Aromatic Volatile Organics Benzene ND ug/kg Frep/Method: EPA 5030 Medium Soil / EPA 8021 Benzene ND ug/kg Frep/Method: EPA 5030 Medium Soil / EPA 8021 Toluene ND ug/kg Toluene ND	-5		
p-Terphenyl (S)			
Date Extracted 04/21/03 04/21/03 Organics Prep Percent Moisture Percent Moisture Method: SM 2540G 1.0 04/22/03 MAM GC Volatiles Aromatic Volatile Organics Prep/Method: EPA 5030 Medium Soil / EPA 8021 Benzene ND ug/kg 57. 1.1 04/24/03 16:41 71-43-2 Ethylbenzene ND ug/kg 57. 1.1 04/24/03 16:41 100-41-4 Toluene ND ug/kg 57. 1.1 04/24/03 16:41 108-88-3			
Organics Prep Percent Moisture Method: SM 2540G Percent Moisture 13.1 % 1.0 04/22/03 MAM GC Volatiles Aromatic Volatile Organics Prep/Method: EPA 5030 Medium Soil / EPA 8021 Benzene ND ug/kg 57. 1.1 04/24/03 16:41 71-43-2 Ethylbenzene ND ug/kg 57. 1.1 04/24/03 16:41 100-41-4 Toluene ND ug/kg 57. 1.1 04/24/03 16:41 108-88-3			
Percent Moisture Method: SM 2540G Percent Moisture 13.1 % 1.0 04/22/03 MAM GC Volatiles Aromatic Volatile Organics Prep/Method: EPA 5030 Medium Soil / EPA 8021 Benzene ND ug/kg 57. 1.1 04/24/03 16:41 71-43-2 Ethylbenzene ND ug/kg 57. 1.1 04/24/03 16:41 100-41-4 Toluene ND ug/kg 57. 1.1 04/24/03 16:41 108-88-3			
Percent Moisture Method: SM 2540G Percent Moisture 13.1 % 1.0 04/22/03 MAM GC Volatiles Aromatic Volatile Organics Prep/Method: EPA 5030 Medium Soil / EPA 8021 Benzene ND ug/kg 57. 1.1 04/24/03 16:41 71-43-2 Ethylbenzene ND ug/kg 57. 1.1 04/24/03 16:41 100-41-4 Toluene ND ug/kg 57. 1.1 04/24/03 16:41 108-88-3			
GC Volatiles Aromatic Volatile Organics Prep/Method: EPA 5030 Medium Soil / EPA 8021 Benzene ND ug/kg 57. 1.1 04/24/03 16:41 71-43-2 Ethylbenzene ND ug/kg 57. 1.1 04/24/03 16:41 100-41-4 Toluene ND ug/kg 57. 1.1 04/24/03 16:41 108-88-3			
Aromatic Volatile Organics Prep/Method: EPA 5030 Medium Soil / EPA 8021 Benzene ND ug/kg 57. 1.1 04/24/03 16:41 71-43-2 Ethylbenzene ND ug/kg 57. 1.1 04/24/03 16:41 100-41-4 Toluene ND ug/kg 57. 1.1 04/24/03 16:41 108-88-3			
Benzene ND ug/kg 57. 1.1 04/24/03 16:41 71-43-2 Ethylbenzene ND ug/kg 57. 1.1 04/24/03 16:41 100-41-4 Toluene ND ug/kg 57. 1.1 04/24/03 16:41 108-88-3			
Ethylbenzene ND ug/kg 57. 1.1 04/24/03 16:41 100-41-4 Toluene ND ug/kg 57. 1.1 04/24/03 16:41 108-88-3			
Toluene ND ug/kg 57. 1.1 04/24/03 16:41 108-88-3			
Xylene (Total) ND ug/kg 140 1.1 04/24/03 16:41 1330-20-7	,		
a,a,a-Trifluorotoluene (S) 99 % 1.0 04/24/03 16:41 98-08-8			

Date: 05/01/03

Page: 11 of 37

REPORT OF LABORATORY ANALYSIS

This report shall not be reproduced, except in full, without the written consent of Pace Analytical Services, Inc.

