

State of New Mexico
Energy, Minerals and Natural Resources Department

Susana Martinez
Governor

David Martin
Cabinet Secretary

Brett F. Woods, Ph.D.
Deputy Cabinet Secretary

David R. Catanach, Division Director
Oil Conservation Division



New Mexico Oil Conservation Division approval and conditions listed below are made in accordance with OCD Rule 19.15.7.11 and are in addition to the actions approved by BLM on the following 3160-4 or 3160-5 form.

Operator Signature Date: 3/23/2015

Well information:

API WELL #	Well Name	Well #	Operator Name	Type	Stat	County	Surf_Owner	UL	Sec	Twp	N/S	Rng	W/E
30-045-27382-00-00	SCHWERDT FEGER GAS COM	001	BP AMERICA PRODUCTION COMPANY	G	A	San Juan	F	G	27	31	N	9	W

Application Type:

- P&A
 Drilling/Casing Change
 Location Change
 Recomplete/DHC (For hydraulic fracturing operations review EPA Underground injection control Guidance #84)

X Other: Deepen well

Conditions of Approval:

Hold C-104 for mud log
If perforations are above or below existing perms file C104 and C105 before returning to production.

NMOCD Approved by Signature

3/27/15
Date

UNITED STATES
DEPARTMENT OF THE INTERIOR
BUREAU OF LAND MANAGEMENT

FORM APPROVED
OMB NO. 1004-0135
Expires: July 31, 2010

SUNDRY NOTICES AND REPORTS ON WELLS
Do not use this form for proposals to drill or to re-enter an abandoned well. Use form 3160-3 (APD) for such proposals.

5. Lease Serial No.
NMNM013685

6. If Indian, Allottee or Tribe Name

7. If Unit or CA/Agreement, Name and/or No.
NMNM85791

SUBMIT IN TRIPLICATE - Other instructions on reverse side.

8. Well Name and No.
SCHWERTFEGER GAS COM 1

9. APD Well No.
307045-27382-00-S1

10. Field and Pool, or Exploratory
BASIN FRUITLAND COAL

11. County or Parish, and State
SAN JUAN COUNTY, NM

1. Type of Well
 Oil Well Gas Well Other: COAL BED METHANE

2. Name of Operator
BP AMERICA PRODUCTION CO. Contact: TOYA COLVIN
E-Mail: Toya.Colvin@bp.com

3a. Address
200 ENERGY CT.
FARMINGTON, NM 87401

3b. Phone No. (include area code)
Ph: 281-366-7148

4. Location of Well (Footage, Sec., T., R., M., or Survey Description)
Sec 27 T31N R9W SWNE 1760FNL 1910FEL
36.871750 N Lat, 107.764954 W Lon

RECEIVED

MAR 09 2015

Farmington Field Office
Bureau of Land Management

12. CHECK APPROPRIATE BOX(ES) TO INDICATE NATURE OF NOTICE, REPORT, OR OTHER DATA

TYPE OF SUBMISSION	TYPE OF ACTION
<input checked="" type="checkbox"/> Notice of Intent	<input type="checkbox"/> Acidize <input checked="" type="checkbox"/> Deepen <input type="checkbox"/> Production (Start/Resume) <input type="checkbox"/> Water Shut-Off
<input type="checkbox"/> Subsequent Report	<input type="checkbox"/> Alter Casing <input type="checkbox"/> Fracture Treat <input type="checkbox"/> Reclamation <input type="checkbox"/> Well Integrity
<input type="checkbox"/> Final Abandonment Notice	<input type="checkbox"/> Casing Repair <input type="checkbox"/> New Construction <input type="checkbox"/> Recomplete <input type="checkbox"/> Other
	<input type="checkbox"/> Change Plans <input type="checkbox"/> Plug and Abandon <input type="checkbox"/> Temporarily Abandon
	<input type="checkbox"/> Convert to Injection <input type="checkbox"/> Plug Back <input type="checkbox"/> Water Disposal

13. Describe Proposed or Completed Operation (clearly state all pertinent details, including estimated starting date of any proposed work and approximate duration thereof. If the proposal is to deepen directionally or recomplete horizontally, give subsurface locations and measured and true vertical depths of all pertinent markers and zones. Attach the Bond under which the work will be performed or provide the Bond No. on file with BLM/BIA. Required subsequent reports shall be filed within 30 days following completion of the involved operations. If the operation results in a multiple completion or recompletion in a new interval, a Form 3160-4 shall be filed once testing has been completed. Final Abandonment Notices shall be filed only after all requirements, including reclamation, have been completed, and the operator has determined that the site is ready for final inspection.)

BP America Production Company respectfully requests to deepen and install liner in the subject well. Please see the attached procedure including wellbore diagrams and C-102 plat.

OIL CONS. DIV DIST. 3

In accordance with NMOCD Pit Rule 19.15.17.9 NMAC, BP America Production Company will use a closed-loop system during operations.

MAR 26 2015

BLM'S APPROVAL OR ACCEPTANCE OF THIS ACTION DOES NOT RELIEVE THE LESSEE AND OPERATOR FROM OBTAINING ANY OTHER AUTHORIZATION REQUIRED FOR OPERATIONS ON FEDERAL AND INDIAN LANDS

SEE ATTACHED FOR CONDITIONS OF APPROVAL

14. I hereby certify that the foregoing is true and correct.

**Electronic Submission #294301 verified by the BLM Well Information System
For BP AMERICA PRODUCTION CO., sent to the Farmington
Committed to AFMSS for processing by TROY SALYERS on 03/23/2015 (15TLS0185SE)**

Name (Printed/Typed) TOYA COLVIN	Title REGULATORY ANALYST
Signature (Electronic Submission)	Date 03/09/2015

THIS SPACE FOR FEDERAL OR STATE OFFICE USE

<u>Approved By</u> <u>TROY SALYERS</u>	Title <u>PETROLEUM ENGINEER</u>	Date <u>03/23/2015</u>
Conditions of approval, if any, are attached. Approval of this notice does not warrant or certify that the applicant holds legal or equitable title to those rights in the subject lease which would entitle the applicant to conduct operations thereon.		
Office Farmington		

Title 18 U.S.C. Section 1001 and Title 43 U.S.C. Section 1212, make it a crime for any person knowingly and willfully to make to any department or agency of the United States any false, fictitious or fraudulent statements or representations as to any matter within its jurisdiction.

**** BLM REVISED ** BLM REVISED ** BLM REVISED ** BLM REVISED ** BLM REVISED ****

District I
1625 N. French Dr., Hobbs, NM 88240
District II
1301 W. Grand Avenue, Artesia, NM 88210
District III
1000 Rio Brazos Rd., Aztec, NM 87410
District IV
1220 S. St. Francis Dr., Santa Fe, NM 87505

State of New Mexico
Energy, Minerals & Natural Resources Department
OIL CONSERVATION DIVISION
1220 South St. Francis Dr.
Santa Fe, NM 87505

Form C-102
Revised July 16, 2010
Submit one copy to appropriate
District Office
 AMENDED REPORT

WELL LOCATION AND ACREAGE DEDICATION PLAT

¹ API Number 30-045-27382		² Pool Code 71629		³ Pool Name Basin Fruitland Coal	
⁴ Property Code 001035		⁵ Property Name Schwerdtfeger Gas Com			⁶ Well Number 1
⁷ OGRID No. 000778		⁸ Operator Name BP America Production Company			⁹ Elevation 6237

¹⁰ Surface Location

UL or lot no.	Section	Township	Range	Lot Idn	Feet from the	North/South line	Feet from the	East/West line	County
G	27	31N	09W		1760	North	1910	East	San Juan

¹¹ Bottom Hole Location If Different From Surface

UL or lot no.	Section	Township	Range	Lot Idn	Feet from the	North/South line	Feet from the	East/West line	County
¹² Dedicated Acres 320		¹³ Joint or Infill		¹⁴ Consolidation Code		¹⁵ Order No.			

No allowable will be assigned to this completion until all interests have been consolidated or a non-standard unit has been approved by the division.

	<p>¹⁷ OPERATOR CERTIFICATION</p> <p><i>I hereby certify that the information contained herein is true and complete to the best of my knowledge and belief, and that this organization either owns a working interest or unleased mineral interest in the land including the proposed bottom hole location or has a right to drill this well at this location pursuant to a contract with an owner of such a mineral or working interest, or to a voluntary pooling agreement or a compulsory pooling order heretofore entered by the division.</i></p> <p>Signature: <i>Toya Colvin</i> Date: <i>3/9/15</i></p> <p>Toya Colvin Printed Name</p> <p>Toya.Colvin@bp.com E-mail Address</p>
	<p>¹⁸ SURVEYOR CERTIFICATION</p> <p><i>I hereby certify that the well location shown on this plat was plotted from field notes of actual surveys made by me or under my supervision, and that the same is true and correct to the best of my belief.</i></p> <p>Date of Survey</p> <p>Signature and Seal of Professional Surveyor:</p> <p>Previously Filed</p> <p>Certificate Number:</p>

Schwerdtfeger GC C1

Coal

API # 30-045-27382

Unit G - Sec 27 - T31N - R09W

San Juan County, New Mexico

Reason/Background for Job

The proposed work is to pull existing liner, deepen the well to provide additional rathole and re-install liner to effectively produce the Fruitland Coal formation

Basic job procedure


1. Pull tubing
2. Pull liner
3. Deepen well to $\pm 3175'$ – a mudlogger will be on location while drilling
4. Run liner – either pre-slotted or perforate after installation; liner might be run with bit and sub on bottom
5. Run tubing
6. Return well to production

Proposed WBD



Schwerdtfeger GC C1
Coal
API # 30-045-27382
Unit G - Sec 27 - T31N - R09W
San Juan County, New Mexico

GL 6237'
KB 6249'



Surface Casing

12 1/4" hole
9 5/8", 36#, K55 @ 286'
250 sxs B
TOC @ surf (circ)

Tubing String

MS 2 3/8", 4.7#, J55, 20' ±
w/ 1/2" weep hole
F Nipple 2 3/8" / 1.78"
Tbg 2 3/8", 4.7#, J55, FBN
add pup jts for spaceout

Rod String

Pump RHAC 2" x 1 1/4" x 16' ±
brass NiCarb barrel
Stabilizer Pony 3/8" x 4' ±
Rods 3/4" x 25', grd D
add pony rods for spaceout
Polished rod 1 1/4" x 26' ±

Production Casing

8 3/4" hole
7", 23#, K55 @ 2877'
600 sxs 65/35 lead; 100 sxs B tail
TOC @ surf (circ)

Liner perms will be determined
based on logs

Production Liner

6 1/4" hole
underream to 9 1/2" 2885 - 3078'
6 1/4" hole 3082 - 3175' ±
5 1/2", 15.50#, J55 Hydrill 511 @ 3175' ±

TOL @ 2720' ±

F Nipple @ 3100' ±

EOT @ 3120' ±

TD 3175' ±

BLM CONDITIONS OF APPROVAL

CASING REPAIR, WORKOVER AND RECOMPLETION OPERATIONS:

1. If casing repair operations are needed, obtain prior approval from this office before commencing repairs. If a CBL or other logs are run, provide this office with a copy.
2. After any casing repair operations, test cement squeeze to a minimum of 500# for 30 minutes with no more than 10 % pressure fall off in the 30 minute test period. Provide test chart with your subsequent report of operations
3. A properly functioning BOP and related equipment must be installed prior to commencing workover, casing repair, and/or recompletion operations.
4. Contact this office at (505) 564-7750 prior to conducting any cementing operations:

SPECIAL STIPULATIONS:

1. **Pits will be fenced during work-over operation.**
2. **All disturbance will be kept on existing pad.**
3. **All pits will be pulled and closed immediately upon completion of the recompletion and work-over activities.**
4. **Pits will be lined with an impervious material at least 12 mils thick.**