Form 3160-5 (August 2007)

UNITED STATES DEPARTMENT OF THE INTERIOR **BUREAU OF LAND MANAGEMENT**

RECEIVED

FORM APPROVED

JUN 0 5 2015

OMB No. 1004-0137 Expires: July 31, 2010

| 5. Lease | Serial No. |
|----------|----------------------|
| MMMM | Serial No. 081208 |

| | T IN TRIPLICATE – Othe | to drill or to re-enter the APD) for such proposal | 13. | 7. If Unit of CA/Agree | ement, Name and/or No. | |
|--|--|---|---|---|--|---------------------|
| 1. Type of Well | | | | South Hospah Unit | | |
| ☐ Oil Well ☐ Gas Well ☑ Other | | | 8. Well Name and No. South Hospah 60 | | | |
| 2. Name of Operator Dominion Production Company, LLC | 2 | | | 9. API Well No. 30-031-20411 | | |
| 3a. Address 1414 W Swann Av, Suite 100, Tampa, FL 33606 | | 3b. Phone No. (include area code) | | 10. Field and Pool or I | Exploratory Area | |
| | | 832 545 4600 | | Hospah | | |
| 4. Location of Well (Footage, Sec., T.,R.,M., or Survey Description) | | | 11. Country or Parish, State | | | |
| 2210' FNL & 1300' FEL, Sec. 12 T17N R9W | | | | McKinley County, NM | | |
| 12. CHEC | CK THE APPROPRIATE B | OX(ES) TO INDICATE NATUR | RE OF NOTIO | CE, REPORT OR OTH | ER DATA | |
| TYPE OF SUBMISSION | TYPE OF ACTION | | | | | |
| ✓ Notice of Intent | Deepen | Prod | Production (Start/Resume) Water Shut-Off Reclamation Well Integrity | | | |
| | Fracture Treat | Recl | | | | |
| Subsequent Report 0 | Casing Repair | New Construction | Reco | omplete | Other | |
| Change Plans | Plug and Abandon | Tem | mporarily Abandon | | | |
| Final Abandonment Notice | Convert to Injection | Plug Back | ☐ Wate | er Disposal | | |
| 13. Describe Proposed or Completed O the proposal is to deepen directions Attach the Bond under which the v following completion of the involvesting has been completed. Final determined that the site is ready for | ally or recomplete horizonta work will be performed or pred ed operations. If the operat Abandonment Notices must | Ily, give subsurface locations and ovide the Bond No. on file with ion results in a multiple completi | d measured ar BLM/BIA. R ion or recomp | nd true vertical depths o Required subsequent rep eletion in a new interval | of all pertinent markers and zon corts must be filed within 30 da , a Form 3160-4 must be filed of | nes. nys once |
| Please see attached procedure | | חון החזוכ חוו/ ח | NCT 2 | | | |

OIL COMP. DIA DIP 1. 9

JUN 1 2 2015

Notify NMOCD 24 hrs prior to beginning operations

BLM'S APPROVAL OR ACCEPTANCE OF THIS ACTION DOES NOT RELIEVE THE LESSEE AND OPERATOR FROM OBTAINING ANY OTHER AUTHORIZATION REQUIRED FOR OPERATIONS ON FEDERAL AND INDIAN LANDS

SEE ATTACHED FOR **CONDITIONS OF APPROVAL**

| 14. I hereby certify that the foregoing is true and correct. Name (Printed/Typed) David Burns | Title President | |
|---|--------------------------------|---------------|
| Signature | Date 06/04/2015 | |
| this space f | OR FEDERAL OR STATE OFFICE USE | |
| Approved by Conditions of approval, if any, are attached. Approval of this notice does not that the applicant holds legal or equitable title to those rights in the subject entitle the applicant to conduct operations thereon. | | Date 6/9/2015 |

Title 18 U.S.C. Section 1001 and Title 43 U.S.C. Section 1212, make it a crime for any person knowingly and willfully to make to any department or agency of the United States any false, fictitious or fraudulent statements or representations as to any matter within its jurisdiction.

GENERAL INSTRUCTIONS

This form is designed for submitting proposals to perform certain well operations and reports of such operations when completed as indicated on Federal and Indian lands pursuant to applicable Federal law and regulations. Any necessary special instructions concerning the use of this form and the number of copies to be submitted, particularly with regard to local area or regional procedures and practices, are either shown below, will be issued by or may be obtained from the local Federal office.

SPECIFIC INSTRUCTIONS

Item 4 - Locations on Federal or Indian land should be described in accordance with Federal requirements. Consult the local Federal office for specific instructions.

Item 13 - Proposals to abandon a well and subsequent reports of abandonment should include such special information as is required by the local Federal office. In addition, such proposals and reports should include reasons for the abandonment; data on any former or present productive zones or other zones with present significant fluid contents not sealed off by cement or otherwise; depths (top and bottom) and method of placement of cement plugs; mud or other material placed below, between and above plugs; amount, size, method of parting of any casing, liner or tubing pulled and the depth to the top of any tubing left in the hole; method of closing top of well and date well site conditioned for final inspection looking for approval of the abandonment.

NOTICES

The Privacy Act of 1974 and the regulation in 43 CFR 2.48(d) provide that you be furnished the following information in connection with information required by this application.

AUTHORITY: 30 U.S.C. 181 et seq., 351 et seq., 25 U.S.C. 396; 43 CFR 3160.

PRINCIPAL PURPOSE: The information is used to: (1) Evaluate, when appropriate, approve applications, and report completion of subsequent well operations, on a Federal or Indian lease; and (2) document for administrative use, information for the management, disposal and use of National Resource lands and resources, such as: (a) evaluating the equipment and procedures to be used during a proposed subsequent well operation and reviewing the completed well operations for compliance with the approved plan; (b) requesting and grantingapproval to perform those actions covered by 43 CFR 3162.3-2, 3162.3-3, and 3162.3-4; (c) reporting the beginning or resumption of production, as required by 43 CFR 3162.4-1(c)and (d) analyzing future applications to drill or modify operations in light of data obtained and methods used.

ROUTINE USES: Information from the record and/or the record will be transferred to appropriate Federal, State, local or foreign agencies, when relevant to civil, criminal or regulatory investigations or prosecutions in connection with congressional inquiries or to consumer reporting agencies to facilitate collection of debts owed the Government.

EFFECT OF NOT PROVIDING THE INFORMATION: Filing of this notice and report and disclosure of the information is mandatory for those subsequent well operations specified in 43 CFR 3162.3-2, 3162.3-3, 3162.3-4.

The Paperwork Reduction Act of 1995 requires us to inform you that:

The BLM collects this information to evaluate proposed and/or completed subsequent well operations on Federal or Indian oil and gas leases.

Response to this request is mandatory.

The BLM would like you to know that you do not have to respond to this or any other Federal agency-sponsored information collection unless it displays a currently valid OMB control number.


BURDEN HOURS STATEMENT: Public reporting burden for this form is estimated to average 8 hours per response, including the time for reviewing instructions, gathering and maintaining data, and completing and reviewing the form. Direct comments regarding the burden estimate or any other aspect of this form to U.S. Department of the Interior, Bureau of Land Management (1004-0137), Bureau Information Collection Clearance Officer (WO-630), 1849 C St., N.W., Mail Stop 401 LS, Washington, D.C. 20240

Plug and Abandonment Plan

Dominion Production Co, LLC. South Hospah #60 API# 3003120411 2210' FNL & 1300' FEL Sec. 12 T17N R9W McKinley County, New Mexico

- 1. Comply with all OCD, DPC and contractor safety rules and regulations. Hold safety meetings each morning.
- 2. MIRU, Check Braden head for pressure. Bleed pressure off of well if necessary.
- 3. Plug # 1- (Lower Gallup Sand 1567'-1629') RIH with 2 7/8" 6.5#, WS with mule shoe sub. Wash wellbore to TD of 1648'. Mix and Pump 21 Sks, Class B Cement @ 15.5 ppg to cover Gallup with 50'cap and 50'excess.
- 4. Plug #2-(Mancos Plug/ Surface Plug, 750'-Surface) MIRU Wireline Truck, RIH with CBL Tool, from 1500' to Surface. Shoot 3-3/8"Squeeze holes (120 Degree Phasing) at approx. 850', actual to be determined from Bond Log. MIRU Pump Truck, Pump Approx. 20 bbls Fresh Water to establish circulation through Squeeze Holes. At Successful Circulation, Mix and Bullhead 130 Sks, Class B Cement @ 15.5 ppg, for outside annulus, Mancos Surface Plug, followed with 102 Sks of Class B Cement @ 15.5 ppg from 750' to Surface. Allow well to stabilize overnight. Top Casing off with Cement if necessary.
- **5.** Cut off well 3' below ground and install P&A marker per OCD specifications. RD, cleanup MOL.
- **6.** Restore location to OCD specifications.

South Hospah API Number 30-031-20411 WELL #SH 60



UNITED STATES DEPARTMENT OF THE INTERIOR BUREAU OF LAND MANAGEMENT FARMINGTON DISTRICT OFFICE

6251 COLLEGE BLVD. FARMINGTON, NEW MEXICO 87402

Attachment to notice of Intention to Abandon:

Re: Permanent Abandonment Well: South Hospah Unit #60

CONDITIONS OF APPROVAL

- 1. Plugging operations authorized are subject to the attached "General Requirements for Permanent Abandonment of Wells on Federal and Indian Lease."
- 2. Farmington Office is to be notified at least 24 hours before the plugging operations commence (505) 564-7750.
- 3. Bring the top of plug #1 to 1339 ft. to cover the Gallup top. Adjust cement volume accordingly.
- 4. Adjust cement volume accordingly on plug #2 to get cement to surface from (750-0) ft. inside 5.5" casing

Run a CBL from 1339 ft., or as deep as possible, to verify cement top. Outside plugs may be revised, based on CBL result. Submit electronic copy of the log for verification to the following BLM and NMOCD address: tsalyers@blm.gov, Brandon.Powell@state.nm.us

You are also required to place cement excesses per 4.2 and 4.4 of the attached General Requirements.

Office Hours: 7:45 a.m. to 4:30 p.m.