1220 S. St. Francis Dr., Santa Fe, NM 87505

State of New Mexico Energy Minerals and Natural Resources

Form C-144 June 1, 2004

Oil Conservation Division 1220 South St. Francis Dr. Santa Fe, NM 87505 For drilling and production facilities, submit to appropriate NMOCD District Office. For downstream facilities, submit to Santa Fe office

Pit or Below-Grade Tank Registration or Closure

| Is pit or below-grade tank cov | ered by a "general plan"? Yes 🗹 No 🗌 | | | | | | |
|---|--|---|--|--|--|--|--|
| (WFS CLOSURE) Type of action: Registration of a pit or below | v-grade tank Closure of a pit or below-grade tank | V | | | | | |
| Operator: <u>BURLINGTON RESOURCES OIL & GAS CO</u> Telephone: | e-mail address: | | | | | | |
| Address: 801 CHERRY ST FORT WORTH, TX 76102 | | | | | | | |
| Facility or well name: <u>HANKS #014E</u> API #: <u>30-045-</u> | ity or well name: $\underline{\text{HANKS}} \# 014\underline{\text{E}}$ API #: $\underline{30} \# 045 \# 24479$ U/L or Qtr/Qtr $\underline{\text{Q}}$ SEC | | | | | | |
| County: <u>SAN JUAN</u> Surface Owner: Federal ✓ State ☐ Private ☐ Indian ☐ | NAD: 1927 ☑ 1983 ☐ | | | | | | |
| Pit Type: Drilling □ Production ✓ Disposal □ | Below-grade tank Volume: bbl Type of fluid: | | | | | | |
| Workover | kover Emergency Construction Material: | | | | | | |
| Double-walled, with leak detection? Yes III If not, explain why not. | | | | | | | |
| Liner Type: Synthetic Thickness mil Clay | | | | | | | |
| Depth to ground water (vertical distance from bottom of pit to seasonal high water elevation of ground water.) | Less than 50 feet 50 feet or more, but less than 100 feet 100 feet or more | (20 points) (10 points) <u>0</u> (0 points) | | | | | |
| Wellhead protection area: (Less than 200 feet from a private domestic water source, or less than 1000 feet from all other water sources.) | Yes No | (20 points) (0 points) <u>0</u> | | | | | |
| Distance to surface water: (Horizontal distance to all wetlands, playas, irrigation canals, ditches, and perennial and ephemeral watercourses.) | Less than 200 feet 200 feet to 1,000 feet Greater than 1,000 feet | (20 points) (10 points) <u>0</u> (0 points) | | | | | |
| | Ranking Score (TOTAL POINTS): | <u>0</u> | | | | | |
| If this is a pit closure: (1)Attach a diagram of the facility showing the pit's relationship to other equipment and tanks. (2) Indicate disposal location: (check the onsite box if your are burying in place) onsite offsite offsite. If offsite, name of facility action taken including remediation start date and end date. (4)Groundwater encountered: No Yes If yes, show depth below ground surface ft. and attach sample results. (5)Attach soil sample results and a diagram of sample locations and excavations. Additional Comments: Meter: 39284 | | | | | | | |
| Date:9/18/05 | cnowledge and behavior in the above-described attached alternative OC of the control of the cont | · · · · | | | | | |
| Printed Name/Title Mark Harvey for Williams Field Services Sign | gnature | | | | | | |
| Your certification and NMOCD approval of this application/closure does not relie or otherwise endanger public health or the environment. Nor does it relieve the operegulations. | | | | | | | |
| Approval: | | OCT 1 2 2005 | | | | | |
| Printed Name/Title CEPUTY OIL & GAS INSPECTOR, DIST. 49 Sign | ature Deny four | Date: | | | | | |

ADDENDUM TO OCD FORM C-144


Operator: BURLINGTON RESOURCES OIL & GAS COMPANY LP

API 30-045-24479


Well Name: HANKS #014E

Meter: 39284

Facility Diagram:



Sampling Diagram:



Pit Dimensions

12 Ft. Length

Width 12 Ft.

Depth 3 Ft. **Location of Pit Center**

Latitude 36.58476

Longitude -107.84318

(NAD 1927)

Pit ID

392841

Pit Type

Other 1

Date Closure Started: 12/21/04

Closure Method:

Pushed In

Date Closure Completed: 12/21/04

Bedrock Encountered?

Cubic Yards Excavated:

Vertical Extent of Equipment Reached?

Description Of Closure Action:

The pit was assessed and sampled in accordance with NMOCD guidelines. Based on assessment findings, the pit was backfilled.

Pit Closure Sampling:

Sample ID

Sample Date

Head

BTEX Space Total

Benzene (mg/kg)

TPH DRO Purpose

Location

Depth

145819FEB04

2/19/04

(mg/kg) 8.42

0.18

120

(mg/kg)

ASSESS

Flr



Pace Analytical Services, Inc. 9608 Loiret Blvd. Lenexa, KS 66219

> Phone: 913.599.5665 Fax: 913.599.1759

Lab Project Number: 6079526

Client Project ID: NM Pit Program

Lab Sample No: 606847218
Client Sample ID: 145819FEB04

Project Sample Number: 6079526-013

Matrix: Soil

Date Collected: 02/19/04 14:58
Date Received: 02/24/04 09:30

| Cilent Sample ID: 145819FEBU4 | | | Matrix: Soil | | | | Date Received: 02/24/04 09:30 | | |
|--------------------------------|--------------|------------|------------------|-------|----------------|-------|-------------------------------|------|----------------|
| <u>Parameters</u> | Results | Units | Report Limit | DF | Anal yzed | Ву | CAS No. | Qual | RegLmt |
| GC Semivolatiles | | | | | | | | | - |
| Total Extractable Hydrocarbons | Prep/Method: | OA2 / OA2 | | | | | | | |
| Mineral Spirits | ND | mg/kg | 16. | 1.6 | 02/26/04 03:50 | MAM 0 | | | |
| Jet Fuel | ND | mg/kg | 16. | 1.6 | 02/26/04 03:56 | MAM 0 | | | |
| Kerosene | ND | mg/kg | 16. | 1.6 | 02/26/04 03:56 | MAM 0 | | | |
| Diesel Fuel | 120 | mg/kg | 16. | 1.6 | 02/26/04 03:56 | MAM 0 | 68334-30-5 | 7 | |
| Fuel 011 | ND | mg/kg | 16. | 1.6 | 02/26/04 03:56 | MAM 0 | 68334-30-5 | | |
| Motor 011 | ND | mg/kg | 16. | 1.6 | 02/26/04 03:56 | MAM 0 | | | |
| n-Tetracosane (S) | 108 | * | | 1.0 | 02/26/04 03:50 | MAM 0 | 646-31-1 | | |
| p-Terphenyl (S) | 120 | % | | 1.0 | 02/26/04 03:50 | MAM 0 | 92-94-4 | | |
| Date Extracted | 02/25/04 | | | | 02/25/04 | | | | |
| Organics Prep | | | | | | | | | |
| Percent Moisture | Method: SM 2 | 540G | | | | | | | |
| Percent Moisture | 35.9 | % | | 1.0 | 02/25/04 | DPB | | | |
| GC Volatiles | | | | | | | | | |
| Aromatic Volatile Organics | Prep/Method: | EPA 5030 M | ledium Soil / EF | A 802 | 1 | | | | |
| Benzene | 180 | ug/kg | 77. | | 02/27/04 12:0 | 7 | 71-43-2 | | |
| Ethylbenzene | 440 | ug/kg | 7 7. | 1.6 | 02/27/04 12:0 | 7 | 100-41-4 | | |
| Toluene | 2000 | ug/kg | 77 . | 1.6 | 02/27/04 12:0 | 7 | 108-88-3 | | |
| Xylene (Total) | 5800 | ug/kg | 190 | 1.6 | 02/27/04 12:0 | 7 | 1330-20-7 | | |
| a,a,a-Trifluorotoluene (S) | 100 | % | | 1.0 | 02/27/04 12:0 | 7 | 98-08-8 | | |

Date: 03/02/04

Page: 13 of 18

REPORT OF LABORATORY ANALYSIS

This report shall not be reproduced, except in full, without the written consent of Pace Analytical Services, Inc.

