District I 1625 N. French Dr., Hobbs, NM 88240 District II 1301 W. Grand Avenue, Artesia, NM 88210 District III 1000 Rio Brazos Road, Aztec, NM 87410 District IV

1220 S. St. Francis Dr., Santa Fe, NM 87505

State of New Mexico Energy Minerals and Natural Resources

Form C-144 June 1, 2004

Oil Conservation Division 1220 South St. Francis Dr. Santa Fe, NM 87505 For drilling and production facilities, submit to appropriate NMOCD District Office.
For downstream facilities, submit to Santa Fe office

Pit or Below-Grade Tank Registration or Closure

	rered by a "general plan"? Yes 🗹 No 🗌							
(WF5 CLOSURE) Type of action: Registration of a pit or below	w-grade tank Closure of a pit or below-grade tank	<u> </u>						
Operator: <u>ENERGEN RESOURCES CORPORATION</u> Telephone:	e-mail address:							
Address: 605 21ST STREET NORTH BIRMINGHAM, AL 352032707								
Facility or well name: <u>NEWSOM A #014</u> API #: <u>30-045-25076</u> U/L or Qtr/Qtr <u>E</u> SEC <u>10</u> T <u>26N</u> R <u>8W</u>								
County: SAN JUAN Surface Owner: Federal ✓ State ☐ Private ☐ Indian ☐	443 Longitude -107.67453	NAD: 1927 🗹 1983 🗌						
Pit Type:	Below-grade tank							
Type: Drilling Production Disposal	Volume: bbl Type of fluid: Construction Material:							
Workover L Emergency L	Double-walled, with leak detection? Yes If not, ex	plain why not.						
Lined Unlined	·							
Liner Type: Synthetic Thickness mil Clay Pit Volume 77 bbl								
Depth to ground water (vertical distance from bottom of pit to seasonal high water elevation of ground water.)	Less than 50 feet 50 feet or more, but less than 100 feet 100 feet or more	(20 points) (10 points) <u>0</u> (0 points)						
Wellhead protection area: (Less than 200 feet from a private domestic water source, or less than 1000 feet from all other water sources.)	Yes No	(20 points) <u>0</u>						
Distance to surface water: (Horizontal distance to all wetlands, playas, irrigation canals, ditches, and perennial and ephemeral watercourses.)	(20 points) (10 points) <u>0</u> (0 points)							
	Ranking Score (TOTAL POINTS):	<u>0</u>						
If this is a pit closure: (1)Attach a diagram of the facility showing the pit's reliconsite box if your are burying in place) onsite ✓ offsite ☐ If offsite, name action taken including remediation start date and end date. (4)Groundwater encour and attach sample results. (5)Attach soil sample results and a diagram of sample logarithms and a diagram of sample logarithms.	ntered: No V Yes If yes, show depth below grocations and excavations.	eneral description of remedial						
OCT 2005 OIL COINS. DIV. DIST. 3								
	I hereby certify that the information above is true and complete to the best of my knowledge and belief. I further certify that the above-described pit or below-grade tank has been/will be constructed or closed according to NMOCD guidelines . , a general permit . , or an (attached) alternative OCD-approved plan							
Date: 9/18/05 Printed Name/Title Mark Harvey for Williams Field Services Sig	gnature MIZING, FOR WPS							
Your certification and NMOCD approval of this application/closure does not relie or otherwise endanger public health or the environment. Nor does it relieve the op regulations.								
Approval: Printed Name/Title Printed Name/Title Printed Name/Title	ature Deny Ferry	OCT 1 2 200						

ADDENDUM TO OCD FORM C-144


Operator: ENERGEN RESOURCES CORPORATION

API 30-045-25076


Well Name: NEWSOM A #014

Meter: 39238

Facility Diagram:



Sampling Diagram:



Pit Dimensions

12 Ft.

Width 12 Ft.

Length

3 Ft. Depth

Location of Pit Center

Latitude 36.50428

Longitude <u>-107.67455</u>

(NAD 1927)

Pit ID

392381

Pit Type

Other

Date Closure Started: 9/1/04

Closure Method:

Excavated, Blended, Treated Soil Returned

Date Closure Completed: 9/1/04

Bedrock Encountered?

Cubic Yards Excavated: 36

Vertical Extent of Equipment Reached ? \Box

Description Of Closure Action:

Contaminated soil was removed and treated then returned to the excavation following sampling of the walls and floor.

BEDROCK limited vertical excavation and/or prevented sampling. This condition limits deleterious environmental effects.

Pit Closure Sampling:

Sample ID

Sample Date

Head Space

BTEX Total (mg/kg) Benzene (mg/kg)

TPH DRO (mg/kg) Purpose

Location

Depth

		 ` ` ` ` ` ` ` `		
105501SEP04	9/1/04	0 0	EX Confirm Wa	

		 ~					
110901SEP04	9/1/04	0	0	14	EX Confirm	Flr	5

121712MAR04 3/12/04 571 0 260 ASSESS Flr



Pace Analytical Services, Inc. 9608 Loiret Blvd. Lenexa, KS 66219

> Phone: 913.599.5665 Fax: 913.599.1759

Lab Project Number: 6080365

Client Project ID: N.M. Pit Program/Spring 2004

Lab Sample No: 606913788 Project Sample Number: 6080365-002

Date Collected: 03/12/04 12:17 Date Received: 03/16/04 09:15

Matrix: Soil

Citetic Sample 15. 121/12/ARO4				Matrix. 3011			Date Received: 03/10/04 09:1			
Parameters		Units	Report Limit	DF	Analyzed	Ву	CAS No.	Qua1	RegLmt	
GC Semivolatiles										
Total Extractable Hydrocarbo	ons Prep/Method:	0A2 / 0A2								
Mineral Spirits	ND	mg/kg	12.	1.1	03/20/04 01:23	3 RMN1				
Jet Fuel	ND	mg/kg	12.	1.1	03/20/04 01:23	3 RMN1				
Kerosene	ND	mg/kg	12.	1.1	03/20/04 01:23	3 RMN1				
Diesel Fuel	ND	mg/kg	12.	1.1	03/20/04 01:23	3 RMN1	68334-30-5			
Fuel 011	ND	mg/kg	12.	1.1	03/20/04 01:23	3 RMN1	68334-30-5			
Motor 0il	ND	mg/kg	12.	1.1	03/20/04 01:23	3 RMN1				
Total Petroleum Hydrocarbor	ns 260	mg/kg	12.	1.1	03/20/04 01:23	3 RMN1		5		
n-Tetracosane (S)	106	*		1.0	03/20/04 01:23	3 RMN1	646-31-1			
p-Terphenyl (S)	108	*		1.0	03/20/04 01:23	3 RMN1	92-94-4			
Date Extracted	03/18/04				03/18/04					
Organics Prep										
Percent Moisture	Method: SM 2	540G								
Percent Moisture	14.0	%		1.0	03/18/04	DPB				
GC Volatiles										
Aromatic Volatile Organics	Prep/Method:	EPA 5030 N	ledium Soil / El	PA 802	1					
Benzene	ND ·	ug/kg	5800	116	03/18/04 23:50	6 ARF	71-43-2			
Ethylbenzene	10000	ug/kg	5800	116	03/18/04 23:50	6 ARF	100-41-4			
Toluene	500000	ug/kg	5800	116	03/18/04 23:50	6 ARF	108-88-3			
Xylene (Total)	61000	ug/kg	15000	116	03/18/04 23:5	6 ARF	1330-20-7			
a,a,a-Trifluorotoluene (S)	919	%		1.0	03/18/04 23:5	6 ARF	98-08-8	3,4		

Date: 03/24/04

Page: 2 of 32

REPORT OF LABORATORY ANALYSIS

This report shall not be reproduced, except in full, without the written consent of Pace Analytical Services, Inc.





Pace Analytical Services, Inc.

9608 Loiret Blvd. Lenexa, KS 66219

Phone: 913.599.5665 Fax: 913.599.1759

Lab Project Number: 6086460 Client Project ID: NM Pits

Lab Sample No:

607447737

Project Sample Number: 6086460-030

Date Collected: 09/01/04 11:09 Date Received: 09/03/04 09:10

Client Sample ID: 110901SEP04				Matrix: Soil	Date Receive	Date Received: 09/03/04 09:10		
Parameters	Results	Units_	Report Limit	DF Analyzed	By CAS No.	Qual RegLmt		
GC Semivolatiles					•			
Total Extractable Hydrocarbons	Prep/Method:	OA2 / OA2			•			
Mineral Spirits	ND	mg/kg	11.	1.1 09/10/04 21:3	85 RMN1			
Jet Fuel	ND	mg/kg	11.	1.1 09/10/04 21:3	35 RMN1			
Kerosene	ND	mg/kg	11.	1.1 09/10/04 21:3	85 RMN1			
Diesel Fuel	ND	mg/kg	11.	1.1 09/10/04 21:3	85 RMN1 68334-30-5			
Fuel 011	ND	mg/kg	11.	1.1 09/10/04 21:3	85 RMN1 68334-30-5			
Motor 0il	ND ·	mg/kg	11.	1.1 09/10/04 21:3	35 RMN1			
Total Petroleum Hydrocarbons	14.	mg/kg	11.	1.1 09/10/04 21:3	35 RMN1	12		
n-Tetracosane (S)	97	*		1.0 09/10/04 21:3	35 RMN1 646-31-1			
p-Terphenyl (S)	114	*		1.0 09/10/04 21:3	35 RMN1 92-94-4			
Date Extracted	09/08/04			09/08/04				
Organics Prep								
Percent Moisture	Method: SM 2	540G						
Percent Moisture	5.9	%		1.0 09/08/04	JLC1			
GC Volatiles								
Aromatic Volatile Organics	Prep/Method:	EPA 5030 M	ledium Soil / El	PA 8021				
Benzene	ND	ug/kg	52.	1.1 09/08/04 15:2	28 71-43-2	•		
Ethylbenzene	ND	ug/kg	52.	1.1 09/08/04 15:2	28 100-41-4			
Toluene	ND	ug/kg	52.	1.1 09/08/04 15:2	28 108-88-3			
Xylene (Total)	ND	ug/kg	140	1.1 09/08/04 15:2	28 1330-20-7			
a,a,a-Trifluorotoluene (S)	89	%		1.0 09/08/04 15:2	28 98-08-8			

Date: 09/13/04

Page: 29 of 38

REPORT OF LABORATORY ANALYSIS

This report shall not be reproduced, except in full, without the written consent of Pace Analytical Services, Inc.





607447729

Lab Sample No:

Pace Analytical Services, Inc.

Date Collected: 09/01/04 10:55

9608 Loiret Blvd. Lenexa, KS 66219

Phone: 913.599.5665 Fax: 913.599.1759

Lab Project Number: 6086460 Client Project ID: NM Pits

Project Sample Number: 6086460-029

Client Sample ID: 105501SEP04				Matrix	: Soil	l	Date Received: 09/03/04 09:10			
Parameters	Results	Units	Report Limit	DF	Analyzed	Ву	CAS No.	Qual	RegLmt	
GC Semivolatiles									· <u></u>	
Total Extractable Hydrocarbons	Prep/Method:	OA2 / OA2								
Mineral Spirits	ND	mg/kg	11.	1.1	09/10/04 21:17	RMN1				
Jet Fuel	ND	mg/kg	11.	1.1	09/10/04 21:17	RMN1				
Kerosene	ND	mg/kg	11.	1.1	09/10/04 21:17	RMN1				
Diesel Fuel	ND	mg/kg	11.	1.1	09/10/04 21:17	RMN1	68334-30-5			
Fuel 0i1	ND	mg/kg	11.	1.1	09/10/04 21:17	RMN1	68334-30-5			
Motor Oil	ND	mg/kg	. 11.	1.1	09/10/04 21:17	RMN1				
n-Tetracosane (S)	91	*		1.0	09/10/04 21:17	RMN1	646-31-1			
p-Terphenyl (S)	98	*		1.0	09/10/04 21:17	RMN1	92-94-4			
Date Extracted	09/08/04			(09/08/04					
Organics Prep										
Percent Moisture	Method: SM 2	2540G								
Percent Moisture	5.1	%		1.0	09/08/04	JLC1				
GC Volatiles										
Aromatic Volatile Organics	Prep/Method:	: EPA 5030 M	ledium Soil / EF	PA 8021						
Benzene	, ND	ug/kg	52.	1.1	09/08/04 15:00		71-43-2			
Ethy1benzene Ethy1benzene	ND	ug/kg	52.	1.1	09/08/04 15:00		100-41-4			
Toluene	ND	ug/kg	52.	1.1	09/08/04 15:00		108-88-3		,	
Xylene (Total)	ND	ug/kg	140	1.1	09/08/04 15:00		1330-20-7			
a,a,a-Trifluorotoluene (S)	86	*		1.0	09/08/04 15:00		98-08-8			

Date: 09/13/04

Page: 28 of 38

REPORT OF LABORATORY ANALYSIS

This report shall not be reproduced, except in full, without the written consent of Pace Analytical Services, Inc.

