District I 1625 N. French Dr., Hobbs, NM 88240 District II 1301 W. Grand Avenue, Artesia, NM 88210 District III 1000 Rio Brazos Road, Aztec, NM 87410

1220 S. St. Francis Dr., Santa Fe, NM 87505

District IV

State of New Mexico Energy Minerals and Natural Resources

Form C-144 June 1, 2004

Oil Conservation Division 1220 South St. Francis Dr. Santa Fe, NM 87505 For drilling and production facilities, submit to appropriate NMOCD District Office. For downstream facilities, submit to Santa Fe office

Pit or Below-Grade Tank Registration or Closure


	ered by a "general plan"? Yes 🗹 No 🗌	_					
(WFS CCOSURE) Type of action: Registration of a pit or below	y-grade tank Closure of a pit or below-grade tank						
Operator: <u>BURLINGTON RESOURCES OIL & GAS CO</u> Telephone:	e-mail address:						
Address: 801 CHERRY ST FORT WORTH, TX 76102							
Facility or well name: <u>HUGHES #003</u> API #: <u>30-045-</u>	$\frac{25364}{\text{U/L or Qtr/Qtr}} \qquad \frac{\text{B}}{\text{SEC}}$	23 T 28N R 11W					
County: SAN JUAN Surface Owner: Federal ✓ State ☐ Private ☐ Indian ☐	NAD: 1927 ☑ 1983 ☐						
<u>Pit</u>	Below-grade tank						
Type: Drilling Production Disposal	Volume: bbl Type of fluid: Construction Material:						
Workover	nlain why not						
Lined Unlined	Double-walled, with leak detection? Yes If not, explain why not.						
Liner Type: Synthetic Thickness mil Clay Pit Volume 77 bbl							
Depth to ground water (vertical distance from bottom of pit to seasonal high water elevation of ground water.)	Less than 50 feet 50 feet or more, but less than 100 feet 100 feet or more	(20 points) (10 points) (0 points)					
Wellhead protection area: (Less than 200 feet from a private domestic water source, or less than 1000 feet from all other water sources.)	Yes No	(20 points) (0 points) <u>0</u>					
Distance to surface water: (Horizontal distance to all wetlands, playas, irrigation canals, ditches, and perennial and ephemeral watercourses.)	Less than 200 feet 200 feet to 1,000 feet Greater than 1,000 feet	(20 points) (10 points) <u>0</u> (0 points)					
	Ranking Score (TOTAL POINTS):	<u>0</u>					
If this is a pit closure: (1) Attach a diagram of the facility showing the pit's relationsite box if your are burying in place) onsite offsite If offsite, name action taken including remediation start date and end date. (4) Groundwater encour and attach sample results. (5) Attach soil sample results and a diagram of sample lo	ntered: No 🗹 Yes 🗌 If yes, show depth below gr	location: (check the eneral description of remedial ound surface ft.					
Additional Comments:	1	Meter: <u>39333</u>					
I hereby certify that the information above is true and complete to the best of my k	nowledge and belief. I further certify that the above-describe	d pit or below-grade					
	a general permit or an (attached) alternative OC						
Date:9/18/05	Mr Zank, For WPS						
Printed Name/Title Mark Harvey for Williams Field Services Sig	mature MN Bub, to Grant						
Your certification and NMOCD approval of this application/closure does not relie or otherwise endanger public health or the environment. Nor does it relieve the op regulations.	we the operator of liablility should the contents of the pit or ta erator of its responsibility for compliance with any other fede	ink contaminate ground water tral, state, or local laws and/or					
Approval: Printed Name/Title CEPUTY OIL & GAS INSPECTOR, OIST. 69 Signs		OCT 1 2 2005					

ADDENDUM TO OCD FORM C-144


Operator: BURLINGTON RESOURCES OIL & GAS COMPANY LP API 30-045-25364

Well Name: HUGHES #003 Meter: 39333

Facility Diagram:



Sampling Diagram:



Pit Dimensions

Location of Pit Center

Pit ID

Length 12 Ft. Latitude 36.65229 <u>393331</u>

Width 12 Ft. Longitude <u>-107.96965</u>

Pit Type

3 Ft. Depth

(NAD 1927)

Unknown

Date Closure Started: 6/18/04

Date Closure Completed: 6/18/04

Closure Method:

Pushed In

Bedrock Encountered?

Cubic Yards Excavated:

Vertical Extent of Equipment Reached?

Description Of Closure Action:

The pit was assessed and sampled in accordance with NMOCD guidelines. Based on assessment findings, the pit was backfilled.

Pit Closure Sampling:

Sample ID Date

Sample

BTEX Head

Benzene

TPH DRO Purpose

Location

Space Total (mg/kg) (mg/kg)

(mg/kg)

ASSESS

094819MAR04

3/19/04

11.2

Flr

Depth

3



Pace Analytical Services, Inc. 9608 Loiret Blvd. Lenexa, KS 66219

> Phone: 913.599.5665 Fax: 913.599.1759

Lab Project Number: 6080621

Client Project ID: N.M. Pit Program

Lab Sample No: 606936425 Project Sample Number: 6080621-013

Date Collected: 03/19/04 09:48

Client Sample ID: 094819MAR04			Matrix: Soil				Date Received: 03/23/04 09:00			
<u>Parameters</u>	Results	<u>Units</u>	Report Limit	_DF	Analy	yzed	Ву	CAS No.	Qua1	RegLmt
GC Semivolatiles										
Total Extractable Hydrocarbons	Prep/Method:	OA2 / OA2								
Mineral Spirits	ND	mg/kg	12.	1.2	03/30/04	11:45 R	MN1			
Jet Fuel	ND	mg/kg	12.	1.2	03/30/04	11:45 R	MN1	•		
Kerosene 🏂 🥟	ND	mg/kg	12.	1.2	03/30/04	11:45 R	MN1			
Diesel Fuel	ND	mg/kg	12.	1.2	03/30/04	11:45 R	MN1	68334-30-5		
Fuel 011	. ND	mg/kg	12.	1.2	03/30/04	11:45 R	MN1	68334-30-5		
Motor 0il	ND	mg/kg	12.	1.2	03/30/04	11:45 R	MN1			
n-Tetracosane (S)	118	*		1.0	03/30/04	11:45 R	MN1	646-31-1		
p-Terphenyl (S)	107	*		1.0	03/30/04	11:45 R	MN1	92-94-4		
Date Extracted	03/25/04				03/25/04					
Organics Prep										
Percent Moisture	Method: SM 2	2540G						•		
Percent Moisture	16.0	%		1.0	03/25/04	D	PB			
GC Volatiles				-	•					
Aromatic Volatile Organics	Prep/Method:	EPA 5030 M	edium Soil / E	PA 802	1					
Benzene	ND	ug/kg	1000	21.0	03/25/04	10:29		71-43-2		
Ethylbenzene	2300	ug/kg	1000	21.0	03/25/04	10:29		100-41-4		
Toluene	ND	ug/kg	1000	21.0	03/25/04	10:29		108-88-3		
Xylene (Total)	8900	ug/kg	2600	21.0	03/25/04	10:29		1330-20-7		
a,a,a-Trifluorotoluene (S)	0	%		1.0	03/25/04	10:29		98-08-8	4,5	

Date: 03/31/04

Page: 13 of 24

REPORT OF LABORATORY ANALYSIS

This report shall not be reproduced, except in full, without the written consent of Pace Analytical Services, Inc.

