


AUG 06 2015


ConocoPhillips
Well Name: OHIO 1E

Current Schematic

API / UWI 3004624406	Surface Legal Location NMPM-28N-11W-22-G	Field Name DK	License No.	State/Province NEW MEXICO
Ground Elevation (ft) 5,556.00	Original KB/RT Elevation (ft) 5,568.00	KB-Ground Distance (ft) 12.00	KB-Casing Flange Distance	

Vertical - Original Hole, 6/16/2015 3:52:55 PM





Well Configuration Type	Vertical	
K5-Tubing Hanger Distance (ft)	5,568.00	5,568.00

1; Surface; 8 5/8 in; 8.097 in; 12.0 ftKB;
552.0 ftKB

Surface Casing Cement; 12.0-552.0;
12/5/1980; Cmt'd w/325 sx Class B down
csg, followed w/25sx Class B down
annulus, cement to surface.

Production Casing Cement; 1,771.0-4,354.0; 12/12/1980; Cmt2 2nd stage w/540 sx 65/35 poz, tailed w/200 sx 50/50 poz. TOC @ 1771' per 75% eff. calc.

Perforated: 5.985.0-6.150.0: 2/1/1981

2: Production1; 4 1/2 in; 4.000 in; 12.0 ftKB;
6,279.0 ftKB

Auto cement plug; 6,250.0-6,279.0;
12/12/1980; Automatically created cement
plug from the casing cement because it had

la tagged depth.

Production Casing Cement; 5,155.0-
6,279.0; 12/12/1980; Cmt'd 1st stage w/225
sxs Class H cement, TOC @ 5155' per CBL
1/31/1981. DV Tool @ 4354'.

Display Cement Fill; 6,279.0-6,282.0
12/12/1980

Report Printed: 6/16/2015