District I 1625 N. French Dr., Hobbs, NM 88240 District II		of New Mexico ls and Natural Resources			n C-144 ne 1, 2004			
1301 W. Grand Avenue, Artesia, NM 88210 District III 1000 Rio Brazos Road, Aztec, NM 87410 District IV 1220 S. St. Francis Dr., Santa Fe, NM 87505	Oil Cons 1220 Sor	servation Division uth St. Francis Dr. Fe, NM 87505	appropriate NMO	For drilling and production facilities, submit to ppropriate NMOCD District Office. For downstream facilities, submit to Santa Fe ffice				
Pit or B	elow-Grade	Tank Registration or Cl	osure	·				
		rered by a "general plan"? Yes 🗹 N						
(WPS CLOSURE) Type of action: Regis	tration of a pit or belo	w-grade tank 🗌 Closure of a pit o	r below-grade tank					
Operator: <u>CONOCOPHILLIPS COMPANY</u> Address: <u>PO BOX 2197 HOUSTON, TX 77252</u>	Telephone:	e-mail add	ress:					
Facility or well name: SAN JUAN 30 5 UNIT #030	API #: 30-039-	-07799 U/L or Qtr/Q	tr L SEC	21 T 30N R	5W			
County: <u>RIO ARRIBA</u>	Latitude <u>36.796</u> dian			NAD: 1927 √ 198				
Pit		Below-grade tank						
Type: Drilling Production S Disposal		Volume: bbl Type of flu	ıid:					
Workover Emergency		Construction Material: Double-walled, with leak detection?	Voc III If not ou	nloin why not				
Lined Unlined 🖌		Double-walled, with leak detection?	res 📖 II not, ex	piain why not.				
Liner Type: Synthetic I Thickness mil Pit Volume 214 bbl	Clay							
Depth to ground water (vertical distance from bottom of p water elevation of ground water.)	it to seasonal high	Less than 50 feet 50 feet or more, but less than 100 feet 100 feet or more		(20 points) (10 points) (0 points)	<u>0</u>			
Wellhead protection area: (Less than 200 feet from a priva source, or less than 1000 feet from all other water sources.)		Yes No		(20 points) (0 points)	<u>0</u>			
Distance to surface water: (Horizontal distance to all wetla irrigation canals, ditches, and perennial and ephemeral wat		Less than 200 feet 200 feet to 1,000 feet Greater than 1,000 feet		(20 points) (10 points) (0 points)	<u>0</u>			
		Ranking Score (TOTAL POINTS):			<u>0</u>			
If this is a pit closure: (1)Attach a diagram of the facilit onsite box if your are burying in place) onsite ✓ offsit action taken including remediation start date and end date. and attach sample results. (5)Attach soil sample results and	e 🗌 If offsite, name (4)Groundwater encou	untered: No 🗹 Yes 🗌 If yes, s	(3)Attach a g	I location: (check the eneral description of re- ound surface	medial ft.			
Additional Comments:		12383	007 1202 1002 1	THE REAL PROPERTY IN THE REAL PROPERTY INTO THE REAL PR				
I hereby certify that the information above is true and com tank has been/will be constructed or closed according to N		knowledge and belief. I further certify th	nat the above-descri		2			
Date:9/9/05			1					
Printed Name/Title Mark Harvey for Williams Fi	eld Services Si	gnature MrZ	my, FOR WPS					
Your certification and NMOCD approval of this application or otherwise endanger public health or the environment. N regulations.	n/closure does not reli							
Approval: Printed Name/Title	R, DIST. 🖗 Sign	nature Dent	Bert	OCT 12	2005			
L				<u></u>				
					_			
	CARO,	nelac						

-

ADDENDUM TO OCD FORM C-144

Operator: <u>CONOCOPHILLIPS COMPANY</u> Well Name: SAN JUAN 30 5 UNIT #030

1

,

API: <u>30-039-07799</u>

Meter: <u>72663</u>

Facility Diagram:		Sampling Diagram:
N MIH. A. P. H.		X=Sample Collection Locations
Pit Dimensions	Location of Pit Center	<u>Pit ID</u>
Length <u>20</u> Ft.	Latitude <u>36.7961</u>	726631
Width <u>20</u> Ft.	Longitude <u>-107.36875</u>	Pit Type
Depth <u>3</u> Ft.	(NAD 1927)	Unknown
Date Closure Started: 2/11/03 Closure Method: Pushed In Description Of Closure Action: The pit was assessed and sampled in accordance with	NMOCD guidelines. Based on	Date Closure Completed: 2/11/03 Bedrock Encountered ? Cubic Yards Excavated: Vertical Extent of Equipment Reached ? assessment findings, the pit was backfilled.
Pit Closure Sampling:		
Sample ID Sample Head BTEX Benzene Date Space Total (mg/kg) (mg/kg)	TPH Purpose Locatio DRO (mg/kg)	n Depth
143911JUL02 7/11/02 0.633 0	360 ASSESS] 2

•		
* 		
	Pace Analytical [™]	
Sec.	www.pacelabs.com	
	****.paociab5.com	

Pace Analytical Services, Inc. 9608 Loiret Blvd. Lenexa, KS 66219 Phone: 913.599.5665 Fax: 913.599.1759

Lab Project Number: 6060926 Client Project ID: N.M. Pits Assessments

Lab Sample No: 605283092			Project Sample	Number:	6060926	5-003	(ate Collected	07/1	1/02 14:3
Client Sample ID: 143911JUL02				Matrix:	Soil .			Date Received	: 07/1	B/02 09:0
Parameters	Results	Units		DF	Analy	/zed	8y	CAS No.	Qual	<u>RegLmt</u>
GC Semivolatiles										
Total Extractable Hydrocarbons	Prep/Method:	0A2 / 0A2								
Mineral Spirits	ND	mg/kg	12.	1.2 (7/29/02	04:43 N	IIM			
Jet Fuel	ND	mg/kg	12.	1.2 (7/29/02	04:43 N	IIM			
Kerosene	ND	mg/kg	12.	1.2 (7/29/02	04:43 N	IIM			
Diesel Fuel	360	mg/kg	12.	1.2 (7/29/02	04:43 N	IIM	68334-30-5	,	
Fuel Dil	ND	mg/kg	12.	1.2 (7/29/02	04:43 N	IIM	68334-30-5		
Motor 0il	ND	mg/kg	12.	1.2 (7/29/02	04:43 N	IIM			
n-Tetracosane (S)	104	%		1.0 (7/29/02	04:43 N	IIM	646-31-1		
p-Terphenyl (S)	99	%		1.0 (7/29/02	04:43 N	IIM	92-94-4		
Date Extracted				C	7/24/02					
Organics Prep										
Percent Moisture	Method:									
Percent Moisture	14.8	*		1.0 (07/24/02	ŀ	iam			
GC Volatiles										
Aromatic Volatile Organics	Prep/Method:	EPA 5030	Medium Soil / E	PA 8021						
Benzene	ND	ug/kg	58.		7/24/02	20:32		71-43-2		
Ethylbenzene	73.	ug/kg	58.	1.2 (7/24/02	20:32		100-41-4		
Toluene	ND	ug/kg	58.	1.2 (7/24/02	20:32		108-88-3		
Xylene (Total)	560	ug/kg	150	1.2 (07/24/02	20:32		1330-20-7		
a,a,a-Trifluorotoluene (S)	93	%			07/24/02			98-08-8		

Date: 07/31/02

Page: 3

REPORT OF LABORATORY ANALYSIS

This report shall not be reproduced, except in full, without the written consent of Pace Analytical Services, Inc.

