#### District I 1625 N. French Dr., Hobbs, NM 88240 District II 1301 W. Grand Avenue, Artesia, NM 88210 District III

1000 Rio Brazos Road, Aztec, NM 87410

1220 S. St. Francis Dr., Santa Fe, NM 87505

District IV

# State of New Mexico Energy Minerals and Natural Resources

Form C-144 June 1, 2004

Oil Conservation Division 1220 South St. Francis Dr. Santa Fe, NM 87505 For drilling and production facilities, submit to appropriate NMOCD District Office. For downstream facilities, submit to Santa Fe

# Pit or Below-Grade Tank Registration or Closure

Is pit or below-grade tank cover	ered by a "general plan"? Yes  ✓ No  ✓	_					
(WFS Clossified Type of action: Registration of a pit or below	v-grade tank Closure of a pit or below-grade tank	<u> </u>					
Operator: SCHALK DEVELOPMENT CO Telephone:	e-mail address:						
Address: PO BOX 25825 ALBUQUERQUE, NM 87125							
Facility or well name: SCHALK 57 #001 API #: 30-039-	20599 U/L or Qtr/Qtr <u>C</u> SEC	<u>12</u> T <u>30N</u> R <u>5W</u>					
County: RIO ARRIBA Latitude 36.832 Surface Owner: Federal ✓ State ☐ Private ☐ Indian ☐	235 Longitude -107.31239	NAD: 1927 🗹 1983 🗌					
Pit   Type: Drilling □ Production ✓ Disposal   Workover □ Emergency □   Lined □ Unlined ✓   Liner Type: Synthetic □ Thickness mil Clay   Pit Volume 38 bbl	Below-grade tank  Volume: bbl Type of fluid:  Construction Material:  Double-walled, with leak detection? Yes   If not, explain why not.						
Depth to ground water (vertical distance from bottom of pit to seasonal high water elevation of ground water.)	Less than 50 feet 50 feet or more, but less than 100 feet 100 feet or more	(20 points) (10 points) <u>0</u> (0 points)					
Wellhead protection area: (Less than 200 feet from a private domestic water source, or less than 1000 feet from all other water sources.)	Yes No	(20 points) (0 points) <u>0</u>					
Distance to surface water: (Horizontal distance to all wetlands, playas, irrigation canals, ditches, and perennial and ephemeral watercourses.)	Less than 200 feet 200 feet to 1,000 feet Greater than 1,000 feet	(20 points) (10 points) <u>0</u> (0 points)					
	Ranking Score (TOTAL POINTS):	<u>0</u>					
If this is a pit closure: (1)Attach a diagram of the facility showing the pit's reliconsite box if your are burying in place) onsite offsite If offsite, name action taken including remediation start date and end date. (4)Groundwater encour and attach sample results. (5)Attach soil sample results and a diagram of sample locational Comments:	ntered: No V Yes If yes show depth below grocations and excavations.	l location: (check the eneral description of remedial ound surface ft.  Meter: 86718					
Date:9/28/05	nowledge and belief. I further certify that the above-describe a general permit of an entached alternative OC analysis.	· · · · · · · · · · · · · · · · · · ·					
Your certification and NMOCD approval of this application/closure does not relieve the operator of liablility should the contents of the pit or tank contaminate ground water or otherwise endanger public health or the environment. Nor does it relieve the operator of its responsibility for compliance with any other federal, state, or local laws and/or regulations.							
Approval:  Printed Name/Title  Printed Name/Title  Sign:	ature Denny Ferry	OCT 1 2 2005					

## **ADDENDUM TO OCD FORM C-144**


Operator: SCHALK DEVELOPMENT CO

Well Name: SCHALK 57 #001


API 30-039-20599

Meter: 86718

#### **Facility Diagram:**



#### Sampling Diagram:



**Pit Dimensions** 

Length 12 Ft.

Width 12 Ft.

Depth 1.5 Ft. **Location of Pit Center** 

Latitude 36.83252

Longitude -107.31232

(NAD 1927)

Pit ID

867181

Pit Type

**Unknown** 

Date Closure Started: 8/12/04

Closure Method:

Pushed In

Date Closure Completed: 8/12/04

**Bedrock Encountered?** 

**Cubic Yards Excavated:** 

Vertical Extent of Equipment Reached ?  $\Box$ 

## **Description Of Closure Action:**

The pit was assessed and sampled in accordance with NMOCD guidelines. Based on assessment findings, the pit was backfilled.

## Pit Closure Sampling:

Sample ID

Sample Date

Head

Space

**BTEX** Total (mg/kg) Benzene (mg/kg)

**TPH** DRO (mg/kg) Purpose

ASSESS

Location

Depth

202926MAY04

5/26/04

0.9

0

610

Flr

3.5



607186616

Lab Sample No:

Pace Analytical Services, Inc. 9608 Loiret Blvd. Lenexa, KS 66219

> Phone: 913.599.5665 Fax: 913.599.1759

Lab Project Number: 6083363 Client Project ID: N.M. Pits

Project Sample Number: 6083363-007

Client Sample ID: 202926MAY04 Matrix: Soil

Date Collected: 05/26/04 20:29

Date Received: 06/09/04 09:00

of tene sample 15. EdesEditito (4.5)				11401 171. 3011			Date Received: 00/03/01 03:0		
Parameters	<u>Results</u>	Units	Report Limit	_DF	Analyzed	Ву	CAS No.	Qual	RegLmt
GC Semivolatiles									-
Total Extractable Hydrocai	rbons Prep/Method	: 0A2 / 0A2							
Mineral Spirits	ND	mg/kg	12.	1.2 (	06/11/04 13:51	DCKI			
Jet Fuel	ND	mg/kg	12.	1.2 (	06/11/04 13:51	DCKI			
Kerosene	ND	mg/kg	12.	1.2 (	06/11/04 13:51	DCKI			
Diesel Fuel	ND	mg/kg	12.	1.2 (	06/11/04 13:51	DCKI	68334-30-5		
Fuel 0il	ND	mg/kg	12.	1.2 (	06/11/04 13:51	DCKI	68334-30-5		
Motor 0il	610	mg/kg	12.	1.2 (	06/11/04 13:51	DCKI		6	
n-Tetracosane (S)	122	%		1.0 (	06/11/04 13:51	DCKI	646-31-1		
p-Terphenyl (S)	119	*		1.0 (	06/11/04 13:51	DCKI	92-94-4		
Date Extracted	06/09/04			(	06/09/04				
Organics Prep									
Percent Moisture	Method: SM	2540G							
Percent Moisture	15.9	%		1.0	06/09/04	DPB			
GC Volatiles									
Aromatic Volatile Organic	s Prep/Method	: EPA 5030	Medium Soil / E	PA 8021					
Benzene	ND	ug/kg	59.		06/10/04 20:35	5	71-43-2		
Ethylbenzene	ND	ug/kg	59.	1.2	06/10/04 20:39	5	100-41-4		
Toluene	250	ug/kg	59.	1.2	06/10/04.20:39	5	108-88-3		
Xylene (Total)	650	ug/kg	150	1.2	06/10/04 20:39	5	1330-20-7		
a,a,a-Trifluorotoluene (	S) 101	%			06/10/04 20:39		98-08-8		

Comments : Ice melted on arrival!

Date: 06/16/04

Page: 7 of 33

# **REPORT OF LABORATORY ANALYSIS**

This report shall not be reproduced, except in full, without the written consent of Pace Analytical Services, Inc.

