#### District I 1625 N. French Dr., Hobbs, NM 88240 District II 1301 W. Grand Avenue, Artesia, NM 88210 District III

1000 Rio Brazos Road, Aztec, NM 87410

1220 S. St. Francis Dr., Santa Fe, NM 87505

District IV

### State of New Mexico Energy Minerals and Natural Resources

Form C-144 June 1, 2004

Oil Conservation Division 1220 South St. Francis Dr. Santa Fe, NM 87505 For drilling and production facilities, submit to appropriate NMOCD District Office. For downstream facilities, submit to Santa Fe office

# Pit or Below-Grade Tank Registration or Closure

	ered by a "general plan"? Yes ☑ No ☐					
(WFS Closure) Type of action: Registration of a pit or below	v-grade tank Closure of a pit or below-grade tank					
Operator: CONOCOPHILLIPS COMPANY Telephone:	e-mail address:					
Address: PO BOX 2197 HOUSTON, TX 77252						
Facility or well name: SAN JUAN 29 6 UNIT #030A API #: 30-039-	<u>10</u> T <u>29N</u> R <u>6W</u>					
County: RIO ARRIBA Latitude 36.737  Surface Owner: Federal ✓ State ☐ Private ☐ Indian ☐	198 Longitude <u>-107.4447</u>	NAD: 1927 <b>☑</b> 1983 □				
<u>Pit</u>	Below-grade tank					
Type: Drilling Production Disposal	Volume: bbl Type of fluid:  Construction Material:					
Workover	Double-walled, with leak detection? Yes III If not, ex	plain why not.				
Lined Unlined 🗹	, ,					
Liner Type: Synthetic Thickness mil Clay Pit Volume 200 bbl						
Depth to ground water (vertical distance from bottom of pit to seasonal high water elevation of ground water.)	Less than 50 feet 50 feet or more, but less than 100 feet 100 feet or more	(20 points) (10 points) <u>0</u> (0 points)				
Wellhead protection area: (Less than 200 feet from a private domestic water source, or less than 1000 feet from all other water sources.)	Yes No	(20 points) <u>0</u>				
Distance to surface water: (Horizontal distance to all wetlands, playas, irrigation canals, ditches, and perennial and ephemeral watercourses.)	Less than 200 feet 200 feet to 1,000 feet Greater than 1,000 feet	(20 points) (10 points) <u>0</u> (0 points)				
	Ranking Score (TOTAL POINTS):	<u>0</u>				
onsite box if your are burying in place) onsite offsite If offsite, name action taken including remediation start date and end date. (4)Groundwater encour and attach sample results. (5)Attach soil sample results and a diagram of sample lo	ntered: No Ves If yes, show depth below grocations and excavations	eneral description of remedial ound surface ft.				
Additional Comments:	OCT 2005  RECEIVED CONS. DIV. DIST. 3	Meter: <u>86995</u>				
I hereby certify that the information above is true and complete to the best of my knowledge and belief. I further certify that the above-described pit or below-grade						
tank has been/will be constructed or closed according to NMOCD guidelines	a general permit , or an (attached) alternative OC	D-approved plan				
Date:9/28/05 Printed Name/Title Mark Harvey for Williams Field Services Sig	enature MI 2 6, FOR WPS					
Your certification and NMOCD approval of this application/closure does not relieve the operator of liablility should the contents of the pit or tank contaminate ground water or otherwise endanger public health or the environment. Nor does it relieve the operator of its responsibility for compliance with any other federal, state, or local laws and/or regulations.						
Approval:	0 -	/ OCT 1 9 2000				
Printed Name/Title PMTY CAL & GAS INSPECTOR COSTO (A) Signal	1 Jenny Zen	Date I & COUL				

### **ADDENDUM TO OCD FORM C-144**

Operator: CONOCOPHILLIPS COMPANY		<b>API</b> 30-039-21422
Well Name: SAN JUAN 29 6 UNIT #030A		Meter: <u>86995</u>
Facility Diagram:	S	Sampling Diagram:  X=Sample Collection Locations
	<u> </u>	
Pit Dimensions	<b>Location of Pit Center</b>	Pit ID
Length <u>25</u> Ft.	Latitude <u>36.7379</u>	<u>869951</u>
Width <u>15</u> Ft.	Longitude <u>-107.44453</u>	Pit Type
Depth $\underline{3}$ Ft.	(NAD 1927)	<u>Separator</u>
Date Closure Started: 7/6/04  Closure Method: Pushed In		Date Closure Completed: 7/9/04  Bedrock Encountered?
		Cubic Yards Excavated:  Vertical Extent of Equipment Reached?
Description Of Closure Action: The pit was assessed and sampled in accordance with	h NMOCD guidelines. Based on a	ssessment findings, the pit was backfilled.
Pit Closure Sampling:		
Sample ID Sample Head BTEX Benzene Date Space Total (mg/kg) (mg/kg)		Depth
112015NOV02 11/15/02 1.491	0 320 ASSESS	3



Pace Analytical Services, Inc.

9608 Loiret Blvd. Lenexa, KS 66219

Phone: 913.599.5665

Lab Project Number: 6064930

Fax: 913.599.1759

Client Project ID: PHILLIPS PIT PROGRAM

Lab Sample No:

605613660

Project Sample Number: 6064930-005

Date Collected: 11/15/02 11:20

Client Sample ID: 112015NOV02

Matrix: Soil

Date Received: 11/19/02 09:00

•									
Parameters	Results	Units	Report Limit	DF	Analyzed	Ву	CAS No.	Qua1	RegLmt
GC Semivolatiles									
Total Extractable Hydrocarbons	Prep/Method:	0A2 / 0A2							
Mineral Spirits	ND	mg/kg	12.	1.2	11/22/02 15:18	MIM			
Jet Fuel	ND	mg/kg	12.	1.2	11/22/02 15:18	MIM			
Kerosene	ND	mg/kg	12.	1.2	11/22/02 15:18	MIM			
Diesel Fuel	320	mg/kg	12.	1.2	11/22/02 15:18	MIM	68334-30-5	4	
Fuel Oil	ND	mg/kg	12.	1.2	11/22/02 15:18	MIM	68334-30-5		
Motor 0il	ND	mg/kg	12.	1.2	11/22/02 15:18	MIM			
n-Tetracosane (S)	99	*		1.0	11/22/02 15:18	MIM	646-31-1		
p-Terphenyl (S)	94	%		1.0	11/22/02 15:18	MIM	92-94-4		
Date Extracted	11/21/02				11/21/02		•		
Organics Prep							•		
Percent Moisture	Method:								
Percent Moisture	16.8	%		1.0	11/22/02	MAM		,	
GC Volatiles			•						
Aromatic Volatile Organics	Prep/Method:	EPA 5030 N	ledium Soil / El	PA 8021					
Benzene	ND	ug/kg	59.	1.2	11/22/02 22:30	SHF	71-43-2		
Ethylbenzene	81.	ug/kg	59.	1.2	11/22/02 22:30	SHF	100-41-4		
Toluene	420	ug/kg	59.	1.2	11/22/02 22:30	SHF	108-88-3		
Xylene (Total)	990	ug/kg	150	1.2	11/22/02 22:30	SHF	1330-20-7		
a,a,a-Trifluorotoluene (S)	94	*		1.0	11/22/02 22:30	SHF	98-08-8		

Date: 11/26/02

Page: 5 of 42

## REPORT OF LABORATORY ANALYSIS