# 1625 N. French Dr., Hobbs, NM 88240

1301 W. Grand Avenue, Artesia, NM 88210 District III

1000 Rio Brazos Road, Aztec, NM 87410

District IV

1220 S. St. Francis Dr., Santa Fe, NM 87505

## State of New Mexico Energy Minerals and Natural Resources

Oil Conservation Division 1220 South St. Francis Dr. Santa Fe, NM 87505

For drilling and production facilities, submit to appropriate NMOCD District Office. For downstream facilities, submit to Santa Fe

Form C-144

June 1, 2004

Pit or Below-Grade Tank Registration or Closure

Is pit or below-grade tank covered by a "general plan"? Yes V No   Type of action: Registration of a pit or below-grade tank Closure of a pit or below-grade tank								
	e-mail address:							
Operator: BURLINGTON RESOURCES OIL & GAS CO Telephone: e-mail address:  Address: 801 CHERRY ST FORT WORTH, TX 76102								
Facility or well name: SAN JUAN 27 4 UNIT #022 API #: 30-039-07059 U/L or Qtr/Qtr <u>L</u> SEC 14 T 27N R 4W								
County: RIO ARRIBA Latitude 36.570	NAD: 1927 <b>☑</b> 1983 □							
County: RIO ARRIBA Latitude 36.57069 Longitude -107.22616 NAD: 1927 ✓ 1983 ☐ Surface Owner: Federal ✓ State ☐ Private ☐ Indian ☐								
<u>Pit</u>	Below-grade tank							
Type: Drilling Production Disposal	Volume: bbl Type of fluid:							
Workover	Construction Material:  Double-walled, with leak detection? Yes If not, ex	plain why not.						
Lined Unlined 🗹	Double wanted, want loak detection. The Date in no., on,	piam why not						
Liner Type: Synthetic Thickness mil Clay								
Pit Volume 410 bbl								
Depth to ground water (vertical distance from bottom of pit to seasonal high	Less than 50 feet	(20 points)						
water elevation of ground water.)	50 feet or more, but less than 100 feet 100 feet or more	(10 points) $\underline{0}$ (0 points)						
Wellhead protection area: (Less than 200 feet from a private domestic water source, or less than 1000 feet from all other water sources.)	Yes No	(20 points) $\underline{0}$						
Distance to surface water: (Horizontal distance to all wetlands, playas, irrigation canals, ditches, and perennial and ephemeral watercourses.)	Less than 200 feet 200 feet to 1,000 feet	(20 points) (10 points) <u>0</u>						
	Greater than 1,000 feet	(0 points)						
	Ranking Score (TOTAL POINTS):							
If this is a pit closure: (1)Attach a diagram of the facility showing the pit's relationship to other equipment and tanks. (2) Indicate disposal location: (check the								
onsite box if your are burying in place) onsite offsite If offsite, name of facility (3)Attach a general description of remedial action taken including remediation start date and end date. (4)Groundwater encountered: No Yes If yes, show depth below ground surface ft.								
and attach sample results. (5)Attach soil sample results and a diagram of sample locations and excavations of 10 11 12 11 12 11 12 13 14 15 15 16 16 16 16 16 16 16 16 16 16 16 16 16								
GO OCT OF								
PECEIVED SE								
OIL CONS. DIV.								
6202 1202 52 W. S.								
I hereby certify that the information above is true and complete to the best of my knowledge and belief. I further certify that the above-described pit or below-grade								
tank has been/will be constructed or closed according to NMOCD guidelines ., a general permit ., or an (attached) alternative OCD-approved plan								
Date:9/28/05	MIZAN, FOR WPS							
Printed Name/Title Mark Harvey for Williams Field Services Signature								
Your certification and NMOCD approval of this application/closure does not relieve the operator of liablility should the contents of the pit or tank contaminate ground water or otherwise endanger public health or the environment. Nor does it relieve the operator of its responsibility for compliance with any other federal, state, or local laws and/or regulations.								
Approval: OEPUTY CIL & GAS INSPECTOR, DIST. 28	1 Secretary	20CT 1 2 200						
Printed Name/Title Signa	ature ) Wy	Date:						

## **ADDENDUM TO OCD FORM C-144**


Operator: BURLINGTON RESOURCES OIL & GAS COMPANY LP

Well Name: SAN JUAN 27 4 UNIT #022


API 30-039-07059

Meter: 86387

### Facility Diagram:



## Sampling Diagram:



**Pit Dimensions** 

Length 24 Ft.

Width 24 Ft.

Depth 4 Ft. **Location of Pit Center** 

Latitude 36.57065

Longitude -107.22632

(NAD 1927)

Pit ID

863871

Pit Type

Glycol Dehydrator

**Date Closure Started:** 7/30/04

**Closure Method:** 

Pushed In

Date Closure Completed: 7/30/04

**Bedrock Encountered?** 

Cubic Yards Excavated:

Vertical Extent of Equipment Reached ?  $\Box$ 

#### **Description Of Closure Action:**

The pit was assessed and sampled in accordance with NMOCD guidelines. Based on assessment findings, the pit was backfilled.

#### Pit Closure Sampling:

Sample ID

Sample Date

Head

Space

BTEX Total

Benzene (mg/kg) TPH DRO

(mg/kg)

Purpose

Location

Depth

181519MAY04

5/19/04

(mg/kg)

0

ASSESS

Flr

1.5



Pace Analytical Services, Inc. 9608 Loiret Blvd.

Lenexa, KS 66219

Phone: 913.599.5665 Fax: 913.599.1759

Lab Project Number: 6082759

Client Project ID: N.M. Pit Program

607131745 Lab Sample No:

Project Sample Number: 6082759-008

Date Collected: 05/19/04 18:15

Client Sample ID: 181519MAY04		Matrix: Soil			ı	Date Received: 05/21/04 09:20			
Parameters	Results	Units	Report Limit	DF	Analyzed	Ву	CAS No.	Qual	RegLmt
GC Semivolatiles									
Total Extractable Hydrocarbons	Prep/Method:	0A2 / 0A2	•						
Mineral Spirits	ND	mg/kg	12.	1.2	05/27/04 15:27	DCKI			
Jet Fuel	ND	mg/kg	12.	1.2 (	05/27/04 15:27	DCKI			
Kerosene	ND	mg/kg	12.	1.2	05/27/04 15:27	DCKI			
Diesel Fuel	ND	mg/kg	12.	1.2	05/27/04 15:27	DCKI	68334-30-5		
Fuel Oil	ND	mg/kg	12.	1.2	05/27/04 15:27	DCKI	68334-30-5		
Motor 0il	ND	mg/kg	12.	1.2	05/27/04 15:27	DCKI			•
n-Tetracosane (S)	64	X		1.0	05/27/04 15:27	DCKI	646-31-1		
p-Terphenyl (S)	105	*		1.0	05/27/04 15:27	DCKI	92-94-4		
Date Extracted	05/25/04			(	05/25/04				
Organics Prep									
Percent Moisture	Method: SM 2	2540G							•
Percent Moisture	14.4	*		1.0	05/25/04	DPB	•		
GC Volatiles									
Aromatic Volatile Organics	Prep/Method:	: EPA 5030 M	edium Soil / E	PA 8021					
Benzene	ND	ug/kg	58.		05/25/04 23:02		71-43-2		
Ethy1benzene	ND ::	ug/kg	58.	1.2	05/25/04 23:02		100-41-4		
Toluene	ND	ug/kg	58.		05/25/04 23:02		108-88-3		
Xylene (Total)	ND	ug/kg	150	1.2	05/25/04 23:02		1330-20-7		
a,a,a-Trifluorotoluene (S)	90	*		1.0	05/25/04 23:02		98-08-8		

Date: 06/03/04

Page: 8 of 19

# REPORT OF LABORATORY ANALYSIS

This report shall not be reproduced, except in full, without the written consent of Pace Analytical Services, Inc.

