District I 1625 N. French Dr., Hobbs, NM 88240 District II

1301 W. Grand Avenue, Artesia, NM 88210

District III 1000 Rio Brazos Road, Aztec, NM 87410

District IV 1220 S. St. Francis Dr., Santa Fe, NM 87505

State of New Mexico **Energy Minerals and Natural Resources**

For drilling and production facilities, submit to appropriate NMOCD District Office.

Form C-144

June 1, 2004

Oil Conservation Division

Pit or Below-Grade Tank Registration or Closure

1220 South St. Francis Dr. For downstream facilities, submit to Santa Fe Santa Fe, NM 87505

Is pit or below-grade tank cove	ered by a "general plan"? Yes 🗹 No 🗌				
(WF3 Closure) Type of action: Registration of a pit or below	grade tank Closure of a pit or below-grade tank	✓			
Operator: CONOCOPHILLIPS COMPANY Telephone:	e-mail address:				
Address: PO BOX 2197 HOUSTON, TX 77252					
Facility or well name: SAN JUAN 29 5 UNIT #013 API #: 30-039-0	$\frac{0.7538}{0.00000000000000000000000000000000000$	<u>30</u> T <u>29N</u> R <u>5W</u>			
County: RIO ARRIBA Surface Owner: Federal State Private Indian	NAD: 1927 ☑ 1983 ☐				
<u>Pit</u>	Below-grade tank				
Type: Drilling ☐ Production ✓ Disposal ☐	Volume: bbl Type of fluid:				
Workover	Construction Material: Double-walled, with leak detection? Yes If not, explain why not.				
Lined ☐ Unlined ☑	Bouble-walled, with leak detection. Tes I not, ex	plant wity not.			
Liner Type: Synthetic Thickness mil Clay					
Depth to ground water (vertical distance from bottom of pit to seasonal high water elevation of ground water.)	Less than 50 feet 50 feet or more, but less than 100 feet 100 feet or more	(20 points) (10 points) <u>0</u> (0 points)			
Wellhead protection area: (Less than 200 feet from a private domestic water source, or less than 1000 feet from all other water sources.)	Yes No	(20 points) (0 points) <u>0</u>			
Distance to surface water: (Horizontal distance to all wetlands, playas, irrigation canals, ditches, and perennial and ephemeral watercourses.)	Less than 200 feet 200 feet to 1,000 feet Greater than 1,000 feet	(20 points) (10 points) <u>0</u> (0 points)			
	Ranking Score (TOTAL POINTS):	<u>0</u>			
f this is a pit closure: (1)Attach a diagram of the facility showing the pit's relainsite box if your are burying in place) onsite offsite if offsite, name ction taken including remediation start date and end date. (4)Groundwater encound attach sample results. (5)Attach soil sample results and a diagram of sample lo	atered: No 🗹 Yes 🗌 If yes, show depth below gr	eneral description of remedial			
Additional Comments:	OCT 2005 RECEIVED DIST. S	Meter: <u>86394</u>			
I hereby certify that the information above is true and complete to the best of my k tank has been/will be constructed or closed according to NMOCD guidelines	, a general permit , or an (attached) alternative OC	·			
Date:9/28/05 Printed Name/Title Mark Harvey for Williams Field Services Sig	nature Mr ZJ-L, For WPS				
Your certification and NMOCD approval of this application/closure does not relieve or otherwise endanger public health or the environment. Nor does it relieve the oppregulations.	ve the operator of liablility should the contents of the pit or ta erator of its responsibility for compliance with any other fede	ink contaminate ground water ral, state, or local laws and/or			
Approval: CEPUIT OR & GAS INSPECTOR, DIST. (39 Printed Name/Title Signs	ature Derry Zory	OCT 1 2 2005			

ADDENDUM TO OCD FORM C-144


Operator: CONOCOPHILLIPS COMPANY

Well Name: SAN JUAN 29 5 UNIT #013


API 30-039-07538

Meter: 86394

Facility Diagram:



Sampling Diagram:



Pit Dimensions

Length 12 Ft.

Width 15 Ft.

Depth 3 Ft.

Location of Pit Center

Latitude

36.41971

Longitude -107.23536

(NAD 1927)

Pit ID

863941

Pit Type

<u>Unknown</u>

Date Closure Started: 5/28/04

Closure Method:

Pushed In

Date Closure Completed: 5/28/04

Bedrock Encountered?

Cubic Yards Excavated:

Vertical Extent of Equipment Reached ? \Box

Description Of Closure Action:

The pit was assessed and sampled in accordance with NMOCD guidelines. Based on assessment findings, the pit was backfilled.

Pit Closure Sampling:

Sample ID

Sample Date Head Space BTEX Total

(mg/kg)

Benzene (mg/kg)

TPH DRO (mg/kg) Purpose

Location

Depth

3

101224MAR04 3/24/04 0 0 0 ASSESS Fir



Client Sample ID: 101224MAR04

606962751

Lab Sample No:

Pace Analytical Services, Inc.

9608 Loiret Blvd. Lenexa, KS 66219

Phone: 913.599.5665 Fax: 913.599.1759

Lab Project Number: 6080880

Client Project ID: N.M. Pit Program

Project Sample Number: 6080880-017 Date Collected: 03/24/04 10:12

Matrix: Soil Date Received: 03/31/04 09:45

Parameters Units Report Limit DF Analyzed Results CAS No. Qual RegLmt GC Semivolatiles Total Extractable Hydrocarbons Prep/Method: 0A2 / 0A2 12. 1.2 04/03/04 06:49 RNN1 Mineral Spirits ND mg/kg 1.2 04/03/04 06:49 RMN1 Jet Fuel ND mg/kg 12. Kerosene ND mg/kg 12. 1.2 04/03/04 06:49 RMN1 Diesel Fuel ND 12. 1.2 04/03/04 06:49 RMN1 68334-30-5 mg/kg Fuel 011 ND 12. 1.2 04/03/04 06:49 RMN1 68334-30-5 mg/kg 1.2 04/03/04 06:49 RMN1 Motor Oil ND 12. mg/kg n-Tetracosane (S) 106 % 1.0 04/03/04 06:49 RMN1 646-31-1 106 * 1.0 04/03/04 06:49 RMN1 92-94-4 p-Terphenyl (S) 04/02/04 Date Extracted 04/02/04 Organics Prep Percent Moisture Method: SM 2540G Percent Moisture 20.2 1.0 04/01/04 DPR

GC	Vol	ati	es	

GC VOI atties			:			
Aromatic Volatile Organics	Prep/Method:	EPA 5030	Medium Soil / EPA	8021		
Benzene	ND	ug/kg	62.	1.2 04/02/04 1	13:48	71-43-2
Ethylbenzene	ND	ug/kg	62.	1.2 04/02/04 1	l3:48	100-41-4
Toluene	ND	ug/kg	62.	1.2 04/02/04 1	l3:48	108-88-3
Xylene (Total)	ND	ug/kg	160	1.2 04/02/04 1	l3:48	1330-20-7
a,a,a-Trifluorotoluene (S)	99	%		1.0 04/02/04 1	L3:48	98-08-8

Date: 04/06/04

Page: 17 of 30

REPORT OF LABORATORY ANALYSIS

This report shall not be reproduced, except in full, without the written consent of Pace Analytical Services, Inc.

