District I 1625 N. French Dr., Hobbs, NM 88240 District II 1301 W. Grand Avenue, Artesia, NM 88210 District III 1000 Rio Brazos Road, Aztec, NM 87410

1220 S. St. Francis Dr., Santa Fe, NM 87505

District IV

State of New Mexico Energy Minerals and Natural Resources

Form C-144 June 1, 2004

Oil Conservation Division 1220 South St. Francis Dr. Santa Fe, NM 87505 For drilling and production facilities, submit to appropriate NMOCD District Office. For downstream facilities, submit to Santa Fe office

Pit or Below-Grade Tank Registration or Closure

,	ered by a "general plan"? Yes 🗹 No 🗌						
(WF3 Closse) Type of action: Registration of a pit or below	w-grade tank Closure of a pit or below-grade tank	<u> </u>					
Operator: CONOCOPHILLIPS COMPANY Telephone:	e-mail address:						
Address: PO BOX 2197 HOUSTON, TX 77252							
Facility or well name: SAN JUAN 29 6 UNIT #071 API #: 30-039-	<u>17</u> T <u>29N</u> R <u>6W</u>						
County: RIO ARRIBA Latitude 36.730 Surface Owner: Federal ✓ State □ Private □ Indian □	D58 Longitude <u>-107.48355</u>	NAD: 1927 🗹 1983 🗌					
<u>Pit</u>	Below-grade tank						
Type: Drilling Production Disposal	Volume: bbl Type of fluid:						
Workover	Construction Material:						
Lined Unlined 🗹	Double-walled, with leak detection? Yes 🗐 If not, ex	piain wny not.					
Liner Type: Synthetic Thickness mil Clay							
Depth to ground water (vertical distance from bottom of pit to seasonal high water elevation of ground water.)	Less than 50 feet 50 feet or more, but less than 100 feet 100 feet or more	(20 points) (10 points) <u>0</u> (0 points)					
Wellhead protection area: (Less than 200 feet from a private domestic water source, or less than 1000 feet from all other water sources.)	Yes No	(20 points) (0 points) <u>0</u>					
Distance to surface water: (Horizontal distance to all wetlands, playas, irrigation canals, ditches, and perennial and ephemeral watercourses.)	Less than 200 feet 200 feet to 1,000 feet Greater than 1,000 feet	(20 points) (10 points) (0 points) <u>0</u>					
	Ranking Score (TOTAL POINTS):	<u>0</u>					
If this is a pit closure: (1)Attach a diagram of the facility showing the pit's relationship to other equipment and tanks. (2) Indicate disposal location: (check the onsite box if your are burying in place) onsite offsite. If offsite, name of facility (3)Attach a general description of remedial action taken including remediation start date and end date. (4)Groundwater encountered: No Yes 1 types show depth below ground surface ft. and attach sample results. (5)Attach soil sample results and a diagram of sample locations and excavations.							
Additional Comments: OCT 2005 RECEIVED OIL CONS. DIV. DIST. 3							
I hereby certify that the information above is true and complete to the best of my knowledge and belief. I further certify that the above-described pit or below-grade tank has been/will be constructed or closed according to NMOCD guidelines, a general permit, or an (attached) alternative OCD-approved plan							
Date:9/28/05- Printed Name/Title Mark Harvey for Williams Field Services Signature							
Your certification and NMOCD approval of this application/closure does not relieve the operator of liablility should the contents of the pit or tank contaminate ground water or otherwise endanger public health or the environment. Nor does it relieve the operator of its responsibility for compliance with any other federal, state, or local laws and/or regulations.							
Approval: OSPUTY ON G GAS INSPECTOR, DIST. 69 Printed Name/Title Sign	ature Serry Freut	OCT 1 2 200					

ADDENDUM TO OCD FORM C-144

Operator: CONOCOPHILLIPS COMPANY Well Name: SAN JUAN 29 6 UNIT #071		API <u>30-039-07634</u> Meter: <u>86466</u>
Facility Diagram:		Sampling Diagram: X=Sample Collection Locations
Pit Dimensions Length 25 Ft. Width 15 Ft. Depth 3 Ft. Date Closure Started: 7/1/04 Closure Method: Pushed In	Location of Pit Center Latitude 36.7307 Longitude -107.48371 (NAD 1927)	Pit ID 864661 Pit Type Separator Date Closure Completed: 7/9/04 Bedrock Encountered? Cubic Yards Excavated: Vertical Extent of Equipment Reached?
Description Of Closure Action: The pit was assessed and sampled in accordance with	n NMOCD guidelines. Based on	assessment findings, the pit was backfilled.
Pit Closure Sampling: Sample ID Sample Head BTEX Benzene Date Space Total (mg/kg) 094215NOV02 11/15/02 12.02 0		n Depth



Pace Analytical Services, Inc.

9608 Loiret Blvd. Lenexa, KS 66219

Phone: 913.599.5665 Fax: 913.599.1759

Lab Project Number: 6064930

Client Project ID: PHILLIPS PIT PROGRAM

605613736 Lab Sample No: Client Sample ID: 094215NOV02 Project Sample Number: 6064930-012

Date Collected: 11/15/02 09:42 Date Received: 11/19/02 09:00

Client Sample ID: 094215NOV02			Matrix: Soil			Date Received: 11/19/02 09:00			
Parameters	Results	Units	Report Limit	DF	Analyzed	Ву	CAS No.	Qual	RegLmt
GC Semivolatiles									
Total Extractable Hydrocarbons	Prep/Method:	0A2 / 0A2							
Mineral Spirits	ND	mg/kg	13.	1.3	11/22/02 21:30	MIM (
Jet Fuel	ND	mg/kg	13.	1.3	11/22/02 21:30	MIM			
Kerosene	NÐ .	mg/kg	13.	1.3	11/22/02 21:30	MIM (
Diesel Fuel	420	mg/kg	13.	1.3	11/22/02 21:30	MIM (68334-30-5	4	
Fuel Oil	ND	mg/kg	13.	1.3	11/22/02 21:30	MIM (68334-30-5		
Motor Oil	ND	mg/kg	13.	1.3	11/22/02 21:30	MIM (
n-Tetracosane (S)	94	%		1.0	11/22/02 21:30	MIM (646-31-1		•
p-Terphenyl (S)	91	%		1.0	11/22/02 21:30	MIM (92-94-4		
Date Extracted	11/21/02			•	11/21/02		•		*
Organics Prep									
Percent Moisture	Method:								
Percent Moisture	22.4	%		1.0	11/22/02	MAM			
GC Volatiles									
Aromatic Volatile Organics	Prep/Method:	EPA 5030 M	edium Soil / El	PA 8021					
Benzene	ND	ug/kg	130	2.6	11/25/02 17:32	SHF	71-43-2		
Ethylbenzene	430	ug/kg	130	2.6	11/25/02 17:32	SHF	100-41-4		
Toluene	590	ug/kg	130	2.6	11/25/02 17:32	SHF	108-88-3		
Xylene (Total)	11000	ug/kg	320	2.6	11/25/02 17:32	SHF	1330-20-7		•
a,a,a-Trifluorotoluene (S)	82	%		1.0	11/25/02 17:32	2 SHF	98-08-8	6	

Date: 11/26/02

Page: 12 of 42

REPORT OF LABORATORY ANALYSIS