D. Linet 1 1625 N. French Dr., Hobbs, NM 88240 District II 1301 W. Grand Avenue, Artesia, NM 88210 District III 1000 Rio Brazos Road, Aztec, NM 87410 District IV

1220 S. St. Francis Dr., Santa Fe, NM 87505

State of New Mexico Energy Minerals and Natural Resources

Form C-144 June 1, 2004

Oil Conservation Division 1220 South St. Francis Dr. Santa Fe, NM 87505 For drilling and production facilities, submit to appropriate NMOCD District Office.
For downstream facilities, submit to Santa Fe office

Pit or Below-Grade Tank Registration or Closure

| | 11 " 1 1 1 10 XX A XX | | | | | | | |
|--|---|---|--|--|--|--|--|--|
| Is pit or below-grade tank coverage to the second section of a pit or below type of action. | ered by a "general plan"? Yes No No v-grade tank Closure of a pit or below-grade tank | ✓ | | | | | | |
| | | | | | | | | |
| Operator: CONOCOPHILLIPS COMPANY Telephone: | e-mail address: | j | | | | | | |
| Address: PO BOX 2197 HOUSTON, TX 77252 | 20700 H/I O./O. A SEC | 20 T 20N P CW | | | | | | |
| Facility or well name: SAN JUAN 29 5 UNIT #067 API #: 30-039- | | 20 T 29N R 5W | | | | | | |
| County: RIO ARRIBA Latitude 36.4291 Longitude -107.22548 NAD: 1927 ✓ 1983 ☐ Surface Owner: Federal ✓ State ☐ Private ☐ Indian ☐ | | | | | | | | |
| <u>Pit</u> | Below-grade tank | | | | | | | |
| Type: Drilling Production V Disposal | Volume: bbl Type of fluid: | | | | | | | |
| Workover | Construction Material: Double-walled, with leak detection? Yes If not, explain why not. | | | | | | | |
| Lined Unlined 🗹 | Double-walled, with leak detection? Yes 📕 If not, ex | piani why not. | | | | | | |
| Liner Type: Synthetic Thickness mil Clay | | | | | | | | |
| Pit Volume 334 bbl | | | | | | | | |
| Depth to ground water (vertical distance from bottom of pit to seasonal high water elevation of ground water.) | Less than 50 feet 50 feet or more, but less than 100 feet 100 feet or more | (20 points) (10 points) (0 points) <u>0</u> | | | | | | |
| Wellhead protection area: (Less than 200 feet from a private domestic water source, or less than 1000 feet from all other water sources.) | Yes No | (20 points) (0 points) <u>0</u> | | | | | | |
| Distance to surface water: (Horizontal distance to all wetlands, playas, irrigation canals, ditches, and perennial and ephemeral watercourses.) | Less than 200 feet 200 feet to 1,000 feet Greater than 1,000 feet | (20 points) (10 points) <u>0</u> (0 points) | | | | | | |
| | Ranking Score (TOTAL POINTS): | <u>0</u> | | | | | | |
| | ationship to other equipment and tanks. (2) Indicate disposal | location: (check the | | | | | | |
| onsite box if your are burying in place) onsite offsite I foffsite, name of facility (3)Attach a general description of remedial | | | | | | | | |
| action taken including remediation start date and end date. (4)Groundwater encountered: No V Yes I If yes, show depth below ground surfaceft. and attach sample results. (5)Attach soil sample results and a diagram of sample locations and excavations. | | | | | | | | |
| | | | | | | | | |
| Additional Comments: OCT 2005 RECEIVED DIST. 3 Meter: 86687 | | | | | | | | |
| I hereby certify that the information above is true and complete to the best of my knowledge and belief. I further that the above-described pit or below-grade | | | | | | | | |
| tank has been/will be constructed or closed according to NMOCD guidelines 🔲 , a general permit 🔲 , or an (attached) alternative OCD-approved plan | | | | | | | | |
| Date: 9/28/05 | MIZING, FOR WPS | | | | | | | |
| Printed Name/Title Mark Harvey for Williams Field Services Sig | gnature | | | | | | | |
| Your certification and NMOCD approval of this application/closure does not relieve the operator of liablility should the contents of the pit or tank contaminate ground water or otherwise endanger public health or the environment. Nor does it relieve the operator of its responsibility for compliance with any other federal, state, or local laws and/or regulations. | | | | | | | | |
| Approval: OR & GAS INSPECTOR, OST. 41 Printed Name/Title Signs | ature Denry Low | OCT 1 2 2005 | | | | | | |
| Sign: | ature of the control | Date: | | | | | | |

ADDENDUM TO OCD FORM C-144

Operator: CONOCOPHILLIPS COMPANY

Well Name: SAN JUAN 29 5 UNIT #067


API 30-039-20709

Meter: 86687

Facility Diagram:



Sampling Diagram:



Pit Dimensions

Length 25 Ft.

Width 25 Ft.

3 Ft. Depth

Location of Pit Center

Latitude 36.42903

Longitude -107.22543

(NAD 1927)

Pit ID

866871

Pit Type

Other

Date Closure Started: 6/1/04

Closure Method:

Pushed In

Date Closure Completed: 6/1/04

Bedrock Encountered?

Cubic Yards Excavated:

Vertical Extent of Equipment Reached? \Box

Description Of Closure Action:

The pit was assessed and sampled in accordance with NMOCD guidelines. Based on assessment findings, the pit was backfilled.

Pit Closure Sampling:

Sample ID

Sample Date

Head Space

BTEX Total

TPH Benzene (mg/kg) DRO

Purpose

Location Depth

(mg/kg) (mg/kg) 103331MAR04 3/31/04 240 ASSESS Flr



Lab Sample No:

606979243

Pace Analytical Services, Inc.

9608 Loiret Blvd. Lenexa, KS 66219

Phone: 913.599.5665 Fax: 913.599.1759

Lab Project Number: 6081076

Client Project ID: N.M. Pit Program

Project Sample Number: 6081076-012

Matrix: Soil

Date Collected: 03/31/04 10:33 Date Received: 04/06/04 08:55

| Client Sample ID: 103331MAR04 | | Matri | | | rix: Soil | | Date Received: | | : 04/06/04 08:55 | |
|--------------------------------|--------------|--------------|----------------|--------|--------------|--------------|----------------|------|------------------|--|
| Parameters | Results | <u>Units</u> | Report Limit | DF | Analyzed | l By | CAS No. | Qua1 | RegLmt | |
| GC Semivolatiles | | | | | | | | * | | |
| Total Extractable Hydrocarbons | Prep/Method: | OA2 / OA2 | | | | | | | | |
| Mineral Spirits | ND | mg/kg | 12. | 1.2 | 04/13/04 03: | 44 RMN1 | | | | |
| Jet Fuel | ND | mg/kg | 12. | 1.2 | 04/13/04 03: | 44 RMN1 | | | | |
| Kerosene 4 | ND | mg/kg | 12. | 1.2 | 04/13/04 03: | 44 RMN1 | | | • | |
| Diesel Fuel | ND | mg/kg | 12. | 1.2 | 04/13/04 03: | 44 RMN1 | 68334-30-5 | | | |
| Fuel 011 | ND | mg/kg | 12. | 1.2 | 04/13/04 03: | 44 RMN1 | 68334-30-5 | | | |
| Motor 0il | 240 | mg/kg | 12. | 1.2 | 04/13/04 03: | 44 RMN1 | • | 11 | | |
| n-Tetracosane (S) | 112 | * | | 1.0 | 04/13/04 03: | 44 RMN1 | 646-31-1 | | | |
| p-Terphenyl (S) | 115 | * | | 1.0 | 04/13/04.03: | 44 RMN1 | 92-94-4 | | | |
| Date Extracted | 04/10/04 | | | | 04/10/04 | | | | | |
| Organics Prep | • | | | | | | | | | |
| Percent Moisture | Method: SM 2 | 540G | | | | | | | | |
| Percent Moisture | 19.8 | * | | 1.0 | 04/10/04 | DPB | | | | |
| GC Volatiles | | | | | | | | | | |
| Aromatic Volatile Organics | Prep/Method: | EPA 5030 M | edium Soil / E | PA 802 | 1 | | | | | |
| Benzene | ND | ug/kg | 62. | 1.2 | 04/09/04 15: | :33 | 71-43-2 | | | |
| Ethylbenzene | ND . | ug/kg | 62. | 1.2 | 04/09/04 15 | : 3 3 | 100-41-4 | | | |
| Toluene | ND | ug/kg | 62. | 1.2 | 04/09/04 15 | : 33 | 108-88-3 | | | |
| Xylene (Total) | ND | ug/kg | 160 | 1.2 | 04/09/04 15 | :33 | 1330-20-7 | | | |
| a,a,a-Trifluorotoluene (S) | 96 | * | | 1.0 | 04/09/04 15 | :33 | 98-08-8 | | | |
| | | | | | | | | | | |

Date: 04/14/04

Page: 12 of 19

REPORT OF LABORATORY ANALYSIS

This report shall not be reproduced, except in full, without the written consent of Pace Analytical Services, Inc.

