

District I
1625 N. French Dr., Hobbs, NM 88240
District II
1301 W. Grand Avenue, Artesia, NM 88210
District III
1000 Rio Brazos Road, Aztec, NM 87410
District IV
1220 S. St. Francis Dr., Santa Fe, NM 87505

State of New Mexico
Energy Minerals and Natural Resources

Oil Conservation Division
1220 South St. Francis Dr.
Santa Fe, NM 87505

Form C-144
June 1, 2004

For drilling and production facilities, submit to appropriate NMOCD District Office.
For downstream facilities, submit to Santa Fe office

Pit or Below-Grade Tank Registration or Closure

Is pit or below-grade tank covered by a "general plan"? Yes ☒ No ☐

(WFS CLOSURE)

Type of action: Registration of a pit or below-grade tank ☐ Closure of a pit or below-grade tank ☒

Operator: M R SCHALK

Telephone:

e-mail address:

Address: PO BOX 25825 ALBUQUERQUE, NM 87125

Facility or well name: SCHALK 29-4 #010

API #: 30-039-22765

U/L or Qtr/Qtr M SEC 23 T 29N R 4W

County: RIO ARRIBA

Latitude 36.70642

Longitude -107.22896

NAD: 1927 ☒ 1983 ☐

Surface Owner: Federal ☒ State ☐ Private ☐ Indian ☐

Pit

Type: Drilling ☐ Production ☒ Disposal ☐

Workover ☐ Emergency ☐

Lined ☐ Unlined ☒

Liner Type: Synthetic ☒ Thickness _____ mil Clay ☐

Pit Volume _____ 51 bbl

Below-grade tank

Volume: _____ bbl Type of fluid: _____

Construction Material: _____

Double-walled, with leak detection? Yes ☒ If not, explain why not.

Depth to ground water (vertical distance from bottom of pit to seasonal high water elevation of ground water.)

Less than 50 feet
50 feet or more, but less than 100 feet
100 feet or more

(20 points)
(10 points)
(0 points)

0

Wellhead protection area: (Less than 200 feet from a private domestic water source, or less than 1000 feet from all other water sources.)

Yes
No

(20 points)
(0 points)

0

Distance to surface water: (Horizontal distance to all wetlands, playas, irrigation canals, ditches, and perennial and ephemeral watercourses.)

Less than 200 feet
200 feet to 1,000 feet
Greater than 1,000 feet

(20 points)
(10 points)
(0 points)

0

Ranking Score (TOTAL POINTS):


0

If this is a pit closure: (1) Attach a diagram of the facility showing the pit's relationship to other equipment and tanks. (2) Indicate disposal location: (check the onsite box if you are burying in place) onsite ☒ offsite ☐ If offsite, name of facility _____. (3) Attach a general description of remedial action taken including remediation start date and end date. (4) Groundwater encountered: No ☒ Yes ☐ If yes, show depth below ground surface _____ ft. and attach sample results. (5) Attach soil sample results and a diagram of sample locations and excavations.

Additional Comments:

Bedrock

Meter: 85781



I hereby certify that the information above is true and complete to the best of my knowledge and belief. I further certify that the above-described pit or below-grade tank has been/will be constructed or closed according to NMOCD guidelines ☐, a general permit ☐, or an (attached) alternative OCD-approved plan ☒

Date: 9/18/05

Printed Name/Title Mark Harvey for Williams Field Services Signature Mark Harvey

Your certification and NMOCD approval of this application/closure does not relieve the operator of liability should the contents of the pit or tank contaminate ground water or otherwise endanger public health or the environment. Nor does it relieve the operator of its responsibility for compliance with any other federal, state, or local laws and/or regulations.

Approval: DEPUTY OIL & GAS INSPECTOR, DIST. 3

Printed Name/Title _____

Signature Wendy Fent

Date: OCT 12 2005

ADDENDUM TO OCD FORM C-144


Operator: M R SCHALK

API 30-039-22765


Well Name: SCHALK 29-4 #010

Meter: 85781

Facility Diagram:



Sampling Diagram:



Pit Dimensions

Length 12 Ft.

Width 12 Ft.

Depth 2 Ft.

Location of Pit Center

Latitude 36.70655

Longitude -107.22923

(NAD 1927)

Pit ID

857811

Pit Type

Unknown

Date Closure Started: 7/26/04

Date Closure Completed: 7/26/04

Closure Method: Excavated, Blended, Treated Soil Returned

Bedrock Encountered ? ☒

Cubic Yards Excavated: 57

Vertical Extent of Equipment Reached ? ☐

Description Of Closure Action:

Contaminated soil was removed and treated then returned to the excavation following sampling of the walls and floor.

BEDROCK limited vertical excavation and/or prevented sampling. This condition limits deleterious environmental effects.

Pit Closure Sampling:

Sample ID	Sample Date	Head Space	BTEX Total (mg/kg)	Benzene (mg/kg)	TPH DRO (mg/kg)	Purpose	Location	Depth
111426AUG03	8/26/03		8.42	0	53000	ASSESS	Flr	6
161526JUL04	7/26/04		0	0	1800	EX Confirm	Walls	5
162026JUL04	7/26/04		0.085	0	50	EX Confirm	Flr	6

Lab Project Number: 6074029

Client Project ID: NEW MEXICO PIT

Lab Sample No: 606369577
Client Sample ID: 111426AUG03

Project Sample Number: 6074029-005
Matrix: Soil

Date Collected: 08/26/03 11:14
Date Received: 08/28/03 09:15

Parameters	Results	Units	Report Limit	DF	Analyzed	By	CAS No.	Qual	RegLmt
------------	---------	-------	--------------	----	----------	----	---------	------	--------

GC Semivolatiles

Total Extractable Hydrocarbons Prep/Method: OA2 / OA2

Mineral Spirits	ND	mg/kg	130	12.8	08/29/03 17:27	RMN1			
Jet Fuel	ND	mg/kg	130	12.8	08/29/03 17:27	RMN1			
Kerosene	ND	mg/kg	130	12.8	08/29/03 17:27	RMN1			
Diesel Fuel	ND	mg/kg	130	12.8	08/29/03 17:27	RMN1	68334-30-5		
Fuel Oil	ND	mg/kg	130	12.8	08/29/03 17:27	RMN1	68334-30-5		
Motor Oil	ND	mg/kg	130	12.8	08/29/03 17:27	RMN1			
Total Petroleum Hydrocarbons	53000	mg/kg	130	12.8	08/29/03 17:27	RMN1			6
n-Tetracosane (S)	0	%		1.0	08/29/03 17:27	RMN1	646-31-1		7
p-Terphenyl (S)	0	%		1.0	08/29/03 17:27	RMN1	92-94-4		7
Date Extracted	08/29/03				08/29/03				

Organics Prep

Percent Moisture	Method: SM 2540G								
Percent Moisture	23.7	%		1.0	08/29/03	PLH			

GC Volatiles

Aromatic Volatile Organics

Prep/Method: EPA 5030 Medium Soil / EPA 8021

Benzene	ND	ug/kg	65.	1.3	08/29/03 18:54	SHF	71-43-2		
Ethylbenzene	320	ug/kg	65.	1.3	08/29/03 18:54	SHF	100-41-4		
Toluene	1300	ug/kg	65.	1.3	08/29/03 18:54	SHF	108-88-3		
Xylene (Total)	6800	ug/kg	160	1.3	08/29/03 18:54	SHF	1330-20-7		
a,a,a-Trifluorotoluene (S)	88	%		1.0	08/29/03 18:54	SHF	98-08-8		

REPORT OF LABORATORY ANALYSIS

This report shall not be reproduced, except in full,
without the written consent of Pace Analytical Services, Inc.

Lab Project Number: 6085394
Client Project ID: NM PITS 8/4

Lab Sample No: 607356896 Project Sample Number: 6085394-010 Date Collected: 07/26/04 16:15
Client Sample ID: 161526JUL04 Matrix: Soil Date Received: 08/04/04 09:00

Parameters	Results	Units	Report Limit	DF	Analyzed	By	CAS No.	Qual	RegLmt
------------	---------	-------	--------------	----	----------	----	---------	------	--------

GC Semivolatiles

Total Extractable Hydrocarbons	Prep/Method: OA2 / OA2								
Mineral Spirits	ND	mg/kg	12.	1.2	08/06/04 19:01	RMN1			
Jet Fuel	ND	mg/kg	12.	1.2	08/06/04 19:01	RMN1			
Kerosene	ND	mg/kg	12.	1.2	08/06/04 19:01	RMN1			
Diesel Fuel	ND	mg/kg	12.	1.2	08/06/04 19:01	RMN1	68334-30-5		
Fuel Oil	ND	mg/kg	12.	1.2	08/06/04 19:01	RMN1	68334-30-5		
Motor Oil	ND	mg/kg	12.	1.2	08/06/04 19:01	RMN1			
Total Petroleum Hydrocarbons	1800	mg/kg	12.	1.2	08/06/04 19:01	RMN1		1	
n-Tetracosane (S)	827	%		1.0	08/06/04 19:01	RMN1	646-31-1	2	
p-Terphenyl (S)	78	%		1.0	08/06/04 19:01	RMN1	92-94-4		
Date Extracted	08/05/04				08/05/04				

Organics Prep

Percent Moisture	Method: SM 2540G								
Percent Moisture	16.8	%		1.0	08/05/04	DPB			

GC Volatiles

Aromatic Volatile Organics	Prep/Method: EPA 5030 Medium Soil / EPA 8021								
Benzene	ND	ug/kg	59.	1.2	08/05/04 20:31	ARF	71-43-2		
Ethylbenzene	ND	ug/kg	59.	1.2	08/05/04 20:31	ARF	100-41-4		
Toluene	ND	ug/kg	59.	1.2	08/05/04 20:31	ARF	108-88-3		
Xylene (Total)	ND	ug/kg	150	1.2	08/05/04 20:31	ARF	1330-20-7		
a,a,a-Trifluorotoluene (S)	94	%		1.0	08/05/04 20:31	ARF	98-08-8		

REPORT OF LABORATORY ANALYSIS

This report shall not be reproduced, except in full,
without the written consent of Pace Analytical Services, Inc.

Lab Project Number: 6085394
Client Project ID: NM PITS 8/4

Lab Sample No: 607356888 Project Sample Number: 6085394-009 Date Collected: 07/26/04 16:20
Client Sample ID: 162026JUL04 Matrix: Soil Date Received: 08/04/04 09:00

Parameters	Results	Units	Report Limit	DF	Analyzed	By	CAS No.	Qual	RegLmt
------------	---------	-------	--------------	----	----------	----	---------	------	--------

GC Semivolatiles

Total Extractable Hydrocarbons	Prep/Method: OA2 / OA2								
Mineral Spirits	ND	mg/kg	11.	1.1	08/09/04 11:23	RMN1			
Jet Fuel	ND	mg/kg	11.	1.1	08/09/04 11:23	RMN1			
Kerosene	ND	mg/kg	11.	1.1	08/09/04 11:23	RMN1			
Diesel Fuel	ND	mg/kg	11.	1.1	08/09/04 11:23	RMN1	68334-30-5		
Fuel Oil	ND	mg/kg	11.	1.1	08/09/04 11:23	RMN1	68334-30-5		
Motor Oil	ND	mg/kg	11.	1.1	08/09/04 11:23	RMN1			
Total Petroleum Hydrocarbons	50.	mg/kg	11.	1.1	08/09/04 11:23	RMN1		1	
n-Tetracosane (S)	111	%		1.0	08/09/04 11:23	RMN1	646-31-1		
p-Terphenyl (S)	111	%		1.0	08/09/04 11:23	RMN1	92-94-4		
Date Extracted-	08/05/04				08/05/04				

Organics Prep

Percent Moisture	Method: SM 2540G								
Percent Moisture	13.7	%		1.0	08/05/04	DPB			

GC Volatiles

Aromatic Volatile Organics	Prep/Method: EPA 5030 Medium Soil / EPA 8021								
Benzene	ND	ug/kg	57.	1.1	08/05/04 20:03	ARF	71-43-2		
Ethylbenzene	ND	ug/kg	57.	1.1	08/05/04 20:03	ARF	100-41-4		
Toluene	85.	ug/kg	57.	1.1	08/05/04 20:03	ARF	108-88-3		
Xylene (Total)	ND	ug/kg	150	1.1	08/05/04 20:03	ARF	1330-20-7		
a,a,a-Trifluorotoluene (S)	93	%		1.0	08/05/04 20:03	ARF	98-08-8		

REPORT OF LABORATORY ANALYSIS

This report shall not be reproduced, except in full,
without the written consent of Pace Analytical Services, Inc.