District I 1625 N. French Dr., Hobbs, NM 88240 District II 1301 W. Grand Avenue, Artesia, NM 88210 District III 1000 Rio Brazos Road, Aztec, NM 87410

1220 S. St. Francis Dr., Santa Fe, NM 87505

District IV

State of New Mexico Energy Minerals and Natural Resources

Form C-144 June 1, 2004

Oil Conservation Division 1220 South St. Francis Dr. Santa Fe, NM 87505 For drilling and production facilities, submit to appropriate NMOCD District Office.
For downstream facilities, submit to Santa Fe office

Pit or Below-Grade Tank Registration or Closure

(WFS CLOS JAC) Type of action: Registration of a pit or below	v-grade tank Closure of a pit or below-grade tank	✓					
Operator: BURLINGTON RESOURCES OIL & GAS CO Telephone: e-mail address:							
Address: 801 CHERRY ST FORT WORTH, TX 76102							
Facility or well name: SAN JUAN 30 6 UNIT #086A API #: 30-039-	22303 U/L or Qtr/Qtr <u>J</u> SEC	<u>36</u> T <u>30N</u> R <u>7W</u>					
County: RIO ARRIBA Latitude 36.765 Surface Owner: Federal □ State ✔ Private □ Indian □	198 Longitude -107.51845	NAD: 1927 ☑ 1983 □					
Pit Type: Drilling Production Disposal Workover Emergency Lined Unlined Liner Type: Synthetic Thickness mil Clay Pit Volume 200 bbl	Below-grade tank Volume: bbl Type of fluid: Construction Material: Double-walled, with leak detection? Yes	xplain why not.					
Depth to ground water (vertical distance from bottom of pit to seasonal high water elevation of ground water.)	Less than 50 feet 50 feet or more, but less than 100 feet 100 feet or more	(20 points) (10 points) <u>0</u> (0 points)					
Wellhead protection area: (Less than 200 feet from a private domestic water source, or less than 1000 feet from all other water sources.)	Yes No	(20 points) (0 points) <u>0</u>					
Distance to surface water: (Horizontal distance to all wetlands, playas, irrigation canals, ditches, and perennial and ephemeral watercourses.)	Less than 200 feet 200 feet to 1,000 feet Greater than 1,000 feet	(20 points) (10 points) (0 points)					
	Ranking Score (TOTAL POINTS):	<u>0</u>					
If this is a pit closure: (1)Attach a diagram of the facility showing the pit's relationship to other equipment and tanks. (2) Indicate disposal location: (check the onsite box if your are burying in place) onsite offsite. If offsite, name of facility							
Additional Comments: Meter: 85445							
I hereby certify that the information above is true and complete to the best of my knowledge and belief. I further certify that the above-described pit or below-grade							
tank has been/will be constructed or closed according to NMOCD guidelines , a general permit , or an (attached) alternative OCD-approved plan							
Date: 9/18/05 Printed Name/Title Mark Harvey for Williams Field Services Signature MILD FOR WES							
Printed Name/Title Mark Harvey for Williams Field Services Signature Your certification and NMOCD approval of this application/closure does not relieve the operator of liablility should the contents of the pit or tank contaminate ground water or otherwise endanger public health or the environment. Nor does it relieve the operator of its responsibility for compliance with any other federal, state, or local laws and/or regulations.							
Approval: Printed Name/Title Signa	ature Deny Jan	QCT 1 2 200					

ADDENDUM TO OCD FORM C-144


Operator: BURLINGTON RESOURCES OIL & GAS COMPANY LP

Well Name: SAN JUAN 30 6 UNIT #086A


API 30-039-22303

Meter: <u>85445</u>

Facility Diagram:



Sampling Diagram:



Pit Dimensions

Length 15 Ft.

Width 25 Ft.

Depth 3 Ft. **Location of Pit Center**

Latitude 36.76566

Longitude -107.51857

(NAD 1927)

Pit ID

854451

Pit Type

<u>Unknown</u>

Date Closure Started: 6/11/04

Closure Method:

Pushed In

Date Closure Completed: 6/11/04

Bedrock Encountered?

Cubic Yards Excavated:

Vertical Extent of Equipment Reached? \Box

Description Of Closure Action:

The pit was assessed and sampled in accordance with NMOCD guidelines. Based on assessment findings, the pit was backfilled.

Pit Closure Sampling:

Sample ID

Sample Date

Head Space

BTEX Total (mg/kg)

Benzene (mg/kg)

TPH DRO Purpose

Location

Depth

152518MAR04

3/18/04

(mg/kg)

ASSESS

Flr

2



Pace Analytical Services, Inc.

9608 Loiret Blvd. Lenexa, KS 66219

Phone: 913.599.5665 Fax: 913.599.1759

Lab Project Number: 6080621

Client Project ID: N.M. Pit Program

Lab Sample No:

606936466

Project Sample Number: 6080621-017

Date Collected: 03/18/04 15:25

Client Sample ID: 152518MAR04

Matrix: Soil

Date Received: 03/23/04 09:00

.33										
Parameters	Results	Units	Report Limit	DF	Analyzed	Ву	CAS No.	Qual	RegLmt	
GC Semivolatiles										
Total Extractable Hydrocar	bons Prep/Method:	0A2 / 0A2								
Mineral Spirits	ND	mg/kg	. 13.	1.2	03/27/04 06:	09 RMN1				
Jet Fuel	ND	mg/kg	13.	1.2	03/27/04 06:	09 RMN1				
Kerosene	ND	mg/kg	13.	1.2	03/27/04 06:	09 RMN1				
Diesel Fuel	ND	mg/kg	13.	1.2	03/27/04 06:	09 RMN1	68334-30-5			
Fuel 0il	ND	mg/kg	13.	1.2	03/27/04 06:	09 RMN1	68334-30-5			
Motor Oil	ND	mg/kg	13.	1.2	03/27/04 06:	09 RMN1				
Total Petroleum Hydrocarb	ons 100	mg/kg	13.	1.2	03/27/04 06:	09 RMN1		17		
n-Tetracosane (S)	117	%	•	1.0	03/27/04 06:	09 RMN1	646-31-1			
p-Terphenyl (S)	118	*		1.0	03/27/04 06:	09 RMN1	92-94-4			
Date Extracted	03/25/04				03/25/04					
Organics Prep										
Percent Moisture	Method: SM 25	540G								
Percent Moisture	20.6	%		1.0	03/25/04	DPB				
GC Volatiles					•					
Aromatic Volatile Organics	Prep/Method:	EPA 5030 N	Medium Soil / El	PA 802	l					
Benzene	ND	ug/kg	63.	1.3	03/24/04 17:	32	71-43-2			
Ethy1benzene	ND	ug/kg	63.	1.3	03/24/04 17:	32	100-41-4			
Toluene	ND	ug/kg	63.	1.3	03/24/04 17:	32	108-88-3			
Xylene (Total)	ND	ug/kg	160	1.3	03/24/04 17:	32	1330-20-7			
a,a,a-Trifluorotoluene (S	5) 100	*		1.0	03/24/04 17:	32	98-08-8			

Date: 03/31/04

Page: 17 of 24

REPORT OF LABORATORY ANALYSIS

This report shall not be reproduced, except in full, without the written consent of Pace Analytical Services, Inc.

