District I 1625 N. French Dr., Hobbs, NM 88240 District II 1301 W. Grand Avenue, Artesia, NM 88210 District III 1000 Rio Brazos Road, Aztec, NM 87410

1220 S. St. Francis Dr., Santa Fe, NM 87505

District IV

State of New Mexico Energy Minerals and Natural Resources

Form C-144 June 1, 2004

Oil Conservation Division 1220 South St. Francis Dr. Santa Fe, NM 87505 For drilling and production facilities, submit to appropriate NMOCD District Office. For downstream facilities, submit to Santa Fe office

Pit or Below-Grade Tank Registration or Closure Is pit or below-grade tank covered by a "general plan"? Yes V No

Type of action: Registration of a pit or bel	ow-grade tank	Closure of a pit or below-grade tank							
Operator: CONOCOPHILLIPS COMPANY Telephone:	e-mail address:								
Address: PO BOX 2197 HOUSTON, TX 77252									
Facility or well name: SAN JUAN 29 6 UNIT #016 API #: 30-03	U/L or Qtr/Qtr <u>N</u> SEC	<u>32</u> T <u>29N</u> R <u>6W</u>							
			NAD: 1927 🗹 1983 🗌						
County: RIO ARRIBA Latitude 36.67733 Longitude -107.48962 NAD: 1927 1983 L Surface Owner: Federal State Private Indian									
Pit	Below-grade								
Type: Drilling Production Disposal	Volume: Construction	bbl Type of fluid: Material:							
Workover L Emergency L		I, with leak detection? Yes 🔳 If not, ex	plain why not.						
Lined Unlined 🗹									
Liner Type: Synthetic Thickness mil Clay		•							
Pit Volume 38 bbl			r						
Depth to ground water (vertical distance from bottom of pit to seasonal high	Less than 50 fee		(20 points)						
water elevation of ground water.)	100 feet or more,	but less than 100 feet	(10 points) <u>0</u>						
	-								
Wellhead protection area: (Less than 200 feet from a private domestic water source, or less than 1000 feet from all other water sources.)	Yes No		(20 points) $\underline{0}$						
odates, ci ioss alam rocci iom an enter maio searces,			(c points)						
Distance to surface water: (Horizontal distance to all wetlands, playas, irrigation canals, ditches, and perennial and ephemeral watercourses.)	Less than 200 fe 200 feet to 1,00		(20 points) (10 points) ()						
inigation canais, diteries, and pereninar and epitemeral watercourses.)	Greater than 1,0		(10 points) <u>0</u> (0 points)						
	Panking Score	(TOTAL POINTS):	<u></u>						
If this is a pit closure: (1)Attach a diagram of the facility showing the pit's		<u>`</u>	<u> </u>						
If this is a pit closure: (1) Attach a diagram of the facility showing the pit's relationship to other equipment and tanks. (2) Indicate disposal location: (check the onsite box if your are burying in place) onsite of offsite if offsite, name of facility (3) Attach a general description of remedial									
action taken including remediation start date and end date. (4)Groundwater encountered: No 🗹 Yes 🗌 If yes, show depth below ground surfaceft.									
and attach sample results. (5)Attach soil sample results and a diagram of sample locations and excavations.									
Additional Comments:		6911111837	Meter: <u>86049</u>						
		OCT 2005							
		# RECEIVED							
OIL CONS. DIV.									
DIST. 8									
I hereby certify that the information above is true and complete to the best of my knowledge and belief. I have been the best of my knowledge and belief. I have been the best of my knowledge and belief. I have been the best of my knowledge and belief.									
tank has been/will be constructed or closed according to NMOCD guidelines, a general permit, or an experied) alternative OCD-approved plan									
Date:9/18/05									
Printed Name/Title Mark Harvey for Williams Field Services Signature M12-4, For we's									
Your certification and NMOCD approval of this application/closure does not relieve the operator of liablility should the contents of the pit or tank contaminate ground water									
or otherwise endanger public health or the environment. Nor does it relieve the operator of its responsibility for compliance with any other federal, state, or local laws and/or regulations.									
Approval: GEPUTY OIL & GAS INSPECTOR, DIST. 69									
Printed Name/Title Signature Signature Signature									

ADDENDUM TO OCD FORM C-144

Operator: CONOCOPHILLIPS COMPANY	API <u>30-039-07471</u>							
Well Name: SAN JUAN 29 6 UNIT #016	Meter: <u>86049</u>							
Facility Diagram:	Sampling Diagram: X=Sample Collection Locations							
Length 12 Ft.	cation of Pit Center titude 36.67712 Ingitude -107.48951 (NAD 1927) Date Closure Completed: 7/22/04 Bedrock Encountered? Cubic Yards Excavated: Vertical Extent of Equipment Reached?							
Description Of Closure Action: The pit was assessed and sampled in accordance with NMOCD guidelines. Based on assessment findings, the pit was backfilled.								
Pit Closure Sampling: Sample ID Sample Head BTEX Benzene TPI Date Space Total (mg/kg) DR (mg/kg) Location Control (mg/kg) DR (mg/kg) 202621JUL04 7/21/04 13.31 0	Purpose Location Depth (2) (3) (4) (5) (6) (7) (8) (8) (9) (9) (1) (1) (1) (1) (2) (3)							



Pace Analytical Services, Inc. 9608 Loiret Blvd. Lenexa, KS 66219

> Phone: 913.599.5665 Fax: 913.599.1759

Lab Project Number: 6084968 Client Project ID: N.M. Pitts

Lab Sample No:

607318557

Project Sample Number: 6084968-025

Date Collected: 07/21/04 20:26

Client Sample ID: 202621JUL04			Matrix: Soil				Date Received: 07/23/04 09:10		
Parameters	Results	Units	Report Limit	DF	Analyzed	Ву	CAS No.	Qua1	RegLmt
GC Semivolatiles									
Total Extractable Hydroc	arbons Prep/Method:	: OA2 / OA2							
Mineral Spirits	ND	mg/kg	12.	1.2 07/	28/04 09:37	RMN1			
Jet Fuel	ND	mg/kg	12.	1.2 07/	/28/04 09:37	RMN1			
Kerosene	ND	mg/kg	12.	1.2 07/	/28/04 09:37	RMN1			
Diesel Fuel	ND	mg/kg	12.	1.2 07/	/28/04 09:37	RMN1	68334-30-5		
Fuel 011	ND	mg/kg	12.	1.2 07/	/28/04 09:37	RMN1	68334-30-5		
Motor 0il	ND	mg/kg	12.	1.2 07/	/28/04 09:37	RMN1			
Total Petroleum Hydroca	rbons 200	mg/kg	12.	1.2 07/	/28/04 09:37	RMN1		17	
n-Tetracosane (S)	112	*		1.0 07/	/28/04 09:37	RMN1	646-31-1		
p-Terphenyl (\$)	128	%			/28/04 09:37				
Date Extracted	07/27/04			07/	/27/04		•		
Organics Prep									
Percent Moisture	Method: SM 2	2540G							
Percent Moisture	18.8	%		1.0 07/	/27/04	DPB			
GC Volatiles									
Aromatic Volatile Organia	cs Prep/Method:	: EPA 5030 M	edium Soil / EF	A 8021					
Benzene	ND	ug/kg	310		/29/04 11:25		71-43-2		
Ethylbenzene	310	ug/kg	310		/29/04 11:25		100-41-4		
Toluene	ND	ug/kg	310		/29/04 11:25		108-88-3		
Xylene (Total)	13000	ug/kg	770		/29/04 11:25		1330-20-7		
a,a,a-Trifluonotoluene	(S) 88	*	-		/29/04 11:25		98-08-8		

Date: 08/02/04

Page: 25 of 45

REPORT OF LABORATORY ANALYSIS

This report shall not be reproduced, except in full, without the written consent of Pace Analytical Services, Inc.

