#### District I 1625 N. French Dr., Hobbs, NM 88240 District II 1301 W. Grand Avenue, Artesia, NM 88210 District III 1000 Rio Brazos Road, Aztec, NM 87410 District IV

1220 S. St. Francis Dr., Santa Fe, NM 87505

### State of New Mexico Energy Minerals and Natural Resources

June 1, 2004

Form C-144

Oil Conservation Division 1220 South St. Francis Dr. Santa Fe, NM 87505 For drilling and production facilities, submit to appropriate NMOCD District Office.
For downstream facilities, submit to Santa Fe office

# Pit or Below-Grade Tank Registration or Closure

Type of action: Registration of a pit or below	w-grade tank Closure of a pit or below-grade tank	V					
Operator: CONOCOPHILLIPS COMPANY Telephone:	e-mail address:						
Address: PO BOX 2197 HOUSTON, TX 77252							
Facility or well name: <u>SAN JUAN 29 5 UNIT #016</u> API #: <u>30-039-07567</u> U/L or Qtr/Qtr <u>M</u> SEC <u>21</u> T <u>29N</u> R <u>5W</u>							
County: RIO ARRIBA Latitude 36.423 Surface Owner: Federal ✓ State □ Private □ Indian □	391 Longitude <u>-107.22103</u>	NAD: 1927 <b>☑</b> 1983 □					
Pit   Type: Drilling   Production ✓ Disposal    Workover  Emergency  Lined  Unlined  Liner Type:  Synthetic  Thickness  mil  Clay  Pit Volume  77 bbl	Below-grade tank  Volume: bbl Type of fluid:  Construction Material:  Double-walled, with leak detection? Yes If not, ex	oplain why not.					
Depth to ground water (vertical distance from bottom of pit to seasonal high	Less than 50 feet	(20 points)					
water elevation of ground water.)	50 feet or more, but less than 100 feet 100 feet or more	(10 points) <u>0</u>					
Wellhead protection area: (Less than 200 feet from a private domestic water source, or less than 1000 feet from all other water sources.)	Yes No	(20 points) (0 points) <u>0</u>					
Distance to surface water: (Horizontal distance to all wetlands, playas, irrigation canals, ditches, and perennial and ephemeral watercourses.)	Less than 200 feet 200 feet to 1,000 feet Greater than 1,000 feet	(20 points) (10 points) <u>0</u> (0 points)					
	Ranking Score (TOTAL POINTS):	<u>0</u>					
If this is a pit closure: (1)Attach a diagram of the facility showing the pit's relationship to other equipment and tanks. (2) Indicate disposal location: (check the onsite box if your are burying in place) onsite onsit							
Additional Comments:  Meter: 86034  OCT 2005  CONS. DIV.							
I hereby certify that the information above is true and complete to the best of my knowledge and belief. I further centle that the above-described pit or below-grade							
tank has been/will be constructed or closed according to NMOCD guidelines , a general permit , or an (attached) alternative OCD-approved plan							
Date: 9/18/05  Million (Tible No. 1 X) C. WYST. Billion (S. WYST.)							
Printed Name/Title Mark Harvey for Williams Field Services Signature							
Your certification and NMOCD approval of this application/closure does not relieve the operator of liablility should the contents of the pit or tank contaminate ground water or otherwise endanger public health or the environment. Nor does it relieve the operator of its responsibility for compliance with any other federal, state, or local laws and/or regulations.							
Approval:  Printed Name/Title Sign.	ature Derry Zer	MOST 12 200					

#### **ADDENDUM TO OCD FORM C-144**

Operator: CONOCOPHILLIPS COMPANY

Well Name: SAN JUAN 29 5 UNIT #016


**API** <u>30-039-07567</u>

Meter: 86034

**Facility Diagram:** 



Sampling Diagram:



**Pit Dimensions** 

Length 12 Ft.

Width  $\underline{12}$  Ft.

Depth 3 Ft.

**Location of Pit Center** 

Latitude 36.42396

Longitude <u>-107.22101</u>

(NAD 1927)

Pit ID

<u>860341</u>

Pit Type

Other

**Date Closure Started:** 6/1/04

**Closure Method:** 

Pushed In

**Date Closure Completed:** 6/1/04

Bedrock Encountered?

Cubic Yards Excavated:

Vertical Extent of Equipment Reached?

**Description Of Closure Action:** 

The pit was assessed and sampled in accordance with NMOCD guidelines. Based on assessment findings, the pit was backfilled.

Pit Closure Sampling:

Sample ID

Sample Date Head Space

BTEX Total

(mg/kg)

Benzene (mg/kg)

TPH DRO (mg/kg)

510

Purpose

Location

Depth

3

111131MAR04

3/31/04

0

0||

ASSESS

Flr



Pace Analytical Services, Inc.

9608 Loiret Blvd. Lenexa, KS 66219

Phone: 913.599.5665 Fax: 913.599.1759

Lab Project Number: 6081076

Client Project ID: N.M. Pit Program

Lab Sample No: 606979201
Client Sample ID: 111131MAR04

Project Sample Number: 6081076-008

Date Collected: 03/31/04 11:11

Matrix: Soil

Date Received: 04/06/04 08:55

Client Sample ID: 111131MAR04			Matrix: Soil			Date Received: 04/06/04 08:55		
Parameters	Results	Units	Report Limit	DF A	nalyzed	By CAS No.	Qual RegLmt	
GC Semivolatiles						7		
Total Extractable Hydrocarbons	Prep/Method:	OA2 / OA2		•				
Mineral Spirits	ND	mg/kg	12.	1.2-04/13	/04 03:28 R	MN1	•	
Jet Fuel	ND	mg/kg	12.	1.2 04/13	/04 03:28 R	MN1		
Kerosene	ND ·	mg/kg	12.	1.2 04/13	/04 03:28 R	MN1		
Diesel Fuel	510	mg/kg	12.	1.2 04/13	/04 03:28 R	MN1 68334-30-5		
Fuel 011	ND	mg/kg	12.	1.2 04/13	/04 03:28 R	MN1 68334-30-5	•	
Motor 0il	ND ·	mg/kg	12.	1.2 04/13	/04 03:28 R	MN1		
n-Tetracosane (S)	113	*		1.0 04/13	/04 03:28 R	MN1 646-31-1		
p-Terphenyl (S)	115	%		1.0 04/13	/04 03:28 R	MN1 92-94-4		
Date Extracted	04/10/04			04/10	/04			
Organics Prep								
Percent Moisture	Method: SM 2	540G						
Percent Moisture	17.4	*		1.0 04/10	/04 D	PB		
GC Volatiles	•							
Aromatic Volatile Organics	Prep/Method:	EPA 5030 Me	edium Soil / E	PA 8021				
Benzene	ND	ug/kg	60.	1.2 04/09	/04 15:04	71-43-2		
Ethylbenzene	ND	ug/kg	60.	1.2 04/09	/04 15:04	100-41-4		
Toluene	ND	ug/kg	<b>60</b> .	1.2 04/09	/04 15:04	108-88-3		
Xylene (Total)	ND	ug/kg	150	1.2 04/09	/04 15:04	1330-20-7		
a,a,a-Trifluorotoluene (S)	96	*		1.0 04/09	/04 15:04	98-08-8		

Date: 04/14/04

Page: 8 of 19

## **REPORT OF LABORATORY ANALYSIS**

This report shall not be reproduced, except in full, without the written consent of Pace Analytical Services, Inc.

