District I 1625 N. French Dr., Hobbs, NM 88240 District II 1301 W. Grand Avenue, Artesia, NM 88210 District III

1000 Rio Brazos Road, Aztec, NM 87410

1220 S. St. Francis Dr., Santa Fe, NM 87505

District IV

State of New Mexico Energy Minerals and Natural Resources

Form C-144 June 1, 2004

Oil Conservation Division 1220 South St. Francis Dr. Santa Fe, NM 87505 For drilling and production facilities, submit to appropriate NMOCD District Office. For downstream facilities, submit to Santa Fe office

Pit or Below-Grade Tank Registration or Closure

| Is pit or below-grade tank covered by a "general plan"? Yes ☑ No ☐ | | | | | | | | |
|--|---|---|--|--|--|--|--|--|
| (WFS COSURE) Type of action: Registration of a pit or below | v-grade tank Closure of a pit or below-grade tank | <u> </u> | | | | | | |
| Operator: CONOCOPHILLIPS COMPANY Telephone: e-mail address: | | | | | | | | |
| Address: PO BOX 2197 HOUSTON, TX 77252 | | | | | | | | |
| Facility or well name: SAN JUAN 29 5 UNIT #004 API #: 30-039-0 | 07696 U/L or Qtr/Qtr \underline{L} SEC | <u>6</u> T <u>29N</u> R <u>5W</u> | | | | | | |
| County: RIO ARRIBA Latitude 36.752 Surface Owner: Federal ✓ State ☐ Private ☐ Indian ☐ | 207 Longitude <u>-107.40427</u> | Longitude <u>-107.40427</u> NAD: 1927 ✓ 1983 □ | | | | | | |
| <u>Pit</u> | Below-grade tank | | | | | | | |
| Type: Drilling ☐ Production ☑ Disposal ☐ | Volume: bbl Type of fluid: | | | | | | | |
| Workover | Construction Material: Double-walled, with leak detection? Yes If not, explain why not. | | | | | | | |
| Lined Unlined 🗹 | Double-walled, with leak detection? Yes is not, explain why not. | | | | | | | |
| Liner Type: Synthetic Thickness mil Clay Pit Volume 51 bbl | | | | | | | | |
| Depth to ground water (vertical distance from bottom of pit to seasonal high water elevation of ground water.) | Less than 50 feet 50 feet or more, but less than 100 feet 100 feet or more | (20 points) (10 points) <u>0</u> (0 points) | | | | | | |
| Wellhead protection area: (Less than 200 feet from a private domestic water source, or less than 1000 feet from all other water sources.) | Yes No | (20 points) (0 points) <u>0</u> | | | | | | |
| Distance to surface water: (Horizontal distance to all wetlands, playas, irrigation canals, ditches, and perennial and ephemeral watercourses.) | Less than 200 feet 200 feet to 1,000 feet Greater than 1,000 feet | (20 points) (10 points) <u>0</u> (0 points) | | | | | | |
| | Ranking Score (TOTAL POINTS): | <u>0</u> | | | | | | |
| If this is a pit closure: (1)Attach a diagram of the facility showing the pit's relationship to other equipment and tanks. (2) Indicate disposal location: (check the onsite box if your are burying in place) onsite offsite If offsite, name of facility (3)Attach a general description of remedial action taken including remediation start date and end date. (4)Groundwater encountered: No Versus If yes, show depth below ground surface ft. and attach sample results. (5)Attach soil sample results and a diagram of sample locations and excavations. | | | | | | | | |
| Additional Comments: Meter: 86027 | | | | | | | | |
| I hereby certify that the information above is true and complete to the best of my knowledge and belief. I further certify that the above-described pit or below-grade | | | | | | | | |
| tank has been/will be constructed or closed according to NMOCD guidelines . , a general permit . , or an (attached) alternative OCD-approved plan | | | | | | | | |
| Date: 9/18/05 Mr 2 for wes | | | | | | | | |
| Printed Name/Title Mark Harvey for Williams Field Services Signature | | | | | | | | |
| Your certification and NMOCD approval of this application/closure does not relieve the operator of liablility should the contents of the pit or tank contaminate ground water or otherwise endanger public health or the environment. Nor does it relieve the operator of its responsibility for compliance with any other federal, state, or local laws and/or regulations. | | | | | | | | |
| Approval: CEPUTY OIL & GAS INSPECTOR, DAST. OF Signature Signature Signature | | | | | | | | |

ADDENDUM TO OCD FORM C-144


Operator: CONOCOPHILLIPS COMPANY

Well Name: SAN JUAN 29 5 UNIT #004


API 30-039-07696

Meter: 86027

Facility Diagram:



Sampling Diagram:



Pit Dimensions

Length 12 Ft.

12 Ft. Width

Depth 2 Ft. **Location of Pit Center**

Latitude 36.75201

-10740450 Longitude

(NAD 1927)

Pit ID

860271

Pit Type

Other

Date Closure Started: 6/16/04

Closure Method:

Pushed In

Date Closure Completed: 6/16/04

Bedrock Encountered?

Cubic Yards Excavated:

Vertical Extent of Equipment Reached ? \Box

Description Of Closure Action:

The pit was assessed and sampled in accordance with NMOCD guidelines. Based on assessment findings, the pit was backfilled.

Pit Closure Sampling:

Sample ID

Sample Date

5/15/04

Head

Space

BTEX Total

Benzene (mg/kg)

TPH DRO Purpose

Location

Depth

(mg/kg) 094015MAY04

(mg/kg)

ASSESS

Flr

3.5



Pace Analytical Services, Inc. 9608 Loiret Blvd. Lenexa, KS 66219

> Phone: 913.599.5665 Fax: 913.599.1759

Lab Project Number: 6082624

Client Project ID: N.M. Pit Program

Solid results are reported on a dry weight basis

Lab Sample No: 607121175 Project Sample Number: 6082624-001 Date Collected: 05/15/04 09:40

Nate Pereived: 05/18/04 09:05 Client Comple ID. 00401ENAVOA

| Client Sample ID: 094015 | MAY04 | | | Matrix: Soil | | | Date Received: 05/18/04 09:05 | | |
|--------------------------|---------------------|--------------|------------------|------------------|--------|--------------|-------------------------------|--|--|
| Parameters | Results | Units | Report Limit | DF Analyzed | Ву | CAS No. | Qual RegLmt | | |
| GC Semivolatiles | , . | | | | | | | | |
| Total Extractable Hydro | carbons Prep/Method | : 0A2 / 0A2 | | | | | | | |
| Mineral Spirits | ND | mg/kg | 11. | 1.1 05/22/04 03: | 54 DCK | I | | | |
| Jet Fuel | ND | mg/kg | 11. | 1.1 05/22/04 03: | 54 DCK | I | | | |
| Kerosene | ND | mg/kg | 11. | 1.1 05/22/04 03: | 54 DCK | .I | | | |
| Diesel Fuel | ND . | mg/kg | 11. | 1.1 05/22/04 03: | 54 DCK | I 68334-30-5 | | | |
| Fuel 0il | ND | mg/kg | 11. | 1.1 05/22/04 03: | 54 DCK | I 68334-30-5 | | | |
| Motor Oil | ND | mg/kg | 11. | 1.1 05/22/04 03: | 54 DCK | I | | | |
| n-Tetracosane (S) | 69 | * | | 1.0 05/22/04 03: | 54 DCK | I 646-31-1 | | | |
| p-Terphenyl (S) | 108 | % | | 1.0 05/22/04 03: | 54 DCK | I 92-94-4 | , | | |
| Date Extracted | 05/21/04 | | | 05/21/04 | | | | | |
| Organics Prep | | | | | | | | | |
| Percent Moisture | Method: SM : | 2540G | | | | | | | |
| Percent Moisture | 13.0 | % | | 1.0 05/21/04 | DPB | | | | |
| GC Volatiles | | | | | | | | | |
| Aromatic Volatile Organ | ics Prep/Method | : EPA 5030 M | ledium Soil / EF | PA 8021 | | | | | |
| Benzene | ND | ug/kg | 57. | 1.1 05/20/04 17: | 59 ARF | 71-43-2 | | | |
| Ethylbenzene | ND | ug/kg | 57. | 1.1 05/20/04 17: | | | | | |
| Toluene | ND | ug/kg | 57. | 1.1 05/20/04 17: | | | | | |
| Xylene (Total) | ND | ug/kg | 140 | 1.1 05/20/04 17: | | | | | |
| a,a,a-Trifluorotoluene | (S) 95 | % | | 1.0 05/20/04 17: | | | | | |
| | | - | | =: | | -0 00 0 | | | |

Date: 05/28/04

Page: 1 of 41

REPORT OF LABORATORY ANALYSIS

This report shall not be reproduced, except in full, without the written consent of Pace Analytical Services, Inc.

