District I
1625 N. French Dr., Hobbs, NM 88240
District II
1301 W. Grand Avenue, Artesia, NM 88210
District III
1000 Rio Brazos Road, Aztec, NM 87410
District IV
1220 S. St. Francis Dr., Santa Fe, NM 87505

State of New Mexico Energy Minerals and Natural Resources

Oil Conservation Division 1220 South St. Francis Dr. Santa Fe, NM 87505 For drilling and production facilities, submit to appropriate NMOCD District Office.
For downstream facilities, submit to Santa Fe office

Form C-144

June 1, 2004

Pit or Below-Grade Tank Registration or Closure
Is pit or below-grade tank covered by a "general plan"? Yes \(\sigma\) No \(\overline{\o

Type of action: Registration of a pit of	or below-grade tank 🔲 Closure of a pit or below-gra	de tank 🗵
Operator: Dugan Production Corp Tel	ephone:(<u>505)325-1821</u> e-mail address:	
Address: P.O. Box 420, Farmington, New Mexico 87401		
Facility or well name: Goodman 2 API #: 30-045-29	191 U/L or Qtr/Qtr L Sec 23 T 22N	R 8W
County: San Juan Latitude 36.12289 Longitude 1		
Pit	Below-grade tank	
Type: Drilling Production Disposal	Volume:bbl Type of fluid:	
Workover ☐ Emergency ☐	Construction material:	
Lined Unlined 🗷	Double-walled, with leak detection? Yes If not	t, explain why not.
Liner type: Synthetic Thicknessmil Clay [
Pit Volume 60 ± bbl		
	Less than 50 feet	(20 points)
Depth to ground water (vertical distance from bottom of pit to seasonal	50 feet or more, but less than 100 feet	(10 points) 0
high water elevation of ground water.)	100 feet or more	(0 points)
	V	(20 :)
Wellhead protection area: (Less than 200 feet from a private domestic	Yes	(20 points)
water source, or less than 1000 feet from all other water sources.)	No	(0 points) 0
Distance to surface water: (horizontal distance to all wetlands, playas,	Less than 200 feet	(20 points)
	200 feet or more, but less than 1000 feet	(10 points) 0
irrigation canals, ditches, and perennial and ephemeral watercourses.)	1000 feet or more	(0 points)
	Ranking Score (Total Points)	0
	Tuning Scott (Total Totals)	
		1
f this is a pit closure: (1) attach a diagram of the facility showing the pit's		
our are burying in place) onsite 🕍 offsite 🗌 If offsite, name of facility_	(3) Attach a general d	escription of remedial action taken including
emediation start date and end date. (4) Groundwater encountered: No XX	es 🔲 If yes, show depth below ground surface	ft. and attach sample results. (5)
Attach soil sample results and a diagram of sample locations and excavation	5.	C1617200
Additional Comments:	31 ¹⁴	31011019
9' x 9' x 4'± deep unlined production pit., center located 33 feet South	43° West of wellhead.	
Collect 5 point composite of pit with backhoe from base to 3 feet below b	(C) 90	OV 2005
	ase for laboratory testing.	CEIVED
See attached field sampling report and laboratory test reports.		ONS. DIV.
		IST. 8
,	AC	
I hereby certify that the information above is true and complete to the bes	t of my knowledge and belief. I further certify that	the allow described pit or below-grade tank
has been/will be constructed or closed according to NMOCD guidelin Date: Nov 15, 2005	es 🔼, a general permit 🗌, or an (attached) altern	ative OCD-approved plan .
Printed Name/Title Jeff Blagg, Agent	Signature Self (Slagg)	
Your certification and NMOCD approval of this application/closure does otherwise endanger public health or the environment. Nor does it relieve regulations.	not relieve the operator of liability should the content the operator of its responsibility for compliance with	s of the pit or tank contaminate ground water or any other federal, state, or local laws and/or
Approval: Printed Name/Title	Signature Signature	2005 NOV 1 7 2005

30-045-24141	<u> </u>	6.122894 101.8	5 16/	
CLIENT: DUGA	1	AGG ENGINEERING X 87, BLOOMFIELI (505) 632-1199	-	LOCATION NO:
FIELD REP	ORT: PIT C	LOSURE VERIF	ICATION	PAGE No: of
LOCATION: NAME: (GOODMAN	WELL#: 2 TYP	E: SEP	DATE STARTED: 11-2-05
		RNG: 8W PM: NM CNTY: 5		DATE FINISHED: 11-2-05
		WL CONTRACTOR: DP		ENVIRONMENTAL JCB
		. x NA FT. x NA F		
DISPOSAL FACILITY		REMEDI		CLUSE AS IS
LAND USE: RANG		LEASE: NM 9047		
FIELD NOTES & F		OCATED APPROXIMATELY 3		-
DEPTH TO GROUNDWATE		T WATER SOURCE: > 1000		DE WATER: >/ 000
NMOCD RANKING SCORE	O NMOCD T	PH CLOSURE STD: 5000	РРМ	
SOIL AND EXCA	VATION DESCRI	PTION:	OVM CALIB. READ	
GOIL AND LAOP	WATION DECOIN	T TOTY.	OVM CALIB. GAS	= <u>/0∪</u> ppm <u>RF = 0.52</u> am/pm DATE: <u>/パファンタ</u>
SOIL TYPE (SAND) S	ILTY SAND / SILT / SILT	TY CLAY / CLAY / GRAVEL / OTI		am/pm DATE.
SOIL COLOR:	Lite Tay			
		ITLY COHESIVE / COHESIVE / HIGHL IRM / DENSE / VERY DENSE	COHESIVE	1
		ASTIC / COHESIVE / MEDIUM PLASTI	C / HIGHLY PLASTIC	
		/ STIFF / VERY STIFF / HARD		
MOISTURE: DRY (SLIGH) DISCOLORATION/STAININ		SATURATED / SUPER SATURATED		ļ.
HC ODOR DETECTED: YE				
SAMPLE TYPE: GRAB			Earther Pit	u/ Vege to tou,
ADDITIONAL COMMENTS:				& collect Soupp.
		No evidence of	PRIOT PIT	USY
0045		FIELD 418.1 CAL	CULATIONS	
SCALE S.	AMP. TIME SAMP. II	D LAB NO. WEIGHT (g)	mL FREON DIL	UTION READING CALC. (ppm)
0 FT				
l q L				UT DDOFILE
N PIT PER	RIMETER	0)/14	<u> </u>	PIT PROFILE
ì	- 	OVM	į.	
		. I KEADING		
	W	ONIVIT CE TIELD TIENDOFNI)E	
	W	SAMPLE FIELD HEADSPAI ID (ppm)	DE	
	\(\ougle_{\text{\tin}\text{\tex{\tex	1 @ (ppm) 2 @	CE	
9		1 @ (ppm) 1 @ 2 @ 3 @ 4 @	ΣΕ 	— 9´—— >
9		1 @ (ppm) 1 @ 2 @ 3 @ 4 @ 5 @	SE SE	9'
A -		1 @ (ppm) 1 @ 2 @ 3 @ 4 @ 5 @ (\$\sigma 5 - Pant O O		9-
· /		1 @ (ppm) 1 @ 2 @ 3 @ 4 @ 5 @	4'	9'
A Q -		10 (ppm) 1 @ 2 @ 3 @ 4 @ 5 @ 5 @ 6 ~ Pant O O 6 ~ Pank		9>
A 9 8		1 @ (ppm) 1 @ 2 @ 3 @ 4 @ 5 @ (9'->
A Q -		1 @ (ppm) 1 @ 2 @ 3 @ 4 @ 5 @ 7 6 JA	4']	9'->
A 9 8		1 @ (ppm) 1 @ 2 @ 3 @ 4 @ 5 @ 7 COLAXIN @ 7 LAB SAMPLES SAMPLE ANALYSIS TIM 5-ALL TIM BILL 11	4']	9-
A 9 8		1 @ (ppm) 1 @ 2 @ 3 @ 4 @ 5 @ 7 6 JA	4']	9'->
P.D. = PIT DEPRESSION; B.C	S. = BELOW GRADE: B = BE	10 (ppm) 10 20 30 40 50 50 0 0 0 0 0 0 0 0 0 0 0 0 0 0 0	4']	9-
A 9 8 8	S. = BELOW GRADE: B = BE	10 (ppm) 10 20 30 40 50 50 0 0 0 0 0 0 0 0 0 0 0 0 0 0 0	4']	9'->



EPA METHOD 8015 Modified Nonhalogenated Volatile Organics Total Petroleum Hydrocarbons

Client:	Blagg / Dugan	Project #:	94034-010
Client.	• • •	•	*
Sample ID:	Goodman 2	Date Reported:	11-08-05
Laboratory Number:	34901	Date Sampled:	11-02-05
Chain of Custody No:	14584	Date Received:	11-03-05
Sample Matrix:	Soil	Date Extracted:	11-07-05
Preservative:	Cool	Date Analyzed:	11-08-05
Condition:	Cool and Intact	Analysis Requested:	8015 TPH

Parameter	Concentration (mg/Kg)	Det. Limit (mg/Kg)
Gasoline Range (C5 - C10)	1.7	0.2
Diesel Range (C10 - C28)	ND	0.1
Total Petroleum Hydrocarbons	1.7	0.2

ND - Parameter not detected at the stated detection limit.

References:

Method 8015B, Nonhalogenated Volatile Organics, Test Methods for Evaluating Solid Waste,

SW-846, USEPA, December 1996.

Comments:

Various Pit Closures 5 - Point Composite.

Mister Walters
Analyst

May Buce Review



EPA METHOD 8021 AROMATIC VOLATILE ORGANICS

Client:	Blagg / Dugan	Project #:	94034-010
Sample ID:	Goodman 2	Date Reported:	11-08-05
Laboratory Number:	34901	Date Sampled:	11-02-05
Chain of Custody:	14584	Date Received:	11-03 - 05
Sample Matrix:	Soil	Date Analyzed:	11-08-05
Preservative:	Cool	Date Extracted:	11-07-05
Condition:	Cool & Intact	Analysis Requested:	BTEX

Det.		
Concentration	Limit	
(ug/Kg)	(ug/Kg)	
ND	1.8	
212	1.7	
78.8	1.5	
1,070	2.2	
214	1.0	
1,570		
	(ug/Kg) ND 212 78.8 1,070 214	Concentration (ug/Kg) Limit (ug/Kg) ND 1.8 212 1.7 78.8 1.5 1,070 2.2 214 1.0

ND - Parameter not detected at the stated detection limit.

Surrogate Recoveries:	Parameter	Percent Recovery
	Fluorobenzene	97.0 %
	1,4-difluorobenzene	97.0 %
	Bromochlorobenzene	97.0 %

References:

Method 5030B, Purge-and-Trap, Test Methods for Evaluating Solid Waste, SW-846, USEPA,

December 1996.

Method 8021B, Aromatic Volatile Organics, Test Methods for Evaluating Solid Waste, SW-846,

USEPA, December 1996.

Comments:

Various Pit Closures 5 - Point Composite.

Misturn Weller
Analyst

Review Buck



Chloride

Daramatar		Concentration (me	-// \
		Chain of Custody:	14584
Condition:	Cool and Intact	Date Analyzed:	11-08-05
Preservative:	Cool	Date Extracted:	11-07-05
Sample Matrix:	Soil	Date Received:	11-03-05
Lab ID#:	34901	Date Sampled:	11-02-05
Sample ID:	Goodman 2	Date Reported:	11-09-05
Client:	Blagg / Dugan	Project #:	94034-010

Parameter

Concentration (mg/L)

Total Chloride

110

Reference:

Standard Methods For The Examination of Water And Waste Water", 18th ed., 1992.

Comments:

Various Pit Closures 5 - Point Composite.

Analyst

Review