District I
1625 N. French Dr., Hobbs, NM 88240
District II

1301 W. Grand Avenue, Artesia, NM 88210
District III
1000 Rio Brazos Road, Aztec, NM 87410
District IV
1220 S. St. Francis Dr., Santa Fe, NM 87505

## State of New Mexico Energy Minerals and Natural Resources

Oil Conservation Division 1220 South St. Francis Dr. Santa Fe, NM 87505 For drilling and production facilities, submit to appropriate NMOCD District Office.
For downstream facilities, submit to Santa Fe

Form C-144

June 1, 2004

## Pit or Below-Grade Tank Registration or Closure

Is pit or below-grade tank covered by a "general plan"? Yes \( \text{No } \)

Type of action: Registration of a pit or below-grade tank \( \text{Closure of a pit or below-grade tank } \( \text{Closure of a pit or below-grade tank } \( \text{Closure of a pit or below-grade tank } \)

Operator: Dominion OK/TX Exp. & Prod. Telephor		ommy_h_arnwine@dom.com
Address: P.O. Box 525 Sonora, Texas 769		
Facility or well name: Grassy Canyon #4 API #:		
	Longitude	NAD: 1927 🗌 1983 🗍
Surface Owner: Federal 🔀 State 🗌 Private 🔲 Indian 🗍		
Pit	Below-grade tank	
Type: Drilling Production Disposal	Volume: 2 bbl Type of fluid: Dehy F	luids
Workover    Emergency	Construction material: Fiberglass	
Lined Unlined	Double-walled, with leak detection? Yes If no	ot, explain why not.
Liner type: Synthetic Thicknessmil Clay	Removed	
Pit Volumebbl		
Depth to ground water (vertical distance from bottom of pit to seasonal	Less than 50 feet	(20 points)
high water elevation of ground water.)	50 feet or more, but less than 100 feet	(10 points)
	100 feet or more	( 0 points)
Wellhead protection area: (Less than 200 feet from a private domestic	Yes	(20 points)
water source, or less than 1000 feet from all other water sources.)	No.	( 0 points)
	Less than 200 feet	(20 points)
Distance to surface water: (horizontal distance to all wetlands, playas,	200 feet or more, but less than 1000 feet	(10 points)
irrigation canals, ditches, and perennial and ephemeral watercourses.)	1000 feet or mofe	( 0 points)
	1000 feet of more	( v pontes) U
	Ranking Score (Total Points)	
If this is a pit closure: (1) Attach a diagram of the facility showing the pit' your are burying in place) onsite offsite I if offsite, name of facility remediation start date and end date. (4) Groundwater encountered: No I is	. (3) Attach a general	description of remedial action taken including
(5) Attach soil sample results and a diagram of sample locations and excava-		V00/20/20
Additional Comments:		( C 2 30 3 / / 2 )
		20 00 D
		90, 50
		C Charles One
I hereby certify that the information above is true and complete to the best has been/will be constructed or closed according to NMOCD guideline	of my knowledge and belief. I further certify that is, a general permit, or an (attached) alterna	the above-described hit of pelew are the land
Date: 11-22-05		
Printed Name/Title Tommy H. Arnwine, Sr. Envic	orn signature MANNI (M	7. [[[]]]
Your certification and NMOCD approval of this application closes of otherwise endanger public health or the environment. Nor does it relieve to regulations.	of relieve the operator of liability should the contents	s of the pit or tank contaminate ground water or any other federal, state, or local laws and/or
Approval: QEFUTY QL & GAS INSPECTOR, QST. &	Signature Deny 700	DEC 0 1 2005



## EPA METHOD 8021 AROMATIC VOLATILE ORGANICS

Client:	Dominion E & P	Project #:	03101-002
Sample ID:	Grassy #4	Date Reported:	11-02-05
Laboratory Number:	34830	Date Sampled:	10-29-05
Chain of Custody:	14997	Date Received:	10-31-05
Sample Matrix:	Soil	Date Analyzed:	11-02-05
Preservative:	Cool	Date Extracted:	10-31-05
Condition:	Cool & Intact	Analysis Requested:	BTEX

Parameter	Concentration (ug/Kg)	Det. Limit (ug/Kg)	
<b>D</b>		4.0	
Benzene	3.1	1.8	
Toluene	21.4	1.7	
Ethylbenzene	27.6	1.5	
p,m-Xylene	23.2	2.2	
o-Xylene	2.4	1.0	
Total BTEX	77.7		

ND - Parameter not detected at the stated detection limit.

Surrogate Recoveries:	Parameter	Percent Recovery
	Fluorobenzene	98.0 %
	1,4-difluorobenzene	98.0 %
	Bromochlorobenzene	98.0 %

References:

Method 5030B, Purge-and-Trap, Test Methods for Evaluating Solid Waste, SW-846, USEPA,

December 1996.

Method 8021B, Aromatic Volatile Organics, Test Methods for Evaluating Solid Waste, SW-846,

USEPA, December 1996.

Comments:

Grassy Canyon 1, 2, 3, 4.

Analyst Malter

May Bruce Review



## EPA METHOD 8015 Modified Nonhalogenated Volatile Organics Total Petroleum Hydrocarbons

Client:	Dominion E & P	Project #:	03101-002
Sample ID:	Grassy #4	Date Reported:	11-03-05
Laboratory Number:	34830	Date Sampled:	10-29-05
Chain of Custody No:	14997	Date Received:	10-31-05
Sample Matrix:	Soil	Date Extracted:	10-31-05
Preservative:	Cool	Date Analyzed:	11-02-05
Condition:	Cool and Intact	Analysis Requested:	8015 TPH

Parameter	Concentration (mg/Kg)	Det. Limit (mg/Kg)
Gasoline Range (C5 - C10)	ND	0.2
Diesel Range (C10 - C28)	ND	0.1
Total Petroleum Hydrocarbons	ND	0.2

ND - Parameter not detected at the stated detection limit.

References:

Method 8015B, Nonhalogenated Volatile Organics, Test Methods for Evaluating Solid Waste,

SW-846, USEPA, December 1996.

Comments:

Grassy Canyon 1, 2, 3, 4.

Mother Walter.

(Analyst

Mary Bruce Review