

District I  
1625 N. French Dr., Hobbs, NM 88240  
District II  
1301 W. Grand Avenue, Artesia, NM 88210  
District III  
1000 Rio Brazos Road, Aztec, NM 87410  
District IV  
1220 S. St. Francis Dr., Santa Fe, NM 87505

State of New Mexico  
Energy Minerals and Natural Resources

Form C-144  
June 1, 2004

Oil Conservation Division  
1220 South St. Francis Dr.  
Santa Fe, NM 87505

For drilling and production facilities, submit to appropriate NMOCD District Office.  
For downstream facilities, submit to Santa Fe office

**Pit or Below-Grade Tank Registration or Closure**

Is pit or below-grade tank covered by a "general plan"? Yes ☒ No ☐

Type of action: Registration of a pit or below-grade tank ☐ Closure of a pit or below-grade tank ☒

Operator: <u>BP America Production Company</u> Telephone: <u>(505)326-9200</u> e-mail address: _____		
Address: <u>200 Energy Ct. Farmington, NM 87401</u>		
Facility or well name: <u>Hughes C#1A</u> API #: <u>3004523150</u> U/L or Qtr/Qtr <u>P</u> Sec <u>33</u> T <u>29N</u> R <u>8W</u>		
County: <u>San Juan</u> Latitude _____ Longitude _____ NAD: 1927 <input type="checkbox"/> 1983 <input type="checkbox"/>		
Surface Owner: Federal <input type="checkbox"/> State <input type="checkbox"/> Private <input type="checkbox"/> Indian <input type="checkbox"/>		
<b>Pit</b>		
Type: Drilling <input type="checkbox"/> Production <input type="checkbox"/> Disposal <input checked="" type="checkbox"/> Workover <input type="checkbox"/> Emergency <input type="checkbox"/>		
Lined <input type="checkbox"/> Unlined <input type="checkbox"/>		
Liner type: Synthetic <input type="checkbox"/> Thickness _____ mil Clay <input type="checkbox"/>		
Pit Volume _____ bbl		
<b>Below-grade tank</b>		
Volume: _____ bbl Type of fluid: _____		
Construction material: _____		
Double-walled, with leak detection? Yes <input type="checkbox"/> If not, explain why not. _____		
Depth to ground water (vertical distance from bottom of pit to seasonal high water elevation of ground water.)	Less than 50 feet 50 feet or more, but less than 100 feet 100 feet or more	(20 points) (10 points) ( 0 points)
Wellhead protection area: (Less than 200 feet from a private domestic water source, or less than 1000 feet from all other water sources.)	Yes No	(20 points) ( 0 points)
Distance to surface water: (horizontal distance to all wetlands, playas, irrigation canals, ditches, and perennial and ephemeral watercourses.)	Less than 200 feet 200 feet or more, but less than 1000 feet 1000 feet or more	(20 points) (10 points) ( 0 points)
Ranking Score (Total Points)		

If this is a pit closure: (1) Attach a diagram of the facility showing the pit's relationship to other equipment and tanks. (2) Indicate disposal location: (check the onsite box if you are burying in place) onsite ☐ offsite ☐ If offsite, name of facility \_\_\_\_\_. (3) Attach a general description of remedial action taken including remediation start date and end date. (4) Groundwater encountered: No ☐ Yes ☐ If yes, show depth \_\_\_\_\_ ft. and surface \_\_\_\_\_ ft. and attach sample results. (5) Attach soil sample results and a diagram of sample locations and excavations.

Additional Comments:
See Attached Documentation
Bedrock
2nd pit

I hereby certify that the information above is true and complete to the best of my knowledge and belief. I further certify that the above-described pit or below-grade tank has been/will be constructed or closed according to NMOCD guidelines ☒, a general permit ☐, or an (attached) alternative OCD-approved plan ☐.

Date: 11/01/2005

Printed Name/Title Jeffrey C. Blagg, Agent

Signature Jeffrey C. Blagg

Your certification and NMOCD approval of this application/closure does not relieve the operator of liability should the contents of the pit or tank contaminate ground water or otherwise endanger public health or the environment. Nor does it relieve the operator of its responsibility for compliance with any other federal, state, or local laws and/or regulations.

Approval:

Printed Name/Title \_\_\_\_\_

Signature Denny Fent

Date: \_\_\_\_\_

80756

District I

O. Box 1980, Hobbs, NM

District II

O. Drawer DD, Artesia, NM 88211

District III

OO Kuo Brazos Rd, Aztec, NM 87410

State of New Mexico  
Energy, Minerals and Natural Resources Department

## OIL CONSERVATION DIVISION

P.O. Box 2088  
Santa Fe, New Mexico 87504-2088SUBMIT 1 COPY TO  
APPROPRIATE  
DISTRICT OFFICE  
AND 1 COPY TO  
SANTA FE OFFICEPIT REMEDIATION AND CLOSURE REPORTOperator: Amoco Production Company Telephone: (505) 326-9200Address: 200 Amoco Court, Farmington, New Mexico 87401Facility Or: HUGHES C #1A  
Well NameLocation: Unit or Qtr/Qtr sec P sec 33 T 29N R 8W County SAN JUANPit Type: <sup>ABANDONED</sup> Separator ☒ Dehydrator ☐ Other ☐Land Type: BLM ☒, State ☐, Fee ☐, Other ☐Pit Location: Pit dimensions: length 11', width 14', depth 9'  
(each diagram)Reference: wellhead ☒, other ☐Footage from reference: 113'Direction from reference: 28 Degrees ☒ East North ☒  
of  
☐ West South ☐

## Depth To Ground Water:

(Vertical distance from  
contaminants to seasonal  
high water elevation of  
ground water)Less than 50 feet (20 points)  
50 feet to 99 feet (10 points)  
Greater than 100 feet (0 Points) 0

## Wellhead Protection Area:

(Less than 200 feet from a private  
domestic water source, or; less than  
1000 feet from all other water sources)Yes (20 points) 0  
No (0 points)

## Distance To Surface Water:

(Horizontal distance to perennial  
rivers, ponds, rivers, streams, creeks,  
irrigation canals and ditches)Less than 200 feet (20 points)  
200 feet to 1000 feet (10 points) 0  
Greater than 1000 feet (0 points)RANKING SCORE (TOTAL POINTS): 0

Date Remediation Started: \_\_\_\_\_ Date Completed: 6/7/00Remediation Method: Excavation ☒ Approx. cubic yards 40  
(check all appropriate sections) Landfarmed ☒ Insitu Bioremediation \_\_\_\_\_

Other \_\_\_\_\_

Remediation Location: Onsite ☒ Offsite \_\_\_\_\_  
(ie. landfarmed onsite, name and location of offsite facility)

General Description Of Remedial Action: \_\_\_\_\_

Excavation. EXCAVATION MOSTLY BEDROCK, THEREFORE NO TAL ANALYSIS

WFS CONDUCTED. RISK ASSESSED.

Ground Water Encountered: No ☒ Yes \_\_\_\_\_ Depth \_\_\_\_\_

Final Pit:

Sample location see Attached Documents

Closure Sampling:

(if multiple samples, attach sample results and diagram of sample locations and depths)

Sample depth 10' (PIT BOTTOM)Sample date 6/6/00 Sample time 1100

Sample Results

Benzene(ppm) \_\_\_\_\_

Total BTEX(ppm) \_\_\_\_\_

Field headspace(ppm) 1120TPH NAGround Water Sample: Yes \_\_\_\_\_ No ☒ (If yes, attach sample results)

I HEREBY CERTIFY THAT THE INFORMATION ABOVE IS TRUE AND COMPLETE TO THE BEST OF MY KNOWLEDGE AND BELIEF

DATE 6/7/00

SIGNATURE

B. ShawPRINTED NAME  
AND TITLEBuddy D. Shaw  
Environmental Coordinator

3004523150

CLIENT: AMOCOBLAGG ENGINEERING, INC.  
P.O. BOX 87, BLOOMFIELD, NM 87413  
(505) 632-1199LOCATION NO: 80756

C.D.C. NO: \_\_\_\_\_

## FIELD REPORT: CLOSURE VERIFICATION

PAGE No: 1 of 1LOCATION: NAME: HUGHES C WELL #: 1A PIT: ABAND SEP.DATE STARTED: 6/6/00QUAD/UNIT: P SEC: 33 TWP: 29N RNG: 8W PM: nm CNTY: ST ST: NM

DATE FINISHED: \_\_\_\_\_

QTR/FOOTAGE: 800'S/475'ESESE CONTRACTOR: FLINTENVIRONMENTAL SPECIALIST: NVEXCAVATION APPROX. 11 FT. x 14 FT. x 9 FT. DEEP. CUBIC YARDAGE: 40DISPOSAL FACILITY: ON-SITE REMEDIATION METHOD: LANDFARMLAND USE: RANGE LEASE: SF-078049 FORMATION: MU/PC

## FIELD NOTES &amp; REMARKS:

PIT LOCATED APPROXIMATELY 113 FT. N28E FROM WELLHEAD.DEPTH TO GROUNDWATER: 7100' NEAREST WATER SOURCE: >1000' NEAREST SURFACE WATER: >1000'NMDCD RANKING SCORE: 0 NMDCD TPH CLOSURE STD: 5000 PPM

## CHECK ONE:

☒ PIT ABANDONED☐ STEEL TANK INSTALLED☐ FIBERGLASS TANK INSTALLED

## SOIL AND EXCAVATION

OVM CALIB. READ. 53.4 ppmTIME: 0906 am pm 6/6/00

## DESCRIPTION:

EXCAVATION MOSTLY BEDROCK (SHALE), SOFT TO HARD (AT BOTTOM) LT. TO MED. GRAY IN COLOR, ALL SAMPLES, WITH THE EXCEPTION OF ① ES' (NORTH SIDEWALL), COLLECTED FROM BEDROCK, THEREFORE NO TPH ANALYSIS WAS CONDUCTED.

MOSTLY  
BEDROCK

RISK ASSESSED

## FIELD 418.1 CALCULATIONS

TIME	SAMPLE I.D.	LAB No:	WEIGHT (g)	mL. FREON	DILUTION	READING	CALC. ppm
1100							
0800							

SCALE




0 FT

⑤ @ 6'6"  
SIDEWALLS 6'7"

## PIT PERIMETER

10x10x3



## OVM


## RESULTS

SAMPLE ID	FIELD HEADSPACE PID (ppm)
1 @ 5'	1079
2 @ 5'	1000
3 @ 5'	756
4 @ 4'	920
5 @ 10'	1120

## LAB SAMPLES

SAMPLE ID	ANALYSIS	TIME

## PIT PROFILE



## TRAVEL NOTES:

CALLOUT: 6/6/00 - MORN.ONSITE: 6/6/00 - MORN.

CLIENT: <u>BP</u>	<b>BLAGG ENGINEERING, INC.</b> P.O. BOX 87, BLOOMFIELD, NM 87413 (505) 632-1199	LOCATION NO: <u>80756</u>  C.O.C. NO: <u>9724</u>
-------------------	---	---

## FIELD REPORT: LANDFARM/COMPOST PILE CLOSURE VERIFICATION

LOCATION: NAME: <u>HUGHES C</u> WELL #: <u>1A</u> PITS: <u>DEHP, SEP.</u> QUAD/UNIT: <u>P</u> SEC: <u>33</u> TWP: <u>29N</u> RNG: <u>8W</u> PM: <u>NM</u> CNTY: <u>SJ</u> ST: <u>NM</u> QTR/FOOTAGE: _____ SE/SE CONTRACTOR: <u>FUNT</u>	DATE STARTED: <u>3/5/02</u> DATE FINISHED: _____ ENVIRONMENTAL SPECIALIST: <u>NV</u>
--	--

SOIL REMEDIATION: REMEDIATION SYSTEM: <u>LANDFARM</u> LAND USE: <u>RANGE - BLN</u>	APPROX. CUBIC YARDAGE: <u>165</u> LIFT DEPTH (ft): <u>0.5-1</u>
--	--

FIELD NOTES & REMARKS:	NMCD RANKING SCORE: <u>0</u>	NMCD TPH CLOSURE STD: <u>5000</u> PPM
DEPTH TO GROUNDWATER: <u>&gt;100'</u> NEAREST WATER SOURCE: <u>&gt;1000'</u> NEAREST SURFACE WATER: <u>&gt;1000'</u>		

SOIL TYPE: SAND / SILTY SAND / SILT / SILTY CLAY / CLAY / GRAVEL / OTHER \_\_\_\_\_

SOIL COLOR: OLIVE GRAY

COHESION (ALL OTHERS): NON COHESIVE / SLIGHTLY COHESIVE / COHESIVE / HIGHLY COHESIVE

CONSISTENCY (NON COHESIVE SOILS): LOOSE / FIRM / DENSE / VERY DENSE

PLASTICITY (CLAYS): NON PLASTIC / SLIGHTLY PLASTIC / COHESIVE / MEDIUM PLASTIC / HIGHLY PLASTIC

DENSITY (COHESIVE CLAYS & SILTS): SOFT / FIRM / STIFF / VERY STIFF / HARD

MOISTURE: DRY / SLIGHTLY MOIST / MOIST / WET / SATURATED / SUPER SATURATED

DISCOLORATION/STAINING OBSERVED: YES / NO EXPLANATION - LANDFARM LOCATED @ SW CORNER OF WELL PAD.

HC ODOR DETECTED: YES / NO EXPLANATION - \_\_\_\_\_

SAMPLING DEPTHS (LANDFARMS): 4-6 (INCHES)


SAMPLE TYPE: GRAB / COMPOSITE # OF PTS. 5

ADDITIONAL COMMENTS: SURFACE STAINING OBSERVED @ SAMPLE PT. ⑤

### FIELD 418.1 CALCULATIONS

SAMP. TIME	SAMPLE I.D.	LAB No:	WEIGHT (g)	mL. FREON	DILUTION	READING	CALC. ppm

### SKETCH/SAMPLE LOCATIONS 4N



DVM CALIB. READ. <u>53.2</u> ppm
DVM CALIB. GAS = 100 ppm; RF = 0.52
TIME: <u>9:35</u> am DATE: <u>3/5/02</u>

### OVM RESULTS LAB SAMPLES

SAMPLE ID	FIELD HEADSPACE PID (ppm)	SAMPLE ID	ANALYSIS	TIME	RESULTS
<u>LF-1</u>	<u>2.1</u>	<u>LF-1</u>	<u>TPH (80158)</u>	<u>1100</u>	<u>152</u>



TRAVEL NOTES: CALLOUT: <u>N/A</u>	ONSITE: <u>3/5/02</u>
-----------------------------------	-----------------------

# ENVIROTECH LABS

PRACTICAL SOLUTIONS FOR A BETTER TOMORROW

## EPA METHOD 8015 Modified Nonhalogenated Volatile Organics Total Petroleum Hydrocarbons


Client:	Blagg / BP	Project #:	94034-010
Sample ID:	LF - 1	Date Reported:	03-07-02
Laboratory Number:	22194	Date Sampled:	03-05-02
Chain of Custody No:	9724	Date Received:	03-05-02
Sample Matrix:	Soil	Date Extracted:	03-07-02
Preservative:	Cool	Date Analyzed:	03-07-02
Condition:	Cool and Intact	Analysis Requested:	8015 TPH


Parameter	Concentration (mg/Kg)	Det. Limit (mg/Kg)
Gasoline Range (C5 - C10)	ND	0.2
Diesel Range (C10 - C28)	152	0.1
Total Petroleum Hydrocarbons	152	0.2

ND - Parameter not detected at the stated detection limit.

References: Method 8015B, Nonhalogenated Volatile Organics, Test Methods for Evaluating Solid Waste, SW-846, USEPA, December 1996.

Comments: Hughes C #1A Landfarm 5 Pt. Composite.

  
Analyst

  
Review