District I

1625 N. French Dr., Hobbs, NM 88240

District II

1301 W. Grand Avenue, Artesia, NM 88210

District III 1000 Rio Brazos Road, Aztec, NM 87410

1000 Rio Brazos Road, Aztec, NM 87410 District IV

1220 S. St. Francis Dr., Santa Fe, NM 87505

State of New Mexico Energy Minerals and Natural Resources

For drilling and production facilities, submit to appropriate NMOCD District Office. For downstream facilities, submit to Santa Fe office

Form C-144

June 1, 2004

Oil Conservation Division 1220 South St. Francis Dr. Santa Fe, NM 87505

Pit or Below-Grade Tank Registration or Closure


Is pit or below-grade tank cover	ered by a "general plan"? Yes 🗹 No 🗔	
(WF3 CLOSULE) Type of action: Registration of a pit or below	v-grade tank Closure of a pit or below-grade tank	<u> </u>
Operator: BURLINGTON RESOURCES OIL & GAS CO Telephone:	e-mail address:	
Address: 801 CHERRY ST FORT WORTH, TX 76102		
Facility or well name: MCCLANAHAN #014 API #: 30-045-	$\frac{13068}{\text{U/L or Qtr/Qtr}} \qquad \frac{\text{F}}{\text{SEC}}$	<u>14</u> T <u>28N</u> R <u>10W</u>
County: SAN JUAN Surface Owner: Federal ✓ State ☐ Private ☐ Indian ☐	19 Longitude -107.86832	NAD: 1927 ☑ 1983 □
Pit	Below-grade tank	
Type: Drilling Production Disposal	Volume: bbl Type of fluid:	
Workover	Construction Material:	-1-i
Lined Unlined	Double-walled, with leak detection? Yes If not, ex	plain why not.
Liner Type: Synthetic Thickness mil Clay		
Depth to ground water (vertical distance from bottom of pit to seasonal high water elevation of ground water.)	Less than 50 feet 50 feet or more, but less than 100 feet 100 feet or more	(20 points) (10 points) (0 points)
Wellhead protection area: (Less than 200 feet from a private domestic water source, or less than 1000 feet from all other water sources.)	Yes No	(20 points) (0 points) <u>0</u>
Distance to surface water: (Horizontal distance to all wetlands, playas, irrigation canals, ditches, and perennial and ephemeral watercourses.)	Less than 200 feet 200 feet to 1,000 feet Greater than 1,000 feet	(20 points) (10 points) <u>0</u> (0 points)
	Ranking Score (TOTAL POINTS):	<u>0</u>
If this is a pit closure: (1)Attach a diagram of the facility showing the pit's reliconsite box if your are burying in place) onsite offsite If offsite, name action taken including remediation start date and end date. (4)Groundwater encour and attach sample results. (5)Attach soil sample results and a diagram of sample lower and additional Comments:	ntered: No Ves If yes, show depth below gro	eneral description of remedial bound surface ft.
Additional Comments.	OCT 2005 HELEVED OUL CONS. DIV DIST. 3	192077.
I hereby certify that the information above is true and complete to the best of my k	illowicuge and benef. I further certify that the above-describe	
tank has been/will be constructed or closed according to NMOCD guidelines	, a general permit , or an (attached) alternative OC	D-approved plan
Date: 9/18/05 Printed Name/Title Mark Harvey for Williams Field Services Sig	mature MI Dub, FOR WPS	
Your certification and NMOCD approval of this application/closure does not relie or otherwise endanger public health or the environment. Nor does it relieve the op regulations.		
Approval: Printed Name/Tit Coll & GAS INSPECTOR, DIST. (S) Sign:	ature Ferry Farth	QCT 1 2 200

ADDENDUM TO OCD FORM C-144


Operator: BURLINGTON RESOURCES OIL & GAS COMPANY LP

Well Name: MCCLANAHAN #014 Meter: 32416

Facility Diagram:



Sampling Diagram:



Pit Dimensions

Location of Pit Center

Pit ID

API 30-045-13068

Length 15 Ft. Latitude

36.65726

324161

15 Ft. Width

Longitude -107.86867

Pit Type

(NAD 1927)

Unknown

Date Closure Started: 12/20/04

2.5 Ft.

Date Closure Completed: 12/20/04

Closure Method:

Depth

Excavated, Blended, Treated Soil Returned

Bedrock Encountered?

Cubic Yards Excavated: 25

Vertical Extent of Equipment Reached ? \Box

Description Of Closure Action:

Contaminated soil was removed and treated then returned to the excavation following sampling of the walls and floor.

BEDROCK limited vertical excavation and/or prevented sampling. This condition limits deleterious environmental effects.

Pit	Closure	Samn	ling
I II	Ciosui e	Samu	muz.

Sample ID

Sample Date

Head

BTEX

Benzene (mg/kg)

TPH DRO Purpose

Location

Depth

	Date	Space	Total (mg/kg)	(mg/kg)	DRO (mg/kg)		
101120DEC04	12/20/04	41	0	0	0	ASSESS Walls	3
101520DEC04	12/20/04	228	0.2		110	ASSESS Fir	[3]

151106JUN04 6/6/04 792 450 ASSESS

Fir

3.5



Client Sample ID: 151106JUN04

607186780

Lab Sample No:

Pace Analytical Services, Inc.

9608 Loiret Blvd. Lenexa, KS 66219

Phone: 913.599.5665 Fax: 913.599.1759

Lab Project Number: 6083363 Client Project ID: N.M. Pits

Citett Project ID. H.M. Pit

Matrix: Soil

Project Sample Number: 6083363-022

Date Collected: 06/06/04 15:11

Date Received: 06/09/04 09:00

	•								
Parameters	Results	<u>Units</u>	Report Limit	<u>DF</u>	<u>Analy</u>	zed	Ву	CAS No.	Qual RegLmt
GC Semivolatiles									
Total Extractable Hydrocarbons	Prep/Method:	OA2 / OA2							
Mineral Spirits	ND	mg/kg	12.	1.2	06/14/04	19:20	DCKI		
Jet Fuel	ND	mg/kg	12.	1.2	06/14/04	19:20	DCKI		
Kerosene	ND	mg/kg	12.	1.2	06/14/04	19:20	DCKI	•	
Diesel Fuel	ND	mg/kg	12.	1.2	06/14/04	19:20	DCKI	68334-30-5	
Fuel 011	ND	mg/kg	12.	1.2	06/14/04	19:20	DCKI	68334-30-5	
Motor 0il	ND	mg/kg	12.	1.2	06/14/04	19:20	DCKI		
Total Petroleum Hydrocarbons	450	mg/kg	12.	1.2	06/14/04	19:20	DCKI		1
n-Tetracosane (S)	119	%		1.0	06/14/04	19:20	DCKI	646-31-1	
p-Terphenyl (S)	109	%		1.0	06/14/04	19:20	DCKI	92-94-4	
Date Extracted	06/10/04				06/10/04				
Organics Prep		•							
Percent Moisture	Method: SM 2	540G							
Percent Moisture	20.3	%		1.0	06/10/04		DPB		
GC Volatiles									
Aromatic Volatile Organics	Prep/Method:	EPA 5030 M	ledium Soil / El	PA 802	Į				
Benzene	63000	ug/kg	2200		06/11/04	22:04		71-43-2	
Ethylbenzene	29000	ug/kg	2200	43.6	06/11/04	22:04		100-41-4	
Toluene	360000	ug/kg	2200	43.6	06/11/04	22:04		108-88-3	
Xylene (Total)	340000	ug/kg	5500	43.6	06/11/04	22:04		1330-20-7	
a,a,a-Trifluorotoluene (S)	137	%		1.0	06/11/04	22:04	į.	98-08-8	5

Comments : Ice melted on arrival!

Date: 06/16/04

Page: 22 of 33

REPORT OF LABORATORY ANALYSIS

This report shall not be reproduced, except in full, without the written consent of Pace Analytical Services, Inc.





Pace Analytical Services, Inc. 9608 Loiret Blvd. Lenexa, KS 66219

> Phone: 913.599.5665 Fax: 913.599.1759

Lab Project Number: 6090504

Client Project ID: N. Mex. Pits Program

Lab Sample No: 607796547 Project Sample Number: 6090504-025 Date Collected: 12/20/04 10:15

Client Sample ID: 101520DEC04		Matrix: Soil					Date Received: 01/04/05 08:5				
Parameters	Results	Units	Report Limit	_DF	\nalyzed	Ву	CAS No.	Qua]	RegLmt		
GC Semivolatiles	-										
Total Extractable Hydrocarbons	Prep/Method:	OA2 / OA2									
Mineral Spirits	ND	mg/kg	11.	1.1 01/07	7/05 17:58	RMN1					
Jet Fuel	ND	mg/kg	11.	1.1 01/07	7/05 17:58	RMN1					
Kerosene	ND	mg/kg	11.	1.1 01/07	7/05 17:58	RMN1					
Diesel Fuel	ND	mg/kg	11.	1.1 01/07	7/05 17:58	RMN1	68334-30-5				
Fuel 0il	ND	mg/kg	11.	1.1 01/07	7/05 17:58	RMN1	68334-30-5		*		
Motor Oil	ND	mg/kg	11.	1.1 01/07	//05 17:58	RMN1					
Total Petroleum Hydrocarbons	110	mg/kg	11.	1.1 01/07	//05 17:58	RMN1		4			
n-Tetracosane (S)	112	*		1.0 01/07	//05 17:58	RMN1	646-31-1				
p·Terphenyl (S)	137	*		1.0 01/07	7/05 17:58	RMN1	92-94-4				
Date Extracted	01/06/05			01/06	5/05						
Organics Prep											
Percent Moisture	Method: SM 2	540G									
Percent Moisture	11.3	*		1.0 01/06	5/05	ALJ1					
GC Volatiles											
Aromatic Volatile Organics	Prep/Method:	EPA 5030 M	ledium Soil / El	PA 8021							
Benzene	ND	ug/kg	56.	1.1 01/07	//05 17:46	SHF	71-43-2				
Ethylbenzene	ND	ug/kg	56.	1.1 01/07	//05 17:46	SHF	100-41-4				
Toluene	ND	ug/kg	56.	1.1 01/07	//05 17:46	SHF	108-88-3				
Xylene (Total)	200	ug/kg	150		//05 17:46		1330-20-7				
a,a,a-Trifluorotoluene (S)	105	*		1.0 01/07	/05 17:46	SHF	98-08-8	2			

Date: 01/12/05

Page: 25 of 46

REPORT OF LABORATORY ANALYSIS

This report shall not be reproduced, except in full, without the written consent of Pace Analytical Services, Inc.





Client Sample ID: 101120DEC04

Pace Analytical Services, Inc.

9608 Loiret Blvd. Lenexa, KS 66219

Phone: 913.599.5665 Fax: 913.599.1759

Lab Project Number: 6090504

Client Project ID: N. Mex. Pits Program

Lab Sample No: 607796554

Project Sample Number: 6090504-026

Matrix: Soil

Date Collected: 12/20/04 10:11 Date Received: 01/04/05 08:50

01.000 0amp10 15. 10111052001				11401 17	. 5011		Dute Neceste	u. 01/	01700 00.50
Parameters	Results	Unit:	s Report Limit	DF	Analyzed	Ву	CAS No.	Qual	RegLmt
GC Semivolatiles						*			
Total Extractable Hydrocarbons	Prep/Method:	0A2 / 0A2	2						
Mineral Spirits	ND	mg/kg	11.	1.1 (01/07/05 18:50	RMN1			
Jet Fuel	ND	mg/kg	11.	1.1 (01/07/05 18:50	RMN1			
Kerosene	ND	mg/kg	11.	1.1 (01/07/05 18:50	RMN1	•		
Diesel Fuel	ND	mg/kg	11.	1.1 (01/07/05 18:50	RMN1	68334-30-5		
Fuel Oil	ND	mg/kg	11.	1.1 (01/07/05 18:50	RMN1	68334-30-5		•
Motor Oil	ND	mg/kg	11.	1.1 (01/07/05 18:50	RMN1			
n-Tetracosane (S)	99	*		1.0 (01/07/05 18:50	RMN1	646-31-1		
p-Terphenyl (S)	106	*		1.0 (01/07/05 18:50	RMN1	92-94-4		
Date Extracted	01/06/05			(01/06/05				
Organics Prep									
Percent Moisture	Method: SM 2	540G							
Percent Moisture	6.4	*		1.0 (01/06/05	ALJ1			
GC Volatiles									
Aromatic Volatile Organics	Prep/Method:	EPA 5030	Medium Soil / E	PA 8021					
Benzene	ND	ug/kg	53.		01/07/05 18:14	SHF	71-43-2		
Ethylbenzene	ND	ug/kg	53.	1.1 (01/07/05 18:14	SHF	100-41-4		•
Toluene	ND	ug/kg	53.	1.1 (01/07/05 18:14	SHF	108-88-3		
Xylene (Total)	ND	ug/kg	140	1.1 (01/07/05 18:14	SHF	1330-20-7		
a,a,a-Trifluorotoluene (S)	104	*		1.0 (01/07/05 18:14	SHF	98-08-8	2	

Date: 01/12/05

Page: 26 of 46

REPORT OF LABORATORY ANALYSIS

This report shall not be reproduced, except in full, without the written consent of Pace Analytical Services, Inc.

