#### District I 1625 N. French Dr., Hobbs, NM 88240 District II 1301 W. Grand Avenue, Artesia, NM 88210 District III 1000 Rio Brazos Road, Aztec, NM 87410

1220 S. St. Francis Dr., Santa Fe, NM 87505

District IV

### State of New Mexico Energy Minerals and Natural Resources

Form C-144 June 1, 2004

Oil Conservation Division 1220 South St. Francis Dr. Santa Fe, NM 87505 For drilling and production facilities, submit to appropriate NMOCD District Office. For downstream facilities, submit to Santa Fe office

# Pit or Below-Grade Tank Registration or Closure

Is pit or below-grade tank cov	ered by a "general plan"? Yes 🗹 No 🗌						
WFS CLOSUCE) Type of action: Registration of a pit or below	v-grade tank Closure of a pit or below-grade tank	✓					
Operator: XTO ENERGY, INC. Telephone:	e-mail address:						
Address: 2700 FARMINGTON AVENUE FARMINGTON, NM 87401							
Facility or well name: CANYON #012 API #: 30-045-	<u>45-21499</u> U/L or Qtr/Qtr <u>A</u> SEC <u>13</u> T <u>25N</u> R <u>11W</u>						
County: <u>SAN JUAN</u> Surface Owner: Federal ☐ State ☐ Private ☐ Indian ✓	Longitude	NAD: 1927 ☑ 1983 ☐					
Pit  Type: Drilling □ Production ✓ Disposal □	Below-grade tank  Volume: bbl Type of fluid:						
Workover	Construction Material:  Double-walled, with leak detection? Yes   If not, ex	plain why not.					
Lined Unlined							
Liner Type: Synthetic Thickness mil Clay Pit Volume 80 bbl							
Depth to ground water (vertical distance from bottom of pit to seasonal high water elevation of ground water.)	Less than 50 feet 50 feet or more, but less than 100 feet 100 feet or more	(20 points) (10 points) <u>0</u> (0 points)					
Wellhead protection area: (Less than 200 feet from a private domestic water source, or less than 1000 feet from all other water sources.)	Yes No	(20 points) (0 points) <u>0</u>					
Distance to surface water: (Horizontal distance to all wetlands, playas, irrigation canals, ditches, and perennial and ephemeral watercourses.)	Less than 200 feet 200 feet to 1,000 feet Greater than 1,000 feet	(20 points) (10 points) <u>0</u> (0 points)					
	Ranking Score (TOTAL POINTS):	<u>0</u>					
If this is a pit closure: (1)Attach a diagram of the facility showing the pit's relationship to other equipment and tanks. (2) Indicate disposal location: (check the onsite box if your are burying in place) onsite offsite for offsite for offsite, name of facility for its pour are burying in place) onsite offsite for offsite for offsite, name of facility for its pour are burying in place) onsite offsite for offsite for offsite for offsite, name of facility for its pour are burying in place) onsite offsite for offsite							
I hereby certify that the information above is true and complete to the best of my k tank has been/will be constructed or closed according to NMOCD guidelines	nowledge and belief. I further certify that the above-describe a general permit on an (attached) alternative OC	- pro or occor. Branco					
Date:9/18/05  Printed Name/Title Mark Harvey for Williams Field Services Sig	gnature Mr Zon G, For WPS						
Your certification and NMOCD approval of this application/closure does not relieve the operator of liablility should the contents of the pit or tank contaminate ground water or otherwise endanger public health or the environment. Nor does it relieve the operator of its responsibility for compliance with any other federal, state, or local laws and/or regulations.							
Approval:  Printed Name/Title OFPUTY ONLY GAS INSPECTOR, DIST. 43	Jenn Z	OCT 1 2 2005					

#### **ADDENDUM TO OCD FORM C-144**


Operator: XTO ENERGY, INC.

Well Name: CANYON #012


API 30-045-21499

Meter: 33140

#### **Facility Diagram:**



#### Sampling Diagram:



**Pit Dimensions** 

Length 15 Ft.

Width 15 Ft.

Depth 2 Ft.

**Location of Pit Center** 

Latitude 36 24 18.7 N

Longitude <u>)7 57 01.1 W</u>

(NAD 1927)

Pit ID

<u>331401</u>

Pit Type

Glycol Dehydrator

**Date Closure Started:** 12/15/04

**Closure Method:** 

Pushed In

**Date Closure Completed:** 12/15/04

Bedrock Encountered?

**Cubic Yards Excavated:** 

Cubic Turus Excursion.

Vertical Extent of Equipment Reached ?  $\Box$ 

#### **Description Of Closure Action:**

The pit was assessed and sampled in accordance with NMOCD guidelines. Based on assessment findings, the pit was backfilled.

BEDROCK limited vertical excavation and/or prevented sampling. This condition limits deleterious environmental effects.

#### Pit Closure Sampling:

Sample ID

Sample Date Head Space BTEX Total Benzene (mg/kg)

TPH DRO (mg/kg) Purpose

Location

Depth

120215DEC04

12/15/04

(mg/kg)

0

48

ASSESS FI

Flr



Pace Analytical Services, Inc.

9608 Loiret Blvd. Lenexa, KS 66219

Phone: 913.599.5665 Fax: 913.599.1759

Lab Project Number: 6090504

Client Project ID: N. Mex. Pits Program

Lab Sample No: 607796471 Project Sample Number: 6090504-018 Date Collected: 12/15/04 12:02

Client Sample ID: 120215DEC04 Matrix: Soil

Date Received: 01/04/05 08:50

5.10114 Gampie 15. 12022001001									
Parameters	Results	Units	Report Limit	DF	Anal yzed	Ву	CAS No.	Qual	RegLmt
GC Semivolatiles									
Total Extractable Hydrocarbons	Prep/Method:	OA2 / OA2							
Mineral Spirits	ND	mg/kg	11.	1.1	01/07/05 12:57	RMN1			
Jet Fuel	. ND	mg/kg	11.	1.1	01/07/05 12:57	RMN1	•		
Kerosene	ND	mg/kg	11.	1.1	01/07/05 12:57	RMN1	•		
Diesel Fuel	ND	mg/kg	11.	1.1	01/07/05 12:57	RMN1	68334-30-5		
Fuel Oil	ND	mg/kg	11.	1.1	01/07/05 12:57	RMN1	68334-30-5		
Motor Oil	ND	mg/kg	11.	1.1	01/07/05 12:57	RMN1			
Total Petroleum Hydrocarbons	48.	mg/kg	11.	1.1	01/07/05 12:57	RMN1		5	
n-Tetracosane (S)	110	*		1.0	01/07/05 12:57	RMN1	646-31-1		
p·Terphenyl (S)	112	×		1.0	01/07/05 12:57	RMN1	92-94-4		
Date Extracted	01/05/05				01/05/05				
Organics Prep									
Percent Moisture	Method: SM 2	540G							
Percent Moisture	5.2	*		1.0	01/05/05	ALJ1			
GC Volatiles									
Aromatic Volatile Organics	Prep/Method:	EPA 5030 M	edium Soil / EP	A 8021	L				
Benzene	ND	ug/kg	52.		01/06/05 21:10	SHF	71-43-2		
Ethylbenzene	ND	ug/kg	52.	1.0	01/06/05 21:10	SHF	100-41-4		
Toluene	ND	ug/kg	52.	1.0	01/06/05 21:10	SHF	108-88-3		
Xylene (Total)	300	ug/kg	130	1.0	01/06/05 21:10	SHF	1330-20-7		
a,a,a-Trifluorotoluene (S)	97	*		1.0	01/06/05 21:10	SHF	98-08-8	2	

Date: 01/12/05

Page: 18 of 46

## **REPORT OF LABORATORY ANALYSIS**

This report shall not be reproduced, except in full, without the written consent of Page Analytical Services, Inc.

