Submit To Appropriate District Office State Lease - 6 copies			_	State of New Mexico					/		D.	Form C-105	
Fee Lease - 5 copies District I			Er	Energy, Minerals and Natural Resources					WELL API	NO	K	evised June 10, 2003	
1625 N. French Dr.; F District II	Hobbs, NA	И 88240		/				_	30-045-333(				
1301 W. Grand Aven	a, NM 88210			l Conservation		/	,	5. Indicate Type of Lease					
District III 1000 Rio Brazos Rd.,	M 87410			20 South St. Fr		r.	L	STATE S FEE					
District IV 1220 S. St. Francis Dr., Santa Fe, NM 87505					Santa Fe, NM	87505		:	State Oil &	Gas Leas	se No.:		
WELL COMPLETION OR RECOMPLETION REPORT AND LOG													
la. Type of Well:			L 🛛 DR		OTHER				7. Lease Name Northeast Bland	or Unit Ag			
b. Type of Completion:							1 1 1 1 1 1 1 1 1 1 1 1 1 1 1 1 1 1 1						
NEW ☑ WORK ☐ DEEPEN ☐ PLUG ☐ DIFF. WELL OVER BACK RESVR. ☐ OTHER													
2. Name of Operator Devon Energy Production Company, L.P.								3. Well No. 19M	E.				
3. Address of Opera PO Box 6459	ator	-							9. Pool name or Wildcat Basin Dakota				
Navajo Dam, NM 8	37419								Sasiii Dakuta	164	-	<u> </u>	
4. Well Location										*E.		÷/	
Unit Letter	H_	:2	450 Fe	et From	TheNorthLi	ne and	_2' Feet	t Fro	m TheE	astl	ine	The same	
Section	30	Township	31N	Range	7W NM	1PM		Cor	inty San Juan				
10. Date Spudded	11. Da	te T.D. Rea	ched 12.	Date Co	mpl. (Ready to Prod.)	13.			RKB, RT, GR,	etc.)	14. Elev.	Casinghead	
9-12-05	9-29-0			22-05	Multiple Court House		16,382'	1	Datam, Table		Cable T	Fa a la	
15. Total Depth		16. Plug Ba	CK 1.D.		Multiple Compl. How ones?	Many	18. Interval Drilled By		Rotary Tools		Cable Tools		
19. Producing Interval(s), of this completion - Top, Bottom, Name  20. Was I							rectional Su	urvey Made					
8,025' - 8,042' 21. Type Electric a									Yes  22. Was Well Cored				
Mud Logs		208014											
23.				CA	SING RECOF	RD (Re	port all st	ring	gs set in w	ell)			
CASING SIZI	Е		IT LB./FT.		DEPTH SET		DLE SIZE	$\dashv$	CEMENTING		) A	MOUNT PULLED	
9 5/8"		32#			283'		12 <sup>1</sup> / <sub>4</sub> " 8 <sup>3</sup> / <sub>4</sub> "		175 sx 620 sx		-	0	
4.1/22		23#			4,426' 8,136'		6 1/4"		450 sx			0	
1 72		•		0,150			0 /4				<del></del>		
			-								1		
24.	I mon		T normali	LIN	ER RECORD	NT COREN				UBING R		The owner and	
SIZE	TOP		BOTTOM	-	SACKS CEMENT	SCREE		2 3/		7,849°	SET	PACKER SET No	
	ļ							2 31		7,047		110	
26. Perforation re	,		and number)			27. AC	CID, SHOT,	FRA	CTURE, CE				
No perforations at	this time	:.			i		INTERVAL		AMOUNT AND KIND MATERIAL USED				
							N/A N/A					<u> </u>	
28					PRO	DDUC'	ΓΙΟΝ						
Date First Producti	on		Production M	thod (Fl	owing, gas lift, pumpir				Well Status	(Prod. or S	Shut-in)		
10-24-05			Natural Flow	Γubing					Producing				
Date of Test	Hours	Tested	Choke Siz		Prod'n For	Oil - Bb	1 .	Gas	- MCF	Water -	Bbl.	Gas - Oil Ratio	
					Test Period								
Flow Tubing	Casing	g Pressure	Calculated		Oil - Bbl.	Gas	– MCF	, W	ater - Bbl.	Oil	Gravity - A	API - (Corr.)	
Press. 90 psi 280 ps		si	Hour Rate				1018 Mcf						
29. Disposition of	1		uel, vented, etc	.)	<u> </u>				T	Test Witne	essed By		
Sold 30. List Attachmer	nts												
31 I hereby certify that the information shown on both sides of this form as true and complete to the best of my knowledge and belief													
Signature MSSSSSSSSSSSSSSSSSSSSSSSSSSSSSSSSSSSS													
	E-mail Address: melisa.zimmerman@dvn.com												

## **INSTRUCTIONS**

This form is to be filed with the appropriate District Office of the Division not later than 20 days after the completion of any newly-drilled or deepened well. It shall be accompanied by one copy of all electrical and radio-activity logs run on the well and a summary of all special tests conducted, including drill stem tests. All depths reported shall be measured depths. In the case of directionally drilled wells, true vertical depths shall also be reported. For multiple completions, items 25 through 29 shall be reported for each zone. The form is to be filed in quintuplicate except on state land, where six copies are required. See Rule 1105.

## INDICATE FORMATION TOPS IN CONFORMANCE WITH GEOGRAPHICAL SECTION OF STATE

Southea	stern New Mexico	Northweste	Northwestern New Mexico				
T. Anhy	T. Canyon_	T. Ojo Alamo2265'	T. Penn. "B"				
T. Salt	T. Strawn_	T. Kirtland-Fruitland 2888'	T. Penn. "C"				
B. Salt	T. Atoka	T. Pictured Cliffs_3346'	T. Penn. "D"				
T. Yates	T. Miss	T. Cliff House 5417'	T. Leadville				
T. 7 Rivers	T. Devonian	T. Menefee 5455'	T. Madison				
T. Queen	T. Silurian	T. Point Lookout 5743'	T. Elbert				
T. Grayburg	T. Montoya	T. Mancos 6198'	T. McCracken				
T. San Andres	T. Simpson	T. Gallup	T. Ignacio Otzte				
T. Glorieta	T. McKee	Base	T. Granite				
		Greenhorn 7795'					
T. Paddock	T. Ellenburger	T.	T				
		Dakota7989'					
T. Blinebry	T. Gr. Wash	T. Morrison	T				
T.Tubb_	T. Delaware Sand	T.Todilto	T				
T. Drinkard	T. Bone Springs	T. Entrada	T.				
T. Abo	T.	T. Wingate	T.				
T. Wolfcamp	T	T. Chinle	T.				
T. Penn	Т.	T. Permian	T				
T. Cisco (Bough C)	T.	T. Penn "A"	T.				

LITHOLOGY RECORD (Attach additional sheet if necessary)

From	То	Thickness In Feet	Lithology	From	 Thickness In Feet	Lithology