District I
1625 N. French Dr., Hobbs, NM 88240
District II
1301 W. Grand Avenue, Artesia, NM 88210
District III
1000 Rio Brazos Road, Aztec, NM 87410
District IV
1220 S. St. Francis Dr., Santa Fe, NM 87505

State of New Mexico Energy Minerals and Natural Resources

Oil Conservation Division 1220 South St. Francis Dr. Santa Fe. NM 87505 For drilling and production facilities, submit to appropriate NMOCD District Office.

For downstream facilities, submit to Santa Fe office

Form C-144 June 1, 2004

Santa Fe, NM 87505

Pit or Below-Grade Tank Registration or Closure

Is pit or below-grade tank covered by a "general plan"? Yes \(\subseteq \text{No } \subseteq \) Type of action: Registration of a pit or below-grade tank \(\subseteq \) Closure of a pit or below-grade tank \(\subseteq \)		
Operator: PURE RESOURCES LP. Telephone: 505-327-4573 e-mail address: mpippin@ddbroadband.net		
Address: c/o Agent - Mike Pippin LLC, 3104 N. Sullivan, Farmington, NM 87401		
Facility or well name: RINCON UNIT #403 API #: 30-039-27814 U/L or Qtr/Qtr P Sec 21 T 27N R 06W		
	36 Deg. 33 13 Longitude -107 Deg.	27 36 NAD: 1927 [] 1983 []
Surface Owner: Federal 🗷 State 🗌 Private 🗌 Indian 🗍		- 1, 1, - 1, - 1, - 1, - 1, - 1, - 1, -
Pit	Below-grade tank	
Type: Drilling Production Disposal	Volume:bbl Type of fluid:	
Workover	Construction material:	
Lined Unlined	Double-walled, with leak detection? Yes If not, explain why not.	
Liner type: Synthetic ☑ Thickness 12 mil Clay ☐		
Pit Volume 14,286 bbl		
Depth to ground water (vertical distance from bottom of pit to seasonal high water elevation of ground water.)	Less than 50 feet	(20 points)
	50 feet or more, but less than 100 feet	(10 points)
	100 feet or more X	(0 points) X
W. III	Yes	(20 points)
Wellhead protection area: (Less than 200 feet from a private domestic	No X	(0 points) X
water source, or less than 1000 feet from all other water sources.)		
Distance to surface water: (horizontal distance to all wetlands, playas, irrigation canals, ditches, and perennial and ephemeral watercourses.)	Less than 200 feet	(20 points)
	200 feet or more, but less than 1000 feet	(10 points)
	1000 feet or more X	(0 points) X
	Ranking Score (Total Points)	0
If this is a pit closure: (1) Attach a diagram of the facility showing the pit's relationship to other equipment and tanks. (2) Indicate disposal location: (check the onsite box if		
your are burying in place) onsite 🔀 offsite 🔲 If offsite, name of facility (3) Attach a general description of remedial action taken including		
remediation start date and end date. (4) Groundwater encountered: No 🗵 Yes 🗌 If yes, show depth below ground surfaceft. and attach sample results.		
(5) Attach soil sample results and a diagram of sample locations and excavations.		
Additional Comments:		
DEC 2005		
L OM CONTRACTOR		
CO CONT. DIV.		
	VC->	- 07 Cp
I hereby certify that the information above is true and complete to the best of my knowledge and belief. I further certify that this above described pit or below-grade tank has been/will be constructed or closed according to NMOCD guidelines , a general permit , or an (attached) alternative OCD-approved plan .		
Perty 12/12/05		
Date: 12/13/05		
Printed Name/Title Mike Pippin Agent - Petr. Engr. Signature		
Your certification and NMOCD approval of this application/closure does not relieve the operator of liability should the contents of the pit or tank contaminate ground water or otherwise endanger public health or the environment. Nor does it relieve the operator of its responsibility for compliance with any other federal, state, or local laws and/or regulations.		
Approval: ETVIN OIL & GAS METTICES MISION OF	Signature Servy	DEC 1 5 2005
Printed Name/Title Date:		

PURE RESOURCES LP c/o Mike Pippin LLC 3104 N. Sullivan Farmington, NM 87401 (505) 327-4573

12/13/05

GENERAL DESCRIPTION OF DRILL PIT CLOSING RINCON UNIT #403 MV/DK P 21 27 6

Start location rehab & pit closing 10/17/05

- 1. Remove the fencing around the drilling pit.
- 2, Cut liner off at mud level and haul off to disposal facility.
- 3. Using track-hoe, mix any soft spots & cover pit with dry soil.
- 4. Lay back slopes & all disturbed areas.
- 5. Ripped location for seeding.
- 6. Plan to disc area & re-seed with BLM mix this spring as per BLM request.
- 7. Complete on 11/28/05.

PURE RESOURCES LP RINCON UNIT #403 MV/DK P SEC. 21 T27N R6W RIO ARRIBA COUNTY, NM

