#### District I 1625 N. French Dr., Hobbs, NM 88240 District II 1301 W. Grand Avenue, Artesia, NM 88210 District III

1000 Rio Brazos Road, Aztec, NM 87410

1220 S. St. Francis Dr., Santa Fe, NM 87505

District IV

### State of New Mexico Energy Minerals and Natural Resources

Form C-144 June 1, 2004

Oil Conservation Division 1220 South St. Francis Dr. Santa Fe, NM 87505 For drilling and production facilities, submit to appropriate NMOCD District Office. For downstream facilities, submit to Santa Fe office

# Pit or Below-Grade Tank Registration or Closure Is pit or below-grade tank covered by a "general plan"? Yes V No


(WFS CLOSURE) Type of action: Registration of a pit or below	w-grade tank Closure of a pit or below-grade tank	✓		
Operator: CONOCOPHILLIPS COMPANY Telephone:	e-mail address:			
Address: PO BOX 2197 HOUSTON, TX 77252				
Facility or well name: NEWSOM #023 API #: 30-045	24326 U/L or Qtr/Qtr I SEC	<u>20</u> T <u>26N</u> R <u>8W</u>		
County: SAN JUAN Latitude 36.47	<u>147</u> Longitude <u>-107.70052</u>	NAD: 1927 🗹 1983 🗌		
Surface Owner: Federal 🗹 State 🗌 Private 🗌 Indian 🗀				
Pit	Below-grade tank			
Type: Drilling Production Disposal	Volume: bbl Type of fluid:  Construction Material:			
Workover	Double-walled, with leak detection? Yes If not, ex	plain why not.		
Lined Unlined 🗹				
Liner Type: Synthetic Thickness mil Clay				
Pit Volume 77 bbl				
Depth to ground water (vertical distance from bottom of pit to seasonal high	Less than 50 feet	(20 points)		
water elevation of ground water.)	50 feet or more, but less than 100 feet 100 feet or more	(10 points) $\underline{0}$		
Wellhead protection area: (Less than 200 feet from a private domestic water source, or less than 1000 feet from all other water sources.)	Yes No	(20 points) (0 points) <u>0</u>		
source, or less than 1000 feet from an other water sources.)	140			
Distance to surface water: (Horizontal distance to all wetlands, playas,	Less than 200 feet	(20 points)		
irrigation canals, ditches, and perennial and ephemeral watercourses.)	200 feet to 1,000 feet Greater than 1,000 feet	(10 points) $\underline{0}$ (0 points)		
	Ranking Score (TOTAL POINTS):	<u>0</u>		
If this is a pit closure: (1)Attach a diagram of the facility showing the pit's reconsite box if your are burying in place) onsite ✓ offsite ☐ If offsite, name	ationship to other equipment and tanks. (2) Indicate disposal of facility (3)Attach a g	eneral description of remedial		
action taken including remediation start date and end date. (4)Groundwater encou		ound surface ft.		
and attach sample results. (5)Attach soil sample results and a diagram of sample leads to the sample results and a diagram of sample leads to the sample results.	ocations and excavations.			
Additional Comments:	6 4 9			
	60 OCT 2000			
	A 4 5002	718		
	CONS. DA	<b>3</b>		
	- 13T. 3			
	( ) ( ) ( ) ( ) ( ) ( ) ( ) ( ) ( ) ( )			
I hereby certify that the information above is true and complete to the best of my	knowledge and belief. I further certify that the above describe	ed nit or helow-grade		
	a general permit , or an (attached) alternative OC			
Date: 9/18/05	1			
	MIZING, FOR WES			
	gnature			
Your certification and NMOCD approval of this application/closure does not relie or otherwise endanger public health or the environment. Nor does it relieve the or				
regulations.				
Approval: CAL & GAS INSPECTOR, DIST. 40		OCT 1 2 2005		
Printed Name/Title Sign	lature Demy Lity	Date:		

#### **ADDENDUM TO OCD FORM C-144**


Operator: CONOCOPHILLIPS COMPANY **API** 30-045-24326

Well Name: NEWSOM #023 Meter: 33486

#### **Facility Diagram:**



#### Sampling Diagram:



**Pit Dimensions** 

Length 12 Ft.

Width 12 Ft.

Depth 3 Ft. **Location of Pit Center** 

Latitude 36.4717

Longitude -107.70044

(NAD 1927)

Pit ID

334861

Pit Type

Other

Date Closure Started: 9/7/04

**Closure Method:** 

Excavated, Blended, Treated Soil Returned

**Date Closure Completed:** 9/7/04

**Bedrock Encountered?** 

Cubic Yards Excavated: 94

Vertical Extent of Equipment Reached?

#### **Description Of Closure Action:**

Contaminated soil was removed and treated then returned to the excavation following sampling of the walls and floor.

Vertical extent of excavation limited by equipment

#### **Pit Closure Sampling:**

Sample ID

Sample Date

Head Space

BTEX Total (mg/kg) Benzene (mg/kg)

**TPH** DRO Purpose

Location

Depth

See Risk Analysis

			(mį			(mg/kg)					
110607SEP04	-T	9/7/04	50	0	0	0	EX Confirm	Walls	Γ	11	

l	11000/SEF04	9/7/04	30				EX Continn	wans	
l	111307SEP04	9/7/04	353	0	0	0	EX Confirm	Flr	13

114320FEB04	2/20/04	158 19	470	ASSESS Fir	] 3



606847168

Lab Sample No:

Pace Analytical Services, Inc.

9608 Loiret Blvd. Lenexa, KS 66219

Phone: 913.599.5665 Fax: 913.599.1759

Lab Project Number: 6079526

Project Sample Number: 6079526-008

Client Project ID: NM Pit Program

Date Collected: 02/20/04 11:43

Client Sample ID: 114320FEB04				Matrix	c: Soil			Date Received	1: 02/2	24/04 09:30
Parameters	Results	Units	Report Limit	_DF	Anal	yzed	Ву	CAS_No.	Qual	RegLmt
GC Semivolatiles										
Total Extractable Hydrocarbons	Prep/Method:	OA2 / OA2								
Mineral Spirits	ND	mg/kg	12.	1.2	02/26/04	05:26	MAM			
Jet Fuel	ND	mg/kg	12.	1.2	02/26/04	05:26	MAM			
Kerosene	ND	mg/kg	12.	1.2	02/26/04	05:26	MAM			
Diesel Fuel	ND	mg/kg	12.	1.2	02/26/04	05:26	MAM	68334-30-5		
Fuel 011	ND	mg/kg	12.	1.2	02/26/04	05:26	MAM	68334-30-5		
Motor 011	ND	mg/kg	12.	1.2	02/26/04	05:26	MAM			
Total Petroleum Hydrocarbons	470	mg/kg	12.	1.2	02/26/04	05:26	MAM		3	
n-Tetracosane (S)	93	%		1.0	02/26/04	05:26	MAM	646-31-1		
p-Terphenyl (S)	106	%		1.0	02/26/04	05:26	MAM	92-94-4		
Date Extracted	02/25/04				02/25/04					
Organics Prep										
Percent Moisture	Method: SM 2	540G								
Percent Moisture	18.1	%		1.0	02/25/04	!	DPB			
GC Volatiles										
Aromatic Volatile Organics	Prep/Method:	EPA 5030 M	edium Soil / EF	A 8021	Į.					
Benzene	19000	ug/kg	4800		02/27/04	14:24		71-43-2		
Ethylbenzene	17000	ug/kg	4800	96.1	02/27/04	14:24		100-41-4		
Toluene	33000	ug/kg	4800	96.1	02/27/04	14:24		108-88-3		
Xylene (Total)	89000	ug/kg	12000	96.1	02/27/04	14:24		1330-20-7		
<pre>a,a,a-Trifluorotoluene (S)</pre>	42	*		1.0	02/27/04	14:24		98-08-8	2	

Date: 03/02/04

Page: 8 of 18

## **REPORT OF LABORATORY ANALYSIS**

This report shall not be reproduced, except in full, without the written consent of Pace Analytical Services, Inc.





607496395

Lab Sample No:

Pace Analytical Services, Inc. 9608 Loiret Blvd. Lenexa, KS 66219

> Phone: 913.599.5665 Fax: 913.599.1759

Lab Project Number: 6087028 Client Project ID: N.M Pits

Project Sample Number: 6087028-006

Date Collected: 09/07/04 11:13

Client Sample ID: 111307SEP04	A SA			Matrix:	Soil		Date Received	l: 09/2	21/04 08:50
Parameters (Salara	Results	Units	Report Limit	<u>DF</u>	Analyzed	Ву	CAS No.	Qual	RegLmt
GC Semivolatiles									
Total Extractable Hydrocarbons	Prep/Method:	0A2 / 0A2							
Mineral Spirits	ND	mg/kg	11.	1.1 (	9/23/04 18:31	EMA			
Jet Fuel	ND	mg/kg	11.	1.1 (	9/23/04 18:31	EMA			
Kerosene	ND	mg/kg	11.	1.1 (	9/23/04 18:31	EMA	-		
Diesel Fuel	ND	mg/kg	11.	1.1 (	9/23/04 18:31	EMA	68334-30-5		
Fue] 011	ND	mg/kg	11.	1.1 (	9/23/04 18:31	EMA	68334-30-5		
Motor 0il	ND	mg/kg	11.	1.1 (	9/23/04 18:31	EMA	•		
n-Tetracosane (S)	93	*		1.0 (	9/23/04 18:31	EMA	646-31-1		
p-Terphenyl (S)	106	*		1.0 (	9/23/04 18:31	EMA	92-94-4		
Date Extracted	09/22/04		•	(	9/22/04				
Organics Prep									
Percent Moisture	Method: SM 2	540G							
Percent Moisture	12.2	%		1.0 (	9/22/04	ALJ:	1		
GC Volatiles		•					•		
Aromatic Volatile Organics	Prep/Method:	EPA 5030 M	edium Soil / E	PA 8021					
Benzene	ND	ug/kg	57.		09/23/04 00:46	SHF	71-43-2		
Ethylbenzene	ND .	ug/kg	57.	1.1 (	09/23/04 00:46	SHF	100-41-4		
Toluene	ND	ug/kg	57.	1.1 (	9/23/04 19:02	SHF	108-88-3		
Xylene (Total)	ND	ug/kg	150	1.1 (	9/23/04 00:46	SHF	1330-20-7		
a.a.a-Trifluorotoluene (S)	87	%			09/23/04 00:46			1	

Date: 09/29/04

Page: 6 of 35

## REPORT OF LABORATORY ANALYSIS

This report shall not be reproduced, except in full, without the written consent of Pace Analytical Services, Inc.





607496387

Lab Sample No:

Pace Analytical Services, Inc. 9608 Loiret Blvd. Lenexa, KS 66219

> Phone: 913.599.5665 Fax: 913.599.1759

Lab Project Number: 6087028

Client Project ID: N.M Pits

Project Sample Number: 6087028-005

Date Collected: 09/07/04 11:06 Date Received: 09/21/04 08:50

Lab Sample No. 007430307	1 <u>1</u> 1 1 1 1 1 1 1 1 1 1 1 1 1 1 1 1 1		rroject sampre	MUNDEL	. 000/020-003	υ	are corrected	u. 03/1	77704 11:0
Client Sample ID: 110607SEP04				Matrix	k: Soil		Date Receive	d: 09/2	21/04 08:5
Parameters	Results	<u>Units</u>	Report Limit	<u>DF</u>	<u>Analyzed</u>	Ву	CAS No.	<u>Qual</u>	RegLmt
GC Semivolatiles									
Total Extractable Hydrocarbons	Prep/Method:	0A2 / 0A2							
Mineral Spirits	ND	mg/kg	11.	1.1	09/23/04 18:14	EMA			
Jet Fuel	ND	mg/kg	- 11.	1.1	09/23/04 18:14	EMA			
Kerosene	ND	mg/kg	11.	1.1	09/23/04 18:14	EMA			
Diesel Euel	ND	mg/kg	11.	1.1	09/23/04 18:14	EMA	68334-30-5		
Fuel 011	ND	mg/kg	11.	1.1	09/23/04 18:14	EMA	68334-30-5		
Motor 0il	ND	mg/kg	11.	1.1	09/23/04 18:14	EMA			
n-Tetracosane (S)	92	*		1.0	09/23/04 18:14	I EMA	646-31-1		
p-Terphenyl (S)	105	%		1.0	09/23/04 18:14	EMA	92-94-4		
Date Extracted	09/22/04				09/22/04				
Organics Prep									
Percent Moisture	Method: SM 2	540G							
Percent Moisture	8.8	%		1.0	09/22/04	ALJ1			
GC Volatiles									
Aromatic Volatile Organics	Prep/Method:	EPA 5030	Medium Soil / EP	A 8021	l				
Benzene	ND	ug/kg	55.	1.1	09/23/04 00:18	3 SHF	71-43-2		
Ethylbenzene	ND	ug/kg	55.	1.1	09/23/04 00:18	SHF	100-41-4		
Toluene	ND	ug/kg	55.		09/23/04 18:34		108-88-3		
Xylene (Total)	ND	ug/kg	140		09/23/04 00:18				
a,a,a-Trifluorotoluene (S)	88	%			09/23/04 00:18		98-08-8	1	
. , . ,				•		<del></del>		-	

Date: 09/29/04

Page: 5 of 35

## **REPORT OF LABORATORY ANALYSIS**

This report shall not be reproduced, except in full, without the written consent of Pace Analytical Services, Inc.

