1000 Rio Brazos Road, Aztec, NM 87410

1220 S. St. Francis Dr., Santa Fe, NM 87505

District IV

State of New Mexico Energy Minerals and Natural Resources

Form C-144 June 1, 2004

Oil Conservation Division 1220 South St. Francis Dr. Santa Fe, NM 87505 For drilling and production facilities, submit to appropriate NMOCD District Office. For downstream facilities, submit to Santa Fe office

Pit or Below-Grade Tank Registration or Closure

Is pit or below-grade tank cov	ered by a "general plan"? Yes 🗹 No 🗌						
(WFS CLOSURE) Type of action: Registration of a pit or below	v-grade tank Closure of a pit or below-grade tank	✓					
Operator: RC RESOURCES CORP Telephone:	e-mail address:						
Address: 8340 MEADOW RD DALLAS, TX 75231							
Facility or well name: <u>HODGES #017</u> API #: <u>30-045-</u>	24441 U/L or Qtr/Qtr I SEC	<u>21</u> T <u>26N</u> R <u>8W</u>					
County: <u>SAN JUAN</u> Surface Owner: Federal ✓ State ☐ Private ☐ Indian ☐	228 Longitude -107.68161	NAD: 1927 ☑ 1983 ☐					
<u>Pit</u>	Below-grade tank						
Type: Drilling Production Disposal	Volume: bbl Type of fluid:						
Workover	Construction Material: Double-walled, with leak detection? Yes If not, ex	plain why not.					
Lined Unlined 🗹							
Liner Type: Synthetic Thickness mil Clay Pit Volume 77 bbl							
Depth to ground water (vertical distance from bottom of pit to seasonal high water elevation of ground water.)	Less than 50 feet 50 feet or more, but less than 100 feet 100 feet or more	(20 points) (10 points) (0 points) <u>0</u>					
Wellhead protection area: (Less than 200 feet from a private domestic water source, or less than 1000 feet from all other water sources.)	Yes No	(20 points) (0 points) <u>0</u>					
Distance to surface water: (Horizontal distance to all wetlands, playas, irrigation canals, ditches, and perennial and ephemeral watercourses.)	Less than 200 feet 200 feet to 1,000 feet Greater than 1,000 feet	(20 points) (10 points) <u>0</u> (0 points)					
	Ranking Score (TOTAL POINTS):	0					
If this is a pit closure: (1)Attach a diagram of the facility showing the pit's relationship to other equipment and tanks. (2) Indicate disposal location: (check the onsite box if your are burying in place) onsite offsite offsite. If offsite, name of facility (3)Attach a general description of remedial action taken including remediation start date and end date. (4)Groundwater encountered: No Yes offsite offsite, show depth below ground surface fit. and attach sample results. (5)Attach soil sample results and a diagram of sample locations and excavations. Additional Comments: OCT 2005 BECIVED OIST. 3							
I hereby certify that the information above is true and complete to the best of my k tank has been/will be constructed or closed according to NMOCD guidelines							
Date:9/18/05 Printed Name/Title Mark Harvey for Williams Field Services Sig	gnature Mr Hor Wes						
Your certification and NMOCD approval of this application/closure does not relie or otherwise endanger public health or the environment. Nor does it relieve the op regulations.							
Approval: ON & GAS INSPECTOR, DIST.	ature Deny Fourt	OCT 1 9 2005					
Printed Name/Title Sign:	ature h tout	Date UII La LPU					

ADDENDUM TO OCD FORM C-144


Operator: RC RESOURCES CORP

API <u>30-045-24441</u>


Well Name: HODGES #017

Meter: <u>33488</u>

Facility Diagram:



Sampling Diagram:



Pit Dimensions

Location of Pit Center

Pit ID

Length 12 Ft.

Latitude 36.46941

334881

Width 12 Ft.

Longitude <u>-107.68143</u>

Pit Type

Depth 3 Ft.

(NAD 1927)

Other

Date Closure Started: 9/3/04

Date Closure Completed: 9/3/04

Closure Method:

Pushed In

Bedrock Encountered?

Cubic Yards Excavated:

Vertical Extent of Equipment Reached?

Description Of Closure Action:

The pit was assessed and sampled in accordance with NMOCD guidelines. Based on assessment findings, the pit was backfilled.

Pit Closure Sampling:

Sample ID Sam

Sample Date Head Space BTEX Total Benzene (mg/kg)

TPH DRO (mg/kg) Purpose

Location

n Depth

111908MAR04

3/8/04

(mg/kg) 31.9

150 ASSESS

Flr

7

___3



Pace Analytical Services, Inc. 9608 Loiret Blvd. Lenexa, KS 66219

> Phone: 913.599.5665 Fax: 913.599.1759

Lab Project Number: 6080365

Client Project ID: N.M. Pit Program/Spring 2004

Lab Sample No:

606913986

Project Sample Number: 6080365-022

Date Collected: 03/08/04 11:19

Client Sample ID: 111908MAR04

Matrix: Soil

Date Received: 03/16/04 09:15

- 1946年 - 1947年 - 1947年									
Parameters	Results	Units	Report Limit	t DF An	alyzed	Ву	CAS No.	Qua1	RegLmt
GC Semivolatiles									
Total Extractable Hydrocarbons	s Prep/Method	: OA2 / OA2							
Mineral Spirits	ND	mg/kg	12.	1.2 03/24/	04 10:50 R	MN1			
Jet Fuel	ND	mg/kg	. 12.	1.2 03/24/	04 10:50 R	MN1			
Kerosene	ND	mg/kg	12.	1.2 03/24/	04 10:50 R	MN1			
Diesel Fuel	ND	mg/kg	12.	1.2 03/24/	04 10:50 R	MN1 68	3334-30-5		
Fuel 011	ND	mg/kg	12.	1.2 03/24/	04 10:50 R	MN1 68	3334-30-5		
Motor Oil	150	mg/kg	12.	1.2 03/24/	04 10:50 R	MN1			
n-Tetracosane (S)	103	*		1.0 03/24/	04 10:50 R	MN1 64	46-31-1		
p-Terphenyl (S)	106	*		1.0 03/24/	04 10:50 R	MN1 92	2-94-4		
Date Extracted	03/17/04			03/17/	04				
Organics Prep									
Percent Moisture	Method: SM	Method: SM 2540G							
Percent Moisture	19.5	*		1.0 03/18/	04 D	PB			
GC Volatiles									
Aromatic Volatile Organics	Prep/Method	: EPA 5030 M	ledium Soil /	EPA 8021					
Benzene	ND	ug/kg	2500	49.3 03/18/	04 17:33 A	RF 73	1-43-2		,
Ethylbenzene	5900	ug/kg	2500	49.3 03/18/			00-41-4		
Toluene	. ND	ug/kg	2500	49.3 03/18/			08-88-3		
Xylene (Total)	26000	ug/kg	6200	49.3 03/18/			330-20-7		
a,a,a-Trifluorotoluene (S)	78	*		1.0 03/18/			8-08-8	. 3.4	

Date: 03/24/04

Page: 22 of 32

REPORT OF LABORATORY ANALYSIS

This report shall not be reproduced, except in full, without the written consent of Pace Analytical Services, Inc.

