District I

1625 N. French Dr., Hobbs, NM 88240

District II

1301 W Grand Avenue Artesia, NM 8821

1301 W. Grand Avenue, Artesia, NM 88210 District III

1000 Rio Brazos Road, Aztec, NM 87410

District IV

1220 S. St. Francis Dr., Santa Fe, NM 87505

State of New Mexico Energy Minerals and Natural Resources

Oil Conservation Division 1220 South St. Francis Dr. Santa Fe, NM 87505 For drilling and production facilities, submit to appropriate NMOCD District Office. For downstream facilities, submit to Santa Fe office

Form C-144

June 1, 2004

Pit or Below-Grade Tank Registration or Closure

Is pit or below-grade tank covered by a "general plan"? Yes 🗹 No 🗌							
(WFS CLOUSE) Type of action: Registration of a pit or below-grade tank Closure of a pit or below-grade tank							
Operator: BURLINGTON RESOURCES OIL & GAS CO Telephone:	e-mail address:						
Address: 801 CHERRY ST FORT WORTH, TX 76102							
Facility or well name: SAN JUAN 27 4 UNIT #051 API #: 30-039-	<u>29</u> T <u>27N</u> R <u>4W</u>						
County: RIO ARRIBA Latitude 36.547 Surface Owner: Federal ✓ State ☐ Private ☐ Indian ☐	Longitude <u>-107.26732</u>	NAD: 1927 ☑ 1983 ☐					
<u>Pit</u>	Below-grade tank						
Type: Drilling Production Disposal	Volume: bbl Type of fluid:						
Workover	Construction Material: Double-walled, with leak detection? Yes If not, ex	veloie velovenot					
Lined Unlined 🗹	Double-waned, with leak detection? Fes will in not, ex	piam why not.					
Liner Type: Synthetic Thickness mil Clay							
Depth to ground water (vertical distance from bottom of pit to seasonal high water elevation of ground water.)	Less than 50 feet 50 feet or more, but less than 100 feet 100 feet or more	(20 points) (10 points) 10 (0 points)					
Wellhead protection area: (Less than 200 feet from a private domestic water source, or less than 1000 feet from all other water sources.)	Yes No	(20 points) (0 points) <u>0</u>					
Distance to surface water: (Horizontal distance to all wetlands, playas, irrigation canals, ditches, and perennial and ephemeral watercourses.)	Less than 200 feet 200 feet to 1,000 feet Greater than 1,000 feet	(20 points) (10 points) (0 points)					
	Ranking Score (TOTAL POINTS):	<u>10</u>					
If this is a pit closure: (1)Attach a diagram of the facility showing the pit's relationsite box if your are burying in place) onsite offsite if offsite, name action taken including remediation start date and end date. (4)Groundwater encour and attach sample results. (5)Attach soil sample results and a diagram of sample lose.		eneral description of remedial					
Additional Comments: hedvock		Meter: <u>75930</u>					
I hereby certify that the information above is true and complete to the best of my k							
tank has been/will be constructed or closed according to NMOCD guidelines	, a general permit , or an (attached) alternative OC	D-approved plan					
Date:9/18/05 Printed Name/Title Mark Harvey for Williams Field Services Sig	inature Mr 2 , For WPS						
Your certification and NMOCD approval of this application/closure does not relie or otherwise endanger public health or the environment. Nor does it relieve the op regulations.	ve the operator of liablility should the contents of the pit or ta						
Approval: QFUTY CA & GAS INSPECTOR, DIST. & Signal Printed Name/Title	ature Derry Part	QCT 1 2 200					


ADDENDUM TO OCD FORM C-144

API 30-039-20149 Operator: BURLINGTON RESOURCES OIL & GAS COMPANY LP

Well Name: SAN JUAN 27 4 UNIT #051 Meter: 75930

Facility Diagram:

Sampling Diagram:



Pit Dimensions

Location of Pit Center

Pit ID 759301

Length 20 Ft. Latitude

36.54755

Width 20 Ft. Longitude -107.26731

Pit Type

Depth 3 Ft. (NAD 1927)

Unknown

Date Closure Started: 8/2/04

Date Closure Completed: 8/2/04

Closure Method:

Excavated, Blended, Treated Soil Returned

Bedrock Encountered?

Cubic Yards Excavated: 178

Vertical Extent of Equipment Reached? ✓

Description Of Closure Action:

Contaminated soil was removed and treated then returned to the excavation following sampling of the walls and floor.

TPH

DRO

(mg/kg)

BEDROCK limited vertical excavation and/or prevented sampling. This condition limits deleterious environmental effects.

Vertical extent of excavation limited by equipment

Pit Closure Sa	mpling:
Sample ID	Sample

Head Space

BTEX Total

(mg/kg)

Benzene (mg/kg)

Purpose

Location

Depth

134014AUG03	8/14/03	0.064	ASSESS	Flr	4

4

145702AUG04 8/2/04 0.17 8700 EX Confirm Walls 10 See Risk Analysis

150002AUG04 8/2/04 150.7 1.3 6700 EX Confirm Flr 12 See Risk Analysis



Pace Analytical Services, Inc.

5

9608 Loiret Blvd. Lenexa, KS 66219

Phone: 913.599.5665 Fax: 913.599.1759

Lab Project Number: 6073744

Client Project ID: NEW MEXICO PIT PROGRAM

1.0 08/22/03 18:17 RMN1 92-94-4

08/21/03

Project Sample Number: 6073744-003 Lab Sample No: 606344190 Date Collected: 08/14/03 13:40 Client Sample ID: 134014AUG03 Matrix: Soil Date Received: 08/19/03 09:20

Parameters Units Report Limit DF Analyzed Results By CAS No. Qual RegLmt GC Semivolatiles Total Extractable Hydrocarbons Prep/Method: 0A2 / 0A2 Mineral Spirits ND 54. 5.4 08/22/03 18:17 RMN1 mg/kg Jet Fuel ND mg/kg 54. 5.4 08/22/03 18:17 RMN1 Kerosene ND mg/kg 54. 5.4 08/22/03 18:17 RMN1 Diesel Fuel ND mg/kg 54. 5.4 08/22/03 18:17 RMN1 68334-30-5 Fuel Oil ND 54. mg/kg 5.4 08/22/03 18:17 RMN1 68334-30-5 Motor 0il ND mg/kg 54. 5.4 08/22/03 18:17 RMN1 **Total Petroleum Hydrocarbons** 16000 mg/kg 54. 5.4 08/22/03 18:17 RMN1 n-Tetracosane (S) 998 1.0 08/22/03 18:17 RMN1 646-31-1

Organics Prep

p-Terphenyl (S)

Date Extracted

Percent Moisture	Method: SM 2540G		
Percent Maisture	85 %	1.0.08/21/03	PIH

%

102

08/21/03

GC Volatiles

Aromatic Volatile Organics	Prep/Method:	EPA 5030 Med	ium Soil / EPA	A 8021
Benzene	ND	ug/kg	55.	1.1 08/21/03 09:12 SHF 71-43-2
Ethylbenzene	ND	ug/kg	55.	1.1 08/21/03 09:12 SHF 100-41-4
Toluene	64.	ug/kg	55.	1.1 08/21/03 09:12 SHF 108-88-3
Xylene (Total)	ND	ug/kg	140	1.1 08/21/03 09:12 SHF 1330-20-7
a,a,a-Trifluorotoluene (S)	98	%		1.0 08/21/03 09:12 SHF 98-08-8

Date: 08/25/03

Page: 3 of 9

REPORT OF LABORATORY ANALYSIS

This report shall not be reproduced, except in full, without the written consent of Pace Analytical Services, Inc.





Pace Analytical Services, Inc.

9608 Loiret Blvd. Lenexa, KS 66219

Phone: 913.599.5665 Fax: 913.599.1759

Lab Project Number: 6085394 Client Project ID: NM PITS 8/4

607357050 Lab Sample No:

Project Sample Number: 6085394-026

Date Collected: 08/02/04 15:00

Client Sample ID: 150002AUG04		Matrix: Soil					Date Received: 08/04/04 09:00			
Results	Units_	Report Limit	DF	Analyz	zed	Ву	CAS No.	Qua1	RegLmt	
Prep/Method:	OA2 / OA2	•					•			
ND	mg/kg	22.	2.2	08/10/04 1	l8:20	RMN1				
ND	mg/kg	22.	2.2	08/10/04 1	L8:20	RMN1				
ND	mg/kg	22.	2.2	08/10/04 1	18:20	RMN1				
ND	mg/kg	22.	2.2	08/10/04 1	18:20	RMN1	68334-30-5			
ND	mg/kg	22.	2.2	08/10/04 1	18:20	RMN1	68334-30-5	,		
ND	mg/kg	22.	2.2	08/10/04 1	18:20	RMN1				
6700 _	mg/kg	22.	2.2	08/10/04 1	18:20	RMN1		17	*	
585	*		1.0	08/10/04 1	18:20	RMN1	646-31-1	5		
110	*		1.0	08/10/04	18:20	RMN1	92-94-4			
08/09/04				08/09/04						
Method: SM 2	540G									
9.2	*		1.0	08/09/04		DPB				
Prep/Method:	EPA 5030 M	edium Soil / E	PA 802	1						
1300	ug/kg	1100	21.8	08/10/04	12:56	ARF	71-43-2			
9400	ug/kg	1100	21.8	08/10/04	12:56	ARF	100-41-4			
ND	ug/kg	1100	21.8	08/10/04	12:56	ARF	108-88-3			
140000	ug/kg	2800	21.8	08/10/04	12:56	ARF	1330-20-7			
94	%		1.0	08/10/04	12:56	ARF	98-08-8			
	Prep/Method: ND ND ND ND ND ND ND S85 110 08/09/04 Method: SM 2 9.2 Prep/Method: 1300 9400 ND 140000	Prep/Method: OA2 / OA2 ND	Prep/Method: OA2 / OA2 ND mg/kg 22. Some of the second o	Results Units Report Limit DF Prep/Method: OA2 / OA2 22. 2.2 ND mg/kg 22. 2.2 ND mg/kg 22. 2.2 ND mg/kg 22. 2.2 ND mg/kg 22. 2.2 6700 mg/kg 22. 2.2 585 % 1.0 110 % 1.0 08/09/04 % 1.0 Prep/Method: EPA 5030 Medium Soil / EPA 802 1300 ug/kg 1100 21.8 9400 ug/kg 1100 21.8 ND ug/kg 1100 21.8 140000 ug/kg 2800 21.8	Results Units Report Limit DF Analyz Prep/Method: 0A2 / 0A2 0A2 <t< td=""><td>Results Units Report Limit DF Analyzed Prep/Method: 0A2 / OA2 22. 2.2 08/10/04 18:20 ND mg/kg 22. 2.2 08/10/04 18:20 6700 mg/kg 22. 2.2 08/10/04 18:20 585 % 1.0 08/10/04 18:20 110 % 1.0 08/10/04 18:20 08/09/04 08/09/04 Method: SM 2540G 9.2 % 1.0 08/10/04 18:20 08/09/04 08/09/04 Prep/Method: EPA 5030 Medium Soil / EPA 8021 1300 ug/kg 1100 21.8 08/10/04 12:56 ND ug/kg 1100 21.8 08/10/04 12:56 ND ug/kg 1100 21.8 08/10/04 12:56 140000 ug/kg 2800 21.8 08/10/04 12:56 140000 ug/kg 2800 21.8 08/10/04 12:56</td><td> Results</td><td>Results Units Report Limit DF Analyzed By CAS No. Prep/Method: 0A2 / 0A2 VAS NO VA</td><td>Results Units Report Limit DF Analyzed By CAS No. Qual Prep/Method: 0A2 / 0A2 ND mg/kg 22. 2.2 08/10/04 18:20 RMN1 ND MND mg/kg 22. 2.2 08/10/04 18:20 RMN1 ND MND MND</td></t<>	Results Units Report Limit DF Analyzed Prep/Method: 0A2 / OA2 22. 2.2 08/10/04 18:20 ND mg/kg 22. 2.2 08/10/04 18:20 6700 mg/kg 22. 2.2 08/10/04 18:20 585 % 1.0 08/10/04 18:20 110 % 1.0 08/10/04 18:20 08/09/04 08/09/04 Method: SM 2540G 9.2 % 1.0 08/10/04 18:20 08/09/04 08/09/04 Prep/Method: EPA 5030 Medium Soil / EPA 8021 1300 ug/kg 1100 21.8 08/10/04 12:56 ND ug/kg 1100 21.8 08/10/04 12:56 ND ug/kg 1100 21.8 08/10/04 12:56 140000 ug/kg 2800 21.8 08/10/04 12:56 140000 ug/kg 2800 21.8 08/10/04 12:56	Results	Results Units Report Limit DF Analyzed By CAS No. Prep/Method: 0A2 / 0A2 VAS NO VA	Results Units Report Limit DF Analyzed By CAS No. Qual Prep/Method: 0A2 / 0A2 ND mg/kg 22. 2.2 08/10/04 18:20 RMN1 ND MND mg/kg 22. 2.2 08/10/04 18:20 RMN1 ND MND MND	

Date: 08/18/04

Page: 26 of 34

REPORT OF LABORATORY ANALYSIS

This report shall not be reproduced, except in full, without the written consent of Pace Analytical Services, Inc.





Lab Sample No:

607357043

Pace Analytical Services, Inc. 9608 Loiret Blvd. Lenexa, KS 66219

> Phone: 913.599.5665 Fax: 913.599.1759

Lab Project Number: 6085394 Client Project ID: NM PITS 8/4

Project Sample Number: 6085394-025

Date Collected: 08/02/04 14:57

Client Sample ID: 145702AUG04		Matrix: Soil					Date Received: 08/04/04 09:00				
Parameters STORES	∵ Results	Units	Report Limit	DF	Analy	/zed	Ву	CAS No.	Qua1	RegLmt	
GC Semivolatiles											
Total Extractable Hydrocarbons	Prep/Method:	0A2 / 0A2									
Mineral Spirits	ND	mg/kg	56.	5.6	08/10/04	16:00	RMN1				
Jet Fuel	ND	mg/kg	56.	5.6	08/10/04	16:00	RMN1				
Kerosene	ND	mg/kg	56.	5.6	08/10/04	16:00	RMN1				
Diesel Fuel	ND	mg/kg	56.	5.6	08/10/04	16:00	RMN1	68334-30-5			
Fuel 011	ND	mg/kg	56.	5.6	08/10/04	16:00	RMN1	68334-30-5			
Motor 0i1	8700	mg/kg	5 6.	5.6	08/10/04	16:00	RMN1		13		
n-Tetracosane (S)	963	*		1.0	08/10/04	16:00	RMN1	646-31-1	14		
p-Terphenyl (S)	30	x			08/10/04				15		
Date Extracted	08/09/04				08/09/04						
Organics Prep										~	
Percent Moisture	Method: SM 2	540G									
Percent Moisture	11.6	*		1.0	08/09/04		DPB			•	
GC Volatiles											
Aromatic Volatile Organics	Prep/Method:	EPA 5030 N	ledium Soil / E	PA 802	1						
Benzene	ND	ug/kg	57 .		08/09/04	19:09	ARF	71-43-2			
Ethylbenzene	ND	ug/kg	57.	1.1	08/09/04	19:09	ARF	100-41-4			
Toluene	ND	ug/kg	57.	1.1	08/09/04	19:09	ARF	108-88-3			
Xylene (Total)	170	ug/kg	150	1.1	08/09/04	19:09	ARF	1330-20-7			
a,a,a-Trifluorotoluene (S)	91	*		1.0	08/09/04	19:09	ARF	98-08-8	16		

Date: 08/18/04

Page: 25 of 34

REPORT OF LABORATORY ANALYSIS

This report shall not be reproduced, except in full, without the written consent of Pace Analytical Services, Inc.

