District I 1625 N. French Dr., Hobbs, NM 88240 District II 1331 W. Grand Avenue, Artesia, NM 88210 District III 1000 Rio Brazos Road, Aztec, NM 87410 District IV 1220 S. St. Francis Dr., Santa Fe, NM 87505

State of New Mexico **Energy Minerals and Natural Resources**

For drilling and production facilities, submit to appropriate NMOCD District Office. For downstream facilities, submit to Santa Fe

Oil Conservation Division 1220 South St. Francis Dr. Santa Fe. NM 87505

office

Form C-144

June 1 2004

Pit or Below-Grade Tank Registration or Closure Is pit or below-grade tank covered by a "general plan"? Yes \(\subseteq \) No \(\subseteq \)

Type of action: Registration of a pit or below-grade tank \(\Boxed{\Boxesia}\) Closure of a pit or below-grade tank \(\Boxed{\Boxesia}\) Operator: Burlington Resources Telephone: (505) 326-9841 e-mail address: LHasely@br-inc.com Address: 3401 East 30th Street, Farmington, New Mexico, 87402 Facility or well name: San Juan 28 6 No. 194 API #: 300392<u>0897000</u>0 U/L or Qtr/Qtr D Sec 13 T 27N R 6W Latitude 36.57853 Longitude ___-107.425 NAD: 1927 ▼ 1983 □ County: Rio Arriba Surface Owner: Federal State Private Indian Below-grade tank Type: Drilling Production Disposal Volume: 60 bbl Type of fluid: Produced Water and Incidental Oil Workover ☐ Emergency ☐ Construction material: Fiberglass Lined | Unlined | Double-walled, with leak detection? Yes \(\square\) If not, explain why not. Liner type: Synthetic Thickness mil Clay Pit Volume Less than 50 feet (20 points) Depth to ground water (vertical distance from bottom of pit to seasonal 50 feet or more, but less than 100 feet (10 points) high water elevation of ground water.) 100 feet or more (0 points) 10 Yes (20 points) Wellhead protection area: (Less than 200 feet from a private domestic No (0 points) 0 water source, or less than 1000 feet from all other water sources.) Less than 200 feet (20 points) Distance to surface water: (horizontal distance to all wetlands, playas, 200 feet or more, but less than 1000 feet (10 points) irrigation canals, ditches, and perennial and ephemeral watercourses.) 1000 feet or more (0 points) 10 20 Ranking Score (Total Points) If this is a pit closure: (1) Attach a diagram of the facility showing the pit's relationship to other equipment and tanks. (2) Indicate disposal location: (check the onsite box if your are burying in place) onsite 🔲 offsite 🖂 If offsite, name of facility (3) Attach a general description of remedial action taken including remediation start date and end date. (4) Groundwater encountered: No 🛛 Yes 🔲 If yes, show depth below ground surface _______ft. and attach sample results. (5) Attach soil sample results and a diagram of sample locations and excavations. Additional Comments: Soils tested clean below tank, no soil remediation required. I hereby certify that the information above is true and complete to the best of my knowledge and belief. I further certify that the above-described pit or below-grade tank has been/will be constructed or closed according to NMOCD guidelines , a general permit , or an (attached) alternative OCD-approved plan . Date: 11/28/05 Printed Name/Title Mr. Ed Hasely, Environmental Advisor Your certification and NMOCD approval of this application/closure does not relieve the operator of liability should the contents of the pit or tank contaminate ground water or otherwise endanger public health or the environment. Nor does it relieve the operator of its responsibility for compliance with any other federal, state, or local laws and/or regulations. AMINACI & GAS INSPECTOR. CIST. (2)

CLIENT: Burlington		ONMENTAL SCIENTISTS 5796 U.S. HIGHWAY ARMINGTON, NEW ME PHONE: (505) 632	5 & ENGINEERS 64-3014 XICO 87401		LOCATION N	O:
FIELD REPOR	et: CLOS	SURE V	ERIFIC	CATION	PAGE No: _	of
LOCATION: <u>name: Sam Ju</u> quad/unit: sec: qtr/fddtage: <i>qc</i> N	13 TWP: Z7N E	RNG: W PM	CNT			10/20/05
EXCAVATION APPROX DISPOSAL FACILITY: LAND USE:		I	REMEDIATI	ON METH	OD:	
FIELD NOTES & REMARDEPTH TO GROUNDWATER: 50- NMOCD RANKING SCORE: 20 SOIL AND EXCAVATION SOIL FESTER CLE	NEAREST WATE NMOCD TPH CL N DESCRIPTION	ER SOURCE: >K OSURE STD: 10 N: HANK, FIE 1.D. LAB No:	700 N C PPM 10 ≤ vil r. LD 418.1 CAL WEIGHT (g)	EAREST SURFA	CHECK ON PIT ABANDON STEEL TANK	o IE : NED INSTALLED
SCALE O FT PIT PERIMI	ETER 17 25' 3 4 5	OVM RESULT SAMPLE FIELD + PO 2011-10 2011-10 ANALYSIS	S SEADSPACE (ppm) C	PIT	PROFILE	



EPA METHOD 418.1 TOTAL PETROLEUM HYDROCARBONS

Client:

Burlington Resources

Descrete sample 3' below BGT

Project #:

92115-021-128

Sample No.:

Date Reported:

10/20/2005

Sample ID:

Date Sampled:

10/20/2005

Sample Matrix:

Soil

Date Analyzed:

10/20/2005

Preservative:

Cool

Analysis Needed:

TPH-418.1

Condition:

Cool and Intact

		Det.
	Concentration	Limit
Parameter	(mg/kg)	(mg/kg)

Total Petroleum Hydrocarbons

20.0

5.0

ND = Parameter not detected at the stated detection limit.

References:

Method 418.1, Petroleum Hydrocarbons, Total Recoverable, Chemical Analysis of Water

and Waste, USEPA Storet No. 4551, 1978.

Comments:

San Juan 28-5 No. 194

Instrument callibration checked against 200 ppm standard. Zeroed before each sample